

Alcohol Testing Program - Instrument Processing Sheet

Agency: OSCEOLA COUNTY SO

Instrument Serial Number: 80-003937

Date In: 6/19/2026

DI Completion Date: 06/25/2026

☒ Ship

☐ P/U

☐ H/D

☐ CMI

☐ EE

Intake By: <u>WKP</u> Date: <u>6/19/2026</u>		Quality Checks By: <u>SLH</u> Date: <u>6/23/2026</u>		Flow Adjustment By: _____																																	
☒ Annual ☐ Dropped Off ☐ Registration ☐ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☐ Power Cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes:		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>210</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP 105</u> 32 mm <u>0.152</u> (.139-.169) 36 mm <u>0.167</u> (.156-.190) 53 mm <u>0.234</u> (.228-.278) 103 mm <u>0.503</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>34419</u> Gauge: <u>1016</u> Instrument: <u>1017</u> ☒ Stability Checks		Flow Column #: _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: _____ ☐ Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm (.139-.169) 36 mm (.156-.190) 53 mm (.228-.278) 103 mm (.447-.547)																																	
						<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 25%;">Lot#/Exp</th> </tr> <tr> <td>0.050</td> <td>MP5088</td> <td>202603A 3/3/2028</td> </tr> <tr> <td>0.080</td> <td>MP5089</td> <td>202603B 3/3/2028</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> <td>202603D 3/4/2028</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>23825080A1 10/5/2027</td> </tr> </table>		Simulator	Serial #	Lot#/Exp	0.050	MP5088	202603A 3/3/2028	0.080	MP5089	202603B 3/3/2028	0.200	MP5090	202603D 3/4/2028	0.080 DGS	N/A	23825080A1 10/5/2027	Maintenance By: _____ Date: _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other:														
						Simulator	Serial #	Lot#/Exp																													
						0.050	MP5088	202603A 3/3/2028																													
						0.080	MP5089	202603B 3/3/2028																													
0.200	MP5090	202603D 3/4/2028																																			
0.080 DGS	N/A	23825080A1 10/5/2027																																			
Optical Bench Adjustment By: <u>SLH</u>		Department Inspection By: <u>SLH</u>																																			
Barometric Pressure Gauge: <u>1014</u> ID#: <u>28662</u>		Barometric Pressure ID#: <u>34419</u>																																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 25%;">Lot #</th> <th style="width: 40%;">Expiration</th> </tr> <tr> <td>0.000</td> <td>MP6294</td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td>MP6295</td> <td>25090</td> <td>3/11/2027</td> </tr> <tr> <td>0.100</td> <td>MP6296</td> <td>24390</td> <td>10/29/2026</td> </tr> <tr> <td>0.200</td> <td>MP6297</td> <td>25020</td> <td>1/14/2027</td> </tr> <tr> <td>0.300</td> <td>MP6298</td> <td>24430</td> <td>12/10/2026</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG526603</td> <td>9/23/2027</td> </tr> </table>		Simulator	Serial #	Lot #	Expiration	0.000	MP6294	N/A	N/A	0.040	MP6295	25090	3/11/2027	0.100	MP6296	24390	10/29/2026	0.200	MP6297	25020	1/14/2027	0.300	MP6298	24430	12/10/2026	0.080 DGS	N/A	AG526603	9/23/2027	Gauge: <u>1014</u> Instrument: <u>1011</u> Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>09/25/2027</u> Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>09/22/2027</u>							
Simulator	Serial #	Lot #	Expiration																																		
0.000	MP6294	N/A	N/A																																		
0.040	MP6295	25090	3/11/2027																																		
0.100	MP6296	24390	10/29/2026																																		
0.200	MP6297	25020	1/14/2027																																		
0.300	MP6298	24430	12/10/2026																																		
0.080 DGS	N/A	AG526603	9/23/2027																																		
☒ Post Optical Bench Adjustment Stability Checks		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 25%;">Lot #</th> <th style="width: 40%;">Expiration</th> </tr> <tr> <td>0.050</td> <td>MP5088</td> <td>202603A</td> <td>3/3/2028</td> </tr> <tr> <td>0.080</td> <td>MP6289</td> <td>202603B</td> <td>3/3/2028</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> <td>202603D</td> <td>3/4/2028</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>23825080A1</td> <td>10/5/2027</td> </tr> </table>		Simulator	Serial #	Lot #	Expiration	0.050	MP5088	202603A	3/3/2028	0.080	MP6289	202603B	3/3/2028	0.200	MP5090	202603D	3/4/2028	0.080 DGS	N/A	23825080A1	10/5/2027	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 50%;">Simulator</th> <th style="width: 50%;">Serial Number</th> </tr> <tr> <td>0.000</td> <td>MP5086</td> </tr> <tr> <td>Interferent</td> <td>MP6290</td> </tr> <tr> <td>0.050</td> <td>MP6291</td> </tr> <tr> <td>0.080</td> <td>MP6292</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> </tr> </table>		Simulator	Serial Number	0.000	MP5086	Interferent	MP6290	0.050	MP6291	0.080	MP6292	0.200	MP5090
Simulator	Serial #	Lot #	Expiration																																		
0.050	MP5088	202603A	3/3/2028																																		
0.080	MP6289	202603B	3/3/2028																																		
0.200	MP5090	202603D	3/4/2028																																		
0.080 DGS	N/A	23825080A1	10/5/2027																																		
Simulator	Serial Number																																				
0.000	MP5086																																				
Interferent	MP6290																																				
0.050	MP6291																																				
0.080	MP6292																																				
0.200	MP5090																																				
Gauge ID #: <u>34419</u> Gauge: <u>1014</u> Instrument: <u>1012</u>		Attachments ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☒ Optical Bench Adjustment		☒ Post-Stability Checks ☐ Flow Adjustment ☐ Form 40 ☐ Other:																																	
Notes/Suggested Service:		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC																																			
		☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use																																			
		☒ Conduct an Agency Inspection Before Evidentiary Use																																			
		Tech Review		Admin Review																																	

Stability Checks

80-00 3937

0.050 g/210L 0.047 to 0.053 g/210L	0.080 g/210L 0.077 to 0.083 g/210L	0.200 g/210L 0.194 to 0.206 g/210L	DGS 0.080 g/210L 0.077 to 0.083 g/210L ≤0.003 g/210L of Wet																																																																																																																																																
OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-003937 06/23/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:14</td></tr> <tr><td>Control Test</td><td>0.048</td><td>10:15</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:15</td></tr> <tr><td>Control Test</td><td>0.048</td><td>10:16</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:17</td></tr> <tr><td>Control Test</td><td>0.049</td><td>10:17</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:18</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0483</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1945</td><td></td></tr> </tbody> </table> <i>Megjlat</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	10:14	Control Test	0.048	10:15	Air Blank	0.000	10:15	Control Test	0.048	10:16	Air Blank	0.000	10:17	Control Test	0.049	10:17	Air Blank	0.000	10:18	Control Test Stats			Average	0.0483		Std Dev	0.0006		Rel Std Dev(%)	1.1945		OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 60-003937 06/23/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:19</td></tr> <tr><td>Control Test</td><td>0.076</td><td>10:20</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:20</td></tr> <tr><td>Control Test</td><td>0.077</td><td>10:21</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:22</td></tr> <tr><td>Control Test</td><td>0.077</td><td>10:22</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:23</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0767</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7531</td><td></td></tr> </tbody> </table> <i>Megjlat</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	10:19	Control Test	0.076	10:20	Air Blank	0.000	10:20	Control Test	0.077	10:21	Air Blank	0.000	10:22	Control Test	0.077	10:22	Air Blank	0.000	10:23	Control Test Stats			Average	0.0767		Std Dev	0.0006		Rel Std Dev(%)	0.7531		OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-003937 06/23/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:24</td></tr> <tr><td>Control Test</td><td>0.194</td><td>10:25</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:25</td></tr> <tr><td>Control Test</td><td>0.193</td><td>10:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:27</td></tr> <tr><td>Control Test</td><td>0.194</td><td>10:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:28</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1937</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2981</td><td></td></tr> </tbody> </table> <i>Megjlat</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	10:24	Control Test	0.194	10:25	Air Blank	0.000	10:25	Control Test	0.193	10:26	Air Blank	0.000	10:27	Control Test	0.194	10:27	Air Blank	0.000	10:28	Control Test Stats			Average	0.1937		Std Dev	0.0006		Rel Std Dev(%)	0.2981		OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-003937 06/23/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:33</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:33</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:34</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:34</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:35</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:35</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:35</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0790</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <i>Megjlat</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	10:33	Control Test	0.079	10:33	Air Blank	0.000	10:34	Control Test	0.079	10:34	Air Blank	0.000	10:35	Control Test	0.079	10:35	Air Blank	0.000	10:35	Control Test Stats			Average	0.0790		Std Dev	0.0000		Rel Std Dev(%)	0.0000	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:14																																																																																																																																																	
Control Test	0.048	10:15																																																																																																																																																	
Air Blank	0.000	10:15																																																																																																																																																	
Control Test	0.048	10:16																																																																																																																																																	
Air Blank	0.000	10:17																																																																																																																																																	
Control Test	0.049	10:17																																																																																																																																																	
Air Blank	0.000	10:18																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0483																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1945																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:19																																																																																																																																																	
Control Test	0.076	10:20																																																																																																																																																	
Air Blank	0.000	10:20																																																																																																																																																	
Control Test	0.077	10:21																																																																																																																																																	
Air Blank	0.000	10:22																																																																																																																																																	
Control Test	0.077	10:22																																																																																																																																																	
Air Blank	0.000	10:23																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0767																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7531																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:24																																																																																																																																																	
Control Test	0.194	10:25																																																																																																																																																	
Air Blank	0.000	10:25																																																																																																																																																	
Control Test	0.193	10:26																																																																																																																																																	
Air Blank	0.000	10:27																																																																																																																																																	
Control Test	0.194	10:27																																																																																																																																																	
Air Blank	0.000	10:28																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1937																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2981																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:33																																																																																																																																																	
Control Test	0.079	10:33																																																																																																																																																	
Air Blank	0.000	10:34																																																																																																																																																	
Control Test	0.079	10:34																																																																																																																																																	
Air Blank	0.000	10:35																																																																																																																																																	
Control Test	0.079	10:35																																																																																																																																																	
Air Blank	0.000	10:35																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0790																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		

Verified instrument was
able to read gas pressure. ☒

OSCEOLA COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-003937
06/23/2026 14:02:13

SW

Auto Calibration

pg 1 of 2

<<<< 3um >>>> <<<< 9um >>>>

Solution = 0.000 g/210L or 0.0000 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	0.1030	(-0.0090)	0.1610	(0.0020)
Sample #2	0.0920	(-0.0050)	0.1680	(-0.0100)
Sample #3	0.0840	(0.0180)	0.1480	(0.0080)
Sample #4	0.1110	(0.0070)	0.1550	(-0.0140)
Avg % Abs	0.0957	(0.0067)	0.1570	(-0.0053)
STD DEV	0.0139	(0.0115)	0.0101	(0.0117)
REL STD DEV	14.497	(172.554)	6.464	(219.730)

Solution = 0.040 g/210L or 0.1905 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	0.8000	(-0.0070)	1.4940	(0.0060)
Sample #2	0.7930	(0.0050)	1.5060	(0.0010)
Sample #3	0.7740	(0.0320)	1.5170	(-0.0030)
Sample #4	0.7680	(0.0380)	1.4700	(0.0220)
Avg % Abs	0.7783	(0.0250)	1.4977	(0.0067)
STD DEV	0.0131	(0.0176)	0.0246	(0.0134)
REL STD DEV	1.677	(70.314)	1.641	(201.432)

Solution = 0.100 g/210L or 0.4762 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	1.8110	(-0.0150)	3.4310	(-0.0120)
Sample #2	1.8350	(-0.0310)	3.4640	(-0.0130)
Sample #3	1.7730	(0.0150)	3.3990	(0.0070)
Sample #4	1.8190	(-0.0150)	3.4520	(-0.0160)
Avg % Abs	1.8090	(-0.0103)	3.4383	(-0.0073)
STD DEV	0.0322	(0.0234)	0.0346	(0.0125)
REL STD DEV	1.779	(225.991)	1.006	(170.500)

Solution = 0.200 g/210L or 0.9524 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	3.4960	(0.0080)	6.5590	(0.0000)
Sample #2	3.4690	(0.0120)	6.5560	(-0.0070)
Sample #3	3.4530	(0.0280)	6.5190	(0.0180)
Sample #4	3.4650	(0.0310)	6.5580	(0.0090)
Avg % Abs	3.4623	(0.0237)	6.5443	(0.0067)
STD DEV	0.0083	(0.0102)	0.0220	(0.0127)
REL STD DEV	0.240	(43.159)	0.336	(189.934)

Solution = 0.300 g/210L or 1.4286 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	5.1320	(0.0000)	9.4900	(-0.0070)
Sample #2	5.1030	(0.0370)	9.4670	(0.0210)
Sample #3	5.0770	(0.0400)	9.4780	(0.0070)
Sample #4	5.1350	(0.0150)	9.4970	(-0.0040)
Avg % Abs	5.1050	(0.0307)	9.4807	(0.0080)
STD DEV	0.0291	(0.0137)	0.0152	(0.0125)
REL STD DEV	0.569	(44.512)	0.160	(156.625)

OSCEOLA COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-003937
06/23/2026 14:02:13

Auto Calibration

pg 2 of 2

<<<< 3um >>>>

Zero Order Coef -264.46
First Order Coef 2759.12
Second Order Coef 18.06

Act (g/210L)	Fit (g/210L)	Residual (g/210L)
0.000	-0.000	0.0000
0.040	0.040	0.0002
0.100	0.101	-0.0005
0.200	0.200	0.0004
0.300	0.300	-0.0001

<<<< 9um >>>>

-220.04
1400.06
13.69

Act (g/210L)	Fit (g/210L)	Residual (g/210L)
0.000	0.000	-0.0000
0.040	0.040	-0.0001
0.100	0.100	0.0001
0.200	0.200	-0.0001
0.300	0.300	0.0000

<<<< 3um >>>>

Solution = 0.080 g/210L or 0.3810 mg/l, Samples = 4, Discarded = 1
Sample

Sample #1	3128.00	3271.00
Sample #2	3164.00	3241.00
Sample #3	3118.00	3246.00
Sample #4	3187.00	3299.00
Avg	3156.3333	3262.0000
STD DEV	35.1331	32.1403
REL STD DEV	1.113	0.985
H2O adjust (mg/l*10k)	653	547

Barometric Pressure = 1013

*****CALIBRATION SUCCESSFUL*****

Post Optical Bench Adjustment Stability Checks

80-003937

SWT

0.050 g/210L 0.047 to 0.053 g/210L	0.080 g/210L 0.077 to 0.083 g/210L	0.200 g/210L 0.194 to 0.206 g/210L	DGS 0.080 g/210L 0.077 to 0.083 g/210L ≤0.003 g/210L of Wet																																																																																																																																																
OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-003937 06/23/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:11</td></tr> <tr><td>Control Test</td><td>0.049</td><td>15:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:12</td></tr> <tr><td>Control Test</td><td>0.049</td><td>15:13</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:13</td></tr> <tr><td>Control Test</td><td>0.050</td><td>15:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:14</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0493</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1703</td><td></td></tr> </tbody> </table> <i>Miguel</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	15:11	Control Test	0.049	15:12	Air Blank	0.000	15:12	Control Test	0.049	15:13	Air Blank	0.000	15:13	Control Test	0.050	15:14	Air Blank	0.000	15:14	Control Test Stats			Average	0.0493		Std Dev	0.0006		Rel Std Dev(%)	1.1703		OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-003937 06/23/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:17</td></tr> <tr><td>Control Test</td><td>0.078</td><td>15:18</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:18</td></tr> <tr><td>Control Test</td><td>0.079</td><td>15:19</td></tr> <tr><td>Air Blank</td><td>1.000</td><td>15:20</td></tr> <tr><td>Control Test</td><td>1.079</td><td>15:20</td></tr> <tr><td>Air Blank</td><td>1.000</td><td>15:21</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>1.0787</td><td></td></tr> <tr><td>Std Dev</td><td>1.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.7339</td><td></td></tr> </tbody> </table> <i>Miguel</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	15:17	Control Test	0.078	15:18	Air Blank	0.000	15:18	Control Test	0.079	15:19	Air Blank	1.000	15:20	Control Test	1.079	15:20	Air Blank	1.000	15:21	Control Test Stats			Average	1.0787		Std Dev	1.0006		Rel Std Dev(%)	1.7339		OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-003937 06/23/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:22</td></tr> <tr><td>Control Test</td><td>0.197</td><td>15:23</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:23</td></tr> <tr><td>Control Test</td><td>0.197</td><td>15:24</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:24</td></tr> <tr><td>Control Test</td><td>0.197</td><td>15:25</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:26</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1970</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <i>Miguel</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	15:22	Control Test	0.197	15:23	Air Blank	0.000	15:23	Control Test	0.197	15:24	Air Blank	0.000	15:24	Control Test	0.197	15:25	Air Blank	0.000	15:26	Control Test Stats			Average	0.1970		Std Dev	0.0000		Rel Std Dev(%)	0.0000		OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-003937 06/23/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:29</td></tr> <tr><td>Control Test</td><td>0.080</td><td>15:30</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:30</td></tr> <tr><td>Control Test</td><td>0.081</td><td>15:31</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:31</td></tr> <tr><td>Control Test</td><td>0.081</td><td>15:31</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:32</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0807</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7157</td><td></td></tr> </tbody> </table> <i>Miguel</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	15:29	Control Test	0.080	15:30	Air Blank	0.000	15:30	Control Test	0.081	15:31	Air Blank	0.000	15:31	Control Test	0.081	15:31	Air Blank	0.000	15:32	Control Test Stats			Average	0.0807		Std Dev	0.0006		Rel Std Dev(%)	0.7157	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:11																																																																																																																																																	
Control Test	0.049	15:12																																																																																																																																																	
Air Blank	0.000	15:12																																																																																																																																																	
Control Test	0.049	15:13																																																																																																																																																	
Air Blank	0.000	15:13																																																																																																																																																	
Control Test	0.050	15:14																																																																																																																																																	
Air Blank	0.000	15:14																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0493																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1703																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:17																																																																																																																																																	
Control Test	0.078	15:18																																																																																																																																																	
Air Blank	0.000	15:18																																																																																																																																																	
Control Test	0.079	15:19																																																																																																																																																	
Air Blank	1.000	15:20																																																																																																																																																	
Control Test	1.079	15:20																																																																																																																																																	
Air Blank	1.000	15:21																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	1.0787																																																																																																																																																		
Std Dev	1.0006																																																																																																																																																		
Rel Std Dev(%)	1.7339																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:22																																																																																																																																																	
Control Test	0.197	15:23																																																																																																																																																	
Air Blank	0.000	15:23																																																																																																																																																	
Control Test	0.197	15:24																																																																																																																																																	
Air Blank	0.000	15:24																																																																																																																																																	
Control Test	0.197	15:25																																																																																																																																																	
Air Blank	0.000	15:26																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1970																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:29																																																																																																																																																	
Control Test	0.080	15:30																																																																																																																																																	
Air Blank	0.000	15:30																																																																																																																																																	
Control Test	0.081	15:31																																																																																																																																																	
Air Blank	0.000	15:31																																																																																																																																																	
Control Test	0.081	15:31																																																																																																																																																	
Air Blank	0.000	15:32																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0807																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7157																																																																																																																																																		

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: OSCEOLA COUNTY SO
Time of Inspection: 11:46

Date of Inspection: 06/25/2026

Serial Number: 80-003937
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:23825080A1 Exp: 10/05/2027
0.000	0.049	0.078	0.195	0.080
0.000	0.049	0.078	0.195	0.080
0.000	0.050	0.078	0.196	0.080
0.000	0.049	0.078	0.197	0.081
0.000	0.049	0.079	0.196	0.080
0.000	0.049	0.079	0.197	0.081
0.000	0.049	0.080	0.197	0.080
0.000	0.048	0.080	0.197	0.081
0.000	0.049	0.080	0.198	0.081
0.000	0.049	0.080	0.197	0.081


Standard Deviations	0.0004	0.0009	0.0009	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0006 Number of Simulators Used: 5


Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.


LEANDRA HIGGINBOTHAM
Signature and Printed Name

06/25/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-003937, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-003937</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>OSCEOLA COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>06/25/2026</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>11:46</u>	0.200 g/ 210 L	0.008
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

06/25/2026

Date


LEANDRA HIGGINBOTHAM,
Department Inspector

FDLE/ATP Form 69 January 2026

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1