



INSTRUMENT PROCESSING SHEET

Agency Hendry County Sheriff's OfficeS/N 80-000951

Florida Department of Law Enforcement

Date In 04/28/2025 DI Completion Date 05/23/2025 Ship P/U H/D CMI EE

Intake	Quality Checks	Flow Calibration															
By <u>TDG</u> Date <u>04/29/2025</u> <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight Other Equipment/ Accessories: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable Notes: <u>Dropped off by Deputy Dibernadino. No box. Missing left middle foot. Agency reports low results/exception messages during the Agency Inspections.</u>	By <u>TDG</u> Date <u>05/01/2025</u> <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>129</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP101</u> 32 mm <u>0.160</u> (.139 - .169) 36 mm <u>0.175</u> (.156 - .190) 53 mm <u>0.246</u> (.228 - .278) 103 mm <u>0.484</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>28199</u> <input checked="" type="checkbox"/> Stability Checks	By _____ Date _____ Flow Column # _____ <input type="checkbox"/> 5L/min – 17mm <input type="checkbox"/> 15L/min – 53mm <input type="checkbox"/> 30L/min – 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)															
	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP6286</td> <td>202406K 06/19/2026</td> </tr> <tr> <td>0.080</td> <td>MP6287</td> <td>202406L 06/19/2026</td> </tr> <tr> <td>0.200</td> <td>MP6288</td> <td>202406N 06/20/2026</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG429602 10/22/2026</td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.050	MP6286	202406K 06/19/2026	0.080	MP6287	202406L 06/19/2026	0.200	MP6288	202406N 06/20/2026	0.080 DGS	N/A	AG429602 10/22/2026	Maintenance By _____ Date _____ <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input type="checkbox"/> Other _____
Simulator	Serial #	Lot #/Exp															
0.050	MP6286	202406K 06/19/2026															
0.080	MP6287	202406L 06/19/2026															
0.200	MP6288	202406N 06/20/2026															
0.080 DGS	N/A	AG429602 10/22/2026															

Calibration Adjustment	Department Inspection																																																												
By <u>TDG</u> Barometric Pressure Gauge <u>1015</u> ID # <u>26932</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP4863</td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td>MP4864</td> <td>23400</td> <td>10/24/2025</td> </tr> <tr> <td>0.100</td> <td>MP8229</td> <td>24110</td> <td>03/05/2026</td> </tr> <tr> <td>0.200</td> <td>MP8230</td> <td>24080</td> <td>02/13/2026</td> </tr> <tr> <td>0.300</td> <td>MP8231</td> <td>23410</td> <td>11/01/2025</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>28424080A3</td> <td>11/05/2026</td> </tr> </tbody> </table> <input checked="" type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP6286</td> <td>202406K</td> <td>06/19/2026</td> </tr> <tr> <td>0.080</td> <td>MP6287</td> <td>202406L</td> <td>06/19/2026</td> </tr> <tr> <td>0.200</td> <td>MP6288</td> <td>202406N</td> <td>06/20/2026</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG429602</td> <td>10/22/2026</td> </tr> </tbody> </table>	Simulator	Serial #	Lot #	Expiration	0.000	MP4863	N/A	N/A	0.040	MP4864	23400	10/24/2025	0.100	MP8229	24110	03/05/2026	0.200	MP8230	24080	02/13/2026	0.300	MP8231	23410	11/01/2025	0.080 DGS	N/A	28424080A3	11/05/2026	Simulator	Serial #	Lot #	Expiration	0.050	MP6286	202406K	06/19/2026	0.080	MP6287	202406L	06/19/2026	0.200	MP6288	202406N	06/20/2026	0.080 DGS	N/A	AG429602	10/22/2026	By <u>TDG</u> Barometric Pressure ID# <u>28199</u> Gauge <u>1018</u> Instrument <u>1017</u> Mouth Alcohol Solution Lot # <u>2024-A</u> Acetone Stock Solution Lot # <u>2023-B</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP6284</td> </tr> <tr> <td>Interferent</td> <td>MP6285</td> </tr> <tr> <td>0.050</td> <td>MP6286</td> </tr> <tr> <td>0.080</td> <td>MP6287</td> </tr> <tr> <td>0.200</td> <td>MP6288</td> </tr> </tbody> </table>	Simulator	Serial Number	0.000	MP6284	Interferent	MP6285	0.050	MP6286	0.080	MP6287	0.200	MP6288
Simulator	Serial #	Lot #	Expiration																																																										
0.000	MP4863	N/A	N/A																																																										
0.040	MP4864	23400	10/24/2025																																																										
0.100	MP8229	24110	03/05/2026																																																										
0.200	MP8230	24080	02/13/2026																																																										
0.300	MP8231	23410	11/01/2025																																																										
0.080 DGS	N/A	28424080A3	11/05/2026																																																										
Simulator	Serial #	Lot #	Expiration																																																										
0.050	MP6286	202406K	06/19/2026																																																										
0.080	MP6287	202406L	06/19/2026																																																										
0.200	MP6288	202406N	06/20/2026																																																										
0.080 DGS	N/A	AG429602	10/22/2026																																																										
Simulator	Serial Number																																																												
0.000	MP6284																																																												
Interferent	MP6285																																																												
0.050	MP6286																																																												
0.080	MP6287																																																												
0.200	MP6288																																																												
	Attachments <input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Post-Stability Checks <input checked="" type="checkbox"/> Stability Checks <input type="checkbox"/> Flow Calibration <input checked="" type="checkbox"/> Calibration Certificate <input checked="" type="checkbox"/> Form 40 <input checked="" type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other _____																																																												

Notes/Suggested Service: _____ _____ _____ _____ _____ _____	<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use <div style="display: flex; justify-content: space-between;"> <div style="text-align: center;"> Digitally signed by Shayla Platt Date: 2025.06.02 13:52:15 -04'00' Tech Review / Date </div> <div style="text-align: center;"> Digitally signed by Phil Nicodemo Date: 2025.06.03 09:09:15 -04'00' Admin Review / Date </div> </div>
---	---

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: HENDRY COUNTY SO
Time of Inspection: 10:36

Date of Inspection: 05/01/2025

Serial Number: 80-000951
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08g/210L Test (g/210L) Lot#: _____ Exp: _____	0.20g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: _____ Exp: _____

Number of Simulators Used: _____

Remarks:
AI NOT CONDUCTED. BYPASSED TO BRING OUT OF DISABLED MODE.

Not determined
TC
5/1/25

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.





Taylor D Gutschow

TAYLOR D GUTSCHOW

Signature and Printed Name

05/01/2025
Date

Stability Checks

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083 <input checked="" type="checkbox"/> 50.003 of Wet <input checked="" type="checkbox"/>																																																																																																																																																
<p>HENRY COUNTY SO Intoxilyzer - Alconol Analyzer Model 8000 SN 80-000951 05/01/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:25</td></tr> <tr><td>Control Test</td><td>0.046</td><td>12:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:27</td></tr> <tr><td>Control Test</td><td>0.048</td><td>12:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:28</td></tr> <tr><td>Control Test</td><td>0.048</td><td>12:28</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:29</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0460</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel. Std Dev.(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:25	Control Test	0.046	12:26	Air Blank	0.000	12:27	Control Test	0.048	12:27	Air Blank	0.000	12:28	Control Test	0.048	12:28	Air Blank	0.000	12:29	Control Test Stats			Average	0.0460		Std Dev	0.0000		Rel. Std Dev.(%)	0.0000		<p>HENRY COUNTY SO Intoxilyzer - Alconol Analyzer Model 8000 SN 80-000951 05/01/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>2:33</td></tr> <tr><td>Control Test</td><td>0.078</td><td>2:34</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>2:34</td></tr> <tr><td>Control Test</td><td>0.079</td><td>2:35</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>2:36</td></tr> <tr><td>Control Test</td><td>0.078</td><td>2:36</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>2:37</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0783</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev.(%)</td><td>0.7370</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	2:33	Control Test	0.078	2:34	Air Blank	0.000	2:34	Control Test	0.079	2:35	Air Blank	0.000	2:36	Control Test	0.078	2:36	Air Blank	0.000	2:37	Control Test Stats			Average	0.0783		Std Dev	0.0006		Rel. Std Dev.(%)	0.7370		<p>HENRY COUNTY SO Intoxilyzer - Alconol Analyzer Model 8000 SN 80-000951 05/01/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:10</td></tr> <tr><td>Control Test</td><td>0.197</td><td>12:11</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:11</td></tr> <tr><td>Control Test</td><td>0.197</td><td>12:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:13</td></tr> <tr><td>Control Test</td><td>0.197</td><td>12:13</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:14</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1970</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel. Std Dev.(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:10	Control Test	0.197	12:11	Air Blank	0.000	12:11	Control Test	0.197	12:12	Air Blank	0.000	12:13	Control Test	0.197	12:13	Air Blank	0.000	12:14	Control Test Stats			Average	0.1970		Std Dev	0.0000		Rel. Std Dev.(%)	0.0000		<p>HENRY COUNTY SO Intoxilyzer - Alconol Analyzer Model 8000 SN 80-000951 05/01/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:57</td></tr> <tr><td>Control Test</td><td>0.083</td><td>11:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:58</td></tr> <tr><td>Control Test</td><td>0.081</td><td>11:58</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:58</td></tr> <tr><td>Control Test</td><td>0.082</td><td>11:59</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:59</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0820</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel. Std Dev.(%)</td><td>1.2195</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	11:57	Control Test	0.083	11:57	Air Blank	0.000	11:58	Control Test	0.081	11:58	Air Blank	0.000	11:58	Control Test	0.082	11:59	Air Blank	0.000	11:59	Control Test Stats			Average	0.0820		Std Dev	0.0010		Rel. Std Dev.(%)	1.2195	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:25																																																																																																																																																	
Control Test	0.046	12:26																																																																																																																																																	
Air Blank	0.000	12:27																																																																																																																																																	
Control Test	0.048	12:27																																																																																																																																																	
Air Blank	0.000	12:28																																																																																																																																																	
Control Test	0.048	12:28																																																																																																																																																	
Air Blank	0.000	12:29																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0460																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel. Std Dev.(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	2:33																																																																																																																																																	
Control Test	0.078	2:34																																																																																																																																																	
Air Blank	0.000	2:34																																																																																																																																																	
Control Test	0.079	2:35																																																																																																																																																	
Air Blank	0.000	2:36																																																																																																																																																	
Control Test	0.078	2:36																																																																																																																																																	
Air Blank	0.000	2:37																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0783																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel. Std Dev.(%)	0.7370																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:10																																																																																																																																																	
Control Test	0.197	12:11																																																																																																																																																	
Air Blank	0.000	12:11																																																																																																																																																	
Control Test	0.197	12:12																																																																																																																																																	
Air Blank	0.000	12:13																																																																																																																																																	
Control Test	0.197	12:13																																																																																																																																																	
Air Blank	0.000	12:14																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1970																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel. Std Dev.(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	11:57																																																																																																																																																	
Control Test	0.083	11:57																																																																																																																																																	
Air Blank	0.000	11:58																																																																																																																																																	
Control Test	0.081	11:58																																																																																																																																																	
Air Blank	0.000	11:58																																																																																																																																																	
Control Test	0.082	11:59																																																																																																																																																	
Air Blank	0.000	11:59																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0820																																																																																																																																																		
Std Dev	0.0010																																																																																																																																																		
Rel. Std Dev.(%)	1.2195																																																																																																																																																		
<p>Operator's Signature </p>	<p>Operator's Signature </p>	<p>Operator's Signature </p>	<p>Operator's Signature </p>																																																																																																																																																

<<<<< CHANNEL 2 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 1.5230 (0.0160)
 Sample #2 = 1.5410 (0.0180)
 Sample #3 = 1.5340 (0.0100)
 Sample #4 = 1.5370 (0.0140)
 Avg % Abs = 1.5373 (0.0107)
 STD DEV = 0.0035 (0.0031)
 REL STD DEV = 0.228 (28.641)

HENDRY COUNTY SO
 Intoxilyzer - Alcohol Analyzer
 Model 8000
 SN 80-000951
 05/22/2025 12:47:31

Sol Value = 0.100 g/210L ***
 Fit Value = 0.4762 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12547, 9um Io = 13224
 <<<<< CHANNEL 1 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 1.9900 (-0.0170)
 Sample #2 = 2.0340 (-0.0180)
 Sample #3 = 1.9960 (0.0100)
 Sample #4 = 1.9960 (0.0140)
 Avg % Abs = 2.0060 (0.0020)
 STD DEV = 0.0250 (0.0174)
 REL STD DEV = 1.245 (671.780)

Auto Calibration
 Max Power Res Value = 35
 Auto Range Res Value = 19
 Sol Value = 0.000 g/210L ***
 Fit Value = 0.0000 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12548, 9um Io = 13227
 <<<<< CHANNEL 1 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 0.1510 (-0.0140)
 Sample #2 = 0.1310 (0.0280)
 Sample #3 = 0.1320 (0.0110)
 Sample #4 = 0.1280 (0.0490)
 Avg % Abs = 0.1303 (0.0293)
 STD DEV = 0.0021 (0.0190)
 REL STD DEV = 1.597 (64.892)

<<<<< CHANNEL 2 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 3.9950 (-0.0020)
 Sample #2 = 3.6030 (0.0040)
 Sample #3 = 3.6020 (0.0050)
 Sample #4 = 3.5950 (0.0040)
 Avg % Abs = 3.6100 (0.0043)
 STD DEV = 0.0044 (0.0006)
 REL STD DEV = 0.121 (13.323)

Sol Value = 0.200 g/210L ***
 Fit Value = 0.9524 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12549, 9um Io = 13221
 <<<<< CHANNEL 1 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 3.7880 (-0.0350)
 Sample #2 = 3.7850 (-0.0160)
 Sample #3 = 3.7750 (0.0200)
 Sample #4 = 3.8050 (0.0040)
 Avg % Abs = 3.7883 (0.0027)
 STD DEV = 0.0153 (0.0180)
 REL STD DEV = 0.403 (676.388)

<<<<< CHANNEL 2 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 6.8790 (-0.0220)
 Sample #2 = 6.8840 (-0.0200)
 Sample #3 = 6.8840 (-0.0020)
 Sample #4 = 6.8930 (-0.0110)
 Avg % Abs = 6.8870 (-0.0110)
 STD DEV = 0.0052 (0.0090)
 REL STD DEV = 0.075 (81.818)

Sol Value = 0.180 g/210L ***
 Fit Value = 0.3810 mg/l %%%
 Samples Taken = 4, Discarded = 1
 <<<<< CHANNEL 1 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 2854.00
 Sample #2 = 2751.00
 Sample #3 = 2821.00
 Sample #4 = 2819.00
 Average Result = 2797.0000
 STD DEV = 39.8497
 REL STD DEV = 1.425

***** AUTO CAL DATA *****
 <<<<< CHANNEL 1 >>>>>
 Sol Val = 0.0000 mg/l or 0.000 g/210L
 % Abs = 0.130
 Std Dev = 0.00 Rel Std Dev = 1.60
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 0.865
 Std Dev = 0.02 Rel Std Dev = 2.65
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 2.006
 Std Dev = 0.02 Rel Std Dev = 1.25
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 3.788
 Std Dev = 0.02 Rel Std Dev = 0.40
 Sol Val = 1.4286 mg/l or 0.300 g/210L
 % Abs = 5.499
 Std Dev = 0.00 Rel Std Dev = 0.08
 Zero Order Coef = -297.27
 First Order Coef = 2464.14
 Second Order Coef = 34.05
 Standard Deviation = 27.763687

<<<<< CHANNEL 2 >>>>>
 Sol Val = 0.0000 mg/l or 0.000 g/210L
 % Abs = 0.135
 Std Dev = 0.00 Rel Std Dev = 1.86
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 1.537
 Std Dev = 0.00 Rel Std Dev = 0.23
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 3.600
 Std Dev = 0.00 Rel Std Dev = 0.12
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 6.887
 Std Dev = 0.01 Rel Std Dev = 0.08
 Sol Val = 1.4286 mg/l or 0.300 g/210L
 % Abs = 10.000
 Std Dev = 0.01 Rel Std Dev = 0.12
 Zero Order Coef = -173.40
 First Order Coef = 1328.03
 Second Order Coef = 11.76
 Standard Deviation = 6.692365

 Dry Gas H2O Adjust Results *****
 Barometric Pressure = 1014
 3 um H2O Adjust (mg/l * 0.000) = 1012
 9 um H2O Adjust (mg/l * 0.000) = 616

 ***** AUTO CAL PASS *****

Optical Calibration
 Adjustment
 By: TDG

Solution Stats Quadratic Fit Chan 1
 Act Fit Residual
 g/210L g/210L g/210L
 0.000 0.001 -0.0005
 0.040 0.039 0.0009
 0.100 0.100 -0.0004
 0.200 0.200 -0.0001
 0.300 0.300 0.0001

Solution Stats Quadratic Fit Chan 2
 Act Fit Residual
 g/210L g/210L g/210L
 0.000 0.000 -0.0001
 0.040 0.040 0.0002
 0.100 0.100 0.0000
 0.200 0.200 -0.0001
 0.300 0.300 0.0001

Post-Cal Stability Checks

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083																																																																																																																																																
<p>HENRY COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000951 05/22/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>14:19</td></tr> <tr><td>Control Test</td><td>0.049</td><td>14:20</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:21</td></tr> <tr><td>Control Test</td><td>0.049</td><td>14:21</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:22</td></tr> <tr><td>Control Test</td><td>0.049</td><td>14:23</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:23</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0490</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	14:19	Control Test	0.049	14:20	Air Blank	0.000	14:21	Control Test	0.049	14:21	Air Blank	0.000	14:22	Control Test	0.049	14:23	Air Blank	0.000	14:23	Control Test Stats			Average	0.0490		Std Dev	0.0000		Rel. Std Dev(%)	0.0000		<p>HENRY COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000951 05/22/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>14:27</td></tr> <tr><td>Control Test</td><td>0.079</td><td>14:28</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:28</td></tr> <tr><td>Control Test</td><td>0.079</td><td>14:29</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:29</td></tr> <tr><td>Control Test</td><td>0.078</td><td>14:30</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:31</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0787</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.7339</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	14:27	Control Test	0.079	14:28	Air Blank	0.000	14:28	Control Test	0.079	14:29	Air Blank	0.000	14:29	Control Test	0.078	14:30	Air Blank	0.000	14:31	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel. Std Dev(%)	0.7339		<p>HENRY COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000951 05/22/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>14:36</td></tr> <tr><td>Control Test</td><td>0.199</td><td>14:37</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:37</td></tr> <tr><td>Control Test</td><td>0.198</td><td>14:38</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:39</td></tr> <tr><td>Control Test</td><td>0.197</td><td>14:39</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:40</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1980</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.5051</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	14:36	Control Test	0.199	14:37	Air Blank	0.000	14:37	Control Test	0.198	14:38	Air Blank	0.000	14:39	Control Test	0.197	14:39	Air Blank	0.000	14:40	Control Test Stats			Average	0.1980		Std Dev	0.0010		Rel. Std Dev(%)	0.5051		<p>HENRY COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000951 05/22/2025 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>14:14</td></tr> <tr><td>Control Test</td><td>0.079</td><td>14:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:15</td></tr> <tr><td>Control Test</td><td>0.078</td><td>14:15</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:16</td></tr> <tr><td>Control Test</td><td>0.078</td><td>14:16</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:16</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0783</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.7370</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	14:14	Control Test	0.079	14:14	Air Blank	0.000	14:15	Control Test	0.078	14:15	Air Blank	0.000	14:16	Control Test	0.078	14:16	Air Blank	0.000	14:16	Control Test Stats			Average	0.0783		Std Dev	0.0006		Rel. Std Dev(%)	0.7370	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:19																																																																																																																																																	
Control Test	0.049	14:20																																																																																																																																																	
Air Blank	0.000	14:21																																																																																																																																																	
Control Test	0.049	14:21																																																																																																																																																	
Air Blank	0.000	14:22																																																																																																																																																	
Control Test	0.049	14:23																																																																																																																																																	
Air Blank	0.000	14:23																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0490																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel. Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:27																																																																																																																																																	
Control Test	0.079	14:28																																																																																																																																																	
Air Blank	0.000	14:28																																																																																																																																																	
Control Test	0.079	14:29																																																																																																																																																	
Air Blank	0.000	14:29																																																																																																																																																	
Control Test	0.078	14:30																																																																																																																																																	
Air Blank	0.000	14:31																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel. Std Dev(%)	0.7339																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:36																																																																																																																																																	
Control Test	0.199	14:37																																																																																																																																																	
Air Blank	0.000	14:37																																																																																																																																																	
Control Test	0.198	14:38																																																																																																																																																	
Air Blank	0.000	14:39																																																																																																																																																	
Control Test	0.197	14:39																																																																																																																																																	
Air Blank	0.000	14:40																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1980																																																																																																																																																		
Std Dev	0.0010																																																																																																																																																		
Rel. Std Dev(%)	0.5051																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:14																																																																																																																																																	
Control Test	0.079	14:14																																																																																																																																																	
Air Blank	0.000	14:15																																																																																																																																																	
Control Test	0.078	14:15																																																																																																																																																	
Air Blank	0.000	14:16																																																																																																																																																	
Control Test	0.078	14:16																																																																																																																																																	
Air Blank	0.000	14:16																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0783																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel. Std Dev(%)	0.7370																																																																																																																																																		
<p>Operator's Signature _____</p>	<p>Operator's Signature _____</p>	<p>Operator's Signature _____</p>	<p>Operator's Signature _____</p>																																																																																																																																																

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HENDRY COUNTY SO
Time of Inspection: 11:47

Date of Inspection: 05/23/2025

Serial Number: 80-000951
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.048	0.079	0.197	0.079
0.000	0.048	0.079	0.197	0.079
0.000	0.048	0.079	0.197	0.078
0.000	0.048	0.079	0.197	0.078
0.000	0.048	0.079	0.197	0.078
0.000	0.049	0.079	0.196	0.078
0.000	0.048	0.079	0.197	0.077
0.000	0.049	0.079	0.197	0.078
0.000	0.049	0.079	0.197	0.078
0.000	0.049	0.079	0.197	0.078


Standard Deviations	0.0005	0.0000	0.0003	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

05/23/2025
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000951, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000951</u>	UNCERTAINTY* ±	
Owning Agency:	<u>HENDRY COUNTY SO</u>	0.050 g/210 L	0.004
Calibration Date:	<u>05/23/2025</u>	0.080 g/210 L	0.004
Calibration Time:	<u>11:47</u>	0.200 g/210 L	0.007
		0.080 g/210 L Dry Gas Control	0.005

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Taylor
Gutschow
Digitally signed by Taylor Gutschow
Date: 2025.05.23 12:36:29 -04'00'

05/23/2025

Date

TAYLOR D GUTSCHOW,

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Department Inspector

Service • Integrity • Respect • Quality