

Alcohol Testing Program - Instrument Processing Sheet

Agency: PANAMA CITY PD

Instrument Serial Number: 80-000840

Date In: 8/21/2026

DI Completion Date: 9/2/2026

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By: <u>WKP</u> Date: <u>8/21/2026</u>		Quality Checks By: <u>WKP</u> Date: <u>8/25/2026</u>		Flow Adjustment By: _____																
☒ Annual ☐ Dropped Off ☐ Registration ☐ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☐ Power Cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes:		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>117</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP 102</u> 32 mm <u>0.148</u> (.139-.169) 36 mm <u>0.160</u> (.156-.190) 53 mm <u>0.234</u> (.228-.278) 103 mm <u>0.492</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>34420</u> Gauge: <u>1012</u> Instrument: <u>1013</u> ☒ Stability Checks		Flow Column #: _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: _____ ☐ Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm _____ (.139-.169) 36 mm _____ (.156-.190) 53 mm _____ (.228-.278) 103 mm _____ (.447-.547)																
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot#/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP5088</td> <td>202603A 3/3/2028</td> </tr> <tr> <td>0.080</td> <td>MP5089</td> <td>202603B 3/3/2028</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> <td>202603D 3/4/2028</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>23725080A1 10/5/2027</td> </tr> </tbody> </table>		Simulator	Serial #	Lot#/Exp	0.050	MP5088	202603A 3/3/2028	0.080	MP5089	202603B 3/3/2028	0.200	MP5090	202603D 3/4/2028	0.080 DGS	N/A	23725080A1 10/5/2027	Maintenance By: _____ Date: _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other:	
Simulator	Serial #	Lot#/Exp																		
0.050	MP5088	202603A 3/3/2028																		
0.080	MP5089	202603B 3/3/2028																		
0.200	MP5090	202603D 3/4/2028																		
0.080 DGS	N/A	23725080A1 10/5/2027																		
Optical Bench Adjustment By: <u>WKP</u>		Department Inspection By: <u>WKP</u>																		
Barometric Pressure Gauge: <u>1013</u> ID#: <u>28662</u>		Barometric Pressure ID#: <u>34420/34419</u>																		
Simulator	Serial #	Lot #	Expiration	Gauge: <u>1013/1013</u>	Instrument: <u>1013/1011</u>															
0.000	MP6294	N/A	N/A	Mouth Alcohol Solution Lot #: <u>2025-D x2</u>	Exp: <u>9/25/2027</u>															
0.040	MP6295	25090	3/11/2027	Acetone Stock Solution Lot #: <u>2025-B x2</u>	Exp: <u>9/22/2027</u>															
0.100	MP6296	24390	10/29/2026	Simulator	Serial Number															
0.200	MP6297	25020	1/14/2027	0.000	MP5086 x2															
0.300	MP6298	24430	12/10/2026	Interferent	MP5087 x2															
0.080 DGS	N/A	AG526603	9/23/2027	0.050	MP5088 x2															
☒ Post Optical Bench Adjustment Stability Checks				0.080	MP5089 x2															
Simulator	Serial #	Lot #	Expiration	0.200	MP5090 x2															
0.050	MP5088	202603A	3/3/2028	Attachments																
0.080	MP5089	202603B	3/3/2028	☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☒ Optical Bench Adjustment ☒ Average Calculations																
0.200	MP5090	202603D	3/4/2028	☒ Post-Stability Checks ☐ Flow Adjustment ☐ Form 40 ☐ Other:																
0.080 DGS	N/A	23725080A1	10/5/2027																	
Gauge ID #: <u>28427</u> Gauge: <u>1012</u> Instrument: <u>1012</u>																				
Notes/Suggested Service: Inadvertently knocked the power cord on the back of the instrument when attempting to attach the printer, resulting in the instrument losing power and loss of the department inspection record. Will repeat inspection at a future date. WKP 8/26/2026 Repeated department inspection on 9/2/2026. WKP 9/2/2026 Corrected 0.05 g/210L and 0.08 g/210L ARS expiration date on Form 41. WKP 9/2/2026				☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																
				Digitally signed by Taylor Gutschow Date: 2026.09.14 12:28:17 -04'00'																
				Digitally signed by S. LeAndra Higginbotham Date: 2026.09.17 09:17:26 -04'00'																
				Tech Review Admin Review																

0.05g/210L 0.047 to 0.053		0.08g/210L 0.077 to 0.083		0.20g/210L 0.194 to 0.206		DGS 0.08g/210L 0.077 to 0.083 ✓ ≤0.003 of Wet X																																																																																																																																																	
PENNA CITY PD Intoxilizer - Alcotest Analyzer Model 8100 SN 80-111840 18/25/2026 Software: 8100.27		PENNA CITY PD Intoxilizer - Alcotest Analyzer Model 8100 SN 80-111840 18/25/2026 Software: 8100.27		PENNA CITY PD Intoxilizer - Alcotest Analyzer Model 8100 SN 80-111840 18/25/2026 Software: 8100.27		PENNA CITY PD Intoxilizer - Alcotest Analyzer Model 8100 SN 80-111840 18/25/2026 Software: 8100.27																																																																																																																																																	
<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:11</td></tr> <tr><td>Control Test</td><td>0.048</td><td>12:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:13</td></tr> <tr><td>Control Test</td><td>0.048</td><td>12:13</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:14</td></tr> <tr><td>Control Test</td><td>0.049</td><td>12:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:15</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0483</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1945</td><td></td></tr> </tbody> </table>		Test	g/210L	Time	Air Blank	0.000	12:11	Control Test	0.048	12:12	Air Blank	0.000	12:13	Control Test	0.048	12:13	Air Blank	0.000	12:14	Control Test	0.049	12:14	Air Blank	0.000	12:15	Control Test Stats			Average	0.0483		Std Dev	0.0006		Rel Std Dev(%)	1.1945		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:18</td></tr> <tr><td>Control Test</td><td>0.076</td><td>12:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:19</td></tr> <tr><td>Control Test</td><td>0.075</td><td>12:20</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:21</td></tr> <tr><td>Control Test</td><td>0.074</td><td>12:21</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:22</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0750</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.3333</td><td></td></tr> </tbody> </table>		Test	g/210L	Time	Air Blank	0.000	12:18	Control Test	0.076	12:19	Air Blank	0.000	12:19	Control Test	0.075	12:20	Air Blank	0.000	12:21	Control Test	0.074	12:21	Air Blank	0.000	12:22	Control Test Stats			Average	0.0750		Std Dev	0.0010		Rel Std Dev(%)	1.3333		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:23</td></tr> <tr><td>Control Test</td><td>0.198</td><td>12:24</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:25</td></tr> <tr><td>Control Test</td><td>0.198</td><td>12:25</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:26</td></tr> <tr><td>Control Test</td><td>0.198</td><td>12:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:27</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1980</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>		Test	g/210L	Time	Air Blank	0.000	12:23	Control Test	0.198	12:24	Air Blank	0.000	12:25	Control Test	0.198	12:25	Air Blank	0.000	12:26	Control Test	0.198	12:26	Air Blank	0.000	12:27	Control Test Stats			Average	0.1980		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:38</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:38</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:39</td></tr> <tr><td>Control Test</td><td>0.078</td><td>12:39</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:39</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:40</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:40</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0787</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7339</td><td></td></tr> </tbody> </table>		Test	g/210L	Time	Air Blank	0.000	12:38	Control Test	0.079	12:38	Air Blank	0.000	12:39	Control Test	0.078	12:39	Air Blank	0.000	12:39	Control Test	0.079	12:40	Air Blank	0.000	12:40	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel Std Dev(%)	0.7339	
Test	g/210L	Time																																																																																																																																																					
Air Blank	0.000	12:11																																																																																																																																																					
Control Test	0.048	12:12																																																																																																																																																					
Air Blank	0.000	12:13																																																																																																																																																					
Control Test	0.048	12:13																																																																																																																																																					
Air Blank	0.000	12:14																																																																																																																																																					
Control Test	0.049	12:14																																																																																																																																																					
Air Blank	0.000	12:15																																																																																																																																																					
Control Test Stats																																																																																																																																																							
Average	0.0483																																																																																																																																																						
Std Dev	0.0006																																																																																																																																																						
Rel Std Dev(%)	1.1945																																																																																																																																																						
Test	g/210L	Time																																																																																																																																																					
Air Blank	0.000	12:18																																																																																																																																																					
Control Test	0.076	12:19																																																																																																																																																					
Air Blank	0.000	12:19																																																																																																																																																					
Control Test	0.075	12:20																																																																																																																																																					
Air Blank	0.000	12:21																																																																																																																																																					
Control Test	0.074	12:21																																																																																																																																																					
Air Blank	0.000	12:22																																																																																																																																																					
Control Test Stats																																																																																																																																																							
Average	0.0750																																																																																																																																																						
Std Dev	0.0010																																																																																																																																																						
Rel Std Dev(%)	1.3333																																																																																																																																																						
Test	g/210L	Time																																																																																																																																																					
Air Blank	0.000	12:23																																																																																																																																																					
Control Test	0.198	12:24																																																																																																																																																					
Air Blank	0.000	12:25																																																																																																																																																					
Control Test	0.198	12:25																																																																																																																																																					
Air Blank	0.000	12:26																																																																																																																																																					
Control Test	0.198	12:26																																																																																																																																																					
Air Blank	0.000	12:27																																																																																																																																																					
Control Test Stats																																																																																																																																																							
Average	0.1980																																																																																																																																																						
Std Dev	0.0000																																																																																																																																																						
Rel Std Dev(%)	0.0000																																																																																																																																																						
Test	g/210L	Time																																																																																																																																																					
Air Blank	0.000	12:38																																																																																																																																																					
Control Test	0.079	12:38																																																																																																																																																					
Air Blank	0.000	12:39																																																																																																																																																					
Control Test	0.078	12:39																																																																																																																																																					
Air Blank	0.000	12:39																																																																																																																																																					
Control Test	0.079	12:40																																																																																																																																																					
Air Blank	0.000	12:40																																																																																																																																																					
Control Test Stats																																																																																																																																																							
Average	0.0787																																																																																																																																																						
Std Dev	0.0006																																																																																																																																																						
Rel Std Dev(%)	0.7339																																																																																																																																																						
 Operator's Signature		 Operator's Signature		 Operator's Signature		 Operator's Signature																																																																																																																																																	

PANAMA CITY PD
 Intoxilyzer - Alcohol Analyzer
 Model 8000 SN 80-000840
 08/26/2026 08:15:34

Auto Calibration *Wen-Chi Pierson*

pg 1 of 2

<<<<< 3um >>>>> <<<<< 9um >>>>>

 Solution = 0.000 g/210L or 0.0000 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	0.0850	(-0.0160)	0.1490	(-0.0210)
Sample #2	0.0620	(0.0070)	0.1360	(-0.0080)
Sample #3	0.0840	(0.0160)	0.1210	(0.0000)
Sample #4	0.0670	(0.0100)	0.1240	(-0.0060)
Avg % Abs	0.0710	(0.0110)	0.1270	(-0.0047)
STD DEV	0.0115	(0.0046)	0.0079	(0.0042)
REL STD DEV	16.243	(41.660)	6.250	(89.214)

 Solution = 0.040 g/210L or 0.1905 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	0.7780	(-0.0190)	1.5520	(-0.0070)
Sample #2	0.7640	(-0.0030)	1.5360	(0.0040)
Sample #3	0.7680	(0.0150)	1.5350	(-0.0050)
Sample #4	0.7780	(0.0360)	1.5220	(0.0150)
Avg % Abs	0.7700	(0.0160)	1.5310	(0.0047)
STD DEV	0.0072	(0.0195)	0.0078	(0.0100)
REL STD DEV	0.937	(121.995)	0.510	(214.643)

 Solution = 0.100 g/210L or 0.4762 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	1.8140	(-0.0280)	3.5630	(-0.0010)
Sample #2	1.8190	(-0.0270)	3.5860	(-0.0140)
Sample #3	1.8110	(-0.0090)	3.5740	(-0.0100)
Sample #4	1.7850	(0.0040)	3.5490	(0.0100)
Avg % Abs	1.8050	(-0.0107)	3.5697	(-0.0047)
STD DEV	0.0178	(0.0156)	0.0189	(0.0129)
REL STD DEV	0.985	(145.941)	0.529	(275.533)

 Solution = 0.200 g/210L or 0.9524 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	3.4970	(-0.0150)	6.8880	(-0.0240)
Sample #2	3.4850	(0.0000)	6.8640	(0.0020)
Sample #3	3.4770	(0.0080)	6.8570	(-0.0060)
Sample #4	3.4910	(0.0170)	6.8420	(0.0070)
Avg % Abs	3.4843	(0.0083)	6.8543	(0.0010)
STD DEV	0.0070	(0.0085)	0.0112	(0.0066)
REL STD DEV	0.202	(102.059)	0.164	(655.744)

 Solution = 0.300 g/210L or 1.4286 mg/l, Samples = 4, Discarded = 1

Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)
Sample #1	5.0930	(0.0100)	9.9750	(-0.0070)
Sample #2	5.0810	(0.0140)	9.9500	(0.0210)
Sample #3	5.1020	(0.0370)	9.9190	(0.0460)
Sample #4	5.0730	(0.0350)	9.9390	(0.0360)
Avg % Abs	5.0853	(0.0287)	9.9360	(0.0343)
STD DEV	0.0150	(0.0127)	0.0157	(0.0126)
REL STD DEV	0.295	(44.445)	0.158	(36.650)

PANAMA CITY PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000840
08/26/2026 08:15:34

Auto Calibration

pg 2 of 2

<<<< 3um >>>>

Zero Order Coef -180.92
First Order Coef 2671.84
Second Order Coef 33.78

Act (g/210L)	Fit (g/210L)	Residual (g/210L)
0.000	0.000	-0.0002
0.040	0.040	0.0002
0.100	0.100	0.0002
0.200	0.200	-0.0003
0.300	0.300	0.0001

<<<< 9um >>>>

-163.76
1331.70
12.27

Act (g/210L)	Fit (g/210L)	Residual (g/210L)
0.000	0.000	-0.0001
0.040	0.040	0.0000
0.100	0.100	0.0003
0.200	0.200	-0.0004
0.300	0.300	0.0001

<<<< 3um >>>>

Solution = 0.080 g/210L or 0.3810 mg/l, Samples = 4, Discarded = 1
Sample

Sample #1	3201.00
Sample #2	3129.00
Sample #3	3264.00
Sample #4	3170.00
Avg	3187.6667
STD DEV	69.2122
REL STD DEV	2.171
H2O adjust (mg/l*10k)	622

<<<< 9um >>>>

3343.00
3360.00
3372.00
3318.00
3350.0000
28.3549
0.846
459

Barometric Pressure = 1013

*****CALIBRATION SUCCESSFUL*****

merp
8/26/2026

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083 ☒ ≤0.003 of Wet ☒																																																																																																																																																
PANAMA CITY PD Intoxilyzer - Alcohol Analyzer Model: 8000 08/26/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:12</td></tr> <tr><td>Control Test</td><td>0.050</td><td>10:13</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:13</td></tr> <tr><td>Control Test</td><td>0.049</td><td>10:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:14</td></tr> <tr><td>Control Test</td><td>0.049</td><td>10:15</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:15</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0493</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>1.1703</td><td></td></tr> </tbody> </table> <i>mary</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	10:12	Control Test	0.050	10:13	Air Blank	0.000	10:13	Control Test	0.049	10:14	Air Blank	0.000	10:14	Control Test	0.049	10:15	Air Blank	0.000	10:15	Control Test Stats			Average	0.0493		Std Dev	0.0006		Rel. Std Dev(%)	1.1703		PANAMA CITY PD Intoxilyzer - Alcohol Analyzer Model: 8000 08/26/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:22</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:23</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:23</td></tr> <tr><td>Control Test</td><td>0.078</td><td>10:24</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:25</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:25</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:26</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0783</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.7370</td><td></td></tr> </tbody> </table> <i>mary</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	10:22	Control Test	0.079	10:23	Air Blank	0.000	10:23	Control Test	0.078	10:24	Air Blank	0.000	10:25	Control Test	0.079	10:25	Air Blank	0.000	10:26	Control Test Stats			Average	0.0783		Std Dev	0.0006		Rel. Std Dev(%)	0.7370		PANAMA CITY PD Intoxilyzer - Alcohol Analyzer Model: 8000 08/26/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:17</td></tr> <tr><td>Control Test</td><td>0.198</td><td>10:17</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:18</td></tr> <tr><td>Control Test</td><td>0.197</td><td>10:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:19</td></tr> <tr><td>Control Test</td><td>0.198</td><td>10:20</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:20</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1977</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.2921</td><td></td></tr> </tbody> </table> <i>mary</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	10:17	Control Test	0.198	10:17	Air Blank	0.000	10:18	Control Test	0.197	10:19	Air Blank	0.000	10:19	Control Test	0.198	10:20	Air Blank	0.000	10:20	Control Test Stats			Average	0.1977		Std Dev	0.0006		Rel. Std Dev(%)	0.2921		PANAMA CITY PD Intoxilyzer - Alcohol Analyzer Model: 8000 08/26/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>09:44</td></tr> <tr><td>Control Test</td><td>0.079</td><td>09:44</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:45</td></tr> <tr><td>Control Test</td><td>0.079</td><td>09:45</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:45</td></tr> <tr><td>Control Test</td><td>0.079</td><td>09:46</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:46</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0790</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <i>mary</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	09:44	Control Test	0.079	09:44	Air Blank	0.000	09:45	Control Test	0.079	09:45	Air Blank	0.000	09:45	Control Test	0.079	09:46	Air Blank	0.000	09:46	Control Test Stats			Average	0.0790		Std Dev	0.0000		Rel. Std Dev(%)	0.0000	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:12																																																																																																																																																	
Control Test	0.050	10:13																																																																																																																																																	
Air Blank	0.000	10:13																																																																																																																																																	
Control Test	0.049	10:14																																																																																																																																																	
Air Blank	0.000	10:14																																																																																																																																																	
Control Test	0.049	10:15																																																																																																																																																	
Air Blank	0.000	10:15																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0493																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel. Std Dev(%)	1.1703																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:22																																																																																																																																																	
Control Test	0.079	10:23																																																																																																																																																	
Air Blank	0.000	10:23																																																																																																																																																	
Control Test	0.078	10:24																																																																																																																																																	
Air Blank	0.000	10:25																																																																																																																																																	
Control Test	0.079	10:25																																																																																																																																																	
Air Blank	0.000	10:26																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0783																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel. Std Dev(%)	0.7370																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:17																																																																																																																																																	
Control Test	0.198	10:17																																																																																																																																																	
Air Blank	0.000	10:18																																																																																																																																																	
Control Test	0.197	10:19																																																																																																																																																	
Air Blank	0.000	10:19																																																																																																																																																	
Control Test	0.198	10:20																																																																																																																																																	
Air Blank	0.000	10:20																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1977																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel. Std Dev(%)	0.2921																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	09:44																																																																																																																																																	
Control Test	0.079	09:44																																																																																																																																																	
Air Blank	0.000	09:45																																																																																																																																																	
Control Test	0.079	09:45																																																																																																																																																	
Air Blank	0.000	09:45																																																																																																																																																	
Control Test	0.079	09:46																																																																																																																																																	
Air Blank	0.000	09:46																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0790																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel. Std Dev(%)	0.0000																																																																																																																																																		

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: PANAMA CITY PD
Time of Inspection: 14:30

Date of Inspection: 09/02/2026

Serial Number: 80-000840
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) WKP Lot#:202603A 9/2/2026 Exp: 03/03/ ~~2026~~ 2028	0.08g/210L Test (g/210L) WKP Lot#:202603B 9/2/2026 Exp: 03/03/ ~~2026~~ 2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:28424080A3 Exp: 11/05/2026
0.000	0.049	0.078	0.199	0.079
0.000	0.050	0.079	0.199	0.080
0.000	0.050	0.079	0.199	0.080
0.000	0.049	0.079	0.199	0.080
0.000	0.050	0.079	0.199	0.080
0.000	0.050	0.079	0.199	0.080
0.000	0.050	0.079	0.199	0.080
0.000	0.051	0.079	0.199	0.080
0.000	0.051	0.079	0.199	0.080
0.000	0.051	0.080	0.199	0.080


Standard Deviations	0.0007	0.0004	0.0000	0.0003
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



WEN-CHI K PIERSON
Signature and Printed Name

09/02/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000840, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000840</u>	Average of y ± Uncertainty*
Owning Agency:	<u>PANAMA CITY PD</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>09/02/2026</u>	0.079 g/ 210 L 0.004
Calibration Time:	<u>14:30</u>	0.199 g/ 210 L 0.008
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Wen-Chi

Pierson

Digitally signed by Wen-Chi Pierson
Date: 2026.09.03 09:54:05 -04'00'

09/02/2026

Date

WEN-CHI K PIERSON,

Department Inspector

FDLE/ATP Form 69 August 2026

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality