



INSTRUMENT PROCESSING SHEET

Agency Collier County Sheriff's Office S/N 80-000942

Date In 8/9/2016 Date Out 8/9/2016 Ship P/U H/D CMI EE

Intake Performed By <u>DELL</u> <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Return from CMI <input type="checkbox"/> Return from Enforcement Electronics <input type="checkbox"/> Other _____ Visual Inspection: <u>OK</u> Case <u>OK</u> Handle <u>OK</u> Dry Gas Holder <u>OK</u> Feet <u>OK</u> Keyboard/Plug <u>OK</u> Back/Plugs <u>OK</u> Screws tight <u>OK</u> Breath Hose Other Equipment: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input type="checkbox"/> Other _____ Notes: _____ _____ _____	Quality Checks Performed By <u>DELL</u> <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>223</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP101</u> 32mm <u>152</u> (.139 - .169) 36mm <u>175</u> (.156 - .190) 53mm <u>246</u> (.228 - .278) 103mm <u>507</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>28663</u> <input checked="" type="checkbox"/> Stability Checks <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.05</td> <td>SD 3967</td> <td>201507A 07/14/2017</td> </tr> <tr> <td>0.08</td> <td>SD 3968</td> <td>201601F 01/26/2018</td> </tr> <tr> <td>0.20</td> <td>SD 3969</td> <td>201505A 05/13/2017</td> </tr> <tr> <td>0.08 DGS</td> <td>N/A</td> <td>A6600504 01/05/2018</td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.05	SD 3967	201507A 07/14/2017	0.08	SD 3968	201601F 01/26/2018	0.20	SD 3969	201505A 05/13/2017	0.08 DGS	N/A	A6600504 01/05/2018	Flow Calibration Performed By _____ <input checked="" type="checkbox"/> Flow Calibration N/A <input type="checkbox"/> Flow Calibration Complete Flow Column # _____ <input type="checkbox"/> 5L/min - 17mm <input type="checkbox"/> 15L/min - 53mm <input type="checkbox"/> 30L/min - 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32mm _____ (.139 - .169) 36mm _____ (.156 - .190) 53mm _____ (.228 - .278) 103mm _____ (.447 - .547) Maintenance Performed By _____ <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input type="checkbox"/> Other _____ Suggested Service _____ _____
Simulator	Serial #	Lot #/Exp															
0.05	SD 3967	201507A 07/14/2017															
0.08	SD 3968	201601F 01/26/2018															
0.20	SD 3969	201505A 05/13/2017															
0.08 DGS	N/A	A6600504 01/05/2018															

RECEIVED
AUG 19 2016
FDLE
Alcohol Testing Program

Optical Bench Calibration Performed By _____ <input checked="" type="checkbox"/> Optical Bench Calibration N/A <input type="checkbox"/> Optical Bench Calibration Complete Barometric Pressure Gauge ID # _____ <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.400</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> <input type="checkbox"/> Post Calibration Stability Checks <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.05</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.08</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.20</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.08 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>	Simulator	Serial Number	Lot Number	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.400				0.080 DGS	N/A			Simulator	Serial Number	Lot Number	Expiration	0.05				0.08				0.20				0.08 DGS	N/A			Department Inspection Performed By <u>DELL</u> <input checked="" type="checkbox"/> Barometric Pressure <u>1016</u> Gauge ID# <u>28199</u> <u>1017</u> Instrument Mouth Alcohol Solution Lot # <u>2016-A</u> Acetone Stock Solution Lot # <u>2016-B</u> <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.00</td> <td>SD 3965</td> </tr> <tr> <td>Interferent</td> <td>SD 3966</td> </tr> <tr> <td>0.05</td> <td>SD 3967</td> </tr> <tr> <td>0.08</td> <td>SD 3968</td> </tr> <tr> <td>0.20</td> <td>SD 3969</td> </tr> </tbody> </table> Attachments <input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Pre-Stability Tests <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Optical Bench Cal <input type="checkbox"/> Post-Stability Tests <input type="checkbox"/> Other _____	Simulator	Serial Number	0.00	SD 3965	Interferent	SD 3966	0.05	SD 3967	0.08	SD 3968	0.20	SD 3969
Simulator	Serial Number	Lot Number	Expiration																																																										
0.000		N/A	N/A																																																										
0.040																																																													
0.100																																																													
0.200																																																													
0.400																																																													
0.080 DGS	N/A																																																												
Simulator	Serial Number	Lot Number	Expiration																																																										
0.05																																																													
0.08																																																													
0.20																																																													
0.08 DGS	N/A																																																												
Simulator	Serial Number																																																												
0.00	SD 3965																																																												
Interferent	SD 3966																																																												
0.05	SD 3967																																																												
0.08	SD 3968																																																												
0.20	SD 3969																																																												

Notes: **E-MAILED**
8/8/2016 **APPROVED**
PC/DA OK 8/17/2016

 Instrument Complies with Chapter 11D-8, FAC
 Instrument Does Not Comply with Chapter 11D-8, FAC
 Return to/Place into Evidentiary Use
 Remain Out of Evidentiary Use
 Conduct an Agency Inspection Before Evidentiary Use

Brett Kitchland
Quality Control Review

8/19/16
Date

TYPE OF TEST	SERIAL NUMBER	AGENCY	DATE	PERFORMED BY
Stabilities	80-000942	Collier County Sheriff's Office	08/09/2016	DELL

13K

0.05g/210L 0.047 to 0.053 <input checked="" type="checkbox"/>	0.08g/210L 0.077 to 0.083 <input checked="" type="checkbox"/>	0.20g/210L 0.194 to 0.206 <input checked="" type="checkbox"/>	0.08g/210L 0.077 to 0.083 <input checked="" type="checkbox"/>	0.20g/210L 0.194 to 0.206 <input checked="" type="checkbox"/>	0.08g/210L 0.077 to 0.083 <input checked="" type="checkbox"/>	0.05g/210L 0.047 to 0.053 <input checked="" type="checkbox"/>																																																																																																																																																																																																																												
<p>COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model: 8000 SN: 80-000942 08/09/2016 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:11</td></tr> <tr><td>Control Test</td><td>0.050</td><td>11:11</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:12</td></tr> <tr><td>Control Test</td><td>0.051</td><td>11:13</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:13</td></tr> <tr><td>Control Test</td><td>0.050</td><td>11:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:14</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0503</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1471</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	11:11	Control Test	0.050	11:11	Air Blank	0.000	11:12	Control Test	0.051	11:13	Air Blank	0.000	11:13	Control Test	0.050	11:14	Air Blank	0.000	11:14	Control Test Stats			Average	0.0503		Std Dev	0.0006		Rel Std Dev(%)	1.1471		<p>COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model: 8000 SN: 80-000942 08/09/2016 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:16</td></tr> <tr><td>Control Test</td><td>0.081</td><td>11:17</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:17</td></tr> <tr><td>Control Test</td><td>0.080</td><td>11:18</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:19</td></tr> <tr><td>Control Test</td><td>0.080</td><td>11:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:20</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0803</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7187</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	11:16	Control Test	0.081	11:17	Air Blank	0.000	11:17	Control Test	0.080	11:18	Air Blank	0.000	11:19	Control Test	0.080	11:19	Air Blank	0.000	11:20	Control Test Stats			Average	0.0803		Std Dev	0.0006		Rel Std Dev(%)	0.7187		<p>COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model: 8000 SN: 80-000942 08/09/2016 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:22</td></tr> <tr><td>Control Test</td><td>0.203</td><td>11:23</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:23</td></tr> <tr><td>Control Test</td><td>0.204</td><td>11:24</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:24</td></tr> <tr><td>Control Test</td><td>0.203</td><td>11:25</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:26</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.2033</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2839</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	11:22	Control Test	0.203	11:23	Air Blank	0.000	11:23	Control Test	0.204	11:24	Air Blank	0.000	11:24	Control Test	0.203	11:25	Air Blank	0.000	11:26	Control Test Stats			Average	0.2033		Std Dev	0.0006		Rel Std Dev(%)	0.2839		<p>COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model: 8000 SN: 80-000942 08/09/2016 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:27</td></tr> <tr><td>Control Test</td><td>0.080</td><td>11:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:28</td></tr> <tr><td>Control Test</td><td>0.080</td><td>11:28</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:29</td></tr> <tr><td>Control Test</td><td>0.080</td><td>11:29</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:29</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0800</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	11:27	Control Test	0.080	11:27	Air Blank	0.000	11:28	Control Test	0.080	11:28	Air Blank	0.000	11:29	Control Test	0.080	11:29	Air Blank	0.000	11:29	Control Test Stats			Average	0.0800		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<p>COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model: 8000 SN: 80-000942 08/09/2016 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:27</td></tr> <tr><td>Control Test</td><td>0.080</td><td>11:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:28</td></tr> <tr><td>Control Test</td><td>0.080</td><td>11:28</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:29</td></tr> <tr><td>Control Test</td><td>0.080</td><td>11:29</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:29</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0800</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	11:27	Control Test	0.080	11:27	Air Blank	0.000	11:28	Control Test	0.080	11:28	Air Blank	0.000	11:29	Control Test	0.080	11:29	Air Blank	0.000	11:29	Control Test Stats			Average	0.0800		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<p>COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model: 8000 SN: 80-000942 08/09/2016 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:27</td></tr> <tr><td>Control Test</td><td>0.080</td><td>11:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:28</td></tr> <tr><td>Control Test</td><td>0.080</td><td>11:28</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:29</td></tr> <tr><td>Control Test</td><td>0.080</td><td>11:29</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:29</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0800</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	11:27	Control Test	0.080	11:27	Air Blank	0.000	11:28	Control Test	0.080	11:28	Air Blank	0.000	11:29	Control Test	0.080	11:29	Air Blank	0.000	11:29	Control Test Stats			Average	0.0800		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<p>DELL Operator's Signature</p>	<p>DELL Operator's Signature</p>	<p>DELL Operator's Signature</p>	<p>DELL Operator's Signature</p>	<p>DELL Operator's Signature</p>
Test	g/210L	Time																																																																																																																																																																																																																																
Air Blank	0.000	11:11																																																																																																																																																																																																																																
Control Test	0.050	11:11																																																																																																																																																																																																																																
Air Blank	0.000	11:12																																																																																																																																																																																																																																
Control Test	0.051	11:13																																																																																																																																																																																																																																
Air Blank	0.000	11:13																																																																																																																																																																																																																																
Control Test	0.050	11:14																																																																																																																																																																																																																																
Air Blank	0.000	11:14																																																																																																																																																																																																																																
Control Test Stats																																																																																																																																																																																																																																		
Average	0.0503																																																																																																																																																																																																																																	
Std Dev	0.0006																																																																																																																																																																																																																																	
Rel Std Dev(%)	1.1471																																																																																																																																																																																																																																	
Test	g/210L	Time																																																																																																																																																																																																																																
Air Blank	0.000	11:16																																																																																																																																																																																																																																
Control Test	0.081	11:17																																																																																																																																																																																																																																
Air Blank	0.000	11:17																																																																																																																																																																																																																																
Control Test	0.080	11:18																																																																																																																																																																																																																																
Air Blank	0.000	11:19																																																																																																																																																																																																																																
Control Test	0.080	11:19																																																																																																																																																																																																																																
Air Blank	0.000	11:20																																																																																																																																																																																																																																
Control Test Stats																																																																																																																																																																																																																																		
Average	0.0803																																																																																																																																																																																																																																	
Std Dev	0.0006																																																																																																																																																																																																																																	
Rel Std Dev(%)	0.7187																																																																																																																																																																																																																																	
Test	g/210L	Time																																																																																																																																																																																																																																
Air Blank	0.000	11:22																																																																																																																																																																																																																																
Control Test	0.203	11:23																																																																																																																																																																																																																																
Air Blank	0.000	11:23																																																																																																																																																																																																																																
Control Test	0.204	11:24																																																																																																																																																																																																																																
Air Blank	0.000	11:24																																																																																																																																																																																																																																
Control Test	0.203	11:25																																																																																																																																																																																																																																
Air Blank	0.000	11:26																																																																																																																																																																																																																																
Control Test Stats																																																																																																																																																																																																																																		
Average	0.2033																																																																																																																																																																																																																																	
Std Dev	0.0006																																																																																																																																																																																																																																	
Rel Std Dev(%)	0.2839																																																																																																																																																																																																																																	
Test	g/210L	Time																																																																																																																																																																																																																																
Air Blank	0.000	11:27																																																																																																																																																																																																																																
Control Test	0.080	11:27																																																																																																																																																																																																																																
Air Blank	0.000	11:28																																																																																																																																																																																																																																
Control Test	0.080	11:28																																																																																																																																																																																																																																
Air Blank	0.000	11:29																																																																																																																																																																																																																																
Control Test	0.080	11:29																																																																																																																																																																																																																																
Air Blank	0.000	11:29																																																																																																																																																																																																																																
Control Test Stats																																																																																																																																																																																																																																		
Average	0.0800																																																																																																																																																																																																																																	
Std Dev	0.0000																																																																																																																																																																																																																																	
Rel Std Dev(%)	0.0000																																																																																																																																																																																																																																	
Test	g/210L	Time																																																																																																																																																																																																																																
Air Blank	0.000	11:27																																																																																																																																																																																																																																
Control Test	0.080	11:27																																																																																																																																																																																																																																
Air Blank	0.000	11:28																																																																																																																																																																																																																																
Control Test	0.080	11:28																																																																																																																																																																																																																																
Air Blank	0.000	11:29																																																																																																																																																																																																																																
Control Test	0.080	11:29																																																																																																																																																																																																																																
Air Blank	0.000	11:29																																																																																																																																																																																																																																
Control Test Stats																																																																																																																																																																																																																																		
Average	0.0800																																																																																																																																																																																																																																	
Std Dev	0.0000																																																																																																																																																																																																																																	
Rel Std Dev(%)	0.0000																																																																																																																																																																																																																																	
Test	g/210L	Time																																																																																																																																																																																																																																
Air Blank	0.000	11:27																																																																																																																																																																																																																																
Control Test	0.080	11:27																																																																																																																																																																																																																																
Air Blank	0.000	11:28																																																																																																																																																																																																																																
Control Test	0.080	11:28																																																																																																																																																																																																																																
Air Blank	0.000	11:29																																																																																																																																																																																																																																
Control Test	0.080	11:29																																																																																																																																																																																																																																
Air Blank	0.000	11:29																																																																																																																																																																																																																																
Control Test Stats																																																																																																																																																																																																																																		
Average	0.0800																																																																																																																																																																																																																																	
Std Dev	0.0000																																																																																																																																																																																																																																	
Rel Std Dev(%)	0.0000																																																																																																																																																																																																																																	

DELL