

INSTRUMENT PROCESSING SHEET

Agency FHP S/N 80-006629
 Date In 5/20/16 Date Out 5/25/2016 Ship P/U H/D CMI EE

Intake Performed By TP

Registration
 Annual
 Return from CMI
 Return from Enforcement Electronics
 Other _____

Visual Inspection:
OK Case OK Handle
OK Dry Gas Holder OK Feet
OK Keyboard/Plug OK Back/Plugs
OK Screws tight OK Breath Hose

Other Equipment:
 Power cord
 Printer Cable
 Other Static Bag

Notes: AC Power Cord

Quality Checks Performed By DELL

Breath Tube Screen
 Replace O-Rings
 Instrument Set Up Verified
 R-Value 205
 Flow Verification (L/s)
 Flow Column # ATP 105
 32mm 150 (.139 - .169)
 36mm 171 (.156 - .190)
 53mm 253 (.228 - .278)
 103mm 527 (.447 - .547)

Barometric Pressure Check
 Gauge ID # 28427

Stability Checks

Simulator	Serial #	Lot #/Exp
0.05	G2403	201507A 07/14/2017
0.08	SD3964	201601F 01/26/2018
0.20	G4444	201505A 05/12/2017
0.08 DGS	N/A	AG6005D4 01/05/2018

Flow Calibration Performed By DELL

Flow Calibration N/A
 Flow Calibration Complete
 Flow Column # _____
 5L/min - 174mm
 15L/min - 53mm
 30L/min - 103mm

R-Value _____
 Post Calibration Verification (L/s)
 Flow Column # _____
 32mm _____ (.139 - .169)
 36mm _____ (.156 - .190)
 53mm _____ (.228 - .278)
 103mm _____ (.447 - .547)

Maintenance Performed By _____

Battery Replacement
 Dry Gas Regulator Replacement
 Breath Tube Replacement
 Other _____

Suggested Service

RECEIVED
 MAY 26 2016
 FDLE
 Alcohol Testing Program

Optical Bench Calibration Performed By _____

Optical Bench Calibration N/A
 Optical Bench Calibration Complete

Barometric Pressure Gauge ID # _____

Simulator	Serial Number	Lot Number	Expiration
0.000		N/A	N/A
0.040			
0.100			
0.200			
0.400			
0.080 DGS	N/A		

Post Calibration Stability Checks

Simulator	Serial Number	Lot Number	Expiration
0.05			
0.08			
0.20			
0.08 DGS	N/A		

Department Inspection Performed By DELL

Barometric Pressure 1020 Gauge
 ID# 26932 1020 Instrument

Mouth Alcohol Solution Lot # 2016A
 Acetone Stock Solution Lot # 2016B

Simulator	Serial Number
0.00	G2880
Interferent	G2834
0.05	G2403
0.08	SD3964
0.20	G4444

Attachments

Form 41
 Pre-Stability Tests
 Flow Calibration

Optical Bench Cal
 Post-Stability Tests
 Other _____

Notes: QA/DC OK GCM

Instrument Complies with Chapter 11D-8, FAC
 Instrument Does Not Comply with Chapter 11D-8, FAC

Return to/Place into Evidentiary Use
 Remain Out of Evidentiary Use

Conduct an Agency Inspection Before Evidentiary Use

Brett Highland
 Quality Control Review

5/26/16
 Date

TYPE OF TEST	SERIAL NUMBER	AGENCY	DATE	PERFORMED BY
Stabilities	80-006629	Florida Highway Patrol	05/24/2016 <i>DM</i>	<i>DM</i>

BSK

0.05g/210L 0.047 to 0.053 <input checked="" type="checkbox"/>	0.08g/210L 0.077 to 0.083 <input checked="" type="checkbox"/>	0.20g/210L 0.194 to 0.206 <input checked="" type="checkbox"/>	0.08g/210L 0.077 to 0.083 <input checked="" type="checkbox"/>	0.08g/210L 0.077 to 0.083 <input checked="" type="checkbox"/>
<p>FHP Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006629 05/25/2016 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 08:30 Control Test 0.048 08:31 Air Blank 0.000 08:31 Control Test 0.049 08:32 Air Blank 0.000 08:33 Control Test 0.049 08:33 Air Blank 0.000 08:34 Control Test Stats Average 0.0487 Std Dev 0.0006 Rel Std Dev(%) 1.1663</p> <p>Operator's Signature <i>DM</i></p>	<p>FHP Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006629 05/25/2016 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 08:35 Control Test 0.080 08:35 Air Blank 0.000 08:36 Control Test 0.080 08:37 Air Blank 0.000 08:37 Control Test 0.079 08:38 Air Blank 0.000 08:39 Control Test Stats Average 0.0797 Std Dev 0.0006 Rel Std Dev(%) 0.7247</p> <p>Operator's Signature <i>DM</i></p>	<p>FHP Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006629 05/25/2016 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 08:42 Control Test 0.201 08:43 Air Blank 0.000 08:43 Control Test 0.201 08:44 Air Blank 0.000 08:45 Control Test 0.201 08:45 Air Blank 0.000 08:46 Control Test Stats Average 0.2010 Std Dev 0.0000 Rel Std Dev(%) 0.0000</p> <p>Operator's Signature <i>DM</i></p>	<p>FHP Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006629 05/25/2016 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 08:48 Control Test 0.079 08:48 Air Blank 0.000 08:48 Control Test 0.080 08:49 Air Blank 0.000 08:49 Control Test 0.080 08:50 Air Blank 0.000 08:50 Control Test Stats Average 0.0797 Std Dev 0.0006 Rel Std Dev(%) 0.7247</p> <p>Operator's Signature <i>DM</i></p>	<p>FHP Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006629 05/25/2016 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 08:48 Control Test 0.079 08:48 Air Blank 0.000 08:48 Control Test 0.080 08:49 Air Blank 0.000 08:49 Control Test 0.080 08:50 Air Blank 0.000 08:50 Control Test Stats Average 0.0797 Std Dev 0.0006 Rel Std Dev(%) 0.7247</p> <p>Operator's Signature <i>DM</i></p>

DM

TYPE OF TEST	SERIAL NUMBER	AGENCY	DATE	PERFORMED BY
Stabilities	80-006629	Florida Highway Patrol	05/24/2016	<i>MLL</i>

BK

0.05g/210L	0.08g/210L	0.20g/210L	0.08g/210L	DGS 0.08g/210L																																																																																																																																															
<p>0.047 to 0.053 <input checked="" type="checkbox"/></p> <p>FHP Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006629 05/24/2016 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:23</td></tr> <tr><td>Control Test</td><td>0.049</td><td>15:24</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:24</td></tr> <tr><td>Control Test</td><td>0.048</td><td>15:25</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:26</td></tr> <tr><td>Control Test</td><td>0.049</td><td>15:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:27</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0487</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1863</td><td></td></tr> </tbody> </table> <p>Operator's Signature: <i>MLL</i></p>	Test	g/210L	Time	Air Blank	0.000	15:23	Control Test	0.049	15:24	Air Blank	0.000	15:24	Control Test	0.048	15:25	Air Blank	0.000	15:26	Control Test	0.049	15:26	Air Blank	0.000	15:27	Control Test Stats			Average	0.0487		Std Dev	0.0006		Rel Std Dev(%)	1.1863		<p>0.077 to 0.083 <input checked="" type="checkbox"/></p> <p>FHP Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006629 05/24/2016 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:30</td></tr> <tr><td>Control Test</td><td>0.075</td><td>15:30</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:31</td></tr> <tr><td>Control Test</td><td>0.075</td><td>15:32</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:32</td></tr> <tr><td>Control Test</td><td>0.076</td><td>15:33</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:33</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0753</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7664</td><td></td></tr> </tbody> </table> <p>Operator's Signature: <i>MLL</i> <i>Simulator tubing</i></p>	Test	g/210L	Time	Air Blank	0.000	15:30	Control Test	0.075	15:30	Air Blank	0.000	15:31	Control Test	0.075	15:32	Air Blank	0.000	15:32	Control Test	0.076	15:33	Air Blank	0.000	15:33	Control Test Stats			Average	0.0753		Std Dev	0.0006		Rel Std Dev(%)	0.7664		<p>0.194 to 0.206 <input checked="" type="checkbox"/></p> <p>FHP Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006629 05/24/2016 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:35</td></tr> <tr><td>Control Test</td><td>0.200</td><td>15:36</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:36</td></tr> <tr><td>Control Test</td><td>0.202</td><td>15:37</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:38</td></tr> <tr><td>Control Test</td><td>0.200</td><td>15:38</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:39</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.2007</td><td></td></tr> <tr><td>Std Dev</td><td>0.0012</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.5754</td><td></td></tr> </tbody> </table> <p>Operator's Signature: <i>MLL</i></p>	Test	g/210L	Time	Air Blank	0.000	15:35	Control Test	0.200	15:36	Air Blank	0.000	15:36	Control Test	0.202	15:37	Air Blank	0.000	15:38	Control Test	0.200	15:38	Air Blank	0.000	15:39	Control Test Stats			Average	0.2007		Std Dev	0.0012		Rel Std Dev(%)	0.5754		<p>0.077 to 0.083 <input checked="" type="checkbox"/></p> <p>FHP Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006629 05/24/2016 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:42</td></tr> <tr><td>Control Test</td><td>0.080</td><td>15:42</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:43</td></tr> <tr><td>Control Test</td><td>0.079</td><td>15:43</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:43</td></tr> <tr><td>Control Test</td><td>0.079</td><td>15:44</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:44</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table> <p>Operator's Signature: <i>MLL</i></p>	Test	g/210L	Time	Air Blank	0.000	15:42	Control Test	0.080	15:42	Air Blank	0.000	15:43	Control Test	0.079	15:43	Air Blank	0.000	15:43	Control Test	0.079	15:44	Air Blank	0.000	15:44	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:23																																																																																																																																																	
Control Test	0.049	15:24																																																																																																																																																	
Air Blank	0.000	15:24																																																																																																																																																	
Control Test	0.048	15:25																																																																																																																																																	
Air Blank	0.000	15:26																																																																																																																																																	
Control Test	0.049	15:26																																																																																																																																																	
Air Blank	0.000	15:27																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0487																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1863																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:30																																																																																																																																																	
Control Test	0.075	15:30																																																																																																																																																	
Air Blank	0.000	15:31																																																																																																																																																	
Control Test	0.075	15:32																																																																																																																																																	
Air Blank	0.000	15:32																																																																																																																																																	
Control Test	0.076	15:33																																																																																																																																																	
Air Blank	0.000	15:33																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0753																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7664																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:35																																																																																																																																																	
Control Test	0.200	15:36																																																																																																																																																	
Air Blank	0.000	15:36																																																																																																																																																	
Control Test	0.202	15:37																																																																																																																																																	
Air Blank	0.000	15:38																																																																																																																																																	
Control Test	0.200	15:38																																																																																																																																																	
Air Blank	0.000	15:39																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.2007																																																																																																																																																		
Std Dev	0.0012																																																																																																																																																		
Rel Std Dev(%)	0.5754																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:42																																																																																																																																																	
Control Test	0.080	15:42																																																																																																																																																	
Air Blank	0.000	15:43																																																																																																																																																	
Control Test	0.079	15:43																																																																																																																																																	
Air Blank	0.000	15:43																																																																																																																																																	
Control Test	0.079	15:44																																																																																																																																																	
Air Blank	0.000	15:44																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0793																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7277																																																																																																																																																		

WBR