

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000219

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FDLE	01/12/2018	10:21:27	06717080A6	05/05/2019	02/21/2018 10:45
FDLE	01/12/2018	10:21:37	06717080A6	05/05/2019	02/21/2018 10:45
FDLE	08/15/2018	11:01:17	29017080A3	12/05/2019	09/20/2018 10:29
FDLE	08/15/2018	11:01:51	29017080A3	12/05/2019	09/20/2018 10:29
FDLE	08/15/2018	11:02:07	29017080A3	12/05/2019	09/20/2018 10:29
FDLE	09/09/2018	01:45:24	29017080A3	12/05/2019	09/20/2018 10:29
FDLE	09/09/2018	01:45:33	29017080A3	12/05/2019	09/20/2018 10:29

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000223

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FDLE	09/27/2018	13:13:24	684131	01/23/2020	10/02/2018 13:59

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000227

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FDLE	04/03/2018	18:09:57	840875	09/19/2020	04/03/2018 19:30
FDLE	08/15/2018	10:45:47	06717080A6	05/05/2019	09/20/2018 10:33
FDLE	08/15/2018	10:46:21	06717080A6	05/05/2019	09/20/2018 10:33
FDLE	11/13/2018	10:41:01	06717080A6	05/05/2019	11/13/2018 10:56

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000228

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FDLE	11/01/2018	14:30:32	17817080A3	08/05/2019	12/20/2018 12:58

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000229

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FDLE	06/29/2018	20:32:59	26316080A2	11/05/2018	06/29/2018 21:56
FDLE	07/31/2018	09:42:49	13518080A5	08/05/2020	07/31/2018 11:56

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000737

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ALACHUA COUNTY SO	05/30/2018	15:43:53	26316080A2	11/05/2018	05/30/2018 16:23
ALACHUA COUNTY SO	10/26/2018	10:31:58	24818080A2	10/05/2020	10/26/2018 11:31

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000739

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OKALOOSA COUNTY SO	04/20/2018	07:24:52	666491	12/30/2019	04/20/2018 10:11
OKALOOSA COUNTY SO	12/14/2018	13:15:04	754250	04/03/2020	12/14/2018 15:43

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000742

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
VALPARAISO PD	07/31/2018	02:11:46	770784	04/27/2020	08/29/2018 17:10



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000744

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ESCAMBIA COUNTY SO	02/20/2018	07:20:02	32316080A3	01/05/2019	02/20/2018 9:36
ESCAMBIA COUNTY SO	09/26/2018	06:50:21	32316080A3	01/05/2019	10/30/2018 7:24

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000752

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MARION COUNTY SO	01/05/2018	10:28:46	644476	12/01/2019	01/16/2018 18:23
MARION COUNTY SO	01/05/2018	10:29:20	644476	12/01/2019	01/16/2018 18:23

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000759

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	02/17/2018	10:16:57	770784	04/27/2020	02/17/2018 18:4
FL HIGHWAY PATROL	06/14/2018	12:31:20	770784	04/27/2020	06/14/2018 14:58
FL HIGHWAY PATROL	11/06/2018	13:33:43	770784	04/27/2020	11/06/2018 14:57
FL HIGHWAY PATROL	12/01/2018	01:20:09	770784	04/27/2020	12/01/2018 3:34
FL HIGHWAY PATROL	01/11/2019	20:23:13	770784	04/27/2020	01/11/2019 22:48

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000760

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ALACHUA COUNTY SO	02/21/2018	10:48:26	26316080A2	11/05/2018	03/27/2018 9:44
ALACHUA COUNTY SO	10/26/2018	10:30:18	24818080A2	10/05/2020	10/26/2018 11:29

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000764

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
NE FL COMM. COLLEGE	04/27/2018	07:59:03	26316080A2	11/05/2018	01/08/2019 9:4

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000768

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SUWANNEE CO SO	05/31/2018	07:12:59	17618080A3	08/05/2020	10/08/2018 1:19
SUWANNEE CO SO	11/28/2018	02:02:50	17618080A3	08/05/2020	11/28/2018 2:41

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000772

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SANTA ROSA COUNTY SO	01/31/2018	23:20:43	AG629801	10/24/2018	02/28/2018 21:38
SANTA ROSA COUNTY SO	06/30/2018	22:13:25	AG629801	10/24/2018	07/30/2018 16:5
SANTA ROSA COUNTY SO	08/30/2018	18:06:40	AG715202	06/01/2019	09/22/2018 0:16
SANTA ROSA COUNTY SO	10/31/2018	16:56:55	AG715202	06/01/2019	11/03/2018 0:34
SANTA ROSA COUNTY SO	11/30/2018	19:48:40	AG805702	02/26/2020	11/30/2018 22:6

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000773

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LAFAYETTE CO SO	05/24/2018	11:09:35	10818080A5	06/05/2020	05/24/2018 12:1



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000775

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COLUMBIA COUNTY SO	08/23/2018	02:43:54	915310	03/07/2021	08/29/2018 17:6

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000776

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LAFAYETTE CO SO	04/19/2018	10:12:22	17817080A3	08/05/2019	04/19/2018 10:54
LAFAYETTE CO SO	04/27/2018	10:34:33	23016080A3	09/05/2018	06/22/2018 11:48
LAFAYETTE CO SO	04/27/2018	10:34:48	23016080A3	09/05/2018	06/22/2018 11:48
LAFAYETTE CO SO	10/24/2018	13:34:56	1761808A1	08/05/2020	10/24/2018 14:17

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000777

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COLUMBIA COUNTY SO	04/07/2018	19:21:02	09216080A2	05/05/2018	04/30/2018 1:28
COLUMBIA COUNTY SO	04/07/2018	19:22:02	09216080A2	05/05/2018	04/30/2018 1:28
COLUMBIA COUNTY SO	04/29/2018	23:33:00	915310	03/07/2021	04/30/2018 1:28

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000779

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MADISON COUNTY SO	01/05/2018	08:49:23	29017080A3	12/05/2019	01/10/2018 10:37
MADISON COUNTY SO	01/05/2018	08:49:49	29017080A3	12/05/2019	01/10/2018 10:37
MADISON COUNTY SO	04/04/2018	10:44:26	29017080A3	12/05/2019	05/15/2018 10:50
MADISON COUNTY SO	04/04/2018	10:44:34	29017080A3	12/05/2019	05/15/2018 10:50

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000781

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP	03/20/2018	00:01:45	770784	04/27/2020	03/20/2018 3:17

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000782

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP A	03/02/2018	02:18:28	770784	04/27/2020	04/05/2018 20:6
FHP TROOP A	06/14/2018	12:39:04	770784	04/27/2020	06/14/2018 14:33

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000784

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	02/17/2018	10:18:35	461951	06/15/2019	02/17/2018 18:7
FL HIGHWAY PATROL	12/01/2018	01:20:36	461951	06/15/2019	12/01/2018 3:52
FL HIGHWAY PATROL	01/11/2019	20:22:04	461951	06/15/2019	01/11/2019 23:8

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000785

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP	03/19/2018	24:18:29	770784	04/27/2020	03/20/2018 3:2
FHP	04/28/2018	13:55:00	770784	04/27/2020	05/09/2018 12:14
FHP	06/14/2018	12:30:42	770784	04/27/2020	06/14/2018 14:52
FHP	01/11/2019	21:27:18	770784	04/27/2020	01/11/2019 23:12



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000787

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
GULF BREEZE PD	06/11/2018	06:34:50	684131	01/23/2020	06/15/2018 18:32
GULF BREEZE PD	06/11/2018	06:35:05	684131	01/23/2020	06/15/2018 18:32
GULF BREEZE PD	08/20/2018	01:41:54	684131	01/23/2020	09/26/2018 15:18
GULF BREEZE PD	08/20/2018	01:42:05	684131	01/23/2020	09/26/2018 15:18
GULF BREEZE PD	08/20/2018	01:42:14	684131	01/23/2020	09/26/2018 15:18

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000788

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ST LUCIE COUNTY SO	05/18/2018	12:59:51	17817080A2	08/05/2019	05/18/2018 13:55

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000790

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
VERO BEACH P.D.	07/29/2018	13:03:54	13518080A5	08/05/2020	07/29/2018 14:10

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000792

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ST LUCIE COUNTY SO	01/17/2018	10:40:22	22817080A5	10/05/2019	02/27/2018 9:34
ST LUCIE COUNTY SO	08/22/2018	07:45:30	22817080A5	10/05/2019	08/22/2018 8:40

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000794

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ST LUCIE COUNTY SO	04/04/2018	17:36:26	31517080A1	01/05/2020	04/23/2018 7:38
ST LUCIE COUNTY SO	07/12/2018	07:09:50	31517080A1	01/05/2020	07/12/2018 8:59

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000795

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
GULF COUNTY SO	12/20/2018	15:30:31	17817080A2	08/05/2019	12/21/2018 13:42

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000797

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HAMILTON COUNTY SO	06/27/2018	00:49:42	03417080A1	03/05/2019	06/27/2018 1:58

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000808

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HILLSBOROUGH CO SO	12/18/2018	17:48:30	31517080A1	01/05/2020	01/10/2019 19:46
HILLSBOROUGH CO SO	12/18/2018	17:48:44	31517080A1	01/05/2020	01/10/2019 19:46



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000809

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
DIXIE COUNTY SO	09/28/2018	12:47:23	17618080A1	08/05/2020	09/28/2018 13:56
DIXIE COUNTY SO	10/24/2018	11:54:40	1761808A1	08/05/2020	10/24/2018 12:53

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000812

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HERNANDO COUNTY S.O.	01/31/2018	08:45:36	17316080A2	08/05/2018	02/17/2018 13:7
HERNANDO COUNTY S.O.	04/27/2018	03:59:48	34917080A3	02/05/2020	04/27/2018 5:14
HERNANDO COUNTY S.O.	05/13/2018	08:01:36	34917080A3	02/05/2020	05/13/2018 10:14

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000814

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HERNANDO COUNTY S.O.	01/20/2018	05:48:38	12716080A7	06/05/2018	02/17/2018 13:5
HERNANDO COUNTY S.O.	06/23/2018	07:18:56	12716080A7	02/05/2020	06/23/2018 8:53
HERNANDO COUNTY S.O.	06/23/2018	07:19:16	34917080A3	02/05/2020	06/23/2018 8:53
HERNANDO COUNTY S.O.	07/22/2018	09:46:50	26316080A2	11/05/2018	07/22/2018 11:37
HERNANDO COUNTY S.O.	08/19/2018	14:40:53	26316080A2	11/05/2018	08/19/2018 15:55
HERNANDO COUNTY S.O.	09/15/2018	09:58:04	26316080A2	11/05/2018	09/15/2018 11:55
HERNANDO COUNTY S.O.	10/19/2018	20:00:41	26316080A2	11/05/2018	10/19/2018 21:37
HERNANDO COUNTY S.O.	11/21/2018	20:22:53	34917080A3	02/05/2020	11/21/2018 22:36
HERNANDO COUNTY S.O.	12/10/2018	19:37:27	34917080A3	02/05/2020	12/10/2018 20:57
HERNANDO COUNTY S.O.	01/09/2019	19:19:21	34917080A3	02/05/2020	01/09/2019 21:2

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000815

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SUMTER COUNTY SO	07/20/2018	13:16:19	13518080A5	08/05/2020	07/20/2018 14:13

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000816

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SUMTER COUNTY SO	07/20/2018	13:15:13	13518080A5	08/05/2020	07/20/2018 14:2

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000817

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CITRUS COUNTY SO	06/29/2018	10:07:36	26316080A2	11/05/2018	06/29/2018 10:15
CITRUS COUNTY SO	07/31/2018	09:41:20	13518080A5	08/05/2020	07/31/2018 11:30

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000819

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CITRUS COUNTY SO	06/29/2018	08:52:02	26316080A2	11/05/2018	06/29/2018 9:5
CITRUS COUNTY SO	06/29/2018	09:05:34	26316080A2	11/05/2018	07/16/2018 12:18

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000822

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LAKE COUNTY S.O.	05/03/2018	18:24:07	814181	07/24/2020	06/07/2018 22:8
LAKE COUNTY S.O.	08/15/2018	21:59:04	814181	07/24/2020	08/15/2018 23:40



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000823

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LAKE COUNTY SO	07/07/2018	03:19:47	814181	07/24/2020	08/15/2018 23:57
LAKE COUNTY SO	07/11/2018	22:31:29	34416080A2	02/05/2019	08/15/2018 23:57
LAKE COUNTY SO	08/15/2018	22:01:36	970670	06/07/2021	08/15/2018 23:57
LAKE COUNTY SO	08/15/2018	22:04:04	970670	06/07/2021	08/15/2018 23:57

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000824

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LEESBURG P.D.	01/29/2018	18:52:22	34917080A2	02/05/2020	02/27/2018 3:0
LEESBURG P.D.	06/27/2018	23:09:43	34917080A2	02/05/2020	06/28/2018 0:10

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000827

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MARION COUNTY SO	07/21/2018	15:44:57	770784	04/27/2020	08/27/2018 13:20
MARION COUNTY SO	09/27/2018	03:18:03	770784	04/27/2020	09/29/2018 12:50

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000830

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HILLSBOROUGH CO SO	02/15/2018	05:49:42	03417080A1	03/05/2019	03/07/2018 7:18
HILLSBOROUGH CO SO	06/17/2018	19:32:37	31517080A1	01/05/2020	06/19/2018 20:23
HILLSBOROUGH CO SO	06/17/2018	19:33:09	31517080A1	01/05/2020	06/19/2018 20:23
HILLSBOROUGH CO SO	11/23/2018	00:52:08	31517080A1	01/05/2020	12/18/2018 19:31
HILLSBOROUGH CO SO	11/23/2018	00:52:37	31517080A1	01/05/2020	12/18/2018 19:31

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000831

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MARTIN COUNTY SO	04/27/2018	08:13:25	06717080A7	05/05/2019	04/27/2018 9:42
MARTIN COUNTY SO	04/27/2018	08:14:27	06717080A7	05/05/2019	04/27/2018 9:42

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000832

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MARTIN COUNTY SO	05/27/2018	17:12:41	05218080A4	05/05/2020	05/27/2018 18:15

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000833

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HILLSBOROUGH CO SO	04/27/2018	00:56:19	03417080A1	03/05/2019	05/03/2018 18:30
HILLSBOROUGH CO SO	04/27/2018	00:56:53	03417080A1	03/05/2019	05/03/2018 18:30

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000836

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
UMATILLA PD(LAKE SO)	02/01/2018	17:50:49	34416080A2	02/05/2019	02/01/2018 19:14



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000838

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PANAMA CITY BEACH PD	05/01/2018	14:52:33	906364	02/07/2021	06/22/2018 18:24

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000840

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LYNN HAVEN PD	04/29/2018	02:56:57	05218080A3	05/05/2020	04/29/2018 22:53

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000859

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CAPE CORAL PD	05/09/2018	11:18:44	26316080A2	11/05/2018	06/06/2018 10:43

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000861

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SARASOTA COUNTY SO	04/28/2018	07:46:42	19817080A2	09/05/2019	05/31/2018 7:42
SARASOTA COUNTY SO	07/30/2018	15:03:26	10818080A4	06/05/2020	07/30/2018 15:54

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000862

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BLOUNTSTOWN PD	03/20/2018	01:07:10	770784	04/27/2020	03/20/2018 3:19

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000868

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MONROE COUNTY SO	09/30/2018	14:02:55	915310	03/07/2021	10/04/2018 13:47

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000869

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MONROE COUNTY SO	05/06/2018	15:35:16	823252	10/05/2020	06/06/2018 14:4

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000870

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MONROE COUNTY SO	04/04/2018	15:33:44	823252	10/05/2020	05/04/2018 14:11



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000871

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CORAL GABLES PD	12/27/2018	13:07:04	620051	11/05/2019	12/27/2018 15:9

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000872

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI PD	11/27/2018	14:32:42	640976	11/21/2019	12/27/2018 15:20

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000873

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI PD	11/27/2018	11:20:11	620051	11/05/2019	11/27/2018 14:58

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000874

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI PD	11/27/2018	11:26:32	620051	11/05/2019	11/27/2018 13:31

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000875

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CALHOUN COUNTY SO	01/01/2018	06:23:59	06717080A6	05/05/2019	01/18/2018 9:52
CALHOUN COUNTY SO	01/01/2018	06:24:45	06717080A6	05/05/2019	01/18/2018 9:52
CALHOUN COUNTY SO	10/25/2018	09:18:01	06717080A6	05/05/2019	11/13/2018 13:37
CALHOUN COUNTY SO	10/25/2018	09:18:22	06717080A6	05/05/2019	11/13/2018 13:37

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000876

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HIALEAH PD	12/19/2018	08:54:27	712031	02/21/2020	12/19/2018 10:48

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000879

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI BEACH PD	03/21/2018	09:28:31	390314	04/19/2019	03/21/2018 11:27

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000881

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI DADE PD	09/03/2018	09:39:28	34917080A4	02/05/2020	09/03/2018 11:20
MIAMI DADE PD	09/03/2018	09:39:44	34917080A4	02/05/2020	09/03/2018 11:20



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000882

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI-DADE PD	09/03/2018	11:12:48	34917080A4	02/05/2020	09/03/2018 11:35
MIAMI-DADE PD	09/03/2018	11:13:04	34917080A4	02/05/2020	09/03/2018 11:35

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000884

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI-DADE PD	09/04/2018	13:36:30	34917080A4	02/05/2020	09/05/2018 9:46
MIAMI-DADE PD	09/04/2018	13:36:50	34917080A4	02/05/2020	09/05/2018 9:46

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000885

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI-DADE PD	09/04/2018	13:43:38	34917080A4	02/05/2020	09/06/2018 10:43
MIAMI-DADE PD	09/04/2018	13:43:54	34917080A4	02/05/2020	09/06/2018 10:43

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000886

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
NORTH MIAMI BEACH PD	11/01/2018	20:22:34	12317080A3	07/05/2019	11/01/2018 21:14

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000891

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FWC	12/17/2018	10:53:08	962587	06/04/2021	12/17/2018 12:55

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000892

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FWC	06/29/2018	18:29:57	477627	06/29/2019	07/23/2018 15:13

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000901

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FFWCC TAMPA	08/16/2018	18:20:49	13518080A5	08/05/2020	08/16/2018 19:48

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000902

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FFWCC TAMPA	08/16/2018	18:22:40	13518080A5	08/05/2020	08/16/2018 20:24



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000903

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FFWCC SOUTH REGION	03/30/2018	13:51:03	840875	09/19/2020	04/27/2018 19:1
FFWCC SOUTH REGION	03/30/2018	13:52:57	840875	09/19/2020	04/27/2018 19:1

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000905

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FWC	01/08/2018	17:59:43	AG728303	10/10/2019	01/30/2018 13:7

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000907

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MANATEE COUNTY SO	11/27/2018	07:45:43	867139	11/15/2020	11/27/2018 9:40

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000938

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LEE COUNTY SO	04/19/2018	07:58:38	29017080A2	12/05/2019	04/27/2018 12:42
LEE COUNTY SO	08/01/2018	10:25:20	10818080A4	06/05/2020	09/05/2018 9:48

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000939

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LEE COUNTY SO	06/12/2018	07:34:57	1081080A4	06/05/2020	07/18/2018 8:55

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000940

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BREVARD COUNTY S.O.	05/23/2018	16:42:08	19817080A3	09/05/2019	05/23/2018 18:34

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000941

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COLLIER COUNTY SO	02/06/2018	15:26:11	19817080A1	09/05/2019	03/05/2018 15:9
COLLIER COUNTY SO	04/02/2018	10:34:59	19817080A1	09/05/2019	05/01/2018 13:21
COLLIER COUNTY SO	05/12/2018	11:42:51	19817080A1	09/05/2019	06/05/2018 10:56
COLLIER COUNTY SO	06/05/2018	15:19:36	03417080A2	03/05/2019	07/02/2018 15:29
COLLIER COUNTY SO	09/03/2018	13:34:43	03417080A2	03/05/2019	10/02/2018 16:40
COLLIER COUNTY SO	12/03/2018	12:25:59	31517080A1	01/05/2020	12/06/2018 13:11

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000942

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COLLIER COUNTY SO	01/02/2018	12:28:49	19817080A1	09/05/2019	02/06/2018 16:58
COLLIER COUNTY SO	01/02/2018	12:29:02	19817080A1	09/05/2019	02/06/2018 16:58
COLLIER COUNTY SO	03/05/2018	16:00:02	19817080A1	09/05/2019	04/02/2018 12:45
COLLIER COUNTY SO	05/01/2018	15:30:34	17316080A3	08/05/2018	06/06/2018 9:13
COLLIER COUNTY SO	07/02/2018	11:52:39	03417080A2	03/05/2019	08/01/2018 11:48
COLLIER COUNTY SO	10/02/2018	13:47:44	03417080A2	03/05/2019	11/07/2018 12:41
COLLIER COUNTY SO	12/03/2018	12:30:41	10818080A6	06/05/2020	12/06/2018 14:2



**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000943

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COLLIER COUNTY SO	01/02/2018	19:20:22	17316080A3	08/05/2019	02/07/2018 10:20
COLLIER COUNTY SO	03/06/2018	08:23:15	17316080A3	08/05/2018	04/02/2018 13:32
COLLIER COUNTY SO	05/01/2018	11:25:02	19817080A1	09/05/2019	06/05/2018 17:9
COLLIER COUNTY SO	07/02/2018	11:48:41	19817080A1	09/05/2019	08/01/2018 11:42
COLLIER COUNTY SO	09/03/2018	10:55:32	10818080A6	06/05/2020	10/02/2018 14:5
COLLIER COUNTY SO	11/05/2018	12:12:34	19817080A1	09/05/2019	12/03/2018 14:49

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000944

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COLLIER COUNTY SO	01/17/2018	10:55:49	17316080A3	08/05/2018	02/06/2018 16:54
COLLIER COUNTY SO	02/07/2018	08:15:06	17316080A3	08/05/2018	03/06/2018 11:29
COLLIER COUNTY SO	03/09/2018	13:31:04	19817080A1	09/05/2019	04/02/2018 12:40
COLLIER COUNTY SO	05/01/2018	11:20:02	03417080A2	03/05/2019	06/05/2018 17:1
COLLIER COUNTY SO	05/03/2018	12:00:51	03417080A2	03/05/2019	06/05/2018 17:1

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000945

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CHARLOTTE COUNTY SO	06/01/2018	07:06:17	10818080A5	06/05/2020	06/29/2018 6:57

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000947

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
GLADES COUNTY S.O.	02/05/2018	16:59:49	34917080A2	02/05/2020	02/05/2018 18:22
GLADES COUNTY S.O.	02/05/2018	18:31:31	31517080A1	01/05/2020	07/05/2018 8:12
GLADES COUNTY S.O.	02/28/2018	08:41:25	31517080A1	01/05/2020	07/05/2018 8:12

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000948

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
GLADES COUNTY S.O.	02/05/2018	16:57:59	34917080A2	02/05/2020	02/05/2018 18:27
GLADES COUNTY S.O.	02/28/2018	08:39:40	34917080A2	02/05/2020	02/28/2018 12:7
GLADES COUNTY S.O.	05/26/2018	08:46:56	34917080A2	02/05/2020	06/11/2018 18:23

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000950

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HAVANA PD	01/04/2018	06:58:49	29017080A3	12/05/2019	01/08/2018 10:55
HAVANA PD	01/04/2018	06:59:09	29017080A3	12/05/2019	01/08/2018 10:55
HAVANA PD	10/29/2018	08:15:51	29017080A3	12/05/2019	11/26/2018 12:11

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000951

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HENDRY COUNTY S.O.	04/19/2018	01:48:28	437738	06/08/2019	05/09/2018 22:13

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000952

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FRANKLIN COUNTY SO	05/10/2018	10:24:06	686331	01/31/2020	06/06/2018 9:52



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000954

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
JEFFERSON COUNTY SO	07/02/2018	10:42:42	29017080A3	12/05/2019	07/18/2018 10:38
JEFFERSON COUNTY SO	07/02/2018	10:42:59	29017080A3	12/05/2019	07/18/2018 10:38

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000955

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CLEWISTON P.D.	07/30/2018	17:27:02	644476	12/01/2019	07/30/2018 18:54

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000956

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
JEFFERSON COUNTY SO	03/08/2018	10:46:36	14816080A3	07/05/2018	04/05/2018 10:6

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000960

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LIBERTY COUNTY SO	11/13/2018	15:19:11	29017080A3	12/05/2019	12/03/2018 10:28

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000961

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
WAKULLA COUNTY SO	04/09/2018	11:54:31	06717080A6	05/05/2019	05/18/2018 12:38
WAKULLA COUNTY SO	04/09/2018	11:54:45	06717080A6	05/05/2019	05/18/2018 12:38
WAKULLA COUNTY SO	06/12/2018	10:13:55	06717080A6	05/05/2019	07/11/2018 11:34

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000962

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
WAKULLA COUNTY SO	10/06/2018	00:28:23	06717080A6	05/05/2019	10/08/2018 11:0

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000963

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ORANGE COUNTY S.O.	01/25/2018	15:42:04	26316080A1	11/05/2018	01/25/2018 15:43
ORANGE COUNTY S.O.	04/18/2018	09:51:25	26316080A1	11/05/2018	04/18/2018 10:44
ORANGE COUNTY S.O.	07/19/2018	11:08:09	26316080A1	11/05/2018	07/19/2018 12:19
ORANGE COUNTY S.O.	08/28/2018	09:02:06	26316080A1	11/05/2018	08/28/2018 9:51
ORANGE COUNTY S.O.	09/06/2018	12:31:35	26316080A1	11/05/2018	09/06/2018 12:40
ORANGE COUNTY S.O.	09/17/2018	11:48:17	26316080A1	11/05/2018	09/17/2018 12:42
ORANGE COUNTY S.O.	09/17/2018	11:48:45	26316080A1	11/05/2018	09/17/2018 12:42
ORANGE COUNTY S.O.	09/17/2018	12:47:21	26316080A1	11/05/2018	09/27/2018 13:58
ORANGE COUNTY S.O.	09/17/2018	12:47:50	26316080A1	11/05/2018	09/27/2018 13:58
ORANGE COUNTY S.O.	10/09/2018	12:21:41	13917080A3	07/05/2019	11/07/2018 11:33
ORANGE COUNTY S.O.	10/09/2018	12:22:15	13917080A3	07/05/2019	11/07/2018 11:34
ORANGE COUNTY S.O.	11/07/2018	10:29:56	13917080A3	07/05/2019	11/07/2018 11:34
ORANGE COUNTY S.O.	11/07/2018	10:30:07	13917080A3	07/05/2019	11/07/2018 11:34
ORANGE COUNTY S.O.	12/05/2018	08:54:19	13917080A3	07/05/2019	12/05/2018 9:49
ORANGE COUNTY S.O.	12/05/2018	08:54:40	13917080A3	07/05/2019	12/05/2018 9:49

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000964

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ORANGE COUNTY SO	02/08/2018	16:51:46	13917080A3	07/05/2019	02/08/2018 16:51
ORANGE COUNTY SO	05/07/2018	13:04:03	13917080A3	07/05/2019	05/08/2018 9:56
ORANGE COUNTY SO	05/07/2018	13:04:17	13917080A3	07/05/2019	05/08/2018 9:56
ORANGE COUNTY SO	07/19/2018	11:11:36	13917080A3	07/05/2019	07/19/2018 12:8
ORANGE COUNTY SO	08/28/2018	09:03:39	13917080A3	07/05/2019	08/28/2018 9:58
ORANGE COUNTY SO	09/06/2018	12:29:22	13917080A3	07/05/2019	09/06/2018 12:32
ORANGE COUNTY SO	09/17/2018	09:28:01	13917080A3	07/05/2019	09/17/2018 10:27
ORANGE COUNTY SO	10/09/2018	11:28:40	13917080A3	07/05/2019	10/18/2018 15:53
ORANGE COUNTY SO	10/09/2018	11:29:32	13917080A3	07/05/2019	10/18/2018 15:53
ORANGE COUNTY SO	10/09/2018	12:23:36	26316080A1	11/05/2018	10/18/2018 15:53
ORANGE COUNTY SO	10/09/2018	12:24:01	26316080A1	11/05/2018	10/18/2018 15:53
ORANGE COUNTY SO	10/09/2018	12:24:36	26316080A1	11/05/2018	10/18/2018 15:53
ORANGE COUNTY SO	11/01/2018	10:04:09	13917080A3	07/05/2019	11/01/2018 12:46
ORANGE COUNTY SO	11/01/2018	10:04:29	13917080A3	07/05/2019	11/01/2018 12:46
ORANGE COUNTY SO	11/07/2018	12:03:27	13917080A3	07/05/2019	11/07/2018 12:41
ORANGE COUNTY SO	11/07/2018	12:03:48	13917080A3	07/05/2019	11/07/2018 12:41
ORANGE COUNTY SO	12/05/2018	10:05:44	13917080A3	07/05/2019	12/05/2018 11:9
ORANGE COUNTY SO	12/05/2018	10:06:01	13917080A3	07/05/2019	12/05/2018 11:9
ORANGE COUNTY SO	12/20/2018	10:45:03	13917080A3	07/05/2019	12/20/2018 10:50



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000965

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
QUINCY PD	07/04/2018	07:27:42	29017080A3	12/05/2019	07/23/2018 10:57
QUINCY PD	07/04/2018	07:28:03	29017080A3	12/05/2019	07/23/2018 10:57
QUINCY PD	09/26/2018	09:55:18	29017080A3	12/05/2019	10/23/2018 11:47
QUINCY PD	09/26/2018	09:55:40	29017080A3	12/05/2019	10/23/2018 11:47

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000966

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OSCEOLA CORRECTIONS	02/20/2018	21:47:38	646645	12/05/2019	03/26/2018 21:10

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000967

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
APOPKA P.D.	11/06/2018	21:11:51	13518080A5	08/05/2020	11/28/2018 16:9

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000968

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OSCEOLA CORRECTIONS	02/20/2018	19:28:55	163437	10/30/2018	03/14/2018 15:8
OSCEOLA CORRECTIONS	10/26/2018	18:51:31	646645	12/05/2019	11/06/2018 18:35

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000994

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
WINTER PARK P.D.	09/25/2018	12:57:45	13518080A5	08/05/2020	09/25/2018 14:30

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000995

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COCOA BEACH P.D.	10/28/2018	21:08:48	17618080A3	08/05/2020	10/28/2018 23:59

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000996

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
TITUSVILLE P.D.	03/09/2018	14:27:45	29017080A2	12/05/2019	03/09/2018 15:40
TITUSVILLE P.D.	03/09/2018	14:28:09	29017080A2	12/05/2019	03/09/2018 15:40

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000998

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SEMINOLE COUNTY S.O.	12/14/2018	22:47:56	282638	02/15/2019	12/31/2018 22:36



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000999

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SEMINOLE COUNTY S.O.	06/26/2018	19:38:16	282638	02/15/2019	07/01/2018 21:48

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001000

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COCOA P.D.	04/03/2018	18:00:50	02618080A3	03/05/2020	04/26/2018 22:5

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001002

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HARDEE COUNTY SO	05/29/2018	10:55:37	915310	03/07/2021	05/30/2018 6:15

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001003

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PINELLAS COUNTY SO	02/02/2018	03:09:30	AG629802	10/24/2018	02/16/2018 23:8
PINELLAS COUNTY SO	09/08/2018	18:56:11	AG815602	06/05/2020	09/12/2018 22:33

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001004

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BREVARD COUNTY S.O.	05/23/2018	16:43:38	19817080A3	09/05/2019	05/23/2018 18:28

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001005

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PINELLAS COUNTY SO	07/15/2018	04:43:59	AG728303	10/10/2019	07/25/2018 22:1
PINELLAS COUNTY SO	11/16/2018	21:17:19	AG733803	12/04/2019	11/29/2018 0:35
PINELLAS COUNTY SO	12/20/2018	02:01:17	AG815602	06/05/2020	12/26/2018 21:46

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001006

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
INDIALANTIC P.D.	03/30/2018	11:50:46	02618080A3	03/05/2020	03/30/2018 14:51

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001008

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
WEST MELBOURNE P.D.	03/06/2018	08:04:49	09216080A2	05/05/2018	03/29/2018 8:28
WEST MELBOURNE P.D.	05/30/2018	07:14:01	02618080A3	03/05/2020	05/30/2018 8:14



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001009

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BAY P.D.	04/07/2018	04:06:49	26316080A2	11/05/2018	04/25/2018 20:19
PALM BAY P.D.	11/26/2018	03:07:17	24818080A2	10/05/2020	12/29/2018 22:9

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001010

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BREVARD COUNTY S.O.	05/23/2018	16:47:14	19817080A3	09/05/2019	05/23/2018 18:36

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001018

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
JACKSONVILLE SO	01/23/2018	09:57:24	17817080A3	08/05/2019	02/01/2018 13:32
JACKSONVILLE SO	09/14/2018	14:18:24	05218080A3	05/05/2020	09/25/2018 14:28

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001042

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PINELLAS PARK PD	02/01/2018	15:12:18	09216080A2	05/05/2018	02/01/2018 15:54
PINELLAS PARK PD	04/06/2018	09:55:52	32316080A2	01/05/2019	04/06/2018 10:31
PINELLAS PARK PD	01/04/2019	09:50:47	05218080A3	05/05/2020	01/04/2019 9:58

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001043

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HIGHLANDS COUNTY SO	07/28/2018	20:42:12	22817080A5	10/05/2019	07/28/2018 21:46
HIGHLANDS COUNTY SO	10/05/2018	19:09:34	13518080A6	08/05/2020	10/20/2018 13:22

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001044

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COCONUT CREEK PD	06/27/2018	16:41:13	686331	01/31/2020	06/27/2018 17:31

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001045

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
JACKSONVILLE SO	02/01/2018	14:02:46	22817080A4	10/05/2019	02/15/2018 13:12
JACKSONVILLE SO	07/18/2018	14:54:11	05218080A3	05/05/2020	08/17/2018 11:27

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001046

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CLAY COUNTY SO	11/17/2018	09:39:46	22817080A4	10/05/2019	11/17/2018 10:34



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001047

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BROWARD COUNTY SO	02/08/2018	18:07:53	562838	09/06/2019	03/01/2018 12:52
BROWARD COUNTY SO	05/27/2018	15:38:50	796576	06/14/2020	06/21/2018 11:47
BROWARD COUNTY SO	05/27/2018	15:39:14	796576	06/14/2020	06/21/2018 11:47

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001048

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LAKE ALFRED PD	01/12/2018	10:43:59	31517080A1	01/05/2020	01/31/2018 13:13

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001049

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PASCO COUNTY SO	08/11/2018	00:28:19	02618080A3	03/05/2020	09/26/2018 21:51

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001051

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ST PETERSBURG PD	01/17/2018	07:38:38	22817080A4	10/05/2019	01/17/2018 9:5
ST PETERSBURG PD	07/23/2018	16:01:05	22817080A4	10/05/2019	08/21/2018 9:4
ST PETERSBURG PD	08/15/2018	16:33:10	22817080A4	10/05/2019	08/21/2018 9:4
ST PETERSBURG PD	09/22/2018	19:03:17	22817080A4	10/05/2019	10/15/2018 8:45
ST PETERSBURG PD	12/24/2018	09:00:54	13518080A5	08/05/2020	12/24/2018 9:8

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001053

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
NASSAU CO SO	02/17/2018	06:43:55	09216080A2	05/05/2018	02/21/2018 11:51
NASSAU CO SO	07/04/2018	05:12:31	22817080A5	10/05/2019	08/03/2018 8:56

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001054

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HIGHLANDS COUNTY SO	05/27/2018	14:22:28	22817080A5	10/05/2019	05/27/2018 15:17

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001056

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
DAVIE PD	09/25/2018	15:42:01	AG629801	10/24/2018	09/25/2018 16:48
DAVIE PD	09/25/2018	15:43:23	AG728303	10/10/2019	09/25/2018 16:48
DAVIE PD	12/10/2018	11:39:23	AG728303	10/10/2019	01/02/2019 14:30

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001060

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
WINTER HAVEN PD	06/22/2018	14:31:49	34917080A4	02/05/2020	06/27/2018 10:59



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001062

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
TREASURE ISLAND PD	03/02/2018	13:20:48	02618080A2	03/05/2020	03/26/2018 9:5

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001063

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HOLLYWOOD PD	10/29/2018	19:32:03	1031121	10/12/2021	10/29/2018 20:51

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001064

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
NEW PORT RICHEY PD	09/07/2018	23:31:22	13518080A6	08/05/2020	09/09/2018 23:51

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001066

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PINELLAS COUNTY SO	05/04/2018	00:09:18	AG728303	10/10/2019	05/31/2018 0:9
PINELLAS COUNTY SO	07/15/2018	04:36:12	AG629802	10/24/2018	07/26/2018 0:38
PINELLAS COUNTY SO	08/18/2018	03:06:35	AG815602	06/05/2020	09/13/2018 0:9
PINELLAS COUNTY SO	10/18/2018	02:36:42	AG815602	06/05/2020	10/24/2018 21:52
PINELLAS COUNTY SO	11/16/2018	21:18:11	AG815602	06/05/2020	11/28/2018 23:15

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001067

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BROWARD COUNTY SO	09/19/2018	10:06:16	796576	06/14/2020	09/19/2018 11:34

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001068

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CLEARWATER PD	04/24/2018	01:59:24	12317080A3	07/05/2019	05/03/2018 18:47
CLEARWATER PD	05/17/2018	01:20:09	02618080A2	03/05/2020	06/27/2018 21:34

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001069

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
JACKSONVILLE SO	10/24/2018	14:55:52	05218080A3	05/05/2020	11/06/2018 12:4
JACKSONVILLE SO	10/24/2018	14:56:44	05218080A3	05/05/2020	11/06/2018 12:4

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001071

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CLAY COUNTY SO	06/30/2018	17:31:43	22817080A4	10/05/2019	07/26/2018 5:37



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001074

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PASCO COUNTY SO	08/14/2018	07:11:07	17817080A2	08/05/2019	09/26/2018 21:54

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001075

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP E	02/28/2018	06:38:18	620051	11/05/2019	02/28/2018 8:47
FHP TROOP E	04/27/2018	05:37:43	620051	11/05/2019	04/27/2018 10:17

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001077

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HARDEE COUNTY SO	08/22/2018	18:16:00	980558	07/09/2021	08/30/2018 3:10
HARDEE COUNTY SO	08/22/2018	18:16:27	980558	07/09/2021	08/30/2018 3:10

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001078

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ST PETERSBURG PD	02/05/2018	09:40:39	26316080A2	11/05/2018	02/05/2018 10:43
ST PETERSBURG PD	03/06/2018	06:49:51	22817080A4	10/05/2019	03/06/2018 8:54
ST PETERSBURG PD	07/23/2018	16:01:15	22817080A4	10/05/2019	08/21/2018 9:8

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001079

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LARGO PD	01/22/2018	11:05:39	17817080A3	08/05/2019	01/22/2018 11:42
LARGO PD	01/22/2018	11:08:11	17817080A3	08/05/2019	01/22/2018 11:42
LARGO PD	08/20/2018	10:50:25	17817080A3	08/05/2019	09/06/2018 14:20
LARGO PD	12/20/2018	12:55:44	17817080A3	08/05/2019	12/20/2018 14:2
LARGO PD	12/20/2018	12:56:33	17817080A3	08/05/2019	12/20/2018 14:2

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001080

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
POLK COUNTY SO	03/26/2018	11:34:20	20016080A1	09/05/2018	04/30/2018 11:19
POLK COUNTY SO	09/28/2018	09:40:31	10818080A6	06/05/2020	09/28/2018 11:48
POLK COUNTY SO	09/28/2018	09:42:43	10818080A6	06/05/2020	09/28/2018 11:48

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001081

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PASCO COUNTY SO	04/25/2018	12:52:14	17817020A2	08/05/2019	04/25/2018 13:12
PASCO COUNTY SO	04/25/2018	14:04:41	17817080A2	08/05/2019	05/30/2018 11:43
PASCO COUNTY SO	09/26/2018	22:10:19	17817080A2	08/05/2019	10/10/2018 18:48

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001082

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PLANTATION PD	06/20/2018	18:59:44	10818080A5	06/05/2020	06/23/2018 14:44



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001083

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
JACKSONVILLE SO	01/05/2018	14:37:24	17817080A3	08/05/2019	01/19/2018 14:27
JACKSONVILLE SO	03/23/2018	14:47:40	22817080A4	10/05/2019	04/02/2018 14:40
JACKSONVILLE SO	03/23/2018	14:51:28	22817080A4	10/05/2019	04/02/2018 14:40
JACKSONVILLE SO	08/17/2018	11:41:41	05218080A3	05/05/2020	09/06/2018 14:42
JACKSONVILLE SO	10/24/2018	15:07:58	05218080A3	05/05/2020	11/06/2018 12:16

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001109

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	05/27/2018	15:33:55	915310	03/07/2021	05/27/2018 17:37

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001110

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP E MIAMI	01/29/2018	14:16:25	1824329	03/09/2018	02/28/2018 9:0
FHP TROOP E MIAMI	03/19/2018	12:55:31	620051	11/05/2019	03/19/2018 15:36
FHP TROOP E MIAMI	04/27/2018	05:38:00	620051	11/05/2019	04/27/2018 9:36
FHP TROOP E MIAMI	07/31/2018	05:31:37	366849	03/30/2019	08/03/2018 6:10
FHP TROOP E MIAMI	09/16/2018	13:51:56	796576	06/14/2020	09/30/2018 10:42
FHP TROOP E MIAMI	09/16/2018	13:52:33	366849	03/30/2019	09/30/2018 10:42

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001111

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	01/11/2019	19:51:11	770784	04/27/2020	01/11/2019 23:0

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001113

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	01/30/2018	10:58:34	875088	12/12/2020	01/30/2018 14:7
FL HIGHWAY PATROL	04/29/2018	09:57:58	906362	02/06/2021	04/29/2018 11:58
FL HIGHWAY PATROL	12/30/2018	21:41:11	1048227	11/15/2021	01/02/2019 16:51

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001114

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
DELAND P.D.	06/25/2018	11:16:29	83551	10/02/2018	06/26/2018 13:40
DELAND P.D.	07/31/2018	10:21:11	970670	06/07/2021	07/31/2018 11:13

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001115

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	01/11/2018	15:35:55	14816080A3	07/05/2018	02/21/2018 10:58
FL HIGHWAY PATROL	01/11/2018	15:36:17	14816080A3	07/05/2018	02/21/2018 10:58
FL HIGHWAY PATROL	04/27/2018	06:57:51	14816080A3	07/05/2018	05/22/2018 11:9
FL HIGHWAY PATROL	04/27/2018	06:58:11	14816080A3	07/05/2018	05/22/2018 11:9
FL HIGHWAY PATROL	07/02/2018	15:02:51	29017080A3	12/05/2019	07/30/2018 11:28
FL HIGHWAY PATROL	07/02/2018	15:03:50	29017080A3	12/05/2019	07/30/2018 11:28
FL HIGHWAY PATROL	08/15/2018	10:39:49	29017080A3	12/05/2019	09/26/2018 9:50
FL HIGHWAY PATROL	08/15/2018	10:40:15	29017080A3	12/05/2019	09/26/2018 9:50
FL HIGHWAY PATROL	09/26/2018	10:04:19	06717080A6	05/05/2019	10/25/2018 9:49
FL HIGHWAY PATROL	09/26/2018	10:04:41	06717080A6	05/05/2019	10/25/2018 9:49
FL HIGHWAY PATROL	10/25/2018	09:59:42	29017080A3	12/05/2019	11/13/2018 13:45

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001116

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
EGLIN AFB	06/29/2018	14:54:56	05218080A	05/05/2020	07/04/2018 8:41



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001117

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PASCO COUNTY SO	08/11/2018	00:24:35	02618080A3	03/05/2020	09/26/2018 21:49
PASCO COUNTY SO	10/28/2018	03:26:41	02618080A3	03/05/2020	11/26/2018 19:5

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001118

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	03/02/2018	03:24:25	34416080A2	02/05/2019	04/05/2018 20:27
FL HIGHWAY PATROL	06/14/2018	12:31:59	34416080A2	02/05/2019	06/14/2018 14:41
FL HIGHWAY PATROL	12/01/2018	01:19:51	34416080A2	02/05/2019	12/01/2018 4:36

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001120

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP K	04/27/2018	05:33:35	366849	03/30/2019	04/27/2018 10:19
FHP TROOP K	08/30/2018	05:40:32	620051	11/05/2019	08/30/2018 10:58

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001121

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP E MIAMI	04/27/2018	05:38:48	620051	11/05/2019	04/27/2018 9:26
FHP TROOP E MIAMI	07/31/2018	05:32:36	620051	11/05/2019	08/03/2018 6:9

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001122

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP MIAMI	04/27/2018	05:46:57	1878845	06/22/2018	04/27/2018 7:55
FHP MIAMI	06/29/2018	06:03:03	796576	06/14/2020	06/29/2018 11:39
FHP MIAMI	09/16/2018	13:45:23	796576	06/14/2020	09/30/2018 10:49
FHP MIAMI	09/16/2018	13:45:31	796576	06/14/2020	09/30/2018 10:49
FHP MIAMI	09/16/2018	13:48:21	796576	06/14/2020	09/30/2018 10:49
FHP MIAMI	09/16/2018	13:48:44	796576	06/14/2020	09/30/2018 10:49
FHP MIAMI	09/16/2018	13:50:38	796576	06/14/2020	09/30/2018 10:49
FHP MIAMI	09/16/2018	13:50:41	796576	06/14/2020	09/30/2018 10:49
FHP MIAMI	09/16/2018	13:50:52	796576	06/14/2020	09/30/2018 10:49
FHP MIAMI	09/16/2018	13:54:15	796576	06/14/2020	09/30/2018 10:49

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001123

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP D ORLANDO	09/25/2018	16:19:15	22817080A5	10/05/2019	11/13/2018 17:23

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001127

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
POLK COUNTY SO	04/30/2018	09:23:25	22817080A4	10/05/2019	04/30/2018 11:27

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001130

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
VOLUSIA COUNTY S.O.	10/25/2018	12:52:09	644476	12/01/2019	10/25/2018 14:1



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001131

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
VOLUSIA COUNTY S.O.	10/25/2018	12:45:15	644476	12/01/2019	10/25/2018 13:50

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001132

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
VOLUSIA COUNTY S.O.	10/25/2018	12:56:14	644476	12/01/2019	10/25/2018 14:8

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001133

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ST JOHNS COUNTY SO	12/09/2018	12:39:57	366849	03/30/2019	12/09/2018 13:23

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001135

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
DAYTONA BEACH P.D.	08/22/2018	21:50:34	796576	06/14/2020	08/22/2018 22:21

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001136

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
DELAND PD	07/31/2018	10:22:24	970670	06/07/2021	07/31/2018 11:9

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001138

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FLAGLER COUNTY SO	10/29/2018	17:58:06	17618080A3	08/05/2020	11/15/2018 14:13
FLAGLER COUNTY SO	10/29/2018	17:58:30	17618080A3	08/05/2020	11/15/2018 14:13
FLAGLER COUNTY SO	11/30/2018	10:34:49	17618080A3	08/05/2020	11/30/2018 11:54

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001139

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BROWARD COUNTY SO	05/27/2018	15:33:01	796576	06/14/2020	06/21/2018 11:43
BROWARD COUNTY SO	05/27/2018	15:33:14	796576	06/14/2020	06/21/2018 11:43

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001149

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LAKE HELEN P.D.	04/30/2018	16:23:05	05218080A3	05/05/2020	04/30/2018 19:6



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001150

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MANATEE COUNTY SO	05/29/2018	16:17:02	867139	11/15/2020	06/18/2018 9:27

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001151

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HAINES CITY PD	10/30/2018	06:24:31	970670	06/07/2021	10/30/2018 8:38

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001152

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
NEW SMYRNA BEACH PD	10/25/2018	14:31:59	10818080A5	06/05/2020	10/25/2018 15:53

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LEON COUNTY SO	01/04/2018	12:13:31	06717080A6	05/05/2019	01/11/2018 13:12
LEON COUNTY SO	01/04/2018	12:13:43	06717080A6	05/05/2019	01/11/2018 13:12

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001155

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
EGLIN AFB	06/05/2018	08:24:39	05218080A4	05/05/2020	07/04/2018 8:35

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001159

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ORANGE CITY P.D.	02/16/2018	00:23:44	17316080A2	08/05/2018	02/16/2018 1:24
ORANGE CITY P.D.	08/18/2018	05:05:58	17618080A1	08/05/2020	08/18/2018 6:57

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BREVARD COUNTY SO	05/23/2018	16:46:10	19817080A3	09/05/2019	05/23/2018 18:35

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CLERMONT P.D.	01/04/2018	09:22:21	875088	12/12/2020	01/24/2018 13:2
CLERMONT P.D.	03/23/2018	17:54:23	02618080A2	03/05/2020	03/23/2018 18:50



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001177

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LADY LAKE P.D.	01/13/2018	18:56:44	17817080A3	08/05/2019	01/16/2018 11:33

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001183

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BOCA RATON PD	01/30/2018	16:19:46	31517080A1	01/05/2020	03/21/2018 11:17

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MARTIN COUNTY SO	05/27/2018	15:52:14	05218080A4	05/05/2020	05/27/2018 17:16
MARTIN COUNTY SO	05/27/2018	15:52:34	05218080A4	05/05/2020	05/27/2018 17:16

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001190

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BOYNTON BEACH PD	01/26/2018	13:58:04	390314	04/19/2019	01/27/2018 17:57
BOYNTON BEACH PD	12/27/2018	18:38:58	390314	01/23/2020	01/04/2019 15:59
BOYNTON BEACH PD	12/27/2018	18:39:29	684131	01/23/2020	01/04/2019 15:59

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001201

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COLLIER COUNTY SO	02/06/2018	15:26:08	17316080A3	08/05/2018	03/05/2018 10:48
COLLIER COUNTY SO	03/05/2018	12:04:48	17316080A3	08/05/2018	03/07/2018 14:5
COLLIER COUNTY SO	04/02/2018	11:12:42	17316080A3	08/05/2018	05/01/2018 17:47
COLLIER COUNTY SO	06/05/2018	17:37:21	17316080A3	08/05/2018	07/03/2018 8:44
COLLIER COUNTY SO	08/01/2018	10:06:49	10818080A6	06/05/2020	09/03/2018 13:35
COLLIER COUNTY SO	11/05/2018	12:08:45	10818080A6	06/05/2020	12/03/2018 15:42

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001202

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COLLIER COUNTY SO	01/02/2018	12:27:42	17316080A3	08/05/2018	02/06/2018 12:53

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PANAMA CITY PD	05/28/2018	08:59:17	366849	03/30/2019	05/28/2018 10:54

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001207

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HENDRY COUNTY S.O.	10/01/2018	00:01:28	437738	06/08/2019	10/18/2018 23:15



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001230

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
TYNDALL AFB	05/17/2018	18:37:16	32316080A3	01/05/2019	06/22/2018 16:39
TYNDALL AFB	11/06/2018	12:41:23	770784	04/27/2020	11/06/2018 14:52

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001235

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
WEST PALM BEACH PD	10/31/2018	19:18:57	24818080A2	10/05/2020	11/29/2018 7:44

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
POLK COUNTY SO	01/08/2018	01:36:45	22817080A4	10/05/2019	01/20/2018 19:39
POLK COUNTY SO	04/30/2018	09:27:35	22817080A4	10/05/2019	04/30/2018 11:18

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001238

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LAKE COUNTY SO	06/09/2018	20:42:19	814181	07/24/2020	07/06/2018 23:43
LAKE COUNTY SO	07/12/2018	00:11:37	814181	07/24/2020	08/15/2018 23:33
LAKE COUNTY SO	08/15/2018	22:01:25	814181	07/24/2020	08/15/2018 23:33
LAKE COUNTY SO	01/01/2019	19:57:39	814181	07/24/2020	01/01/2019 21:9
LAKE COUNTY SO	01/01/2019	20:00:33	970670	06/07/2021	01/01/2019 21:9

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
DAYTONA BEACH SHORES	03/05/2018	04:54:22	1824329	03/09/2018	04/29/2018 2:28
DAYTONA BEACH SHORES	03/13/2018	19:19:46	906364	02/07/2021	04/29/2018 2:28

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001244

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PUTNAM COUNTY SO	12/10/2018	20:39:02	29017080A3	12/05/2019	01/09/2019 15:0

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001246

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SOUTH DAYTONA P.D.	03/04/2018	18:23:38	1824329	03/09/2018	03/04/2018 19:58
SOUTH DAYTONA P.D.	03/04/2018	18:32:44	894572	01/17/2021	03/04/2018 19:58
SOUTH DAYTONA P.D.	06/05/2018	10:50:55	937240	04/07/2021	07/02/2018 14:37
SOUTH DAYTONA P.D.	09/23/2018	10:42:18	980558	07/09/2021	09/23/2018 12:16
SOUTH DAYTONA P.D.	09/23/2018	10:52:09	980558	07/09/2021	09/23/2018 12:16

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001253

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BREVARD COUNTY S.O.	05/23/2018	16:43:42	19817080A3	09/05/2019	05/23/2018 18:32



**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001255

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ORANGE COUNTY S.O.	03/15/2018	11:02:13	13917080A3	07/05/2019	03/27/2018 13:33
ORANGE COUNTY S.O.	03/15/2018	11:02:30	13917080A3	07/05/2019	03/27/2018 13:33
ORANGE COUNTY S.O.	07/19/2018	09:15:05	13917080A1	07/05/2019	07/19/2018 10:21
ORANGE COUNTY S.O.	07/25/2018	17:18:35	13917080A3	07/05/2019	07/25/2018 17:36
ORANGE COUNTY S.O.	07/25/2018	17:18:48	13917080A3	07/05/2019	07/25/2018 17:36
ORANGE COUNTY S.O.	07/25/2018	17:19:41	13917080A3	07/05/2019	07/25/2018 17:36
ORANGE COUNTY S.O.	07/25/2018	17:35:03	13917080A3	07/05/2019	08/14/2018 11:53
ORANGE COUNTY S.O.	08/28/2018	10:14:46	13917080A3	07/05/2019	08/28/2018 11:12
ORANGE COUNTY S.O.	08/28/2018	10:14:58	13917080A3	07/05/2019	08/28/2018 11:12
ORANGE COUNTY S.O.	10/24/2018	10:57:45	13917080A3	07/05/2019	10/24/2018 14:24
ORANGE COUNTY S.O.	12/05/2018	11:19:28	13917080A3	07/05/2019	12/05/2018 12:43
ORANGE COUNTY S.O.	12/05/2018	11:19:47	13917080A3	07/05/2019	12/05/2018 12:43

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ORANGE COUNTY S.O.	03/27/2018	10:36:04	13917080A3	07/05/2019	04/05/2018 15:33
ORANGE COUNTY S.O.	03/27/2018	10:36:20	13917080A3	07/05/2019	04/05/2018 15:33
ORANGE COUNTY S.O.	07/19/2018	09:16:16	13917080A3	07/05/2019	07/19/2018 10:26
ORANGE COUNTY S.O.	07/25/2018	17:33:22	13917080A3	07/05/2019	08/14/2018 7:1
ORANGE COUNTY S.O.	08/28/2018	10:15:54	13917080A3	07/05/2019	08/28/2018 11:16
ORANGE COUNTY S.O.	08/28/2018	10:16:15	13917080A3	07/05/2019	08/28/2018 11:16
ORANGE COUNTY S.O.	10/24/2018	10:57:39	13917080A3	07/05/2019	10/24/2018 14:26
ORANGE COUNTY S.O.	12/05/2018	10:06:42	13917080A3	07/05/2019	12/05/2018 11:15
ORANGE COUNTY S.O.	12/05/2018	10:07:08	13917080A3	07/05/2019	12/05/2018 11:15

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001257

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ORANGE COUNTY S.O.	07/11/2018	09:54:10	13917080A3	07/05/2019	07/11/2018 16:30
ORANGE COUNTY S.O.	07/11/2018	10:44:16	13917080A3	07/05/2019	07/11/2018 16:30
ORANGE COUNTY S.O.	07/19/2018	12:23:48	13917080A3	07/05/2019	07/19/2018 13:13
ORANGE COUNTY S.O.	08/28/2018	11:27:25	13917080A3	07/05/2019	08/28/2018 12:25
ORANGE COUNTY S.O.	08/28/2018	11:27:57	13917080A3	07/05/2019	08/28/2018 12:25
ORANGE COUNTY S.O.	09/17/2018	09:25:22	13917080A3	07/05/2019	09/17/2018 10:20
ORANGE COUNTY S.O.	10/09/2018	11:27:41	13917080A3	07/05/2019	11/07/2018 12:4
ORANGE COUNTY S.O.	10/09/2018	11:28:13	13917080A3	07/05/2019	11/07/2018 12:4
ORANGE COUNTY S.O.	11/07/2018	10:31:23	13917080A3	07/05/2019	11/07/2018 12:4
ORANGE COUNTY S.O.	11/07/2018	10:31:31	13917080A3	07/05/2019	11/07/2018 12:4
ORANGE COUNTY S.O.	12/05/2018	11:21:04	13917080A3	07/05/2019	12/05/2018 12:49
ORANGE COUNTY S.O.	12/05/2018	11:21:34	13917080A3	07/05/2019	12/05/2018 12:49

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001258

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ORANGE COUNTY S.O.	04/16/2018	14:30:57	26316080A1	11/05/2018	04/17/2018 9:55
ORANGE COUNTY S.O.	07/19/2018	12:25:43	13917080A3	07/05/2019	07/19/2018 13:18
ORANGE COUNTY S.O.	07/19/2018	12:26:28	13917080A3	07/05/2019	07/19/2018 13:18
ORANGE COUNTY S.O.	07/25/2018	17:34:38	13917080A3	07/05/2019	08/14/2018 11:49
ORANGE COUNTY S.O.	08/28/2018	09:04:54	13917080A3	07/05/2019	08/28/2018 10:0
ORANGE COUNTY S.O.	08/29/2018	14:19:13	26316080A1	11/05/2018	09/06/2018 13:23
ORANGE COUNTY S.O.	08/29/2018	14:19:41	26316080A1	11/05/2018	09/06/2018 13:23
ORANGE COUNTY S.O.	08/29/2018	14:24:23	26316080A1	11/05/2018	09/06/2018 13:23
ORANGE COUNTY S.O.	09/06/2018	13:14:37	26316080A1	11/05/2018	09/06/2018 13:23
ORANGE COUNTY S.O.	09/17/2018	10:40:27	26316080A1	11/05/2018	09/17/2018 11:28
ORANGE COUNTY S.O.	09/17/2018	10:40:50	26316080A1	11/05/2018	09/17/2018 11:28
ORANGE COUNTY S.O.	09/17/2018	12:44:46	26316080A1	11/05/2018	09/27/2018 13:55
ORANGE COUNTY S.O.	09/17/2018	12:45:10	26316080A1	11/05/2018	09/27/2018 13:55
ORANGE COUNTY S.O.	10/18/2018	16:01:46	26316080A1	11/05/2018	10/25/2018 15:0
ORANGE COUNTY S.O.	10/18/2018	16:02:14	26316080A1	11/05/2018	10/25/2018 15:0
ORANGE COUNTY S.O.	11/01/2018	10:07:09	13917080A3	07/05/2019	11/01/2018 12:44
ORANGE COUNTY S.O.	11/01/2018	10:07:39	13917080A3	07/05/2019	11/01/2018 12:44
ORANGE COUNTY S.O.	11/07/2018	10:32:08	13917080A3	07/05/2019	11/07/2018 11:38
ORANGE COUNTY S.O.	11/07/2018	10:32:40	13917080A3	07/05/2019	11/07/2018 11:38
ORANGE COUNTY S.O.	12/05/2018	10:04:54	13917080A3	07/05/2019	12/05/2018 11:5
ORANGE COUNTY S.O.	12/05/2018	10:05:20	13917080A3	07/05/2019	12/05/2018 11:5
ORANGE COUNTY S.O.	12/13/2018	14:19:58	13917080A3	07/05/2019	12/13/2018 14:25
ORANGE COUNTY S.O.	12/20/2018	10:46:57	13917080A3	07/05/2019	12/20/2018 10:52

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001260

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COCOA P.D.	04/26/2018	19:00:45	02618080A3	03/05/2020	04/26/2018 22:9

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001261

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ROCKLEDGE P.D.	03/12/2018	03:51:14	572920	09/13/2019	03/12/2018 5:0
ROCKLEDGE P.D.	03/12/2018	04:05:15	572920	09/13/2019	03/12/2018 5:0

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MELBOURNE P.D.	03/14/2018	09:43:05	814183	07/26/2020	03/29/2018 15:59
MELBOURNE P.D.	06/28/2018	07:04:08	814183	07/26/2020	06/28/2018 8:17
MELBOURNE P.D.	10/13/2018	03:04:53	814183	07/26/2020	10/31/2018 12:14
MELBOURNE P.D.	10/13/2018	03:05:49	814183	07/26/2020	10/31/2018 12:14
MELBOURNE P.D.	10/17/2018	23:23:08	906364	02/07/2021	10/31/2018 12:14

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BREVARD COUNTY S.O.	05/23/2018	16:40:19	19817080A3	09/05/2019	05/23/2018 18:25



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001265

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BAY P.D.	02/26/2018	04:45:40	22817080A4	10/05/2019	03/28/2018 21:31
PALM BAY P.D.	12/07/2018	20:42:37	24818080A2	10/05/2020	12/29/2018 22:1

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BAY P.D.	10/24/2018	13:16:22	26316080A2	11/05/2018	11/26/2018 2:56
PALM BAY P.D.	11/02/2018	05:44:27	24818080A2	10/05/2020	11/26/2018 2:56

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SEMINOLE COUNTY S.O.	07/29/2018	01:46:19	282638	02/15/2019	07/29/2018 21:29
SEMINOLE COUNTY S.O.	08/04/2018	04:04:00	282638	02/15/2019	09/02/2018 20:30

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001272

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SEMINOLE COUNTY S.O.	10/25/2018	23:04:55	915310	03/07/2021	10/27/2018 4:23
SEMINOLE COUNTY S.O.	10/25/2018	23:05:25	915310	03/07/2021	10/27/2018 4:23

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PINELLAS COUNTY SO	05/10/2018	19:02:51	AG728303	10/10/2019	05/31/2018 1:17
PINELLAS COUNTY SO	07/25/2018	19:44:09	AG815602	06/05/2020	07/26/2018 0:0
PINELLAS COUNTY SO	12/19/2018	11:08:40	AG733803	12/04/2019	12/26/2018 20:17

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PINELLAS COUNTY SO	03/11/2018	04:16:52	AG629802	10/24/2018	03/22/2018 20:13
PINELLAS COUNTY SO	04/07/2018	00:11:40	AG728303	10/10/2019	04/27/2018 22:22
PINELLAS COUNTY SO	04/26/2018	20:23:01	AG728303	10/10/2019	04/27/2018 22:22
PINELLAS COUNTY SO	05/18/2018	00:19:12	AG728303	10/10/2019	05/30/2018 20:22
PINELLAS COUNTY SO	06/28/2018	22:14:40	AG815602	06/05/2020	06/28/2018 23:42

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001276

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI-DADE PD	10/22/2018	11:35:54	34917080A4	02/05/2020	11/09/2018 9:37

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001277

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI-DADE PD	09/05/2018	10:08:22	34917080A4	02/05/2020	09/07/2018 10:23



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001278

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
JACKSONVILLE SO	04/17/2018	12:54:30	22817080A4	10/05/2019	05/01/2018 14:51
JACKSONVILLE SO	04/17/2018	13:03:16	22817080A4	10/05/2019	05/01/2018 14:51
JACKSONVILLE SO	06/22/2018	14:39:36	05218080A3	05/05/2020	07/06/2018 12:22

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001279

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
JACKSONVILLE SO	04/06/2018	13:56:54	22817080A4	10/05/2019	04/17/2018 13:9
JACKSONVILLE SO	10/24/2018	14:57:42	05218080A3	05/05/2020	11/06/2018 11:59
JACKSONVILLE SO	10/24/2018	14:58:42	05218080A3	05/05/2020	11/06/2018 11:59

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001280

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
JACKSONVILLE SO	06/22/2018	14:47:06	05218080A3	05/05/2020	07/16/2018 21:46
JACKSONVILLE SO	10/31/2018	11:07:25	17817080A3	08/05/2019	10/31/2018 12:24

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001281

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
NASSAU COUNTY SO	03/31/2018	05:20:19	22817080A5	10/05/2019	04/28/2018 11:55

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001283

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HIGH SPRINGS PD	10/10/2018	08:11:08	17618080A3	08/05/2020	10/11/2018 3:24
HIGH SPRINGS PD	10/10/2018	08:11:15	17618080A3	08/05/2020	10/11/2018 3:24

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001288

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
UNION COUNTY SO	07/26/2018	11:52:11	823252	08/07/2020	07/26/2018 15:20

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001289

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
UNION COUNTY SO	07/26/2018	11:50:24	823252	08/07/2020	07/26/2018 15:11

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001290

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BRADFORD COUNTY SO	05/05/2018	16:40:39	AG619605	07/14/2018	06/30/2018 15:50
BRADFORD COUNTY SO	07/18/2018	11:03:35	AG805701	02/26/2020	08/29/2018 16:24



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001291

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BRADFORD COUNTY SO	03/15/2018	12:47:37	AG619605	07/14/2018	03/15/2018 12:46
BRADFORD COUNTY SO	07/13/2018	07:05:44	AG805701	02/26/2020	07/18/2018 9:11
BRADFORD COUNTY SO	11/29/2018	18:06:12	AG816701	06/16/2020	11/29/2018 19:5

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001292

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LEVY COUNTY SO	05/06/2018	15:43:24	AG619605	07/14/2018	05/06/2018 15:44
LEVY COUNTY SO	07/18/2018	16:21:44	AG805701	02/26/2020	07/27/2018 19:38
LEVY COUNTY SO	08/29/2018	19:36:22	AG805701	02/26/2020	08/29/2018 19:41

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001293

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
WILLISTON PD	12/08/2018	09:13:29	937240	04/07/2021	12/10/2018 16:58

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001302

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SANTA ROSA COUNTY SO	02/28/2018	21:07:53	AG629801	10/24/2018	03/30/2018 19:48
SANTA ROSA COUNTY SO	05/07/2018	03:54:44	AG715202	06/01/2019	05/31/2018 8:14
SANTA ROSA COUNTY SO	05/31/2018	07:13:23	AG629801	10/24/2018	06/30/2018 23:5
SANTA ROSA COUNTY SO	07/30/2018	15:02:27	AG715202	06/01/2019	08/30/2018 18:55
SANTA ROSA COUNTY SO	08/30/2018	17:56:23	AG715202	06/01/2019	09/21/2018 21:41
SANTA ROSA COUNTY SO	10/31/2018	18:41:02	AG805702	02/26/2020	11/03/2018 0:46

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001303

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SANTA ROSA COUNTY SO	02/28/2018	20:55:08	AG629801	10/24/2018	03/30/2018 19:55
SANTA ROSA COUNTY SO	03/30/2018	18:56:58	AG629801	10/24/2018	05/01/2018 14:47
SANTA ROSA COUNTY SO	05/31/2018	07:14:20	AG715202	06/01/2019	06/30/2018 23:8
SANTA ROSA COUNTY SO	07/30/2018	14:41:18	AG715202	06/01/2019	08/30/2018 18:45
SANTA ROSA COUNTY SO	09/21/2018	20:42:11	AG805702	02/26/2020	11/03/2018 0:38
SANTA ROSA COUNTY SO	12/31/2018	22:53:45	AG827002	09/27/2020	01/03/2019 16:4

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001305

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MARIANNA PD	05/08/2018	12:15:57	906364	02/07/2021	05/08/2018 14:46
MARIANNA PD	06/14/2018	12:35:11	906364	02/07/2021	06/14/2018 14:59

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001306

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MEXICO BEACH PD	03/26/2018	17:15:58	32316080A3	01/05/2019	04/23/2018 9:54

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001307

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MADISON COUNTY SO	03/13/2018	10:58:37	29017080A3	12/05/2019	04/04/2018 10:35
MADISON COUNTY SO	03/13/2018	10:58:48	29017080A3	12/05/2019	04/04/2018 10:35



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001308

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BAY COUNTY SO	05/17/2018	16:07:55	AG722402	08/12/2019	05/30/2018 10:11

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001309

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BAY COUNTY SO	02/06/2018	11:46:46	AG628401	10/10/2018	02/06/2018 15:5
BAY COUNTY SO	05/29/2018	09:47:43	AG722402	08/12/2019	05/29/2018 11:35
BAY COUNTY SO	08/29/2018	09:49:14	AG628401	10/10/2018	08/29/2018 13:5
BAY COUNTY SO	10/28/2018	13:40:28	AG722402	08/12/2019	11/11/2018 13:18

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001310

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
NICEVILLE PD	09/30/2018	07:35:46	869968	12/06/2020	10/03/2018 15:20
NICEVILLE PD	12/06/2018	06:30:42	869968	12/06/2020	01/04/2019 18:33

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001312

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
WALTON COUNTY SO	01/18/2018	10:06:26	754250	04/03/2020	01/18/2018 11:42

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001322

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OKEECHOBEE P.D.	05/14/2018	15:05:02	840875	09/19/2020	06/27/2018 3:48
OKEECHOBEE P.D.	05/14/2018	15:05:19	840875	09/19/2020	06/27/2018 3:48
OKEECHOBEE P.D.	05/14/2018	15:10:06	840875	09/19/2020	06/27/2018 3:48
OKEECHOBEE P.D.	05/14/2018	15:12:37	840875	09/19/2020	06/27/2018 3:48

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001328

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
INDIAN RIVER CO. SO	07/13/2018	04:19:18	906364	02/07/2021	07/13/2018 5:20
INDIAN RIVER CO. SO	12/21/2018	04:07:47	906364	02/07/2021	12/24/2018 5:22
INDIAN RIVER CO. SO	12/21/2018	04:10:29	980558	07/09/2021	12/24/2018 5:22
INDIAN RIVER CO. SO	12/21/2018	04:14:57	980558	07/09/2021	12/24/2018 5:22

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001329

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
INDIAN RIVER CO. SO	03/23/2018	04:07:15	906364	02/07/2021	03/23/2018 5:42
INDIAN RIVER CO. SO	08/17/2018	03:47:09	980558	07/09/2021	08/17/2018 5:40

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001340

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
DESOTO COUNTY SO	01/24/2018	08:32:47	31517080A1	01/05/2020	01/24/2018 9:12



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001341

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
DESOTO COUNTY SO	01/24/2018	08:28:33	31517080A1	01/05/2020	01/24/2018 9:15

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001344

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SARASOTA COUNTY SO	03/29/2018	07:51:57	19817080A2	09/05/2019	04/28/2018 7:37
SARASOTA COUNTY SO	08/21/2018	08:38:09	10818080A4	06/05/2020	09/30/2018 7:47
SARASOTA COUNTY SO	12/28/2018	07:31:26	10818080A4	06/05/2020	12/28/2018 8:25

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001345

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
EUSTIS P.D.	12/05/2018	10:10:23	1031121	10/12/2021	01/02/2019 15:25

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001346

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SARASOTA COUNTY SO	04/28/2018	08:41:22	19817080A2	09/05/2019	04/28/2018 8:40

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001347

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SARASOTA COUNTY SO	01/31/2018	08:50:38	09216080A2	05/05/2018	01/31/2018 9:25
SARASOTA COUNTY SO	04/28/2018	08:33:54	19817080A2	09/05/2019	05/31/2018 8:26
SARASOTA COUNTY SO	07/30/2018	15:04:39	10818080A4	06/05/2020	08/21/2018 7:49
SARASOTA COUNTY SO	09/30/2018	09:15:17	10818080A4	06/05/2020	10/31/2018 10:9
SARASOTA COUNTY SO	12/28/2018	07:33:07	19817080A2	09/05/2019	12/28/2018 9:20

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001348

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SARASOTA COUNTY SO	06/29/2018	08:05:21	19817080A2	09/05/2019	06/29/2018 8:55
SARASOTA COUNTY SO	12/28/2018	07:29:15	10818080A4	06/05/2020	12/28/2018 8:30

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001360

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
EVERGLADES NAT PARK	01/15/2018	09:13:40	31517080A1	01/05/2020	01/15/2018 10:46
EVERGLADES NAT PARK	01/15/2018	09:13:55	31517080A1	01/05/2020	01/15/2018 10:46
EVERGLADES NAT PARK	09/12/2018	14:03:06	34917080A4	02/05/2020	09/13/2018 8:10
EVERGLADES NAT PARK	09/12/2018	14:59:53	31517080A1	01/05/2020	09/13/2018 8:11
EVERGLADES NAT PARK	09/12/2018	15:00:03	31517080A1	01/05/2020	09/13/2018 8:11

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001363

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CHARLOTTE COUNTY SO	06/01/2018	07:06:46	10818080A5	06/05/2020	06/29/2018 7:4



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001365

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LEVY COUNTY SO	06/30/2018	06:22:07	AG619605	07/14/2018	07/27/2018 20:26
LEVY COUNTY SO	07/13/2018	17:13:44	AG805701	02/26/2020	07/27/2018 20:26
LEVY COUNTY SO	12/31/2018	14:00:39	AG805701	02/26/2020	12/31/2018 15:5

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001367

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PINELLAS COUNTY SO	01/25/2018	21:30:11	AG629802	10/24/2018	01/25/2018 22:58
PINELLAS COUNTY SO	02/28/2018	19:15:29	AG629802	10/24/2018	03/22/2018 23:15
PINELLAS COUNTY SO	07/25/2018	21:28:00	AG815602	06/05/2020	07/25/2018 22:45

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001368

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
NAS MAYPORT	11/29/2018	10:58:20	17817080A3	08/05/2019	11/29/2018 12:5

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001416

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ORANGE COUNTY S.O.	02/12/2018	15:30:20	13917080A3	07/05/2019	02/13/2018 9:53
ORANGE COUNTY S.O.	07/19/2018	12:28:02	13917080A3	07/05/2019	07/19/2018 13:21
ORANGE COUNTY S.O.	07/25/2018	17:36:42	13917080A3	07/05/2019	07/25/2018 17:43
ORANGE COUNTY S.O.	08/28/2018	11:26:01	13917080A3	07/05/2019	08/28/2018 12:18
ORANGE COUNTY S.O.	08/28/2018	11:26:09	13917080A3	07/05/2019	08/28/2018 12:18
ORANGE COUNTY S.O.	09/06/2018	12:39:11	13917080A3	07/05/2019	09/06/2018 13:13
ORANGE COUNTY S.O.	09/17/2018	10:38:56	13917080A3	07/05/2019	09/17/2018 11:31
ORANGE COUNTY S.O.	09/17/2018	10:39:15	13917080A3	07/05/2019	09/17/2018 11:31
ORANGE COUNTY S.O.	11/07/2018	09:12:29	13917080A3	07/05/2019	11/07/2018 10:5
ORANGE COUNTY S.O.	11/07/2018	09:12:47	13917080A3	07/05/2019	11/07/2018 10:5
ORANGE COUNTY S.O.	12/05/2018	08:56:32	13917080A3	07/05/2019	12/05/2018 9:58
ORANGE COUNTY S.O.	12/05/2018	08:56:44	13917080A3	07/05/2019	12/05/2018 9:58

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001418

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ORANGE COUNTY S.O.	04/19/2018	08:17:54	13917080A3	07/05/2019	04/26/2018 14:34
ORANGE COUNTY S.O.	04/19/2018	08:18:04	13917080A3	07/05/2019	04/26/2018 14:34
ORANGE COUNTY S.O.	04/19/2018	08:18:58	13917080A3	07/05/2019	04/26/2018 14:34
ORANGE COUNTY S.O.	06/11/2018	14:08:00	13917080A3	07/05/2019	06/12/2018 9:47
ORANGE COUNTY S.O.	06/11/2018	14:08:13	13917080A3	07/05/2019	06/12/2018 9:47
ORANGE COUNTY S.O.	07/19/2018	11:09:54	13917080A3	07/05/2019	07/19/2018 12:7
ORANGE COUNTY S.O.	07/19/2018	11:10:16	13917080A3	07/05/2019	07/19/2018 12:7
ORANGE COUNTY S.O.	08/28/2018	10:17:06	13917080A3	07/05/2019	08/28/2018 11:20
ORANGE COUNTY S.O.	09/17/2018	10:37:49	13917080A3	07/05/2019	09/17/2018 11:35
ORANGE COUNTY S.O.	10/09/2018	10:08:50	13917080A3	07/05/2019	11/07/2018 10:0
ORANGE COUNTY S.O.	10/09/2018	10:09:11	13917080A3	07/05/2019	11/07/2018 10:0
ORANGE COUNTY S.O.	11/07/2018	09:11:13	13917080A3	07/05/2019	11/07/2018 10:0
ORANGE COUNTY S.O.	11/07/2018	09:11:31	13917080A3	07/05/2019	11/07/2018 10:0
ORANGE COUNTY S.O.	12/05/2018	08:55:41	13917080A3	07/05/2019	12/05/2018 9:54
ORANGE COUNTY S.O.	12/05/2018	08:55:57	13917080A3	07/05/2019	12/05/2018 9:54

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001420

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ORANGE COUNTY S.O.	03/05/2018	05:16:12	13917080A3	07/05/2019	03/13/2018 10:36
ORANGE COUNTY S.O.	07/19/2018	09:13:43	13917080A3	07/05/2019	07/19/2018 10:19
ORANGE COUNTY S.O.	08/28/2018	11:24:59	13917080A3	07/05/2019	08/28/2018 12:15
ORANGE COUNTY S.O.	09/17/2018	09:23:16	13917080A3	07/05/2019	09/17/2018 10:16
ORANGE COUNTY S.O.	10/09/2018	11:26:43	13917080A3	07/05/2019	10/18/2018 15:56
ORANGE COUNTY S.O.	10/09/2018	11:27:52	13917080A3	07/05/2019	10/18/2018 15:56
ORANGE COUNTY S.O.	11/07/2018	09:13:45	13917080A3	07/05/2019	11/07/2018 10:10
ORANGE COUNTY S.O.	11/07/2018	09:14:26	13917080A3	07/05/2019	11/07/2018 10:10
ORANGE COUNTY S.O.	11/07/2018	10:34:36	13917080A3	07/05/2019	11/15/2018 10:40
ORANGE COUNTY S.O.	11/07/2018	10:35:13	13917080A3	07/05/2019	11/15/2018 10:40
ORANGE COUNTY S.O.	12/05/2018	11:22:15	13917080A3	07/05/2019	12/05/2018 12:51
ORANGE COUNTY S.O.	12/05/2018	11:22:49	13917080A3	07/05/2019	12/05/2018 12:51
ORANGE COUNTY S.O.	12/27/2018	13:36:35	13917080A3	07/05/2019	12/27/2018 13:43

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001439

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MARTIN COUNTY SO	04/27/2018	08:15:13	06717080A7	05/05/2019	04/27/2018 9:41
MARTIN COUNTY SO	10/24/2018	13:23:11	05218080A4	05/05/2020	10/24/2018 14:26

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001443

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CLAY COUNTY SO	01/14/2018	13:29:50	09117080A2	06/05/2019	01/14/2018 15:20
CLAY COUNTY SO	02/19/2018	15:01:04	09117080A2	06/05/2019	02/19/2018 16:47
CLAY COUNTY SO	02/19/2018	15:01:48	09117080A2	06/05/2019	02/19/2018 16:47
CLAY COUNTY SO	03/24/2018	06:45:47	22817080	10/05/2019	03/24/2018 7:42
CLAY COUNTY SO	04/16/2018	14:22:35	22817080A4	10/05/2019	04/21/2018 15:6
CLAY COUNTY SO	06/27/2018	18:10:35	22817080A4	10/05/2019	06/27/2018 19:15
CLAY COUNTY SO	08/11/2018	15:41:33	22817080A4	10/05/2019	08/25/2018 15:29
CLAY COUNTY SO	10/24/2018	14:14:03	22817080A4	10/05/2019	10/26/2018 17:51
CLAY COUNTY SO	12/20/2018	08:55:03	17618080A1	08/05/2020	12/20/2018 10:24



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001646

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
TYNDALL AFB	02/02/2018	15:49:46	770784	04/27/2020	02/02/2018 20:19
TYNDALL AFB	12/01/2018	01:24:11	970670	06/07/2021	12/01/2018 4:3
TYNDALL AFB	01/11/2019	20:30:28	970670	06/07/2021	01/11/2019 22:23

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001648

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PUTNAM COUNTY SO	06/01/2018	22:04:38	29017080A3	12/05/2019	07/02/2018 11:33

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001651

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COLLIER COUNTY SO	04/02/2018	10:41:20	19817080A1	09/05/2019	05/01/2018 13:18
COLLIER COUNTY SO	08/01/2018	11:47:44	03417080A2	03/05/2019	09/03/2018 15:48
COLLIER COUNTY SO	12/09/2018	00:49:35	31517080A1	01/05/2020	01/02/2019 11:14

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001653

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ST PETERSBURG PD	02/05/2018	08:54:12	26316080A2	11/05/2018	02/05/2018 10:37
ST PETERSBURG PD	11/20/2018	10:03:31	13518080A5	08/05/2020	11/28/2018 8:18
ST PETERSBURG PD	11/28/2018	07:40:30	13518080A5	08/05/2020	11/28/2018 8:18

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001654

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI PD	11/27/2018	11:28:44	620051	11/05/2019	11/27/2018 13:22

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001655

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ST JOHNS COUNTY SO	01/31/2018	15:13:58	640976	11/21/2019	02/01/2018 4:56
ST JOHNS COUNTY SO	12/09/2018	12:22:23	366849	03/30/2019	12/09/2018 13:9

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001657

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MICCOSUKEE PD	03/09/2018	13:20:58	34917080A2	02/05/2020	04/04/2018 10:24

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001715

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OSCEOLA COUNTY S.O.	06/05/2018	22:34:18	163437	10/30/2018	06/18/2018 18:24
OSCEOLA COUNTY S.O.	06/05/2018	22:34:38	646645	12/05/2019	06/18/2018 18:24



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001720

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ALACHUA PD	09/30/2018	07:37:51	805701	02/26/2020	11/28/2018 1:14

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001721

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BAY P.D.	06/27/2018	18:39:59	22817080A4	10/05/2019	07/26/2018 19:51

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001722

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LEE COUNTY SO	03/13/2018	16:10:42	29017080A2	12/05/2019	04/27/2018 9:37

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001732

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PINELLAS PARK P.D.	02/13/2018	08:17:59	32316080A2	01/05/2019	02/13/2018 10:34
PINELLAS PARK P.D.	06/01/2018	18:35:01	05218080A3	05/05/2020	06/08/2018 13:37
PINELLAS PARK P.D.	06/20/2018	12:42:28	05218080A3	05/05/2020	06/20/2018 13:55

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001737

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SOUTH MIAMI PD	11/15/2018	07:57:48	AG827002	09/27/2020	12/13/2018 10:23

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001739

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CHARLOTTE COUNTY SO	08/29/2018	09:20:37	10818080A5	06/05/2020	08/31/2018 7:31

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001740

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CLEARWATER PD	04/18/2018	01:37:12	26316080A2	11/05/2018	04/24/2018 1:56
CLEARWATER PD	04/24/2018	01:11:30	12317080A3	07/05/2019	04/24/2018 1:56
CLEARWATER PD	10/16/2018	19:58:21	02618080A2	03/05/2020	10/16/2018 20:51

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001741

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BEACH CO SO	06/13/2018	06:17:47	646645	12/05/2019	06/22/2018 12:25
PALM BEACH CO SO	06/13/2018	06:18:25	646645	12/05/2019	06/22/2018 12:25
PALM BEACH CO SO	06/13/2018	09:36:39	646645	12/05/2019	06/22/2018 12:25
PALM BEACH CO SO	06/13/2018	09:37:09	646645	12/05/2019	06/22/2018 12:25



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001742

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MANATEE COUNTY SO	07/11/2018	10:49:59	867139	11/15/2020	08/21/2018 10:1
MANATEE COUNTY SO	08/31/2018	23:21:45	962587	06/04/2021	09/25/2018 9:22
MANATEE COUNTY SO	12/18/2018	08:16:09	867139	11/15/2020	12/18/2018 9:44

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001743

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
JACKSONVILLE SO	03/08/2018	14:14:23	22817080A4	10/05/2019	03/21/2018 9:35
JACKSONVILLE SO	06/01/2018	13:44:58	05218080A3	05/05/2020	06/19/2018 15:9
JACKSONVILLE SO	09/14/2018	14:20:09	05218080A3	05/05/2020	09/25/2018 14:22

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002231

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
NEW SMYRNA BEACH PD	09/03/2018	08:02:37	10818080A5	06/05/2020	10/25/2018 15:56

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002232

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI BEACH PD	06/25/2018	07:47:37	390314	04/19/2019	06/25/2018 12:2

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002462

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HIALEAH PD	11/14/2018	09:07:15	712031	02/21/2020	11/14/2018 10:13

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002463

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HIALEAH PD	12/19/2018	08:53:42	712031	02/21/2020	12/19/2018 10:52

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002566

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SURFSIDE PD	03/21/2018	10:24:31	390314	04/19/2019	03/21/2018 11:44

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003195

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FWC	10/03/2018	09:08:38	AG816701	06/16/2020	10/03/2018 14:4



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003196

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FWC	10/03/2018	09:14:20	AG816701	06/16/2020	10/03/2018 13:6

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003224

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI BEACH PD	06/25/2018	11:16:35	366849	03/30/2019	06/25/2018 12:19

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003348

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP E MIAMI	04/27/2018	05:41:38	712031	02/21/2020	04/27/2018 8:45

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003387

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HILLSBOROUGH CO SO	12/18/2018	17:40:01	28818080A1	12/05/2020	01/10/2019 17:49
HILLSBOROUGH CO SO	12/18/2018	17:40:26	28818080A1	12/05/2020	01/10/2019 17:49

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003388

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HILLSBOROUGH CO SO	01/22/2018	04:10:10	03417080A1	03/05/2019	02/13/2018 17:44
HILLSBOROUGH CO SO	07/12/2018	16:22:08	31517080A1	01/05/2020	07/12/2018 17:45

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003404

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP L	05/11/2018	14:32:53	875088	12/12/2020	05/11/2018 15:43
FHP TROOP L	07/13/2018	13:07:48	875088	12/12/2020	07/13/2018 13:42

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003406

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	07/03/2018	07:06:51	29017080A3	12/05/2019	07/19/2018 12:10
FL HIGHWAY PATROL	07/03/2018	07:07:01	29017080A3	12/05/2019	07/19/2018 12:11

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003408

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP E MIAMI	04/27/2018	05:57:12	163437	10/30/2018	04/27/2018 7:53
FHP TROOP E MIAMI	09/30/2018	05:38:02	796576	06/14/2020	09/30/2018 10:41



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003935

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OSCEOLA COUNTY S.O.	10/09/2018	20:50:00	646645	12/05/2019	10/09/2018 23:39

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003937

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OSCEOLA COUNTY S.O.	01/01/2018	22:39:22	163437	10/30/2018	07/11/2017 15:24
OSCEOLA COUNTY S.O.	01/01/2018	22:39:30	163437	10/30/2018	07/11/2017 15:24
OSCEOLA COUNTY S.O.	01/01/2018	23:00:16	163437	10/30/2018	07/11/2017 15:25
OSCEOLA COUNTY S.O.	10/09/2018	20:58:35	646645	12/05/2019	10/09/2018 23:48

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004587

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OSCEOLA COUNTY S.O.	10/09/2018	20:48:23	L46645	12/05/2019	10/09/2018 23:36
OSCEOLA COUNTY S.O.	10/18/2018	04:44:08	646645	12/05/2019	11/06/2018 18:32

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004771

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HURLBURT FIELD PD	03/22/2018	14:13:36	869968	12/06/2020	03/27/2018 15:3
HURLBURT FIELD PD	03/23/2018	14:02:31	869968	12/06/2020	03/27/2018 15:3

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005057

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OKALOOSA COUNTY SO	05/03/2018	10:46:59	666491	12/30/2019	05/03/2018 12:29
OKALOOSA COUNTY SO	10/03/2018	05:47:50	666491	12/30/2019	10/25/2018 8:43

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005058

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CRESTVIEW PD	01/22/2018	11:27:10	31517080A1	01/05/2020	01/29/2018 10:15

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005076

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SARASOTA COUNTY SO	04/28/2018	07:51:30	19817080A2	09/05/2019	05/31/2018 8:20

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005077

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
NORTH MIAMI PD	01/02/2019	10:06:18	34917080A4	02/05/2020	01/14/2019 9:7



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005113

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HILLSBOROUGH CO SO	05/14/2018	19:34:43	31517080A1	01/05/2020	06/19/2018 19:10
HILLSBOROUGH CO SO	11/05/2018	04:22:11	31517080A1	01/05/2020	12/18/2018 17:56

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005146

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PATRICK AFB	01/24/2018	12:48:48	14968	08/06/2018	01/24/2018 13:41

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005249

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HERNANDO COUNTY SO	04/27/2018	03:39:05	34917080A3	02/05/2020	04/27/2018 5:1

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005290

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PINELLAS COUNTY SO	04/25/2018	19:21:08	AG728303	10/10/2019	04/28/2018 3:2

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005337

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PERRY POLICE DEPT	07/24/2018	11:34:56	AG815602	06/05/2020	07/25/2018 11:27

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005338

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ST PETERSBURG PD	07/11/2018	07:10:59	26316080A2	11/05/2018	07/11/2018 10:17
ST PETERSBURG PD	11/21/2018	06:25:47	13518080A5	08/05/2020	12/24/2018 9:12

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005402

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PORT ORANGE PD	10/30/2018	09:58:43	609878	11/01/2019	10/30/2018 11:19

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005468

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FORT MYERS PD	05/09/2018	14:01:15	29017080A2	12/05/2019	05/09/2018 15:3
FORT MYERS PD	06/12/2018	07:32:34	10818080A4	06/05/2020	07/18/2018 13:30



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005477

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
DADE CITY PD	06/20/2018	09:42:15	29017080A2	12/05/2019	06/20/2018 11:23

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005538

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FERNANDINA BEACH PD	07/09/2018	03:15:36	06717080A7	05/05/2019	07/09/2018 7:27

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005548

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI DADE PD	09/06/2018	01:37:28	34917080A4	02/05/2020	09/06/2018 13:17

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005549

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI DADE PD	10/18/2018	10:19:44	34917080A4	02/05/2020	10/18/2018 10:24
MIAMI DADE PD	10/18/2018	10:22:36	34917080A4	02/05/2020	10/18/2018 10:24

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005551

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI DADE PD	09/06/2018	00:34:30	34917080A4	02/05/2020	09/06/2018 13:18

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005935

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OSCEOLA COUNTY SO	10/09/2018	20:55:28	646645	12/05/2019	10/09/2018 23:44

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005936

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SARASOTA COUNTY SO	08/21/2018	08:48:31	19817080A2	09/05/2019	08/21/2018 9:36
SARASOTA COUNTY SO	12/28/2018	07:34:47	19817080A2	09/05/2019	12/28/2018 9:12

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006027

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BEACH CO SO	02/02/2018	17:13:22	12317080A3	07/05/2019	03/09/2018 11:30
PALM BEACH CO SO	02/02/2018	17:13:37	12317080A3	07/05/2019	03/09/2018 11:30
PALM BEACH CO SO	06/13/2018	06:21:51	22817080A5	10/05/2019	06/22/2018 15:30
PALM BEACH CO SO	06/13/2018	06:22:14	22817080A5	10/05/2019	06/22/2018 15:30
PALM BEACH CO SO	06/13/2018	09:30:45	22817080A5	10/05/2019	06/22/2018 15:30
PALM BEACH CO SO	06/13/2018	09:31:26	22817080A5	10/05/2019	06/22/2018 15:30
PALM BEACH CO SO	06/13/2018	09:31:48	22817080A5	10/05/2019	06/22/2018 15:30
PALM BEACH CO SO	08/25/2018	01:33:24	12317080A3	07/05/2019	09/07/2018 12:32



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006029

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BEACH CO SO	04/13/2018	18:45:13	22817080A5	10/05/2019	05/11/2018 16:2
PALM BEACH CO SO	04/13/2018	18:45:42	22817080A5	10/05/2019	05/11/2018 16:2

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006046

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	12/30/2018	21:09:56	1048227	11/15/2021	01/02/2019 16:32

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006168

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MARTIN COUNTY SO	03/15/2018	14:53:46	06717080A7	05/05/2019	03/15/2018 15:50

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006169

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MARTIN COUNTY SO	03/15/2018	14:52:33	06717080A7	05/05/2019	03/15/2018 15:46

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006170

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MARTIN COUNTY SO	02/02/2018	21:32:45	20016080A2	09/05/2018	03/15/2018 14:26
MARTIN COUNTY SO	02/24/2018	02:45:37	06717080A7	05/05/2019	03/15/2018 14:26
MARTIN COUNTY SO	05/27/2018	15:44:46	06717080A7	05/05/2019	05/27/2018 17:5

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006199

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HOMESTEAD PD	08/11/2018	22:56:11	937240	04/07/2021	08/25/2018 22:30

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006214

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OCALA POLICE DEPT	01/31/2018	01:13:27	26316080A2	11/05/2018	01/31/2018 12:29
OCALA POLICE DEPT	11/09/2018	01:17:47	24818080A2	10/05/2020	01/02/2019 6:16

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006222

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LAKE COUNTY SO	03/09/2018	16:21:05	34416080A2	02/05/2019	03/09/2018 18:46
LAKE COUNTY SO	07/12/2018	00:04:05	34416080A2	02/05/2019	08/15/2018 23:27
LAKE COUNTY SO	10/18/2018	19:08:03	34416080A2	02/05/2019	10/18/2018 20:59



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006233

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BREVARD COUNTY S.O.	05/23/2018	16:40:30	19817080A3	09/05/2019	05/23/2018 18:31

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006234

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HENDRY COUNTY SO	05/09/2018	23:42:37	83551	10/02/2018	06/25/2018 21:43
HENDRY COUNTY SO	10/01/2018	03:48:29	437738	06/08/2019	10/18/2018 23:1

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006235

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ASTATULA PD	06/30/2018	21:34:35	09417080A5	05/05/2019	06/30/2018 22:26

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CLAY COUNTY SO	09/26/2018	00:39:37	32316080A2	01/05/2019	09/26/2018 3:4

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BEACH CO SO	02/02/2018	17:32:38	22817080A5	10/05/2019	03/09/2018 12:1
PALM BEACH CO SO	02/02/2018	17:33:05	22817080A5	10/05/2019	03/09/2018 12:1
PALM BEACH CO SO	03/09/2018	14:45:15	22817080A5	10/05/2019	04/13/2018 15:54
PALM BEACH CO SO	03/09/2018	14:45:40	22817080A5	10/05/2019	04/13/2018 15:54
PALM BEACH CO SO	05/11/2018	17:01:59	22817080A5	10/05/2019	06/22/2018 12:52
PALM BEACH CO SO	05/11/2018	17:02:20	22817080A5	10/05/2019	06/22/2018 12:52
PALM BEACH CO SO	06/22/2018	16:16:02	22817080A5	10/05/2019	07/13/2018 16:18
PALM BEACH CO SO	06/22/2018	16:16:50	22817080A5	10/05/2019	07/13/2018 16:18
PALM BEACH CO SO	10/19/2018	13:55:35	05218080A3	05/05/2020	11/23/2018 13:10
PALM BEACH CO SO	10/19/2018	13:56:05	05218080A3	05/05/2020	11/23/2018 13:10
PALM BEACH CO SO	11/23/2018	15:01:41	13518080A5	08/05/2020	12/14/2018 13:56
PALM BEACH CO SO	11/23/2018	15:02:14	13518080A5	08/05/2020	12/14/2018 13:56

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006239

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BEACH CO SO	01/19/2018	12:53:16	12317080A3	07/05/2019	02/02/2018 15:16
PALM BEACH CO SO	01/19/2018	12:54:17	12317080A3	07/05/2019	02/02/2018 15:16
PALM BEACH CO SO	06/22/2018	16:18:08	05218080A3	05/05/2020	07/13/2018 12:57
PALM BEACH CO SO	06/22/2018	16:18:40	05218080A3	05/05/2020	07/13/2018 12:57
PALM BEACH CO SO	07/13/2018	13:21:35	05218080A3	05/05/2020	08/10/2018 16:31
PALM BEACH CO SO	07/13/2018	13:21:58	05218080A3	05/05/2020	08/10/2018 16:31

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006240

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BEACH CO SO	05/11/2018	17:05:27	22817080A5	10/05/2019	06/22/2018 12:43
PALM BEACH CO SO	05/11/2018	17:06:29	22817080A5	10/05/2019	06/22/2018 12:43
PALM BEACH CO SO	09/07/2018	16:39:52	05218080A3	05/05/2020	10/19/2018 13:20
PALM BEACH CO SO	09/07/2018	16:40:26	05218080A3	05/05/2020	10/19/2018 13:20
PALM BEACH CO SO	10/19/2018	13:52:27	05218080A3	05/02/2020	11/23/2018 16:44
PALM BEACH CO SO	10/19/2018	13:52:48	05218080A3	05/05/2020	11/23/2018 16:44
PALM BEACH CO SO	10/19/2018	13:53:07	05218080A3	05/05/2020	11/23/2018 16:44

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006261

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	06/07/2018	18:48:24	906364	02/07/2021	06/07/2018 19:46
FL HIGHWAY PATROL	11/21/2018	18:55:33	906364	02/07/2021	11/21/2018 20:2



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006262

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
VOLUSIA COUNTY S.O.	10/25/2018	12:45:17	644476	12/01/2019	10/25/2018 13:57

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006385

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HILLSBOROUGH CO SO	01/02/2018	00:01:29	03417080A1	03/05/2019	01/03/2018 19:37
HILLSBOROUGH CO SO	06/09/2018	04:18:25	31517080A1	01/05/2020	06/19/2018 20:31
HILLSBOROUGH CO SO	12/02/2018	05:10:43	31517080A1	01/05/2020	12/18/2018 19:17
HILLSBOROUGH CO SO	12/02/2018	05:11:20	31517080A1	01/05/2020	12/18/2018 19:17

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006435

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ESCAMBIA COUNTY SO	05/31/2018	07:00:13	32316080A2	01/05/2019	05/31/2018 8:49

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006436

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ESCAMBIA COUNTY SO	02/03/2018	12:03:57	14816080A3	07/05/2018	02/20/2018 9:23
ESCAMBIA COUNTY SO	02/03/2018	12:04:21	14816080A3	07/05/2018	02/20/2018 9:23
ESCAMBIA COUNTY SO	06/29/2018	06:35:48	32316080A2	01/05/2019	06/29/2018 8:56

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006456

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI PD	06/19/2018	08:24:01	640976	11/21/2019	06/28/2018 11:53

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006457

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI PD	09/30/2018	17:52:32	20398	12/10/2018	09/30/2018 22:29
MIAMI PD	10/30/2018	14:22:54	620051	11/05/2019	10/30/2018 17:23

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006471

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MONROE COUNTY S.O.	04/01/2018	13:00:33	14968	08/06/2018	04/01/2018 14:19
MONROE COUNTY S.O.	06/07/2018	11:03:48	823252	10/05/2020	07/11/2018 11:3

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006476

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BEACH CO SO	08/10/2018	14:24:23	05218080A3	05/05/2020	09/07/2018 13:33
PALM BEACH CO SO	08/10/2018	14:24:53	05218080A3	05/05/2020	09/07/2018 13:33
PALM BEACH CO SO	09/07/2018	16:44:32	05218080A3	05/05/2020	10/19/2018 16:1
PALM BEACH CO SO	09/07/2018	16:44:59	05218080A3	05/05/2020	10/19/2018 16:1



**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006477

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BEACH CO SO	03/09/2018	14:48:49	22817080A5	10/05/2019	04/13/2018 13:0
PALM BEACH CO SO	03/09/2018	14:49:19	22817080A5	10/05/2019	04/13/2018 13:0
PALM BEACH CO SO	04/13/2018	13:18:51	22817080A5	10/05/2019	05/11/2018 15:49
PALM BEACH CO SO	04/13/2018	13:19:53	22817080A5	10/05/2019	05/11/2018 15:49
PALM BEACH CO SO	10/19/2018	16:32:38	05218080A3	05/05/2020	11/23/2018 13:24
PALM BEACH CO SO	10/19/2018	16:33:38	05218080A3	05/05/2020	11/23/2018 13:24
PALM BEACH CO SO	10/19/2018	16:35:27	05218080A3	05/05/2020	11/23/2018 13:24
PALM BEACH CO SO	11/23/2018	14:57:58	05218080A3	05/05/2020	12/14/2018 16:42
PALM BEACH CO SO	11/23/2018	14:58:41	05218080A3	05/05/2020	12/14/2018 16:42

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BEACH CO SO	01/19/2018	12:57:35	22817080A5	10/05/2019	02/02/2018 12:20
PALM BEACH CO SO	01/19/2018	12:58:27	22817080A5	10/05/2019	02/02/2018 12:20
PALM BEACH CO SO	02/02/2018	17:29:27	22817080A5	10/05/2019	03/09/2018 14:21
PALM BEACH CO SO	02/02/2018	17:29:48	22817080A5	10/05/2019	03/09/2018 14:21
PALM BEACH CO SO	07/13/2018	13:25:12	05218080A3	05/05/2020	08/10/2018 13:20
PALM BEACH CO SO	07/13/2018	13:25:35	05218080A3	05/05/2020	08/10/2018 13:20
PALM BEACH CO SO	08/10/2018	13:27:09	05218080A3	05/05/2020	09/07/2018 16:13
PALM BEACH CO SO	08/10/2018	13:27:28	05218080A3	05/05/2020	09/07/2018 16:13

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006559

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MANATEE COUNTY SO	05/23/2018	17:07:19	256835	01/11/2019	06/18/2018 9:24

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006567

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HILLSBOROUGH CO SO	06/12/2018	07:50:21	31517080A1	01/05/2020	06/19/2018 19:18
HILLSBOROUGH CO SO	12/02/2018	05:12:49	31517080A1	01/05/2020	12/18/2018 19:25

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006616

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FLAGLER COUNTY SO	10/29/2018	17:52:24	09117080A1	06/05/2019	11/30/2018 11:50
FLAGLER COUNTY SO	10/29/2018	17:52:58	17618080A3	08/05/2020	11/30/2018 11:50
FLAGLER COUNTY SO	10/29/2018	17:53:04	17618080A3	08/05/2020	11/30/2018 11:50
FLAGLER COUNTY SO	10/29/2018	17:53:47	17618080A3	08/05/2020	11/30/2018 11:50

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006621

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
KENNEDY SPACE CENTER	03/18/2018	14:50:57	34917080A4	02/05/2020	03/18/2018 15:52
KENNEDY SPACE CENTER	03/18/2018	15:01:01	34917080A4	02/05/2020	03/18/2018 15:52
KENNEDY SPACE CENTER	03/18/2018	15:01:13	34917080A4	02/05/2020	03/18/2018 15:52

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006622

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BOCA RATON PD	01/30/2018	13:45:22	31517080A1	01/05/2020	01/30/2018 14:40
BOCA RATON PD	03/07/2018	07:27:19	31517080A1	01/05/2020	03/07/2018 8:38
BOCA RATON PD	09/25/2018	11:03:29	13518080A5	08/05/2020	09/25/2018 11:49

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006626

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP	03/19/2018	13:01:58	712031	02/21/2020	03/19/2018 16:27
FHP	04/27/2018	05:40:33	712031	02/21/2020	04/27/2018 8:52



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006628

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP	01/31/2018	20:57:35	22817080A5	10/05/2019	01/31/2018 21:42
FHP	09/25/2018	15:46:08	17618080A3	08/05/2020	09/25/2018 16:12

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006629

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP	01/31/2018	21:50:39	09216080A3	05/05/2018	03/01/2018 22:43
FHP	04/26/2018	01:23:45	22817080A5	10/05/2019	05/30/2018 22:10
FHP	09/25/2018	15:45:52	22817080A5	10/05/2019	09/25/2018 16:14

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006630

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP E MIAMI	04/27/2018	05:37:41	712031	02/21/2020	04/27/2018 10:13
FHP TROOP E MIAMI	09/30/2018	05:40:03	796576	06/14/2020	09/30/2018 10:53

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006631

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MANATEE COUNTY SO	05/21/2018	14:28:51	840875	09/19/2020	05/21/2018 15:33

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006632

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	12/30/2018	20:56:28	972301	06/15/2021	01/02/2019 16:19

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006633

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	05/27/2018	15:34:28	915310	03/07/2021	05/27/2018 17:28
FL HIGHWAY PATROL	12/30/2018	20:50:03	644476	12/01/2019	01/02/2019 16:33

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006635

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	01/31/2018	21:58:06	22817080A5	10/05/2019	03/01/2018 22:28
FL HIGHWAY PATROL	09/25/2018	15:48:28	22817080A5	10/05/2019	09/25/2018 16:24

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006636

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	05/01/2018	00:04:27	666491	12/30/2019	05/05/2018 2:10



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006637

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	02/16/2018	02:13:55	09216080A3	05/05/2018	02/27/2018 23:27
FL HIGHWAY PATROL	05/27/2018	15:23:09	915310	03/07/2021	06/19/2018 12:21

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006638

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	05/27/2018	17:49:31	915310	03/07/2021	06/25/2018 19:46

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006693

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MONROE COUNTY SO	10/24/2018	13:39:58	1012059	09/05/2021	11/07/2018 13:57
MONROE COUNTY SO	10/24/2018	13:46:24	1012059	09/05/2021	11/07/2018 13:57

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006709

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CMI INC.	10/29/2018	12:06:59	666491	12/30/2019	11/09/2018 9:3

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006758

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	07/23/2018	12:20:52	840875	09/19/2020	08/20/2018 12:4

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006759

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
KENNEDY SPACE CENTER	11/07/2018	18:12:08	34917080A4	02/05/2020	11/11/2018 16:34

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006760

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP	07/04/2018	10:27:14	906364	02/07/2021	07/18/2018 8:16
FHP	12/01/2018	01:19:13	906364	02/07/2021	12/01/2018 4:43

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006762

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP L	09/27/2018	07:07:28	915310	04/27/2021	09/27/2018 8:34



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006763

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP L	05/08/2018	18:51:26	915310	04/27/2021	05/09/2018 16:23

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006765

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP G	01/09/2018	13:48:19	840875	09/19/2020	01/12/2018 21:22
FHP TROOP G	03/05/2018	21:21:47	840875	09/19/2020	04/03/2018 19:35
FHP TROOP G	12/30/2018	19:27:58	906364	02/07/2021	12/30/2018 21:19

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006767

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FL HIGHWAY PATROL	01/22/2018	08:18:20	840875	09/19/2020	03/08/2018 14:48

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006769

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP L	07/13/2018	11:30:07	02618080A3	03/05/2020	07/13/2018 12:8

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006772

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP L	03/01/2018	17:54:53	875088	12/12/2020	03/01/2018 18:41

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006895

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MIAMI DADE P.D.	02/03/2018	01:40:42	06717080A6	05/05/2019	03/02/2018 9:49
MIAMI DADE P.D.	09/05/2018	11:13:07	34917080A4	02/05/2020	09/10/2018 10:30
MIAMI DADE P.D.	09/10/2018	10:21:04	06717080A6	05/05/2019	09/10/2018 10:30
MIAMI DADE P.D.	09/10/2018	10:21:10	06717080A6	05/05/2019	09/10/2018 10:30

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006924

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BROWARD COUNTY SO	06/22/2018	12:19:58	796576	06/14/2020	07/13/2018 11:37
BROWARD COUNTY SO	09/19/2018	10:07:51	796576	06/14/2020	09/19/2018 11:32

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006925

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BROWARD COUNTY SO	06/22/2018	12:22:02	19817080A1	09/05/2019	07/13/2018 16:2



**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006931

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FT WALTON BEACH PD	11/01/2018	07:36:28	22817080A5	10/05/2019	11/08/2018 6:23
FT WALTON BEACH PD	11/26/2018	19:15:55	855182	10/19/2020	01/11/2019 21:37
FT WALTON BEACH PD	11/27/2018	01:53:05	855182	10/19/2020	01/11/2019 21:37
FT WALTON BEACH PD	12/31/2018	02:00:37	666491	12/30/2019	01/11/2019 21:37

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006937

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BAY COUNTY SO	07/30/2018	08:49:46	AG722402	08/12/2019	07/30/2018 12:8

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007006

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BROWARD COUNTY SO	10/17/2018	18:14:22	970670	06/07/2021	10/17/2018 18:58

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007008

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BROWARD COUNTY SO	10/18/2018	11:39:25	796576	06/14/2020	11/14/2018 8:8

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007077

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COLLIER COUNTY SO	08/01/2018	10:02:54	10818080A6	06/05/2020	09/03/2018 13:28
COLLIER COUNTY SO	10/02/2018	10:10:05	10818080A6	06/05/2020	11/05/2018 15:30
COLLIER COUNTY SO	12/04/2018	08:54:22	03417080A2	03/05/2019	01/02/2019 17:56

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007078

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COLLIER COUNTY SO	06/05/2018	15:10:46	19817080A1	09/05/2019	07/02/2018 15:13
COLLIER COUNTY SO	07/02/2018	16:55:08	17316080A3	08/05/2018	08/01/2018 15:17
COLLIER COUNTY SO	07/08/2018	21:55:44	17316080A3	08/05/2018	08/01/2018 15:17
COLLIER COUNTY SO	07/08/2018	21:56:04	17316080A3	08/05/2018	08/01/2018 15:17
COLLIER COUNTY SO	07/08/2018	21:56:27	17316080A3	08/05/2018	08/01/2018 15:17
COLLIER COUNTY SO	07/08/2018	21:56:30	17316080A3	08/05/2018	08/01/2018 15:17
COLLIER COUNTY SO	09/03/2018	10:50:58	10818080A6	06/05/2020	10/02/2018 14:11
COLLIER COUNTY SO	11/05/2018	17:36:45	03417080A2	03/05/2019	12/04/2018 11:39
COLLIER COUNTY SO	12/08/2018	23:39:46	31517080A1	01/05/2020	01/02/2019 10:46

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007083

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CHARLOTTE COUNTY SO	10/30/2018	08:12:43	13518080A4	08/05/2020	11/03/2018 6:49

**Florida Department of Law Enforcement  
Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007084

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
	07/12/2018	07:57:47	23456	11/11/2018	08/22/2018 8:6
MIAMI-DADE PD	01/03/2019	06:57:22	13518080A6	08/05/2020	01/09/2019 13:34