

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000219

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	03/28/2019	10:04:59	00919080A2	03/05/2021	04/22/2019 13:30
FDLE	03/28/2019	10:05:13	00919080A2	03/05/2021	04/22/2019 13:31

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000227

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	03/28/2019	10:00:04	00919080A2	03/05/2021	04/22/2019 13:37
FDLE	03/28/2019	10:00:22	00919080A2	03/05/2021	04/22/2019 13:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000744

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	01/08/2019	15:31:29	792976	06/06/2020	01/25/2019 7:26
ESCAMBIA COUNTY SO	03/21/2019	05:34:13	792976	06/06/2020	03/21/2019 7:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000759

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/11/2019	20:23:13	770784	04/27/2020	01/11/2019 22:48
FL HIGHWAY PATROL	03/18/2019	13:19:39	770784	04/27/2020	03/18/2019 16:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000760

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ALACHUA COUNTY SO	04/25/2019	09:11:42	24818080A2	10/05/2020	04/25/2019 9:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000763

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	04/29/2019	14:07:37	754250	04/03/2020	04/29/2019 15:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000772

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	01/21/2019	12:37:27	AG805702	02/26/2020	02/28/2019 17:43
SANTA ROSA COUNTY SO	03/29/2019	18:40:44	AG805702	02/26/2020	04/30/2019 15:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000778

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS JACKSONVILLE PD	03/11/2019	00:09:43	00919080A3	03/05/2021	03/23/2019 6:56
NAS JACKSONVILLE PD	03/11/2019	00:10:58	00919080A3	03/05/2021	03/23/2019 6:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000782

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP A	01/11/2019	20:20:14	770784	04/27/2020	02/25/2019 14:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000784

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/11/2019	20:22:04	461951	06/15/2019	01/11/2019 23:8
FL HIGHWAY PATROL	03/18/2019	13:14:44	461951	06/15/2019	03/18/2019 16:33

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000785

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	01/11/2019	21:27:18	770784	04/27/2020	01/11/2019 23:12
FHP	03/18/2019	13:24:40	770784	04/27/2020	04/10/2019 12:1
FHP	04/10/2019	09:58:28	770784	04/27/2020	04/10/2019 12:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000794

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	03/28/2019	10:49:09	31517080A1	01/05/2020	03/28/2019 11:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000797

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAMILTON COUNTY SO	02/28/2019	16:42:36	00919080A3	03/05/2021	02/28/2019 17:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000812

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY S.O.	04/14/2019	17:27:03	34917080A3	02/05/2020	04/14/2019 19:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000814

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY S.O.	01/09/2019	19:19:21	34917080A3	02/05/2020	01/09/2019 21:2
HERNANDO COUNTY S.O.	02/12/2019	02:38:29	34917080A3	02/05/2020	02/12/2019 3:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000822

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY S.O.	04/10/2019	22:28:03	1099238	03/01/2022	04/10/2019 23:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000825

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MOUNT DORA P.D.	03/20/2019	22:15:35	1099238	03/01/2022	05/17/2019 11:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000827

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	04/19/2019	17:21:01	875088	12/12/2020	05/22/2019 16:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000833

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	04/04/2019	13:22:56	28818080A1	12/05/2020	04/04/2019 15:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000836

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UMATILLA PD(LAKE SO)	02/07/2019	17:47:07	34416080A2	02/05/2019	02/13/2019 20:21
UMATILLA PD(LAKE SO)	02/07/2019	17:47:38	970670	06/07/2021	02/13/2019 20:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000838

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY BEACH PD	03/03/2019	16:39:56	989917	07/25/2021	03/03/2019 20:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000840

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LYNN HAVEN PD	03/18/2019	13:18:20	05218080A3	05/05/2020	03/18/2019 16:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000862

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BLOUNTSTOWN PD	03/18/2019	13:22:30	770784	04/27/2020	03/18/2019 16:49
BLOUNTSTOWN PD	04/10/2019	10:00:50	770784	04/27/2020	04/10/2019 12:15

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000869

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	01/30/2019	13:00:06	1012059	09/05/2021	02/06/2019 7:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000875

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CALHOUN COUNTY SO	04/16/2019	09:38:56	29017080A3	12/05/2019	05/06/2019 12:25
CALHOUN COUNTY SO	04/16/2019	09:39:13	29017080A3	12/05/2019	05/06/2019 12:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000878

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOMESTEAD PD	01/27/2019	15:05:34	937240	04/07/2021	02/21/2019 10:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000903

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC SOUTH REGION	03/11/2019	13:14:05	840875	09/19/2020	03/25/2019 12:43
FFWCC SOUTH REGION	03/11/2019	13:14:53	840875	09/19/2020	03/25/2019 12:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000939

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	03/28/2019	21:05:37	28818080A1	12/05/2020	04/17/2019 10:55
LEE COUNTY SO	04/09/2019	08:28:11	28818080A1	12/05/2020	04/17/2019 10:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000941

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	02/04/2019	11:20:13	03417080A2	03/05/2019	03/04/2019 15:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000942

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	02/04/2019	11:20:21	31517080A1	01/05/2020	03/05/2019 12:8
COLLIER COUNTY SO	04/01/2019	11:45:42	31517080A1	01/05/2020	05/02/2019 12:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000943

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/30/2019	11:04:35	31517080A1	01/05/2020	02/05/2019 14:15
COLLIER COUNTY SO	03/04/2019	12:03:48	31517080A1	01/05/2020	04/02/2019 9:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000949

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TALLAHASSEE PD	02/22/2019	09:31:56	32518080A1	02/05/2021	02/22/2019 11:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000961

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WAKULLA COUNTY SO	03/27/2019	12:14:39	06717080A6	05/05/2019	04/09/2019 11:28
WAKULLA COUNTY SO	03/27/2019	12:14:55	06717080A6	05/05/2019	04/09/2019 11:28

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000963

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	09:14:53	13917080A3	07/05/2019	01/16/2019 10:29
ORANGE COUNTY S.O.	02/13/2019	09:22:44	13917080A3	07/05/2019	02/13/2019 10:18
ORANGE COUNTY S.O.	02/13/2019	09:22:56	13917080A3	07/05/2019	02/13/2019 10:18
ORANGE COUNTY S.O.	03/25/2019	11:34:06	13917080A3	07/05/2019	03/26/2019 14:27
ORANGE COUNTY S.O.	04/17/2019	09:16:53	13917080A3	07/05/2019	04/18/2019 10:56
ORANGE COUNTY S.O.	04/17/2019	09:19:32	13518080A5	08/05/2020	04/18/2019 10:56
ORANGE COUNTY S.O.	04/17/2019	09:19:41	13518080A5	08/05/2020	04/18/2019 10:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000964

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	01/16/2019	10:46:28	13917080A3	07/05/2019	01/16/2019 11:37
ORANGE COUNTY SO	01/16/2019	10:46:47	13917080A3	07/05/2019	01/16/2019 11:37
ORANGE COUNTY SO	01/16/2019	10:46:54	13917080A3	07/05/2019	01/16/2019 11:37
ORANGE COUNTY SO	02/13/2019	10:46:58	13917080A3	07/05/2019	02/13/2019 11:38
ORANGE COUNTY SO	03/26/2019	10:41:57	13917080A3	07/05/2019	03/26/2019 11:36
ORANGE COUNTY SO	04/17/2019	10:20:11	13917080A3	07/05/2019	04/18/2019 11:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000968

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA CORRECTIONS	01/24/2019	20:27:33	1060911	12/11/2021	01/24/2019 23:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000998

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY S.O.	02/15/2019	23:23:53	915310	03/07/2021	02/17/2019 20:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000999

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY S.O.	02/22/2019	20:50:59	915310	03/07/2021	03/04/2019 0:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001001

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SATELLITE BEACH P.D.	02/11/2019	04:41:27	1076482	01/15/2022	02/11/2019 5:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001007

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAINES CITY PD	02/16/2019	02:14:33	970670	06/07/2021	02/20/2019 6:53
HAINES CITY PD	02/16/2019	02:15:12	970670	06/07/2021	02/20/2019 6:53
HAINES CITY PD	04/05/2019	11:29:34	906364	02/07/2021	05/30/2019 15:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001018

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	01/11/2019	15:12:02	17618080A3	08/05/2020	01/22/2019 13:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001042

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS PARK PD	01/04/2019	09:50:47	05218080A3	05/05/2020	01/04/2019 9:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001045

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/08/2019	11:37:29	17618080A3	08/05/2020	02/08/2019 12:35
JACKSONVILLE SO	04/18/2019	11:36:04	17618080A3	08/05/2020	05/01/2019 12:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001050

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CORAL SPRINGS PD	03/24/2019	03:51:07	29017080A2	12/05/2019	03/26/2019 15:36
CORAL SPRINGS PD	04/29/2019	15:33:56	03519080A4	04/05/2021	04/29/2019 16:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001051

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	02/06/2019	14:58:51	13518080A5	08/05/2020	02/06/2019 15:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001053

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU CO SO	04/22/2019	05:28:35	32518080A2	02/05/2021	04/22/2019 9:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001054

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGHLANDS COUNTY SO	02/20/2019	01:31:04	13518080A6	08/05/2020	03/10/2019 1:35

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001055

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	04/28/2019	09:57:52	10818080A6	06/05/2020	04/29/2019 17:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001056

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAVIE PD	02/28/2019	12:34:13	AG827002	09/27/2020	03/06/2019 15:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001059

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FERNANDINA BEACH PD	04/08/2019	13:43:41	00919080A3	03/05/2021	04/08/2019 14:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001065

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TARPON SPRINGS PD	01/17/2019	14:36:00	32518080A2	02/05/2021	01/28/2019 14:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001066

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	03/15/2019	01:28:33	AG815602	06/05/2020	03/20/2019 23:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001068

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEARWATER PD	03/13/2019	15:32:48	02618080A2	03/05/2020	05/02/2019 17:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001069

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	01/23/2019	10:08:21	17618080A3	08/05/2020	02/01/2019 14:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001075

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E	01/02/2019	09:50:53	712031	02/21/2020	02/27/2019 9:59
FHP TROOP E MIAMI	03/29/2019	06:36:09	712031	02/21/2020	03/29/2019 12:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001076

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ZEPHYRHILLS PD	03/12/2019	12:29:03	00919080A3	03/05/2021	04/01/2019 15:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001077

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HARDEE COUNTY SO	02/24/2019	19:01:12	915310	03/07/2021	02/27/2019 17:6
HARDEE COUNTY SO	02/24/2019	19:15:46	915310	03/07/2021	02/27/2019 17:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001078

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	02/02/2019	00:33:49	13518080A5	08/05/2020	02/06/2019 15:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001079

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LARGO PD	03/12/2019	07:42:49	17618080A3	08/05/2020	03/12/2019 8:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001080

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	03/23/2019	09:10:58	10818080A6	06/05/2020	03/23/2019 10:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001081

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	03/29/2019	21:26:57	02618080A3	03/05/2020	03/29/2019 22:28

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	03/29/2019	11:35:38	05218080A3	05/05/2020	04/16/2019 15:26
JACKSONVILLE SO	03/29/2019	11:38:23	17618080A3	08/05/2020	04/16/2019 15:26
JACKSONVILLE SO	03/29/2019	11:39:34	17618080A3	08/05/2020	04/16/2019 15:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001110

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	02/27/2019	06:50:08	712031	02/21/2020	02/27/2019 9:44
FHP MIAMI	03/29/2019	06:36:57	712031	02/21/2020	03/29/2019 12:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001111

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/11/2019	19:51:11	770784	04/27/2020	01/11/2019 23:0
FL HIGHWAY PATROL	03/18/2019	13:27:54	770784	04/27/2020	03/18/2019 17:12
FL HIGHWAY PATROL	04/08/2019	05:40:32	906364	02/07/2021	04/08/2019 8:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001118

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/30/2019	11:16:54	970670	06/07/2021	01/30/2019 15:4
FL HIGHWAY PATROL	03/18/2019	13:22:51	970670	06/07/2021	03/18/2019 16:37
FL HIGHWAY PATROL	04/08/2019	06:31:36	970670	06/07/2021	05/05/2019 15:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001120

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	02/27/2019	06:39:18	712031	02/21/2020	02/27/2019 9:52
FHP MIAMI	03/29/2019	06:36:10	712031	02/21/2020	03/29/2019 12:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001121

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E MIAMI	03/29/2019	06:39:12	620051	11/05/2019	03/29/2019 12:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001122

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E MIAMI	03/29/2019	06:35:14	796576	06/14/2020	03/29/2019 13:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001127

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	03/08/2019	08:10:27	10818080A6	06/05/2020	03/23/2019 10:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001133

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	02/26/2019	13:27:07	640976	11/21/2019	02/26/2019 14:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	02/26/2019	13:41:54	1060911	12/11/2021	02/26/2019 14:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001135

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH P.D.	02/23/2019	11:48:27	1031121	10/12/2021	02/23/2019 12:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001139

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	03/22/2019	18:57:58	970670	06/07/2021	04/18/2019 17:5
BROWARD COUNTY SO	03/22/2019	18:58:10	970670	06/07/2021	04/18/2019 17:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001150

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	02/25/2019	10:12:01	840875	09/19/2020	02/25/2019 11:9

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001179

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	02/27/2019	13:43:05	620051	11/05/2019	02/27/2019 15:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY BEACH PD	03/03/2019	16:52:10	754250	04/03/2020	03/03/2019 21:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001201

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/03/2019	14:17:19	03417080A2	03/05/2019	02/04/2019 16:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY PD	04/01/2019	06:08:37	1060911	12/11/2021	04/01/2019 11:56
PANAMA CITY PD	04/01/2019	06:14:48	1060911	12/11/2021	04/01/2019 11:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001231

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
AUBURNDALE PD	03/04/2019	10:53:00	32518080A2	02/05/2021	03/24/2019 13:29
AUBURNDALE PD	03/04/2019	10:54:32	32518080A2	02/05/2021	03/24/2019 13:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	01/01/2019	19:57:39	814181	07/24/2020	01/01/2019 21:9
LAKE COUNTY SO	01/01/2019	20:00:33	970670	06/07/2021	01/01/2019 21:9
LAKE COUNTY SO	02/13/2019	21:08:46	814181	07/24/2020	03/06/2019 20:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001255

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	14:24:16	13917080A3	07/05/2019	01/16/2019 15:14
ORANGE COUNTY S.O.	02/13/2019	09:23:58	13917080A3	07/05/2019	02/13/2019 10:25
ORANGE COUNTY S.O.	02/13/2019	10:23:40	13917080A3	07/05/2019	02/21/2019 11:58
ORANGE COUNTY S.O.	02/13/2019	10:23:51	13917080A3	07/05/2019	02/21/2019 11:58
ORANGE COUNTY S.O.	03/26/2019	09:26:52	13917080A3	07/05/2019	03/26/2019 10:36
ORANGE COUNTY S.O.	03/26/2019	09:27:04	13917080A3	07/05/2019	03/26/2019 10:36
ORANGE COUNTY S.O.	04/17/2019	11:46:08	13917080A3	07/05/2019	04/18/2019 10:59
ORANGE COUNTY S.O.	04/17/2019	11:46:30	13917080A3	07/05/2019	04/18/2019 10:59

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	14:22:59	13917080A3	07/05/2019	01/16/2019 15:19
ORANGE COUNTY S.O.	02/13/2019	09:24:58	13917080A3	07/05/2019	02/13/2019 10:38
ORANGE COUNTY S.O.	03/26/2019	10:43:29	13917080A3	07/05/2019	03/26/2019 11:41
ORANGE COUNTY S.O.	03/26/2019	10:44:00	13917080A3	07/05/2019	03/26/2019 11:41
ORANGE COUNTY S.O.	04/17/2019	10:22:38	13917080A3	07/05/2019	04/18/2019 10:41
ORANGE COUNTY S.O.	04/17/2019	10:22:57	13917080A3	07/05/2019	04/18/2019 10:41

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001257

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	09:17:32	13917080A3	07/05/2019	01/16/2019 10:37
ORANGE COUNTY S.O.	02/13/2019	12:01:37	13917080A3	07/05/2019	02/13/2019 12:58
ORANGE COUNTY S.O.	02/13/2019	12:02:10	13917080A3	07/05/2019	02/13/2019 12:58
ORANGE COUNTY S.O.	03/07/2019	12:14:59	13917080A3	07/05/2019	03/07/2019 12:24
ORANGE COUNTY S.O.	03/26/2019	10:43:22	13917080A3	07/05/2019	03/26/2019 11:39
ORANGE COUNTY S.O.	04/17/2019	11:48:24	13917080A3	07/05/2019	04/18/2019 10:31
ORANGE COUNTY S.O.	04/17/2019	11:48:56	13917080A3	07/05/2019	04/18/2019 10:31

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001258

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	10:47:02	13917080A3	07/05/2019	01/16/2019 11:42
ORANGE COUNTY S.O.	01/16/2019	10:47:28	13917080A3	07/05/2019	01/16/2019 11:42
ORANGE COUNTY S.O.	02/13/2019	12:02:27	13917080A3	07/05/2019	02/13/2019 13:3
ORANGE COUNTY S.O.	03/25/2019	11:37:55	13917080A3	07/05/2019	03/26/2019 14:29
ORANGE COUNTY S.O.	04/17/2019	09:22:15	13917080A3	07/05/2019	04/18/2019 11:9

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MELBOURNE P.D.	01/24/2019	07:22:02	906364	02/07/2021	01/24/2019 8:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	03/28/2019	18:23:07	24818080A2	10/05/2020	04/28/2019 15:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY S.O.	02/22/2019	20:53:08	915310	03/07/2021	03/04/2019 0:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/18/2019	19:00:36	AG815602	06/05/2020	01/30/2019 20:33

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001276

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	01/31/2019	11:53:35	34917080A4	02/05/2020	02/21/2019 9:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001278

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	04/18/2019	11:32:51	17618080A3	08/05/2020	05/01/2019 13:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001279

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/15/2019	15:52:09	17618080A3	08/05/2020	03/04/2019 13:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001280

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/01/2019	14:39:08	17618080A3	08/05/2020	02/01/2019 15:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001281

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU COUNTY SO	04/22/2019	05:26:48	32518080A2	02/05/2021	04/22/2019 9:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001286

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAKER COUNTY SO	01/31/2019	21:37:02	24818080A3	10/05/2020	01/31/2019 23:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001290

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BRADFORD COUNTY SO	01/15/2019	06:22:56	AG816701	06/16/2020	01/18/2019 8:31
BRADFORD COUNTY SO	04/29/2019	15:43:25	AG816701	06/16/2020	05/24/2019 12:15

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001291

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BRADFORD COUNTY SO	02/10/2019	12:00:15	AG816701	06/16/2020	03/02/2019 13:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001292

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEVY COUNTY SO	02/10/2019	15:22:49	AG805701	02/26/2020	03/02/2019 17:49

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001302

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	01/21/2019	12:35:06	AG805702	02/26/2020	02/28/2019 17:29
SANTA ROSA COUNTY SO	03/29/2019	18:28:24	AG805702	02/26/2020	03/29/2019 19:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001303

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	01/21/2019	12:34:53	AG827002	09/27/2020	02/28/2019 17:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001306

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MEXICO BEACH PD	03/18/2019	13:29:30	1076482	01/15/2022	03/18/2019 17:5
MEXICO BEACH PD	04/10/2019	09:59:42	1076482	01/15/2022	04/10/2019 11:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001309

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	02/16/2019	18:24:28	AG816701	06/16/2020	02/27/2019 11:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001310

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NICEVILLE PD	01/31/2019	22:54:39	869968	12/06/2020	02/04/2019 23:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001311

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	04/30/2019	07:40:12	980558	07/09/2021	04/30/2019 20:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001320

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE CO SO	04/24/2019	13:26:04	1076482	01/15/2022	04/24/2019 15:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001321

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE COUNTY SO	04/15/2019	12:59:39	1076482	01/15/2022	04/15/2019 15:4
OKEECHOBEE COUNTY SO	04/24/2019	13:34:31	507129	08/04/2019	05/03/2019 10:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001323

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ST LUCIE PD	04/11/2019	11:14:05	03519080A4	04/05/2021	04/29/2019 18:33
PORT ST LUCIE PD	04/11/2019	11:14:47	03519080A4	04/05/2021	04/29/2019 18:33

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001344

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	02/27/2019	08:00:44	19817080A2	09/05/2019	02/27/2019 8:53
SARASOTA COUNTY SO	03/30/2019	20:39:24	10818080A4	06/05/2020	04/16/2019 8:10
SARASOTA COUNTY SO	04/16/2019	09:08:42	10818080A4	06/05/2020	05/28/2019 10:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001346

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	04/16/2019	09:11:56	10818080A4	06/05/2020	05/28/2019 10:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001347

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	01/30/2019	07:51:11	10818080A4	06/05/2020	01/30/2019 8:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001364

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GAINESVILLE PD	01/23/2019	20:07:45	24818080A2	10/05/2020	01/23/2019 21:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001416

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	10:48:17	13917080A3	07/05/2019	01/16/2019 11:46
ORANGE COUNTY S.O.	01/16/2019	10:48:30	13917080A3	07/05/2019	01/16/2019 11:46
ORANGE COUNTY S.O.	01/16/2019	10:48:39	13917080A3	07/05/2019	01/16/2019 11:46
ORANGE COUNTY S.O.	02/13/2019	10:43:56	13917080A3	07/05/2019	02/13/2019 11:56
ORANGE COUNTY S.O.	02/13/2019	10:44:07	13917080A3	07/05/2019	02/13/2019 11:56
ORANGE COUNTY S.O.	03/25/2019	11:31:41	13917080A3	07/05/2019	03/26/2019 14:22
ORANGE COUNTY S.O.	04/17/2019	09:15:54	13917080A3	07/05/2019	04/18/2019 11:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001418

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	09:16:45	13917080A3	07/05/2019	01/16/2019 10:31
ORANGE COUNTY S.O.	01/16/2019	09:16:59	13917080A3	07/05/2019	01/16/2019 10:31
ORANGE COUNTY S.O.	01/24/2019	16:26:00	13518080A5	08/05/2020	01/24/2019 16:32
ORANGE COUNTY S.O.	01/24/2019	16:26:47	13518080A5	08/05/2020	01/24/2019 16:32
ORANGE COUNTY S.O.	02/13/2019	12:00:00	13518080A5	08/05/2020	02/13/2019 12:54
ORANGE COUNTY S.O.	02/13/2019	12:00:18	13518080A5	08/05/2020	02/13/2019 12:54
ORANGE COUNTY S.O.	03/26/2019	09:24:13	13518080A5	08/05/2020	03/26/2019 10:19
ORANGE COUNTY S.O.	04/17/2019	10:21:43	13518080A5	08/05/2020	04/18/2019 11:7
ORANGE COUNTY S.O.	04/17/2019	10:21:55	13518080A5	08/05/2020	04/18/2019 11:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001420

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	14:05:10	13917080A3	07/05/2019	01/16/2019 14:53
ORANGE COUNTY S.O.	01/16/2019	14:05:45	13917080A3	07/05/2019	01/16/2019 14:53
ORANGE COUNTY S.O.	02/13/2019	10:45:17	13917080A3	07/05/2019	02/13/2019 11:43
ORANGE COUNTY S.O.	03/26/2019	09:25:08	13917080A3	07/05/2019	03/26/2019 10:26
ORANGE COUNTY S.O.	03/26/2019	09:25:43	13917080A3	07/05/2019	03/26/2019 10:26
ORANGE COUNTY S.O.	04/17/2019	11:45:21	13917080A3	07/05/2019	04/18/2019 10:53
ORANGE COUNTY S.O.	04/17/2019	11:46:06	13917080A3	07/05/2019	04/18/2019 10:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001443

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	02/22/2019	10:57:42	17618080A1	08/05/2020	02/22/2019 11:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001646

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TYNDALL AFB	01/11/2019	20:30:28	970670	06/07/2021	01/11/2019 22:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001651

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/02/2019	15:41:31	10818080A6	06/05/2020	02/04/2019 10:24
COLLIER COUNTY SO	03/04/2019	15:07:20	31517080A1	01/05/2020	04/02/2019 11:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001655

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	02/26/2019	13:26:16	640976	11/21/2019	02/26/2019 14:35

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001656

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NORTH MIAMI PD	01/17/2019	09:51:28	34418080A3	02/05/2021	02/07/2019 12:18

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001721

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	04/24/2019	18:23:44	24818080A2	10/05/2020	04/28/2019 15:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001962

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ST LUCIE PD	04/29/2019	18:19:12	03519080A4	04/05/2021	04/29/2019 18:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002097

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS JACKSONVILLE PD	03/11/2019	00:05:23	00919080A3	03/05/2021	03/23/2019 6:7
NAS JACKSONVILLE PD	03/11/2019	00:06:33	00919080A3	03/05/2021	03/23/2019 6:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002462

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	03/26/2019	09:53:05	712031	02/21/2020	03/26/2019 11:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002464

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	03/26/2019	09:53:42	712031	02/21/2020	03/26/2019 11:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002566

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SURFSIDE PD	03/27/2019	09:53:52	814181	07/24/2020	03/27/2019 10:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002989

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TALLAHASSEE PD	02/22/2019	09:36:59	32518080A1	02/05/2021	02/22/2019 11:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003348

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	02/27/2019	06:55:00	620051	11/05/2019	02/27/2019 9:56
FHP MIAMI	03/29/2019	06:42:09	620051	11/05/2019	04/03/2019 5:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003388

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/16/2019	23:51:57	31517080A1	01/05/2020	03/13/2019 18:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003408

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E MIAMI	03/29/2019	06:40:22	620051	11/05/2019	03/29/2019 12:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003412

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/01/2019	13:29:19	840875	09/19/2020	03/01/2019 17:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003413

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/07/2019	12:49:54	1060911	12/11/2021	04/25/2019 17:29
FL HIGHWAY PATROL	04/07/2019	12:50:17	1060911	12/11/2021	04/25/2019 17:29
FL HIGHWAY PATROL	04/07/2019	12:54:56	1060911	12/11/2021	04/25/2019 17:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005057

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	04/04/2019	06:50:39	754250	04/03/2020	04/04/2019 9:37
OKALOOSA COUNTY SO	04/04/2019	08:28:09	754250	04/03/2020	04/04/2019 9:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005077

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NORTH MIAMI PD	01/02/2019	10:06:18	34917080A4	02/05/2020	01/14/2019 9:7
NORTH MIAMI PD	01/17/2019	09:59:32	34418080A3	02/05/2021	01/22/2019 10:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005113

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	03/01/2019	04:31:23	31517080A1	01/05/2020	03/13/2019 16:40
HILLSBOROUGH CO SO	03/01/2019	04:31:53	31517080A1	01/05/2020	03/13/2019 16:40
HILLSBOROUGH CO SO	03/01/2019	04:32:03	31517080A1	01/05/2020	03/13/2019 16:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005248

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FISH & WILDLIFE CC	02/27/2019	12:19:51	620051	11/05/2019	02/27/2019 13:16

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005249

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY SO	03/11/2019	18:24:01	34917080A3	02/05/2020	03/11/2019 21:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005468

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MYERS PD	04/09/2019	08:25:35	28818080A1	12/05/2020	04/17/2019 14:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005538

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FERNANDINA BEACH PD	04/08/2019	13:44:07	00919080A3	03/05/2021	04/08/2019 14:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005550

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	02/18/2019	09:06:49	34917080A4	02/05/2020	02/28/2019 9:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005655

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MYERS PD	02/15/2019	08:59:29	28818080A1	12/05/2020	02/15/2019 10:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005936

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	02/27/2019	09:00:18	19817080A2	09/05/2019	03/27/2019 8:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006029

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	01/18/2019	13:58:35	13518080A5	08/05/2020	02/08/2019 16:29
PALM BEACH CO SO	01/18/2019	13:59:20	13518080A5	08/05/2020	02/08/2019 16:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006085

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
US COAST GUARD MIAMI	03/27/2019	09:59:25	814181	07/24/2020	03/27/2019 10:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006222

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	02/13/2019	20:51:15	970670	06/07/2021	03/06/2019 20:20
LAKE COUNTY SO	02/13/2019	20:51:23	970670	06/07/2021	03/06/2019 20:20
LAKE COUNTY SO	04/24/2019	22:22:40	1099238	03/01/2022	04/24/2019 23:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006235

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ASTATULA PD	02/28/2019	18:29:50	970670	06/07/2021	02/28/2019 19:55
ASTATULA PD	03/29/2019	05:05:59	1099238	03/01/2022	04/03/2019 3:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	02/22/2019	09:11:49	17618080A1	08/05/2020	02/22/2019 10:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006239

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	01/18/2019	17:00:24	13518080A5	08/05/2020	02/08/2019 13:27
PALM BEACH CO SO	01/18/2019	17:00:50	13518080A5	08/05/2020	02/08/2019 13:27
PALM BEACH CO SO	02/08/2019	13:42:20	13518080A5	08/05/2020	03/15/2019 17:29
PALM BEACH CO SO	02/08/2019	13:42:57	13518080A5	08/05/2020	03/15/2019 17:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006240

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	03/15/2019	15:10:53	00919080A3	03/05/2021	04/19/2019 17:46
PALM BEACH CO SO	03/15/2019	15:11:22	00919080A3	03/05/2021	04/19/2019 17:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006435

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	01/30/2019	04:16:32	792976	06/06/2020	02/13/2019 7:33
ESCAMBIA COUNTY SO	03/21/2019	05:37:53	792976	06/06/2020	03/21/2019 7:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006436

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	01/08/2019	15:26:56	770784	04/27/2020	01/25/2019 7:33
ESCAMBIA COUNTY SO	03/21/2019	05:33:55	770784	04/27/2020	03/21/2019 7:35

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006472

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/25/2019	16:08:00	1060911	12/11/2021	04/25/2019 18:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006476

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	04/19/2019	14:36:22	00919080A3	03/05/2021	05/03/2019 17:8
PALM BEACH CO SO	04/19/2019	14:37:13	00919080A3	03/05/2021	05/03/2019 17:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006477

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	04/19/2019	14:41:21	13518080A5	08/05/2020	05/03/2019 13:18
PALM BEACH CO SO	04/19/2019	14:42:04	13518080A5	08/05/2020	05/03/2019 13:18

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	02/08/2019	13:46:12	13518080A5	08/05/2020	03/15/2019 14:0
PALM BEACH CO SO	02/08/2019	13:46:35	13518080A5	08/05/2020	03/15/2019 14:0
PALM BEACH CO SO	03/15/2019	15:07:36	13518080A5	08/05/2020	04/19/2019 17:42
PALM BEACH CO SO	03/15/2019	15:08:10	13518080A5	08/05/2020	04/19/2019 17:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006559

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	04/03/2019	19:39:49	840875	09/19/2020	04/23/2019 16:24
MANATEE COUNTY SO	04/03/2019	19:39:57	840875	09/19/2020	04/23/2019 16:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006565

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	02/04/2019	17:31:01	867139	11/15/2020	02/26/2019 11:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006626

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	02/27/2019	06:53:19	620051	11/05/2019	02/27/2019 9:40
FHP MIAMI	03/29/2019	06:43:06	620051	11/05/2019	03/29/2019 12:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006630

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	02/27/2019	06:48:42	796576	06/14/2020	02/27/2019 9:53
FHP MIAMI	03/29/2019	06:45:35	796576	06/14/2020	03/29/2019 12:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006634

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	03/08/2019	22:08:46	962587	06/04/2021	03/26/2019 9:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006636

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/22/2019	22:43:31	666491	12/30/2019	01/23/2019 2:14

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006692

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOLMES BEACH PD	02/09/2019	07:03:26	572920	09/13/2019	02/25/2019 9:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006694

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	03/08/2019	22:48:40	962587	06/04/2021	03/26/2019 8:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006758

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/06/2019	18:04:09	840875	09/19/2020	02/25/2019 9:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006764

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP G	04/24/2019	17:11:31	03519080A4	04/05/2021	04/24/2019 18:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006768

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	04/25/2019	15:11:31	1060911	12/11/2021	04/25/2019 18:18

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006924

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	03/02/2019	00:54:04	970670	06/07/2021	03/22/2019 12:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006931

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FT WALTON BEACH PD	01/11/2019	20:38:27	66491	12/30/2019	02/20/2019 20:57
FT WALTON BEACH PD	01/11/2019	21:08:45	666491	12/30/2019	02/20/2019 20:57
FT WALTON BEACH PD	01/31/2019	23:42:21	666491	12/30/2019	02/20/2019 20:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007077

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	02/05/2019	08:18:44	31517080A1	01/05/2020	03/04/2019 17:27
COLLIER COUNTY SO	04/01/2019	11:37:47	10818080A6	06/05/2020	05/02/2019 11:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007078

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/02/2019	13:09:58	31517080A1	01/05/2020	02/05/2019 5:37
COLLIER COUNTY SO	01/03/2019	14:15:08	31517080A1	01/05/2020	02/05/2019 5:37
COLLIER COUNTY SO	03/04/2019	11:55:12	10818080A6	06/05/2020	04/01/2019 14:46
COLLIER COUNTY SO	04/01/2019	17:27:29	31517080A1	01/05/2020	05/03/2019 15:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007084

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	01/03/2019	06:57:22	13518080A6	08/05/2020	01/09/2019 13:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007108

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	04/19/2019	12:16:54	796576	06/14/2020	05/09/2019 17:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007159

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PENSACOLA P.D.	04/30/2019	21:55:42	1060911	12/11/2021	05/01/2019 1:17

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007173

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	03/23/2019	11:29:17	980558	07/09/2021	04/05/2019 9:57
WALTON COUNTY SO	04/30/2019	07:38:23	754250	04/03/2020	04/30/2019 20:16