



INSTRUMENT PROCESSING SHEET

Agency Miami Gardens Police Department S/N 80-002988

Florida Department of Law Enforcement Date In 10/29/2018 DI Completion Date 10/29/2018 Ship P/U H/D CMI EE

Intake Performed By DEAR Quality Checks Performed By DEAR Flow Calibration Performed By
Annual Registration Return from CMI / EE
Visual Inspection: Case Handle Keyboard Dry Gas Shelf Feet Breath Tube Ports Screws Tight
Other Equipment/ Accessories: Power cord Printer Cable Static Bag 12V DC Cable
Notes:
Quality Checks: Breath Tube Screen Replace External O-Rings Instrument Set Up Verified R-Value 190 Flow Verification (L/s) Flow Column # ATP 101
Flow Column # 32 mm .152 (.139 - .169) 36 mm .171 (.156 - .190) 53 mm .242 (.228 - .278) 103 mm .507 (.447 - .547)
Barometric Pressure Check Gauge ID # 28199
Stability Checks

Final Release Date
FDLE
NOV 05 2018
Alcohol Testing Program

Table with 3 columns: Simulator, Serial #, Lot #/Exp. Rows include 0.050 SD3967 201707D 07/25/2019, 0.080 SD3968 201707E 07/25/2019, 0.200 SD3969 201707C 07/24/2019, 0.080 DGS N/A AG805701 02/26/2020

Flow Column # 5L/min - 17mm 15L/min - 53mm 30L/min - 103mm
R-Value Post Calibration Verification (L/s)
Flow Column # 32 mm (.139 - .169) 36 mm (.156 - .190) 53 mm (.228 - .278) 103 mm (.447 - .547)

Maintenance Performed By
Battery Replacement Dry Gas Regulator Replacement Breath Tube Replacement Other

Temperature Checks Performed By DEAR
Lab Temp °C 22.52C
External Digital Therm. ID#: 300949
34°C +/- .2 Serial #: SD3967
34°C +/- .2 Serial #: SD3968
34°C +/- .2 Serial #: SD3969

Calibration Adjustment Performed By
Barometric Pressure Gauge ID #
Simulator Serial Number Lot Number Expiration
0.000 N/A N/A
0.040
0.100
0.200
0.300
0.080 DGS N/A
Post Calibration Adjustment Stability Checks
Simulator Serial Number Lot Number Expiration
0.050
0.080
0.200
0.080 DGS N/A

Department Inspection Performed By DEAR
Barometric Pressure ID# 68639
Gauge 1019 Instrument 1020
Mouth Alcohol Solution Lot # 2017-B
Acetone Stock Solution Lot # 2018-A
Simulator Serial Number
0.000 SD3965
Interferent SD3966
0.050 SD3967
0.080 SD3968
0.200 SD3969

Attachments
Form 41 Post-Stability Checks
Stability Checks Flow Calibration
Calibration Certificate Form 40
Calibration Adjustment Other

Notes/Suggested Service: E-mailed [checked] APPROVED

Instrument Complies with Chapter 11D-8, FAC
Instrument Does Not Comply with Chapter 11D-8, FAC
Return to/Place into Evidentiary Use
Remain Out of Evidentiary Use
Conduct an Agency Inspection Before Evidentiary Use
Tech Review / Date Admin Review / Date

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: MIAMI GARDENS PD
Time of Inspection: 10:05

Date of Inspection: 10/29/2018

Serial Number: 80-002988
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:201707D Exp: 07/25/2019	0.08g/210L Test (g/210L) Lot#:201707E Exp: 07/25/2019	0.20g/210L Test (g/210L) Lot#:201707C Exp: 07/24/2019	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG805701 Exp: 02/26/2020
0.000	0.049	0.080	0.198	0.079
0.000	0.049	0.080	0.198	0.079
0.000	0.049	0.080	0.198	0.078
0.000	0.049	0.081	0.197	0.079
0.000	0.050	0.081	0.198	0.079
0.000	0.050	0.081	0.198	0.078
0.000	0.050	0.081	0.198	0.079
0.000	0.050	0.081	0.197	0.078
0.000	0.050	0.081	0.197	0.079
0.000	0.050	0.081	0.197	0.078

Standard Deviations	0.0005	0.0004	0.0005	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5 *com*

Remarks:

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

David Reyes RIVERA DAVID E REYES-RIVERA
Signature and Printed Name

10/29/2018
Date

*11/5/18
JO*

WLB

TYPE OF TEST	SERIAL NUMBER	AGENCY	DATE	PERFORMED BY
Stabilities	80-002988	Miami Gardens Police Department	10/29/2018	<i>[Signature]</i>

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
SN: SD3967 Temp: 34.08c	SN: SD3968 Temp: 34.08c	SN: SD3969 Temp: 34.09c	Lot AG805701
0.047 to 0.053 <input checked="" type="checkbox"/>	0.077 to 0.083 <input checked="" type="checkbox"/>	0.194 to 0.206 <input checked="" type="checkbox"/>	0.077 to 0.083 <input checked="" type="checkbox"/>

MIAMI GARDENS PD Intoxilyzer - Alcohol Analyzer Model 8000 10/29/2018 Software: 8100.27	MIAMI GARDENS PD Intoxilyzer - Alcohol Analyzer Model 8000 10/29/2018 Software: 8100.27	MIAMI GARDENS PD Intoxilyzer - Alcohol Analyzer Model 8000 10/29/2018 Software: 8100.27	MIAMI GARDENS PD Intoxilyzer - Alcohol Analyzer Model 8000 10/29/2018 Software: 8100.27																																																																																																																																																
<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>07:56</td></tr> <tr><td>Control Test</td><td>0.048</td><td>07:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:57</td></tr> <tr><td>Control Test</td><td>0.049</td><td>07:58</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:58</td></tr> <tr><td>Control Test</td><td>0.048</td><td>07:59</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:59</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0483</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1945</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	07:56	Control Test	0.048	07:56	Air Blank	0.000	07:57	Control Test	0.049	07:58	Air Blank	0.000	07:58	Control Test	0.048	07:59	Air Blank	0.000	07:59	Control Test Stats			Average	0.0483		Std Dev	0.0006		Rel Std Dev(%)	1.1945		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>08:01</td></tr> <tr><td>Control Test</td><td>0.080</td><td>08:01</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:02</td></tr> <tr><td>Control Test</td><td>0.080</td><td>08:02</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:03</td></tr> <tr><td>Control Test</td><td>0.080</td><td>08:04</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:04</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0800</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	08:01	Control Test	0.080	08:01	Air Blank	0.000	08:02	Control Test	0.080	08:02	Air Blank	0.000	08:03	Control Test	0.080	08:04	Air Blank	0.000	08:04	Control Test Stats			Average	0.0800		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>08:05</td></tr> <tr><td>Control Test</td><td>0.196</td><td>08:06</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:07</td></tr> <tr><td>Control Test</td><td>0.196</td><td>08:07</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:08</td></tr> <tr><td>Control Test</td><td>0.196</td><td>08:09</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:09</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1960</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	08:05	Control Test	0.196	08:06	Air Blank	0.000	08:07	Control Test	0.196	08:07	Air Blank	0.000	08:08	Control Test	0.196	08:09	Air Blank	0.000	08:09	Control Test Stats			Average	0.1960		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>08:10</td></tr> <tr><td>Control Test</td><td>0.078</td><td>08:11</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:11</td></tr> <tr><td>Control Test</td><td>0.078</td><td>08:11</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:12</td></tr> <tr><td>Control Test</td><td>0.077</td><td>08:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:13</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0777</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7434</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	08:10	Control Test	0.078	08:11	Air Blank	0.000	08:11	Control Test	0.078	08:11	Air Blank	0.000	08:12	Control Test	0.077	08:12	Air Blank	0.000	08:13	Control Test Stats			Average	0.0777		Std Dev	0.0006		Rel Std Dev(%)	0.7434	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	07:56																																																																																																																																																	
Control Test	0.048	07:56																																																																																																																																																	
Air Blank	0.000	07:57																																																																																																																																																	
Control Test	0.049	07:58																																																																																																																																																	
Air Blank	0.000	07:58																																																																																																																																																	
Control Test	0.048	07:59																																																																																																																																																	
Air Blank	0.000	07:59																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0483																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1945																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	08:01																																																																																																																																																	
Control Test	0.080	08:01																																																																																																																																																	
Air Blank	0.000	08:02																																																																																																																																																	
Control Test	0.080	08:02																																																																																																																																																	
Air Blank	0.000	08:03																																																																																																																																																	
Control Test	0.080	08:04																																																																																																																																																	
Air Blank	0.000	08:04																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0800																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	08:05																																																																																																																																																	
Control Test	0.196	08:06																																																																																																																																																	
Air Blank	0.000	08:07																																																																																																																																																	
Control Test	0.196	08:07																																																																																																																																																	
Air Blank	0.000	08:08																																																																																																																																																	
Control Test	0.196	08:09																																																																																																																																																	
Air Blank	0.000	08:09																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1960																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	08:10																																																																																																																																																	
Control Test	0.078	08:11																																																																																																																																																	
Air Blank	0.000	08:11																																																																																																																																																	
Control Test	0.078	08:11																																																																																																																																																	
Air Blank	0.000	08:12																																																																																																																																																	
Control Test	0.077	08:12																																																																																																																																																	
Air Blank	0.000	08:13																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0777																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7434																																																																																																																																																		
<i>[Signature]</i> Operator's Signature	<i>[Signature]</i> Operator's Signature	<i>[Signature]</i> Operator's Signature	<i>[Signature]</i> Operator's Signature																																																																																																																																																

11/5/18
[Signature]



Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

Calibration Certificate

This is to certify the calibration of Intoxilyzer 8000 serial number 80-002988, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-002988</u>	UNCERTAINTY* ±
Owning Agency:	<u>MIAMI GARDENS PD</u>	0.050 g/ 210 L
Calibration Date:	<u>10/29/2018</u>	0.080 g/ 210 L
Calibration Time:	<u>10:05</u>	0.200 g/ 210 L
		0.080 g/ 210 L Dry Gas Control
		0.005

All results are reported in g/ 210 L.
Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.
Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

10/29/2018 Date

David Reyes-Rivera
DAVID E REYES-RIVERA,
Department Inspector

FDLE/ATP Form 69 July 2018
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

11/5/18
JD

11/5/18

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: MIAMI GARDENS PD
Time of Inspection: 07:33

Date of Inspection: 10/29/2018

Serial Number: 80-002988
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08g/210L Test (g/210L) Lot#: _____ Exp: _____	0.20g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: _____ Exp: _____


Number of Simulators Used: _____

Remarks:
COMPLIANCE NOT DETERMINED AI NOT CONDUCTED

Sam

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.


DAVID E REYES-RIVERA

 Signature and Printed Name

10/29/2018
Date

*11/5/18
JD*