



INSTRUMENT PROCESSING SHEET

Agency Hillsborough County SOS/N 80-005113

Florida Department of Law Enforcement

Date In 04/15/2019DI Completion Date 04/17/2019 Ship P/U H/D CMI EE

| Intake Performed By <u>DP</u> <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight Other Equipment/ Accessories: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable Notes: _____ _____ _____ | Quality Checks Performed By <u>JP</u> <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>189</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP-103</u> 32 mm <u>.136</u> (.139 - .169) 36 mm <u>.156</u> (.156 - .190) 53 mm <u>.234</u> (.228 - .278) 103 mm <u>.511</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>28421</u> <input checked="" type="checkbox"/> Stability Checks | Flow Calibration Performed By <u>JP</u> Flow Column # <u>ATP-102</u> <input checked="" type="checkbox"/> 5L/min - 17mm <input checked="" type="checkbox"/> 15L/min - 53mm <input checked="" type="checkbox"/> 30L/min - 103mm <input checked="" type="checkbox"/> R-Value <u>187</u> <input checked="" type="checkbox"/> Post Calibration Verification (L/s) Flow Column # <u>ATP-103</u> 32 mm <u>.148</u> (.139 - .169) 36 mm <u>.160</u> (.156 - .190) 53 mm <u>.242</u> (.228 - .278) 103 mm <u>.503</u> (.447 - .547) | | | | | | | | | | | | | | | |
|--|--|--|----------|-----------|-------|--------|-----------------------|-------|--------|-----------------------|-------|--------|-----------------------|-----------|-----|------------------------|---|
| Final Release Date <div style="text-align: center; font-weight: bold; font-size: 1.2em;">FDLE</div> <div style="text-align: center; font-weight: bold; font-size: 1.2em;">APR 18 2019</div> <div style="text-align: center; font-weight: bold;">Alcohol Testing Program</div> | <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>SD1012</td> <td>201707D 07/25/2019</td> </tr> <tr> <td>0.080</td> <td>DR1279</td> <td>201707E 07/25/2019</td> </tr> <tr> <td>0.200</td> <td>SD1013</td> <td>201707C 07/24/2019</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG831804 11/14/2020</td> </tr> </tbody> </table> | Simulator | Serial # | Lot #/Exp | 0.050 | SD1012 | 201707D 07/25/2019 | 0.080 | DR1279 | 201707E 07/25/2019 | 0.200 | SD1013 | 201707C 07/24/2019 | 0.080 DGS | N/A | AG831804 11/14/2020 | Maintenance Performed By <u>JP</u> <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input checked="" type="checkbox"/> Other <u>Loaded Software (4/15/19)</u> |
| Simulator | Serial # | Lot #/Exp | | | | | | | | | | | | | | | |
| 0.050 | SD1012 | 201707D 07/25/2019 | | | | | | | | | | | | | | | |
| 0.080 | DR1279 | 201707E 07/25/2019 | | | | | | | | | | | | | | | |
| 0.200 | SD1013 | 201707C 07/24/2019 | | | | | | | | | | | | | | | |
| 0.080 DGS | N/A | AG831804 11/14/2020 | | | | | | | | | | | | | | | |
| | | Temperature Checks Performed By <u>JP</u> <input checked="" type="checkbox"/> Lab Temp °C <u>20.9</u> External Digital Therm. ID#: <u>300505</u> <input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>SD1021</u> <input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>DR1275</u> <input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>SD1011</u> | | | | | | | | | | | | | | | |

| Calibration Adjustment Performed By <u>JP</u> Barometric Pressure Gauge <u>1018</u> ID # <u>30793</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>DR2035</td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td>SD1022</td> <td>17410</td> <td>12/06/2019</td> </tr> <tr> <td>0.100</td> <td>SD3964</td> <td>18200</td> <td>07/03/2020</td> </tr> <tr> <td>0.200</td> <td>SD1025</td> <td>19040</td> <td>01/29/2021</td> </tr> <tr> <td>0.300</td> <td>SD1024</td> <td>18110</td> <td>04/02/2020</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>17817080A2</td> <td>08/05/2019</td> </tr> </tbody> </table> <input checked="" type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>SD1021</td> <td>201707D</td> <td>07/25/2019</td> </tr> <tr> <td>0.080</td> <td>DR1275</td> <td>201707E</td> <td>07/25/2019</td> </tr> <tr> <td>0.200</td> <td>SD1011</td> <td>201707C</td> <td>07/24/2019</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG831804</td> <td>11/14/2020</td> </tr> </tbody> </table> | Simulator | Serial Number | Lot Number | Expiration | 0.000 | DR2035 | N/A | N/A | 0.040 | SD1022 | 17410 | 12/06/2019 | 0.100 | SD3964 | 18200 | 07/03/2020 | 0.200 | SD1025 | 19040 | 01/29/2021 | 0.300 | SD1024 | 18110 | 04/02/2020 | 0.080 DGS | N/A | 17817080A2 | 08/05/2019 | Simulator | Serial Number | Lot Number | Expiration | 0.050 | SD1021 | 201707D | 07/25/2019 | 0.080 | DR1275 | 201707E | 07/25/2019 | 0.200 | SD1011 | 201707C | 07/24/2019 | 0.080 DGS | N/A | AG831804 | 11/14/2020 | Department Inspection Performed By <u>JP</u> Barometric Pressure ID# <u>26932</u> Gauge <u>1018</u> Instrument <u>1019</u> Mouth Alcohol Solution Lot # <u>2018-B</u> Acetone Stock Solution Lot # <u>2018-A</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>G11621</td> </tr> <tr> <td>Interferent</td> <td>DR3855</td> </tr> <tr> <td>0.050</td> <td>SD1021</td> </tr> <tr> <td>0.080</td> <td>DR1275</td> </tr> <tr> <td>0.200</td> <td>SD1011</td> </tr> </tbody> </table> | Simulator | Serial Number | 0.000 | G11621 | Interferent | DR3855 | 0.050 | SD1021 | 0.080 | DR1275 | 0.200 | SD1011 |
|---|---|---------------|------------|------------|-------|--------|-----|-----|-------|--------|-------|------------|-------|--------|-------|------------|-------|--------|-------|------------|-------|--------|-------|------------|-----------|-----|------------|------------|-----------|---------------|------------|------------|-------|--------|---------|------------|-------|--------|---------|------------|-------|--------|---------|------------|-----------|-----|----------|------------|--|-----------|---------------|-------|--------|-------------|--------|-------|--------|-------|--------|-------|--------|
| Simulator | Serial Number | Lot Number | Expiration | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.000 | DR2035 | N/A | N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.040 | SD1022 | 17410 | 12/06/2019 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.100 | SD3964 | 18200 | 07/03/2020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.200 | SD1025 | 19040 | 01/29/2021 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.300 | SD1024 | 18110 | 04/02/2020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.080 DGS | N/A | 17817080A2 | 08/05/2019 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Simulator | Serial Number | Lot Number | Expiration | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.050 | SD1021 | 201707D | 07/25/2019 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.080 | DR1275 | 201707E | 07/25/2019 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.200 | SD1011 | 201707C | 07/24/2019 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.080 DGS | N/A | AG831804 | 11/14/2020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Simulator | Serial Number | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.000 | G11621 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Interferent | DR3855 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.050 | SD1021 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.080 | DR1275 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.200 | SD1011 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Attachments <input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Post-Stability Checks <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Flow Calibration <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Form 40 <input checked="" type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other _____ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | |
|---|---|
| Notes/Suggested Service: <u>Loaded software prior to performing Department Inspection per request from Agency Inspector. JP</u> <hr/> <u>I placed a service sticker on the instrument. I did not open the instrument.</u> <u>Cal adjust due to pressure (gauge 1015/Intox 1001)</u> | <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use <div style="text-align: center; font-size: 1.2em; font-weight: bold;"> <u>SP 4/17/19</u> <u>Butt Kirkland 4/18/19</u> </div> |
| | Tech Review / Date Admin Review / Date |

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HILLSBOROUGH CO SO
Time of Inspection: 10:21

Date of Inspection: 04/17/2019

Serial Number: 80-005113
Software: 8100.27

| Check or Test | YES | NO | Check or Test | YES | NO |
|---|-----|----|--|-----|----|
| Diagnostic Check (Pre-Inspection): OK | Yes | | Date and/or Time Adjusted | | No |
| Minimum Sample Volume Check: OK | Yes | | Barometric Pressure Sensor Check: OK | Yes | |
| Alcohol Free Subject Test: 0.000 | Yes | | Mouth Alcohol Test: Slope Not Met | Yes | |
| Interferent Detect Test: Interferent Detect | Yes | | Diagnostic Check (Post-Inspection): OK | Yes | |

| Alcohol Free Test (g/210L) | 0.05g/210L Test (g/210L) Lot#:201707D Exp: 07/25/2019 | 0.08g/210L Test (g/210L) Lot#:201707E Exp: 07/25/2019 | 0.20g/210L Test (g/210L) Lot#:201707C Exp: 07/24/2019 | 0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG831804 Exp: 11/14/2020 |
|----------------------------|---|---|---|---|
| 0.000 | 0.049 | 0.081 | 0.198 | 0.080 |
| 0.000 | 0.049 | 0.080 | 0.199 | 0.079 |
| 0.000 | 0.048 | 0.080 | 0.199 | 0.079 |
| 0.000 | 0.049 | 0.080 | 0.199 | 0.079 |
| 0.000 | 0.049 | 0.080 | 0.199 | 0.079 |
| 0.000 | 0.049 | 0.080 | 0.199 | 0.079 |
| 0.000 | 0.049 | 0.080 | 0.198 | 0.079 |
| 0.000 | 0.048 | 0.080 | 0.199 | 0.079 |
| 0.000 | 0.049 | 0.080 | 0.199 | 0.079 |
| 0.000 | 0.049 | 0.080 | 0.199 | 0.079 |

| | | | | |
|---------------------|--------|--------|--------|--------|
| Standard Deviations | 0.0004 | 0.0003 | 0.0004 | 0.0003 |
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

SP
BK
4/18/19

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Thomas J. Graham

THOMAS J GRAHAM

Signature and Printed Name

04/17/2019
Date

80-005113

4/15/19

Stability Checks

Calibration Adjustment will be conducted due to barometric pressure reading not being within 1% of the standard/gauge.

HILLSBOROUGH CO SO
Intoxilyzer - Alcohol Analyzer
Model 8000
04/15/2019 SN 80-005113
Software: 8100.27

| Test | g/210L | Time |
|--------------------|--------|-------|
| Air Blank | 0.000 | 13:13 |
| Control Test | 0.049 | 13:13 |
| Air Blank | 0.000 | 13:14 |
| Control Test | 0.049 | 13:15 |
| Air Blank | 0.000 | 13:15 |
| Control Test | 0.049 | 13:16 |
| Air Blank | 0.000 | 13:16 |
| Control Test Stats | | |
| Average | 0.0490 | |
| Std Dev | 0.0000 | |
| Rel Std Dev(%) | 0.0000 | |

[Signature]

Operator's Signature

HILLSBOROUGH CO SO
Intoxilyzer - Alcohol Analyzer
Model 8000
04/15/2019 SN 80-005113
Software: 8100.27

| Test | g/210L | Time |
|--------------------|--------|-------|
| Air Blank | 0.000 | 13:03 |
| Control Test | 0.081 | 13:03 |
| Air Blank | 0.000 | 13:04 |
| Control Test | 0.080 | 13:05 |
| Air Blank | 0.000 | 13:05 |
| Control Test | 0.080 | 13:06 |
| Air Blank | 0.000 | 13:06 |
| Control Test Stats | | |
| Average | 0.0803 | |
| Std Dev | 0.0006 | |
| Rel Std Dev(%) | 0.7187 | |

[Signature]

Operator's Signature

HILLSBOROUGH CO SO
Intoxilyzer - Alcohol Analyzer
Model 8000
04/15/2019 SN 80-005113
Software: 8100.27

| Test | g/210L | Time |
|--------------------|--------|-------|
| Air Blank | 0.000 | 13:08 |
| Control Test | 0.197 | 13:08 |
| Air Blank | 0.000 | 13:09 |
| Control Test | 0.197 | 13:10 |
| Air Blank | 0.000 | 13:10 |
| Control Test | 0.196 | 13:11 |
| Air Blank | 0.000 | 13:11 |
| Control Test Stats | | |
| Average | 0.1967 | |
| Std Dev | 0.0006 | |
| Rel Std Dev(%) | 0.2936 | |

[Signature]

Operator's Signature

HILLSBOROUGH CO SO
Intoxilyzer - Alcohol Analyzer
Model 8000
04/15/2019 SN 80-005113
Software: 8100.27

| Test | g/210L | Time |
|--------------------|--------|-------|
| Air Blank | 0.000 | 13:19 |
| Control Test | 0.082 | 13:19 |
| Air Blank | 0.000 | 13:19 |
| Control Test | 0.082 | 13:20 |
| Air Blank | 0.000 | 13:20 |
| Control Test | 0.082 | 13:21 |
| Air Blank | 0.000 | 13:21 |
| Control Test Stats | | |
| Average | 0.0820 | |
| Std Dev | 0.0000 | |
| Rel Std Dev(%) | 0.0000 | |

DGS

[Signature]

Operator's Signature

HILLSBOROUGH CO SO
Intoxilyzer - Alcohol Analyzer
Model 8000
04/15/2019 SN 80-005113
Software: 8100.27
Flow Rate Calibration
4/15/19
1: Rate (Liters/min) = 5
SDRT(Diff) = 6.633
2: Rate (Liters/min) = 15
SDRT(Diff) = 11.398
3: Rate (Liters/min) = 30
SDRT(Diff) = 20.492
Dependent Data Scale Factor = 10000 L/min
Independent Data Scale Factor = 256
Rounded Slope = 697
Rounded Intercept = -623438
Correlation = 0.99799

SP BK 4/18/19



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2729 Fort Knox Blvd.
Bldg. 2, Suite 1300
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-005113, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

| | | |
|-------------------|---------------------------|---|
| Serial Number: | <u>80-005113</u> | UNCERTAINTY* ± |
| Owning Agency: | <u>HILLSBOROUGH CO SO</u> | 0.050 g/ 210 L 0.004 |
| Calibration Date: | <u>04/17/2019</u> | 0.080 g/ 210 L 0.004 |
| Calibration Time: | <u>10:21</u> | 0.200 g/ 210 L 0.007 |
| | | 0.080 g/ 210 L Dry Gas Control 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

SP BK 4/18/19

TH THOMAS J GRAHAM,
Department Inspector

04/17/2019

Date

FDLE/ATP Form 69 July 2018

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Post
Stabilities

80-005113
4/17/19
JD

HILLSBOROUGH CO SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-005113
04/17/2019
Software: 8100.27

| Test | g/210L | Time |
|--------------------|--------|-------|
| Air Blank | 0.000 | 08:06 |
| Control Test | 0.049 | 08:06 |
| Air Blank | 0.000 | 08:07 |
| Control Test | 0.049 | 08:08 |
| Air Blank | 0.000 | 08:08 |
| Control Test | 0.049 | 08:09 |
| Air Blank | 0.000 | 08:09 |
| Control Test Stats | | |
| Average | 0.0490 | |
| Std Dev | 0.0000 | |
| Rel Std Dev(%) | 0.0000 | |

JD
Operator's Signature

HILLSBOROUGH CO SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-005113
04/17/2019
Software: 8100.27

| Test | g/210L | Time |
|--------------------|--------|-------|
| Air Blank | 0.000 | 08:01 |
| Control Test | 0.081 | 08:02 |
| Air Blank | 0.000 | 08:02 |
| Control Test | 0.080 | 08:03 |
| Air Blank | 0.000 | 08:03 |
| Control Test | 0.080 | 08:04 |
| Air Blank | 0.000 | 08:05 |
| Control Test Stats | | |
| Average | 0.0803 | |
| Std Dev | 0.0006 | |
| Rel Std Dev(%) | 0.7187 | |

JD
Operator's Signature

HILLSBOROUGH CO SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-005113
04/17/2019
Software: 8100.27

| Test | g/210L | Time |
|--------------------|--------|-------|
| Air Blank | 0.000 | 08:15 |
| Control Test | 0.199 | 08:16 |
| Air Blank | 0.000 | 08:16 |
| Control Test | 0.198 | 08:17 |
| Air Blank | 0.000 | 08:18 |
| Control Test | 0.199 | 08:18 |
| Air Blank | 0.000 | 08:19 |
| Control Test Stats | | |
| Average | 0.1987 | |
| Std Dev | 0.0006 | |
| Rel Std Dev(%) | 0.2906 | |

JD
Operator's Signature

HILLSBOROUGH CO SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-005113
04/17/2019
Software: 8100.27

| Test | g/210L | Time |
|--------------------|--------|-------|
| Air Blank | 0.000 | 08:12 |
| Control Test | 0.079 | 08:12 |
| Air Blank | 0.000 | 08:12 |
| Control Test | 0.079 | 08:13 |
| Air Blank | 0.000 | 08:13 |
| Control Test | 0.080 | 08:13 |
| Air Blank | 0.000 | 08:14 |
| Control Test Stats | | |
| Average | 0.0793 | |
| Std Dev | 0.0006 | |
| Rel Std Dev(%) | 0.7277 | |

DGS

JD
Operator's Signature

SJP BK
4/18/19

Hillsborough County Sheriff's Office

80-005113
4/15/19
JZ

Please conduct a software/forms reload on this instrument.

Thanks



Roger G. Skipper, Supervisor

Hillsborough County Sheriff's Office

Central Breath Testing Unit

SP
BK
4/18/19