



INSTRUMENT PROCESSING SHEET

Florida Department of
Law Enforcement

Agency Hamilton County Sheriff's Office

S/N 80-000770

Date In 04/09/2020 DI Completion Date 4/20/20 ☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake Performed By <u>RAW</u> ☒ Annual ☐ Registration ☒ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes: _____ _____ _____ Final Release Date _____ _____ _____	Quality Checks Performed By <u>SP</u> ☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>140</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP-105</u> 32 mm <u>0.144</u> (.139 - .169) 36 mm <u>0.164</u> (.156 - .190) 53 mm <u>0.234</u> (.228 - .278) 103 mm <u>0.503</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>26932</u> ☒ Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td><u>SD1021</u></td> <td><u>201905A</u> <u>05-14-2021</u></td> </tr> <tr> <td>0.080</td> <td><u>DR1275</u></td> <td><u>201905B</u> <u>05-14-2021</u></td> </tr> <tr> <td>0.200</td> <td><u>SD1019</u></td> <td><u>201904D</u> <u>04-30-2021</u></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td><u>AGA31603</u> <u>11-12-2021</u></td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.050	<u>SD1021</u>	<u>201905A</u> <u>05-14-2021</u>	0.080	<u>DR1275</u>	<u>201905B</u> <u>05-14-2021</u>	0.200	<u>SD1019</u>	<u>201904D</u> <u>04-30-2021</u>	0.080 DGS	N/A	<u>AGA31603</u> <u>11-12-2021</u>	Flow Calibration Performed By _____ Flow Column # _____ ☐ 5L/min - 17mm ☐ 15L/min - 53mm ☐ 30L/min - 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547) Maintenance Performed By _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☐ Other _____ Temperature Checks Performed By <u>SP</u> ☒ Lab Temp °C <u>21.5</u> External Digital Therm. ID#: <u>300502</u> ☒ 34°C +/- .2 Serial #: <u>MP5088</u> ☒ 34°C +/- .2 Serial #: <u>MP5089</u> ☒ 34°C +/- .2 Serial #: <u>MP5090</u>																																												
Simulator	Serial #	Lot #/Exp																																																											
0.050	<u>SD1021</u>	<u>201905A</u> <u>05-14-2021</u>																																																											
0.080	<u>DR1275</u>	<u>201905B</u> <u>05-14-2021</u>																																																											
0.200	<u>SD1019</u>	<u>201904D</u> <u>04-30-2021</u>																																																											
0.080 DGS	N/A	<u>AGA31603</u> <u>11-12-2021</u>																																																											
Calibration Adjustment Performed By _____ Barometric Pressure Gauge _____ ID # _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> ☐ Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> Notes/Suggested Service: _____ _____ _____ _____ _____ _____	Simulator	Serial Number	Lot Number	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Simulator	Serial Number	Lot Number	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Department Inspection Performed By <u>SP</u> Barometric Pressure ID# <u>28421</u> Gauge <u>1003</u> Instrument <u>1002</u> Mouth Alcohol Solution Lot # <u>2019-B</u> Acetone Stock Solution Lot # <u>2019-A</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td><u>MP5086</u></td> </tr> <tr> <td>Interferent</td> <td><u>MP5087</u></td> </tr> <tr> <td>0.050</td> <td><u>MP5088</u></td> </tr> <tr> <td>0.080</td> <td><u>MP5089</u></td> </tr> <tr> <td>0.200</td> <td><u>MP5090</u></td> </tr> </tbody> </table> Attachments ☒ Form 41 ☐ Post-Stability Checks ☒ Stability Checks ☐ Flow Calibration ☒ Calibration Certificate ☐ Form 40 ☐ Calibration Adjustment ☐ Other _____ ☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use Tech Review / Date _____ Admin Review / Date _____	Simulator	Serial Number	0.000	<u>MP5086</u>	Interferent	<u>MP5087</u>	0.050	<u>MP5088</u>	0.080	<u>MP5089</u>	0.200	<u>MP5090</u>
Simulator	Serial Number	Lot Number	Expiration																																																										
0.000		N/A	N/A																																																										
0.040																																																													
0.100																																																													
0.200																																																													
0.300																																																													
0.080 DGS	N/A																																																												
Simulator	Serial Number	Lot Number	Expiration																																																										
0.050																																																													
0.080																																																													
0.200																																																													
0.080 DGS	N/A																																																												
Simulator	Serial Number																																																												
0.000	<u>MP5086</u>																																																												
Interferent	<u>MP5087</u>																																																												
0.050	<u>MP5088</u>																																																												
0.080	<u>MP5089</u>																																																												
0.200	<u>MP5090</u>																																																												



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2729 Fort Knox Blvd.
Bldg. 2, Suite 1300
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000770, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000770</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>HAMILTON COUNTY SO</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>04/20/2020</u>	0.080 g/ 210 L 0.005
Calibration Time:	<u>09:18</u>	0.200 g/ 210 L 0.007
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

04/20/2020

Date

Shayla Platt

SHAYLAD PLATT,

Department Inspector

FDLE/ATP Form 69 January 2020

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HAMILTON COUNTY SO
Time of Inspection: 09:18

Date of Inspection: 04/20/2020

Serial Number: 80-000770
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:201905A Exp: 05/14/2021	0.08g/210L Test (g/210L) Lot#:201905B Exp: 05/14/2021	0.20g/210L Test (g/210L) Lot#:201904D Exp: 04/30/2021	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG931603 Exp: 11/12/2021
0.000	0.048	0.079	0.200	0.078
0.000	0.048	0.079	0.200	0.077
0.000	0.048	0.079	0.200	0.078
0.000	0.048	0.079	0.200	0.077
0.000	0.047	0.079	0.201	0.077
0.000	0.048	0.079	0.201	0.077
0.000	0.048	0.080	0.201	0.077
0.000	0.048	0.079	0.201	0.077
0.000	0.048	0.079	0.200	0.077
0.000	0.048	0.080	0.201	0.077

Standard Deviations	0.0003	0.0004	0.0005	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Shayla Platt

SHAYLA D PLATT

Signature and Printed Name

04/20/2020
Date

Stability Checks

HAMILTON COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000770
04/15/2020
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	07:14
Control Test	0.047	07:15
Air Blank	0.000	07:15
Control Test	0.047	07:16
Air Blank	0.000	07:17
Control Test	0.047	07:17
Air Blank	0.000	07:18
Control Test Stats		
Average	0.0470	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

HAMILTON COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000770
04/15/2020
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	07:20
Control Test	0.078	07:20
Air Blank	0.000	07:21
Control Test	0.078	07:22
Air Blank	0.000	07:22
Control Test	0.078	07:23
Air Blank	0.000	07:23
Control Test Stats		
Average	0.0780	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

HAMILTON COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000770
04/15/2020
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	07:25
Control Test	0.199	07:25
Air Blank	0.000	07:26
Control Test	0.199	07:27
Air Blank	0.000	07:27
Control Test	0.199	07:28
Air Blank	0.000	07:28
Control Test Stats		
Average	0.1990	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

wet



Operator's Signature



Operator's Signature



Operator's Signature

HAMILTON COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000770
04/15/2020
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	07:29
Control Test	0.078	07:30
Air Blank	0.000	07:30
Control Test	0.079	07:31
Air Blank	0.000	07:31
Control Test	0.079	07:31
Air Blank	0.000	07:32
Control Test Stats		
Average	0.0787	
Std Dev	0.0006	
Rel Std Dev(%)	0.7339	

Dry



Operator's Signature

Return Material Authorization

Ship to: ☒ CMI, Inc.

☐ Enforcement Electronics

Shipment to repair facility authorized by: William Curry on 11/13/2019

Items Returned: Instrument ☒ Supplies ☐ Other ☐ Describe: _____

Instrument Model: 8000 Serial Number: 80-000770

Bill To Address:

Sgt William Curry

Hamilton County Sheriff's Office

3995 County Road 51 North

Jasper, FL 32052

Ship to Address:

FDLE Off-Site Mail Facility

c/o Florida Department of Law Enforcement

Alcohol Testing Program

813B Lake Bradford Road

Tallahassee FL 32304

Reason for Return:

Instrument was sent in because the phone socket, where the phone line plugs in, was broken. Instrument was received back with the phone socket still broken. Please repair this. Owner assumes that this will be done under warranty as the issue wasn't corrected the first time.

Please choose one of the following options:

☐ 1. I _____, authorize all repairs.

☐ 2. I _____, authorize repairs up to \$_____.

☒ 3. I require an estimate **BEFORE** any repairs will be authorized and/ or conducted.

Please contact: Name: William Curry

Phone #: 386-855-1389

Email: billyc6hcg@hotmail.com

ATP Contact Name: Patrick Murphy

ATP Email: patrickmurphy@fdle.state.fl.us



INSTRUMENT PROCESSING SHEET

Agency Hamilton CountyS/N 80-000770Florida Department of
Law EnforcementDate In 11/1/2019 DI Completion Date 11/5/19Ship ☐ P/U ☐ H/D ☒ CMI ☐ EE

Intake Performed By <u>DP</u> ☒ Annual ☐ Registration ☒ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes: _____ _____ _____		Quality Checks Performed By <u>SDM</u> ☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>149</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP102</u> 32 mm <u>.156</u> (.139 - .169) 36 mm <u>.171</u> (.156 - .190) 53 mm <u>.242</u> (.228 - .278) 103 mm <u>.507</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>28421</u> ☒ Stability Checks		Flow Calibration Performed By _____ Flow Column # _____ ☐ 5L/min - 17mm ☐ 15L/min - 53mm ☐ 30L/min - 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																																																											
Final Release Date _____ _____		<table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>SD1018</td> <td>201905A 5/14/21</td> </tr> <tr> <td>0.080</td> <td>SD3962</td> <td>201905B 5/14/21</td> </tr> <tr> <td>0.200</td> <td>G2078</td> <td>201904D 4/30/21</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG916501 6/14/21</td> </tr> </tbody> </table>		Simulator	Serial #	Lot #/Exp	0.050	SD1018	201905A 5/14/21	0.080	SD3962	201905B 5/14/21	0.200	G2078	201904D 4/30/21	0.080 DGS	N/A	AG916501 6/14/21	Maintenance Performed By _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☐ Other _____ Temperature Checks Performed By <u>SDM</u> ☒ Lab Temp °C <u>21.0</u> External Digital Therm. ID#: <u>300505</u> ☒ 34°C +/- .2 Serial #: <u>SD1018</u> ☒ 34°C +/- .2 Serial #: <u>SD3962</u> ☒ 34°C +/- .2 Serial #: <u>G2078</u>																																												
Simulator	Serial #	Lot #/Exp																																																													
0.050	SD1018	201905A 5/14/21																																																													
0.080	SD3962	201905B 5/14/21																																																													
0.200	G2078	201904D 4/30/21																																																													
0.080 DGS	N/A	AG916501 6/14/21																																																													
Calibration Adjustment Performed By _____ Barometric Pressure Gauge ID # _____ <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> ☐ Post Calibration Adjustment Stability Checks <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>		Simulator	Serial Number	Lot Number	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Simulator	Serial Number	Lot Number	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Department Inspection Performed By <u>SDM</u> Barometric Pressure ID# <u>28421</u> Gauge <u>1020</u> Instrument <u>1016</u> Mouth Alcohol Solution Lot # <u>2018-B</u> Acetone Stock Solution Lot # <u>2019-A</u> <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>G4444</td> </tr> <tr> <td>Interferent</td> <td>G6621</td> </tr> <tr> <td>0.050</td> <td>SD1018</td> </tr> <tr> <td>0.080</td> <td>SD3962</td> </tr> <tr> <td>0.200</td> <td>G2078</td> </tr> </tbody> </table>		Simulator	Serial Number	0.000	G4444	Interferent	G6621	0.050	SD1018	0.080	SD3962	0.200	G2078
Simulator	Serial Number	Lot Number	Expiration																																																												
0.000		N/A	N/A																																																												
0.040																																																															
0.100																																																															
0.200																																																															
0.300																																																															
0.080 DGS	N/A																																																														
Simulator	Serial Number	Lot Number	Expiration																																																												
0.050																																																															
0.080																																																															
0.200																																																															
0.080 DGS	N/A																																																														
Simulator	Serial Number																																																														
0.000	G4444																																																														
Interferent	G6621																																																														
0.050	SD1018																																																														
0.080	SD3962																																																														
0.200	G2078																																																														
Notes/Suggested Service: <u>phone socket NOT FUNCTIONAL, suggest sending for REPAIR</u> _____ _____ _____		Attachments ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Calibration Adjustment ☐ Post-Stability Checks ☐ Flow Calibration ☐ Form 40 ☐ Other _____																																																													
		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☒ Remain Out of Evidentiary Use ☐ Conduct an Agency Inspection Before Evidentiary Use																																																													
		<u>SP 11/7/19</u> <u>Brett Kurland</u> <u>11/7/19</u> Tech Review / Date Admin Review / Date																																																													

I HEREBY CERTIFY THE AUTHENTICITY
OF THE SEAL AFFIXED HERETO.Patrick Murphy

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HAMILTON COUNTY SO
Time of Inspection: 11:27

Date of Inspection: 11/05/2019

Serial Number: 80-000770
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:201905A Exp: 05/14/2021	0.08g/210L Test (g/210L) Lot#:201905B Exp: 05/14/2021	0.20g/210L Test (g/210L) Lot#:201904D Exp: 04/30/2021	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG916501 Exp: 06/14/2021
0.000	0.050	0.078	0.197	0.080
0.000	0.050	0.080	0.201	0.080
0.000	0.050	0.080	0.202	0.079
0.000	0.050	0.080	0.201	0.080
0.000	0.050	0.080	0.200	0.081
0.000	0.050	0.080	0.201	0.079
0.000	0.050	0.080	0.201	0.081
0.000	0.050	0.080	0.201	0.080
0.000	0.050	0.080	0.202	0.080
0.000	0.050	0.080	0.202	0.081

Standard Deviations	0.0000	0.0006	0.0014	0.0007
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0006 Number of Simulators Used: 5

Remarks:

SP
13K
11/14/19

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Patrick J Murphy

PATRICK J MURPHY

Signature and Printed Name

11/05/2019
Date

Patrick Murphy

HAMILTON COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000770
11/05/2019
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	08:36
Control Test	0.047	08:37
Air Blank	0.000	08:37
Control Test	0.048	08:38
Air Blank	0.000	08:38
Control Test	0.049	08:39
Air Blank	0.000	08:40
Control Test Stats		
Average	0.0480	
Std Dev	0.0010	
Rel Std Dev(%)	2.0833	

P Murphy
Operator's Signature

HAMILTON COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000770
11/05/2019
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	08:41
Control Test	0.078	08:42
Air Blank	0.000	08:42
Control Test	0.078	08:43
Air Blank	0.000	08:44
Control Test	0.079	08:44
Air Blank	0.000	08:45
Control Test Stats		
Average	0.0783	
Std Dev	0.0006	
Rel Std Dev(%)	0.7370	

P Murphy
Operator's Signature

HAMILTON COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000770
11/05/2019
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	08:53
Control Test	0.197	08:53
Air Blank	0.000	08:54
Control Test	0.199	08:55
Air Blank	0.000	08:55
Control Test	0.199	08:55
Air Blank	0.000	08:56
Control Test Stats		
Average	0.1983	
Std Dev	0.0012	
Rel Std Dev(%)	0.5822	

P Murphy
Operator's Signature

HAMILTON COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000770
11/05/2019
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	08:58
Control Test	0.080	08:58
Air Blank	0.000	08:59
Control Test	0.080	08:59
Air Blank	0.000	09:00
Control Test	0.080	09:00
Air Blank	0.000	09:00
Control Test Stats		
Average	0.0800	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

SP
BK
11/7/19

DGS

P Murphy
Operator's Signature

I HEREBY CERTIFY THE AUTHENTICITY
OF THE SEAL AFFIXED HERETO.

Patricia Murphy



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2729 Fort Knox Blvd.
Bldg. 2, Suite 1300
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000770, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000770</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>HAMILTON COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>11/05/2019</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>11:27</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

FDLE/ATP Form 69 July 2018

Issuing Authority: Alcohol Testing Program

11/05/2019

Date

Patrick J Murphy

PATRICK J MURPHY,
Department Inspector

Service • Integrity • Respect • Quality

Page 1 of 1

I HEREBY CERTIFY THE AUTHENTICITY
OF THE SEAL AFFIXED HERETO.

Patrick Murphy

SP
BSK
11/7/19

Return Material Authorization

Ship to: ☐ CMI, Inc.
☒ Enforcement Electronics

Shipment to repair facility authorized by: William Curry on 6/20/2019

Items Returned: Instrument ☒ Supplies ☐ Other ☐ Describe: _____

Instrument Model: Intoxilyzer 8000 Serial Number: 80-000770

Bill To Address:

Hamilton County SO

Attn: William Curry

3995 County Road 51 North

Jasper, FL 32052

Ship to Address:

FDLE Off-site Mail Facility

Alcohol Testing Program

813B Lake Bradford Road

Tallahassee, FL 32304

Reason for Return:

Modem port needs to be repaired on instrument. The plastic that holds it in place is broken.

Please evaluate the source. I received an "Interferent Detect" while providing breath to the
instrument. All data was uploaded to FDLE prior to shipping the instrument.

Please choose one of the following options:

- ☐ 1. I _____, authorize all repairs.
- ☐ 2. I _____, authorize repairs up to \$_____.
- ☒ 3. I require an estimate **BEFORE** any repairs will be authorized and/ or conducted.

Please contact: Name: William Curry

Phone #: (386) 855-1389

Email: billyc6hcj@hotmail.com

ATP Contact Name: TJ Graham

ATP Email: thomasgraham@fdle.state.fl.us



INSTRUMENT PROCESSING SHEET

Agency Hamilton County SO

S/N 80-000770

Florida Department of
Law Enforcement

Date In 06/20/2019 DI Completion Date 06/20/2019

☐ Ship ☐ P/U ☐ H/D ☐ CMI ☒ EE

Intake Performed By <u>DP</u> ☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☐ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes: <u>Modem port has been pushed into the instrument.</u>	Quality Checks Performed By <u>JD</u> ☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>153</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP-103</u> 32 mm <u>.136</u> (.139 - .169) 36 mm <u>.152</u> (.156 - .190) 53 mm <u>.226</u> (.228 - .278) 103 mm <u>.503</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>26932</u> ☒ Stability Checks	Flow Calibration Performed By <u>JD</u> Flow Column # <u>ATP-105</u> ☒ 5L/min - 17mm ☒ 15L/min - 53mm ☒ 30L/min - 103mm ☒ R-Value <u>150/150</u> ☒ Post Calibration Verification (L/s) Flow Column # <u>ATP-103</u> 32 mm <u>.140/.140</u> (.139 - .169) 36 mm <u>.156/.156</u> (.156 - .190) 53 mm <u>.226/.230</u> (.228 - .278) 103 mm <u>.492/.488</u> (.447 - .547) Maintenance Performed By _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☐ Other _____ Temperature Checks Performed By <u>JD</u> ☒ Lab Temp °C <u>21.2</u> External Digital Therm. ID#: <u>300505</u> ☒ 34°C +/- .2 Serial #: <u>SD1012</u> ☒ 34°C +/- .2 Serial #: <u>DR1279</u> ☒ 34°C +/- .2 Serial #: <u>SD1013</u>																																																												
Final Release Date FDLE JUN 21 2019 Alcohol Testing Program	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>SD1012</td> <td>201707D 07/25/2019</td> </tr> <tr> <td>0.080</td> <td>DR1279</td> <td>201707E 07/25/2019</td> </tr> <tr> <td>0.200</td> <td>SD1013</td> <td>201707C 07/24/2019</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG831804 11/14/2020</td> </tr> </tbody> </table>		Simulator	Serial #	Lot #/Exp	0.050	SD1012	201707D 07/25/2019	0.080	DR1279	201707E 07/25/2019	0.200	SD1013	201707C 07/24/2019	0.080 DGS	N/A	AG831804 11/14/2020																																													
Simulator	Serial #	Lot #/Exp																																																												
0.050	SD1012	201707D 07/25/2019																																																												
0.080	DR1279	201707E 07/25/2019																																																												
0.200	SD1013	201707C 07/24/2019																																																												
0.080 DGS	N/A	AG831804 11/14/2020																																																												
Calibration Adjustment Performed By <u>JD</u> Barometric Pressure Gauge <u>1013</u> ID # <u>28421</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>SD1016</td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td>SD1022</td> <td>17410</td> <td>12/06/2019</td> </tr> <tr> <td>0.100</td> <td>SD3964</td> <td>18200</td> <td>07/03/2020</td> </tr> <tr> <td>0.200</td> <td>SD1025</td> <td>19040</td> <td>01/29/2021</td> </tr> <tr> <td>0.300</td> <td>SD1024</td> <td>18110</td> <td>04/02/2020</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>17817080A2</td> <td>08/05/2019</td> </tr> </tbody> </table> ☒ Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>SD1012</td> <td>201707D</td> <td>07/25/2019</td> </tr> <tr> <td>0.080</td> <td>DR1279</td> <td>201707E</td> <td>07/25/2019</td> </tr> <tr> <td>0.200</td> <td>SD1013</td> <td>201707C</td> <td>07/24/2019</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG831804</td> <td>11/14/2020</td> </tr> </tbody> </table>	Simulator	Serial Number	Lot Number	Expiration	0.000	SD1016	N/A	N/A	0.040	SD1022	17410	12/06/2019	0.100	SD3964	18200	07/03/2020	0.200	SD1025	19040	01/29/2021	0.300	SD1024	18110	04/02/2020	0.080 DGS	N/A	17817080A2	08/05/2019	Simulator	Serial Number	Lot Number	Expiration	0.050	SD1012	201707D	07/25/2019	0.080	DR1279	201707E	07/25/2019	0.200	SD1013	201707C	07/24/2019	0.080 DGS	N/A	AG831804	11/14/2020	Department Inspection Performed By _____ Barometric Pressure ID# _____ Gauge _____ Instrument _____ Mouth Alcohol Solution Lot # _____ Acetone Stock Solution Lot # _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr><td>0.000</td><td></td></tr> <tr><td>Interferent</td><td></td></tr> <tr><td>0.050</td><td></td></tr> <tr><td>0.080</td><td></td></tr> <tr><td>0.200</td><td></td></tr> </tbody> </table> Attachments ☒ Form 41 ☒ Stability Checks ☐ Calibration Certificate ☒ Calibration Adjustment ☒ Post-Stability Checks ☒ Flow Calibration <u>x2 JD</u> ☒ Form 40 ☐ Other _____		Simulator	Serial Number	0.000		Interferent		0.050		0.080		0.200	
Simulator	Serial Number	Lot Number	Expiration																																																											
0.000	SD1016	N/A	N/A																																																											
0.040	SD1022	17410	12/06/2019																																																											
0.100	SD3964	18200	07/03/2020																																																											
0.200	SD1025	19040	01/29/2021																																																											
0.300	SD1024	18110	04/02/2020																																																											
0.080 DGS	N/A	17817080A2	08/05/2019																																																											
Simulator	Serial Number	Lot Number	Expiration																																																											
0.050	SD1012	201707D	07/25/2019																																																											
0.080	DR1279	201707E	07/25/2019																																																											
0.200	SD1013	201707C	07/24/2019																																																											
0.080 DGS	N/A	AG831804	11/14/2020																																																											
Simulator	Serial Number																																																													
0.000																																																														
Interferent																																																														
0.050																																																														
0.080																																																														
0.200																																																														
Notes/Suggested Service: <u>Calibration adjustment performed to bring values closer to nominal. JD</u> <u>Interferent Detect was obtained while performing the Minimum Sample Volume Check. I recommend sending the unit to a repair facility to evaluate the source and repair the modem port. JD</u>		☐ Instrument Complies with Chapter 11D-8, FAC ☒ Instrument Does Not Comply with Chapter 11D-8, FAC ☐ Return to/Place into Evidentiary Use ☒ Remain Out of Evidentiary Use ☐ Conduct an Agency Inspection Before Evidentiary Use <u>SP 6/20/19</u> Tech Review / Date <u>Britt Kirkland 6/20/19</u> Admin Review / Date																																																												

I HEREBY CERTIFY THE AUTHENTICITY
OF THE SEAL AFFIXED HERETO.

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HAMILTON COUNTY SO
Time of Inspection: 14:08

Date of Inspection: 06/20/2019

Serial Number: 80-000770
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK		No	Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK		No	Barometric Pressure Sensor Check: OK		No
Alcohol Free Subject Test: 0.000		No	Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No	Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp:

Standard Deviations				
---------------------	--	--	--	--

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: _____ Number of Simulators Used: _____

Remarks:

INTERFERENT DETECT DURING MINIMUM SAMPLE VOLUME Non-compliance: INTERFERENT DETECT DURING MINIMUM SAMPLE VOL.

The above instrument complies () does not comply (X) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

THOMAS J GRAHAM
Signature and Printed Name

06/20/2019
Date

I HEREBY CERTIFY THE AUTHENTICITY
OF THE SEAL APPENDED HERETO.

SP NK 6/21/19

80-000770

6/20/19

JD

HAMILTON COUNTY SO
Intoxilizer - Alcohol Analyzer
Model 8000 SN 80-000770
06/20/2019
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:17
Control Test	0.052	12:18
Air Blank	0.000	12:18
Control Test	0.050	12:19
Air Blank	0.000	12:19
Control Test	0.052	12:20
Air Blank	0.000	12:21
Control Test	0.0513	
Average	0.0012	
Std Dev	2.2494	
Rel Std Dev(%)		

JD

Operator's Signature

I HEREBY CERTIFY THE AUTHENTICITY
OF THE SEAL AFFIXED HERETO.

HAMILTON COUNTY SO
Intoxilizer - Alcohol Analyzer
Model 8000 SN 80-000770
06/20/2019
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:22
Control Test	0.083	12:22
Air Blank	0.000	12:23
Control Test	0.083	12:24
Air Blank	0.000	12:24
Control Test	0.081	12:25
Air Blank	0.000	12:25
Control Test	0.0823	
Average	0.0012	
Std Dev	1.4025	
Rel Std Dev(%)		

JD

Operator's Signature

HAMILTON COUNTY SO
Intoxilizer - Alcohol Analyzer
Model 8000 SN 80-000770
06/20/2019
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:27
Control Test	0.198	12:27
Air Blank	0.000	12:28
Control Test	0.197	12:29
Air Blank	0.000	12:29
Control Test	0.196	12:30
Air Blank	0.000	12:30
Control Test	0.1970	
Average	0.0010	
Std Dev	0.5076	
Rel Std Dev(%)		

JD

Operator's Signature

HAMILTON COUNTY SO
Intoxilizer - Alcohol Analyzer
Model 8000 SN 80-000770
06/20/2019
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:31
Control Test	0.079	12:32
Air Blank	0.000	12:32
Control Test	0.078	12:33
Air Blank	0.000	12:33
Control Test	0.079	12:33
Air Blank	0.000	12:34
Control Test	0.0787	
Average	0.0006	
Std Dev	0.7339	
Rel Std Dev(%)		

DGS

JD

Operator's Signature

8/21/19

HAMILTON COUNTY SO
Intoxilizer - Alcohol Analyzer
Model 8000 SN 80-000770
06/20/2019
Software: 8100.27
Flow Rate Calibration*****
1: Rate (Liters/min) = 5
2: Rate (Liters/min) = 15
3: Rate (Liters/min) = 30
SQRT(Diff) = 11.832
SQRT(Diff) = 21.328
Dependent Data Scale Factor = 10000 L/min
Independent Data Scale Factor = 256
Rounded Slope = 667
Rounded Intercept = -611344
Correlation = 0.99799

Flow Calibration
#2
6/20/19
JD

80-000770

6/20/19

Calibration
Adjustment

HAMILTON COUNTY SO

Intoxilyzer - Alcohol Analyzer

Model 8000
06/20/2019
SN 80-000770
12:55:00

Auto Calibration

Max Power Res Value = 26

Auto Range Res Value = 17

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 1.4700 (-0.0200)
Sample #2 = 1.4100 (0.0540)
Sample #3 = 1.4150 (0.0720)
Sample #4 = 1.4570 (0.1480)
Avg % Abs = 1.4273 (0.0913)
STD DEV = 0.0258 (0.0499)
REL STD DEV = 1.809 (54.628)

Sol Value = 0.100 g/210L ***
Fit Value = 0.4762 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12302, Sum Io = 14177
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 1.9800 (0.0300)
Sample #2 = 2.0240 (0.0560)
Sample #3 = 2.0470 (0.1800)
Sample #4 = 1.9630 (0.4750)
Avg % Abs = 2.0113 (0.2370)
STD DEV = 0.0434 (0.2152)
REL STD DEV = 2.158 (90.817)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 3.4890 (0.0300)
Sample #2 = 3.5110 (0.0550)
Sample #3 = 3.5270 (0.1260)
Sample #4 = 3.4510 (0.2820)
Avg % Abs = 3.4963 (0.1543)
STD DEV = 0.0401 (0.1161)
REL STD DEV = 1.146 (75.241)

Sol Value = 0.200 g/210L ***
Fit Value = 0.9524 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12239, Sum Io = 14138
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 3.6890 (0.0660)
Sample #2 = 3.7550 (0.1050)
Sample #3 = 3.8620 (0.1570)
Sample #4 = 3.7840 (0.4310)
Avg % Abs = 3.8007 (0.2310)
STD DEV = 0.0549 (0.1751)
REL STD DEV = 1.445 (75.821)

Sol Value = 0.040 g/210L ***
Fit Value = 0.1905 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12352, Sum Io = 14203
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.8710 (-0.0330)
Sample #2 = 0.8650 (0.0900)
Sample #3 = 0.8680 (0.1430)
Sample #4 = 0.9150 (0.2650)
Avg % Abs = 0.8793 (0.1727)
STD DEV = 0.0223 (0.1008)
REL STD DEV = 2.534 (58.395)

Sol Value = 0.040 g/210L ***
Fit Value = 0.1905 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12352, Sum Io = 14203
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.8710 (-0.0330)
Sample #2 = 0.8650 (0.0900)
Sample #3 = 0.8680 (0.1430)
Sample #4 = 0.9150 (0.2650)
Avg % Abs = 0.8793 (0.1727)
STD DEV = 0.0223 (0.1008)
REL STD DEV = 2.534 (58.395)

Sol Value = 0.300 g/210L ***
Fit Value = 1.4286 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12169, Sum Io = 14099
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 5.4970 (-0.0110)
Sample #2 = 5.5150 (0.0640)
Sample #3 = 5.5250 (0.1930)
Sample #4 = 5.4740 (0.3460)
Avg % Abs = 5.5050 (0.2010)
STD DEV = 0.0274 (0.1412)
REL STD DEV = 0.498 (70.234)

Sol Value = 0.200 g/210L ***
Fit Value = 0.9524 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12239, Sum Io = 14138
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 3.6890 (0.0660)
Sample #2 = 3.7550 (0.1050)
Sample #3 = 3.8620 (0.1570)
Sample #4 = 3.7840 (0.4310)
Avg % Abs = 3.8007 (0.2310)
STD DEV = 0.0549 (0.1751)
REL STD DEV = 1.445 (75.821)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 6.6870 (0.0320)
Sample #2 = 6.7140 (0.0490)
Sample #3 = 6.7570 (0.0830)
Sample #4 = 6.7170 (0.2110)
Avg % Abs = 6.7327 (0.1143)
STD DEV = 0.0298 (0.0854)
REL STD DEV = 0.442 (74.715)

Sol Value = 0.080 g/210L ***
Fit Value = 0.3810 mg/l %%%
Samples Taken = 4, Discarded = 1
***** CHANNEL 1 *****
Sample #1 = 3182.00
Sample #2 = 3174.00
Sample #3 = 3079.00
Sample #4 = 3256.00
Average Result = 3170.3333
STD DEV = 89.5563
REL STD DEV = 2.825

***** CHANNEL 2 *****
Sample #1 = 3551.00
Sample #2 = 3572.00
Sample #3 = 3536.00
Sample #4 = 3596.00
Average Result = 3568.0000
STD DEV = 30.1993
REL STD DEV = 0.846

***** CHANNEL 2 *****
Sample #1 = 3551.00
Sample #2 = 3572.00
Sample #3 = 3536.00
Sample #4 = 3596.00
Average Result = 3568.0000
STD DEV = 30.1993
REL STD DEV = 0.846

Dry Gas H2O Adjust Results *****
Barometric Pressure = 1012
3 um H2O Adjust (mg/l*10,000) = 639
9 um H2O Adjust (mg/l*10,000) = 241
**** AUTO CAL PASS

SP BK 6/21/19

DO NOT DESTROY THIS AUTHENTICATION
AL AFFIXED HEREON

80-000770

Post Stability Checks

6/20/19

JF

HAMILTON COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000770
06/20/2019
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	13:37
Control Test	0.049	13:38
Air Blank	0.000	13:38
Control Test	0.050	13:39
Air Blank	0.000	13:39
Control Test	0.048	13:40
Air Blank	0.000	13:41
Control Test Stats		
Average	0.0490	
Std Dev	0.0010	
Rel Std Dev(%)	2.0408	

JF

Operator's Signature

HAMILTON COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000770
06/20/2019
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	13:41
Control Test	0.080	13:42
Air Blank	0.000	13:43
Control Test	0.079	13:43
Air Blank	0.000	13:44
Control Test	0.079	13:45
Air Blank	0.000	13:45
Control Test Stats		
Average	0.0793	
Std Dev	0.0006	
Rel Std Dev(%)	0.7277	

JF

Operator's Signature

HAMILTON COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000770
06/20/2019
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	13:46
Control Test	0.197	13:47
Air Blank	0.000	13:47
Control Test	0.198	13:48
Air Blank	0.000	13:48
Control Test	0.197	13:49
Air Blank	0.000	13:50
Control Test Stats		
Average	0.1973	
Std Dev	0.0006	
Rel Std Dev(%)	0.2926	

JF

Operator's Signature

HAMILTON COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000770
06/20/2019
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	13:50
Control Test	0.080	13:51
Air Blank	0.000	13:51
Control Test	0.080	13:51
Air Blank	0.000	13:52
Control Test	0.080	13:52
Air Blank	0.000	13:53
Control Test Stats		
Average	0.0800	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

DGS

JF SP BK 6/21/19

Operator's Signature

I HEREBY CERTIFY THE AUTHENTICITY
OF THE SEAL AFFIXED HERETO.

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: HAMILTON COUNTY SO

Time of Inspection: 11:35

Date of Inspection: 06/20/2019

Serial Number: 80-000770

Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08g/210L Test (g/210L) Lot#:_____ Exp:_____	0.20g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:_____ Exp:_____

Number of Simulators Used: _____

Remarks:

BYPASSED AI TO OPERATE INSTRUMENT. NOT A COMPLIANCE CHECK.

The above instrument complies (X) does not comply () with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

[Handwritten Signature]

THOMAS J GRAHAM
Signature and Printed Name

06/20/2019
Date

CR BK 6/21/19