



## INSTRUMENT PROCESSING SHEET

Agency Lafayette SOS/N 80-000773Florida Department of  
Law EnforcementDate In 11-17-2020 DI Completion Date 11-18-2020☐ Ship ☒ P/U ☐ H/D ☐ CMI ☐ EE

| <b>Intake</b> Performed By <u>IS</u><br><input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input type="checkbox"/> Return from CMI / EE<br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight<br>Other Equipment/ Accessories:<br><input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br>Notes: <u>Instrument did not identify acetone as interferent during agency inspection.</u>       | <b>Quality Checks</b> Performed By <u>IS</u><br><input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value <u>189</u><br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # <u>ATP-105</u><br>32 mm <u>0.148</u> (.139 - .169)<br>36 mm <u>0.167</u> (.156 - .190)<br>53 mm <u>0.230</u> (.228 - .278)<br>103 mm <u>0.500</u> (.447 - .547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # <u>30793</u><br><input checked="" type="checkbox"/> Stability Checks                                                                                                                              | <b>Flow Calibration</b> Performed By _____<br>Flow Column # _____<br><input type="checkbox"/> 5L/min - 17mm<br><input type="checkbox"/> 15L/min - 53mm<br><input type="checkbox"/> 30L/min - 103mm<br><input type="checkbox"/> R-Value _____<br><input type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column # _____<br>32 mm _____ (.139 - .169)<br>36 mm _____ (.156 - .190)<br>53 mm _____ (.228 - .278)<br>103 mm _____ (.447 - .547) |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------|-------|--------|-----------------------|-------|--------|-----------------------|-------|------------|-----------------------|-----------|-------|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------|------------|-------|--------|-------|------------|-----------|-----|------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------|---------------|-------|--------|-------------|--------|-------|--------|-------|--------|-------|--------|
| <b>Final Release Date</b><br>FDLE<br>Alcohol<br>Testing<br>Program<br>Digitally signed by FDLE Alcohol Testing Program<br>Date: 2020.11.20 09:50:39 -05'00'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP5088</td> <td>201905A<br/>05-14-2021</td> </tr> <tr> <td>0.080</td> <td>MP5086</td> <td>201905B<br/>05-14-2021</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> <td>201904D<br/>04-30-2021</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG011102<br/>04-20-2022</td> </tr> </tbody> </table>                                                                                                                                                                                                                                                                                                                                           | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                | Serial #   | Lot #/Exp  | 0.050 | MP5088 | 201905A<br>05-14-2021 | 0.080 | MP5086 | 201905B<br>05-14-2021 | 0.200 | MP5090     | 201904D<br>04-30-2021 | 0.080 DGS | N/A   | AG011102<br>04-20-2022 | <b>Maintenance</b> Performed By <u>IS</u><br><input type="checkbox"/> Battery Replacement<br><input type="checkbox"/> Dry Gas Regulator Replacement<br><input type="checkbox"/> Breath Tube Replacement<br><input checked="" type="checkbox"/> Other <u>Tank sensor cal adjust</u><br><b>Temperature Checks</b> Performed By <u>IS</u><br><input checked="" type="checkbox"/> Lab Temp °C <u>20.73</u><br>External Digital Therm. ID#: <u>300503</u><br><input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>MP5088</u><br><input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>MP5086</u><br><input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>MP5090</u> |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Serial #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Lot #/Exp                                                                                                                                                                                                                                                                                                                                                                                                                                                |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MP5088                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 201905A<br>05-14-2021                                                                                                                                                                                                                                                                                                                                                                                                                                    |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MP5086                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 201905B<br>05-14-2021                                                                                                                                                                                                                                                                                                                                                                                                                                    |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MP5090                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 201904D<br>04-30-2021                                                                                                                                                                                                                                                                                                                                                                                                                                    |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | AG011102<br>04-20-2022                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| <b>Calibration Adjustment</b> Performed By <u>IS</u><br>Barometric Pressure Gauge <u>1031</u> ID # <u>28421</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5091</td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td>MP5082</td> <td>20060</td> <td>02-10-2022</td> </tr> <tr> <td>0.100</td> <td>MP5083</td> <td>20420</td> <td>09-22-2022</td> </tr> <tr> <td>0.200</td> <td>MP5084</td> <td>20160</td> <td>03-18-2022</td> </tr> <tr> <td>0.300</td> <td>MP5085</td> <td>20030</td> <td>01-21-2022</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>08819080A1</td> <td>06-05-2021</td> </tr> </tbody> </table> <input checked="" type="checkbox"/> Post Calibration Adjustment Stability Checks | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Serial Number                                                                                                                                                                                                                                                                                                                                                                                                                                            | Lot Number | Expiration | 0.000 | MP5091 | N/A                   | N/A   | 0.040  | MP5082                | 20060 | 02-10-2022 | 0.100                 | MP5083    | 20420 | 09-22-2022             | 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MP5084 | 20160 | 03-18-2022 | 0.300 | MP5085 | 20030 | 01-21-2022 | 0.080 DGS | N/A | 08819080A1 | 06-05-2021 | <b>Department Inspection</b> Performed By <u>IS</u><br>Barometric Pressure ID# <u>30793</u><br>Gauge <u>1029</u> Instrument <u>1030</u><br>Mouth Alcohol Solution Lot # <u>2019-B</u><br>Acetone Stock Solution Lot # <u>2019-A</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>G11621</td> </tr> <tr> <td>Interferent</td> <td>MP5087</td> </tr> <tr> <td>0.050</td> <td>MP5088</td> </tr> <tr> <td>0.080</td> <td>MP5086</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> </tr> </tbody> </table> |  | Simulator | Serial Number | 0.000 | G11621 | Interferent | MP5087 | 0.050 | MP5088 | 0.080 | MP5086 | 0.200 | MP5090 |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Serial Number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Lot Number                                                                                                                                                                                                                                                                                                                                                                                                                                               | Expiration |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MP5091                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                      | N/A        |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.040                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MP5082                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 20060                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 02-10-2022 |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MP5083                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 20420                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 09-22-2022 |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MP5084                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 20160                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 03-18-2022 |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MP5085                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 20030                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 01-21-2022 |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 08819080A1                                                                                                                                                                                                                                                                                                                                                                                                                                               | 06-05-2021 |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Serial Number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | G11621                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| Interferent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | MP5087                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MP5088                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MP5086                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MP5090                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
| Notes/Suggested Service: <u>Stability checks nominal, performed optical bench cal adjust due to instrument not identifying acetone as interferent during agency inspection.</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>Attachments</b><br><input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Post-Stability Checks<br><input checked="" type="checkbox"/> Stability Checks <input type="checkbox"/> Flow Calibration<br><input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Form 40<br><input checked="" type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other _____<br><input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><input checked="" type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Tech Review / Date <u>2020.11.19 14:19:56 -05'00'</u> Admin Review / Date <u>2020.11.20 09:49:50 -05'00'</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            |            |       |        |                       |       |        |                       |       |            |                       |           |       |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |       |            |       |        |       |            |           |     |            |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |           |               |       |        |             |        |       |        |       |        |       |        |

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: LAFAYETTE CO SO  
Time of Inspection: 14:12

Date of Inspection: 11/18/2020

Serial Number: 80-000773  
Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:201905A<br>Exp: 05/14/2021 | 0.08g/210L Test<br>(g/210L)<br>Lot#:201905B<br>Exp: 05/14/2021 | 0.20g/210L Test<br>(g/210L)<br>Lot#:201904D<br>Exp: 04/30/2021 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:AG011102<br>Exp: 04/20/2022 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------|
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.198                                                          | 0.079                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.198                                                          | 0.079                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.199                                                          | 0.079                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.198                                                          | 0.079                                                                           |
| 0.000                            | 0.048                                                          | 0.077                                                          | 0.199                                                          | 0.079                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.199                                                          | 0.079                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.199                                                          | 0.079                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.199                                                          | 0.079                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.198                                                          | 0.079                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.200                                                          | 0.079                                                                           |
| Standard Deviations              | 0.0004                                                         | 0.0003                                                         | 0.0006                                                         | 0.0000                                                                          |

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

MX  
2020.11.  
20  
09:49:22  
-05'00'

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

*Israel Soto*

ISRAEL SOTO

Signature and Printed Name

11/18/2020  
Date

# Stability Checks

LAFAYETTE CO SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
11/18/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 09:00 |
| Control Test       | 0.049  | 09:01 |
| Air Blank          | 0.000  | 09:01 |
| Control Test       | 0.049  | 09:02 |
| Air Blank          | 0.000  | 09:02 |
| Control Test       | 0.048  | 09:03 |
| Air Blank          | 0.000  | 09:04 |
| Control Test Stats |        |       |
| Average            | 0.0487 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 1.1863 |       |

LAFAYETTE CO SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
11/18/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 09:05 |
| Control Test       | 0.080  | 09:06 |
| Air Blank          | 0.000  | 09:06 |
| Control Test       | 0.080  | 09:07 |
| Air Blank          | 0.000  | 09:07 |
| Control Test       | 0.079  | 09:08 |
| Air Blank          | 0.000  | 09:09 |
| Control Test Stats |        |       |
| Average            | 0.0797 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7247 |       |

LAFAYETTE CO SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
11/18/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 09:10 |
| Control Test       | 0.200  | 09:11 |
| Air Blank          | 0.000  | 09:12 |
| Control Test       | 0.200  | 09:12 |
| Air Blank          | 0.000  | 09:13 |
| Control Test       | 0.200  | 09:13 |
| Air Blank          | 0.000  | 09:14 |
| Control Test Stats |        |       |
| Average            | 0.2000 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

wet



Operator's Signature



Operator's Signature




Operator's Signature


LAFAYETTE CO SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
11/18/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 09:16 |
| Control Test       | 0.079  | 09:17 |
| Air Blank          | 0.000  | 09:17 |
| Control Test       | 0.079  | 09:17 |
| Air Blank          | 0.000  | 09:18 |
| Control Test       | 0.079  | 09:18 |
| Air Blank          | 0.000  | 09:19 |
| Control Test Stats |        |       |
| Average            | 0.0790 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

Dry



Operator's Signature

  
2020.11  
.20  
09:48:4  
8 -05'00'



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2729 Fort Knox Blvd.  
Bldg. 2, Suite 1300  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000773, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                        |                                |       |
|-------------------|------------------------|--------------------------------|-------|
| Serial Number:    | <u>80-000773</u>       | UNCERTAINTY* $\pm$             |       |
| Owning Agency:    | <u>LAFAYETTE CO SO</u> | 0.050 g/ 210 L                 | 0.004 |
| Calibration Date: | <u>11/18/2020</u>      | 0.080 g/ 210 L                 | 0.005 |
| Calibration Time: | <u>14:12</u>           | 0.200 g/ 210 L                 | 0.007 |
|                   |                        | 0.080 g/ 210 L Dry Gas Control | 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.  
\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.  
This document shall not be reproduced except in full,  
without written approval of the Florida Department of  
Law Enforcement Alcohol Testing Program.

FDLE/ATP Form 69 April 2020  
Issuing Authority: Alcohol Testing Program

11/18/2020

Date

Israel Soto  
ISRAEL SOTO,  
Department Inspector

Service • Integrity • Respect • Quality

Page 1 of 1

2020.11.  
20  
09:48:16  
-05'00'

# Optical Bench Cal Adj

LAFAYETTE CO SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
11/18/2020 09:38:55

Auto Calibration  
Max Power Res Value = 95  
Auto Range Res Value = 82

Sol Value = 0.000 g/210L \*\*\*  
Fit value = 0.0000 mg/l %%%  
Samples Taken = 4, Discarded = 1  
3um lo = 12571, 9um lo = 12906

Channel 1  
Sample % Abs (% Abs Ref)  
Sample #1 = 0.0800 (-0.0390)  
Sample #2 = 0.0610 (0.0020)  
Sample #3 = 0.0840 (-0.0110)  
Sample #4 = 0.0910 (0.0200)  
Avg % Abs = 0.0787 (0.0037)  
STD DEV = 0.0157 (0.0155)  
REL STD DEV = 19.951 (424.556)

Channel 2  
Sample % Abs (% Abs Ref)  
Sample #1 = 0.1360 (-0.0210)  
Sample #2 = 0.1420 (-0.0170)  
Sample #3 = 0.1430 (-0.0200)  
Sample #4 = 0.1290 (0.0100)  
Avg % Abs = 0.1380 (-0.0090)  
STD DEV = 0.0078 (0.0165)  
REL STD DEV = 5.660 (183.586)

Sol Value = 0.040 g/210L \*\*\*  
Fit value = 0.1905 mg/l %%%  
Samples Taken = 4, Discarded = 1  
3um lo = 12564, 9um lo = 12902

Channel 1  
Sample % Abs (% Abs Ref)  
Sample #1 = 0.7690 (-0.0130)  
Sample #2 = 0.7550 (0.0060)  
Sample #3 = 0.7630 (-0.0180)  
Sample #4 = 0.7530 (0.0190)  
Avg % Abs = 0.7570 (0.0023)  
STD DEV = 0.0053 (0.0188)  
REL STD DEV = 0.699 (804.452)

Channel 2  
Sample % Abs (% Abs Ref)  
Sample #1 = 1.5190 (-0.0190)  
Sample #2 = 1.5140 (-0.0160)  
Sample #3 = 1.5160 (-0.0390)  
Sample #4 = 1.5000 (-0.0120)  
Avg % Abs = 1.5067 (-0.0223)  
STD DEV = 0.0083 (0.0145)  
REL STD DEV = 0.553 (65.246)

Sol Value = 0.100 g/210L \*\*\*  
Fit value = 0.4762 mg/l %%%  
Samples Taken = 4, Discarded = 1  
3um lo = 12559, 9um lo = 12903

Channel 1  
Sample % Abs (% Abs Ref)  
Sample #1 = 1.7200 (-0.0170)  
Sample #2 = 1.7600 (-0.0090)  
Sample #3 = 1.7500 (-0.0230)  
Sample #4 = 1.7320 (-0.0150)  
Avg % Abs = 1.7473 (-0.0123)  
STD DEV = 0.0142 (0.0095)  
REL STD DEV = 0.812 (76.635)

Channel 2  
Sample % Abs (% Abs Ref)  
Sample #1 = 3.4570 (-0.0070)  
Sample #2 = 3.4510 (0.0210)  
Sample #3 = 3.4440 (0.0120)  
Sample #4 = 3.4800 (-0.0140)  
Avg % Abs = 3.4583 (0.0063)  
STD DEV = 0.0191 (0.0182)  
REL STD DEV = 0.552 (286.975)

Sol Value = 0.200 g/210L \*\*\*  
Fit value = 0.9524 mg/l %%%  
Samples Taken = 4, Discarded = 1  
3um lo = 12558, 9um lo = 12900

Channel 1  
Sample % Abs (% Abs Ref)  
Sample #1 = 3.4170 (-0.0090)  
Sample #2 = 3.3800 (0.0040)  
Sample #3 = 3.3690 (0.0170)  
Sample #4 = 3.4110 (0.0210)  
Avg % Abs = 3.3867 (0.0140)  
STD DEV = 0.0218 (0.0089)  
REL STD DEV = 0.643 (63.487)

Channel 2  
Sample % Abs (% Abs Ref)  
Sample #1 = 6.6850 (-0.0110)  
Sample #2 = 6.6580 (-0.0050)  
Sample #3 = 6.6720 (0.0090)  
Sample #4 = 6.6940 (0.0110)  
Avg % Abs = 6.6747 (0.0050)  
STD DEV = 0.0181 (0.0087)  
REL STD DEV = 0.272 (174.356)

Sol Value = 0.300 g/210L \*\*\*  
Fit value = 1.4286 mg/l %%%  
Samples Taken = 4, Discarded = 1  
3um lo = 12550, 9um lo = 12898

Channel 1  
Sample % Abs (% Abs Ref)  
Sample #1 = 4.9240 (-0.0160)  
Sample #2 = 4.9110 (-0.0270)  
Sample #3 = 4.9050 (0.0030)  
Sample #4 = 4.9350 (-0.0190)  
Avg % Abs = 4.9170 (-0.0143)  
STD DEV = 0.0159 (0.0155)  
REL STD DEV = 0.323 (108.383)

Channel 2  
Sample % Abs (% Abs Ref)  
Sample #1 = 9.5950 (0.0040)  
Sample #2 = 9.5990 (0.0010)  
Sample #3 = 9.5810 (0.0190)  
Sample #4 = 9.5910 (0.0220)  
Avg % Abs = 9.5903 (0.0140)  
STD DEV = 0.0090 (0.0114)  
REL STD DEV = 0.094 (81.127)

## \*\*\*\*\* AUTO CAL DATA \*\*\*\*\*

Channel 1  
Sol Val = 0.0000 mg/l or 0.000 g/210L  
% Abs = 0.079  
Std Dev = 0.02 Rel Std Dev = 19.95  
Sol Val = 0.1905 mg/l or 0.040 g/210L  
% Abs = 0.757  
Std Dev = 0.01 Rel Std Dev = 0.70  
Sol Val = 0.4762 mg/l or 0.100 g/210L  
% Abs = 1.747  
Std Dev = 0.01 Rel Std Dev = 0.81  
Sol Val = 0.9524 mg/l or 0.200 g/210L  
% Abs = 3.387  
Std Dev = 0.02 Rel Std Dev = 0.64  
Sol Val = 1.4286 mg/l or 0.300 g/210L  
% Abs = 4.917  
Std Dev = 0.02 Rel Std Dev = 0.32  
Zero Order Coef = -203.01  
First Order Coef = 2751.82  
Second Order Coef = 39.03  
Standard Deviation = 29.266573

Channel 2  
Sol Val = 0.0000 mg/l or 0.000 g/210L  
% Abs = 0.138  
Std Dev = 0.01 Rel Std Dev = 5.66  
Sol Val = 0.1905 mg/l or 0.040 g/210L  
% Abs = 1.507  
Std Dev = 0.01 Rel Std Dev = 0.55  
Sol Val = 0.4762 mg/l or 0.100 g/210L  
% Abs = 3.458  
Std Dev = 0.02 Rel Std Dev = 0.55  
Sol Val = 0.9524 mg/l or 0.200 g/210L  
% Abs = 6.675  
Std Dev = 0.02 Rel Std Dev = 0.27  
Sol Val = 1.4286 mg/l or 0.300 g/210L  
% Abs = 9.590  
Std Dev = 0.01 Rel Std Dev = 0.09  
Zero Order Coef = -173.45  
First Order Coef = 1358.81  
Second Order Coef = 15.31  
Standard Deviation = 39.932865

2020.1  
1.20  
09:47:4  
1  
-05'00'  
MX



# Optical Bench Cal Adj

*SS*

| Solution Stats Quadratic Fit Chan 1 |        |          |
|-------------------------------------|--------|----------|
| Act                                 | Fit    | Residual |
| g/210L                              | g/210L | g/210L   |
| 0.000                               | 0.000  | -0.0003  |
| 0.040                               | 0.040  | 0.0000   |
| 0.100                               | 0.099  | 0.0008   |
| 0.200                               | 0.201  | -0.0008  |
| 0.300                               | 0.300  | 0.0003   |

| Solution Stats Quadratic Fit Chan 2 |        |          |
|-------------------------------------|--------|----------|
| Act                                 | Fit    | Residual |
| g/210L                              | g/210L | g/210L   |
| 0.000                               | 0.000  | -0.0003  |
| 0.040                               | 0.040  | -0.0001  |
| 0.100                               | 0.099  | 0.0011   |
| 0.200                               | 0.201  | -0.0011  |
| 0.300                               | 0.300  | 0.0004   |

Sol Value = 0.080 g/210L \*\*\*  
Fit value = 0.3810 mg/l %%%  
Samples Taken = 4, Discarded = 1

\*\*\*\*\* CHANNEL 1

Sample #1 = 3119.00  
Sample #2 = 3222.00  
Sample #3 = 3050.00  
Sample #4 = 3113.00  
Average Result = 3128.3333  
STD DEV = 87.0192  
REL STD DEV = 2.782

\*\*\*\*\*

\*\*\*\*\* CHANNEL 2

Sample #1 = 3249.00  
Sample #2 = 3289.00  
Sample #3 = 3262.00  
Sample #4 = 3266.00  
Average Result = 3272.3333  
STD DEV = 14.5717  
REL STD DEV = 0.445

\*\*\*\*\*

Dry Gas H2O Adjust Results \*\*\*\*\*

Barometric Pressure = 1031  
3 um H2O Adjust (mg/l\*10,000) = 681  
9 um H2O Adjust (mg/l\*10,000) = 537

\*\*\*\* AUTO CAL PASS

# Post stability check

LAFAYETTE CO 50  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
11/18/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 11:54 |
| Control Test       | 0.049  | 11:54 |
| Air Blank          | 0.000  | 11:55 |
| Control Test       | 0.048  | 11:55 |
| Air Blank          | 0.000  | 11:56 |
| Control Test       | 0.048  | 11:57 |
| Air Blank          | 0.000  | 11:57 |
| Control Test Stats |        |       |
| Average            | 0.0483 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 1.1945 |       |

Operator's Signature

LAFAYETTE CO 50  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
11/18/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 12:05 |
| Control Test       | 0.199  | 12:05 |
| Air Blank          | 0.000  | 12:06 |
| Control Test       | 0.199  | 12:07 |
| Air Blank          | 0.000  | 12:07 |
| Control Test       | 0.198  | 12:08 |
| Air Blank          | 0.000  | 12:08 |
| Control Test Stats |        |       |
| Average            | 0.1987 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.2905 |       |

Operator's Signature

LAFAYETTE CO 50  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
11/18/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 11:58 |
| Control Test       | 0.078  | 11:59 |
| Air Blank          | 0.000  | 11:59 |
| Control Test       | 0.079  | 12:00 |
| Air Blank          | 0.000  | 12:00 |
| Control Test       | 0.078  | 12:01 |
| Air Blank          | 0.000  | 12:02 |
| Control Test Stats |        |       |
| Average            | 0.0783 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7370 |       |

Operator's Signature

LAFAYETTE CO 50  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
11/18/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 12:09 |
| Control Test       | 0.080  | 12:10 |
| Air Blank          | 0.000  | 12:10 |
| Control Test       | 0.079  | 12:11 |
| Air Blank          | 0.000  | 12:11 |
| Control Test       | 0.079  | 12:11 |
| Air Blank          | 0.000  | 12:12 |
| Control Test Stats |        |       |
| Average            | 0.0793 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7277 |       |

Operator's Signature

MX

*SS*

2020.11  
.20  
09:46:2  
3  
-05'00'

Dry



## INSTRUMENT PROCESSING SHEET

Agency Lafayette CountyS/N 80-000773Florida Department of  
Law EnforcementDate In 3/12/2020DI Completion Date 4/1/2020☐ Ship ☒ P/U ☐ H/D ☐ CMI ☐ EE

| Intake                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Performed By <u>DP</u> | Quality Checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Performed By <u>SP</u> | Flow Calibration                                                                                                                                                                                                                                                                                                                                                                                           | Performed By |       |               |                                     |       |               |                                     |       |               |                                     |           |     |                                      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------|---------------|-------------------------------------|-------|---------------|-------------------------------------|-------|---------------|-------------------------------------|-----------|-----|--------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input type="checkbox"/> Return from CMI / EE<br><br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight<br><br>Other Equipment/ Accessories:<br><input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br><br>Notes: _____<br>_____<br>_____ |                        | <input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value <u>182</u><br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # <u>ATP-102</u><br>32 mm <u>0.148</u> (.139 - .169)<br>36 mm <u>0.164</u> (.156 - .190)<br>53 mm <u>0.230</u> (.228 - .278)<br>103 mm <u>0.480</u> (.447 - .547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # <u>28427</u><br><input checked="" type="checkbox"/> Stability Checks |                        | Flow Column # _____<br><input type="checkbox"/> 5L/min - 17mm<br><input type="checkbox"/> 15L/min - 53mm<br><input type="checkbox"/> 30L/min - 103mm<br><input type="checkbox"/> R-Value _____<br><input type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column # _____<br>32 mm _____ (.139 - .169)<br>36 mm _____ (.156 - .190)<br>53 mm _____ (.228 - .278)<br>103 mm _____ (.447 - .547) |              |       |               |                                     |       |               |                                     |       |               |                                     |           |     |                                      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| <b>Final Release Date</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                        | <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td><u>SD1021</u></td><td><u>201905A</u><br/><u>05-14-2021</u></td></tr><tr><td>0.080</td><td><u>DR1275</u></td><td><u>201905B</u><br/><u>05-14-2021</u></td></tr><tr><td>0.200</td><td><u>SD1011</u></td><td><u>201904D</u><br/><u>07-30-2021</u></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td><u>AG931603</u><br/><u>11-12-2021</u></td></tr></tbody></table>                                                                                                                                                              | Simulator              | Serial #                                                                                                                                                                                                                                                                                                                                                                                                   | Lot #/Exp    | 0.050 | <u>SD1021</u> | <u>201905A</u><br><u>05-14-2021</u> | 0.080 | <u>DR1275</u> | <u>201905B</u><br><u>05-14-2021</u> | 0.200 | <u>SD1011</u> | <u>201904D</u><br><u>07-30-2021</u> | 0.080 DGS | N/A | <u>AG931603</u><br><u>11-12-2021</u> |  | <b>Maintenance</b> Performed By _____<br><input type="checkbox"/> Battery Replacement<br><input type="checkbox"/> Dry Gas Regulator Replacement<br><input type="checkbox"/> Breath Tube Replacement<br><input type="checkbox"/> Other _____<br><br><b>Temperature Checks</b> Performed By <u>SP</u><br><input checked="" type="checkbox"/> Lab Temp °C <u>22.5</u><br>External Digital Therm. ID#: <u>300503</u><br><input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>MP5088</u><br><input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>MP5089</u><br><input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>MP5090</u> |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Serial #               | Lot #/Exp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                        |                                                                                                                                                                                                                                                                                                                                                                                                            |              |       |               |                                     |       |               |                                     |       |               |                                     |           |     |                                      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <u>SD1021</u>          | <u>201905A</u><br><u>05-14-2021</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                        |                                                                                                                                                                                                                                                                                                                                                                                                            |              |       |               |                                     |       |               |                                     |       |               |                                     |           |     |                                      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <u>DR1275</u>          | <u>201905B</u><br><u>05-14-2021</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                        |                                                                                                                                                                                                                                                                                                                                                                                                            |              |       |               |                                     |       |               |                                     |       |               |                                     |           |     |                                      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <u>SD1011</u>          | <u>201904D</u><br><u>07-30-2021</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                        |                                                                                                                                                                                                                                                                                                                                                                                                            |              |       |               |                                     |       |               |                                     |       |               |                                     |           |     |                                      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | N/A                    | <u>AG931603</u><br><u>11-12-2021</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                        |                                                                                                                                                                                                                                                                                                                                                                                                            |              |       |               |                                     |       |               |                                     |       |               |                                     |           |     |                                      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |

| Calibration Adjustment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Performed By  | Department Inspection | Performed By <u>SP</u> |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------|------------------------|------------|-------|--|-----|-----|-------|--|--|--|-------|--|--|--|-------|--|--|--|-------|--|--|--|-----------|-----|--|--|-----------|---------------|------------|------------|-------|--|--|--|-------|--|--|--|-------|--|--|--|-----------|-----|--|--|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------|-------|---------------|-------------|---------------|-------|---------------|-------|---------------|-------|---------------|--|
| Barometric Pressure Gauge ID # _____<br><table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th><th>Lot Number</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table><br><input type="checkbox"/> Post Calibration Adjustment Stability Checks<br><table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th><th>Lot Number</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table> | Simulator     | Serial Number         | Lot Number             | Expiration | 0.000 |  | N/A | N/A | 0.040 |  |  |  | 0.100 |  |  |  | 0.200 |  |  |  | 0.300 |  |  |  | 0.080 DGS | N/A |  |  | Simulator | Serial Number | Lot Number | Expiration | 0.050 |  |  |  | 0.080 |  |  |  | 0.200 |  |  |  | 0.080 DGS | N/A |  |  |  | Barometric Pressure ID# <u>30793</u><br>Gauge <u>1011</u> Instrument <u>1009</u><br>Mouth Alcohol Solution Lot # <u>2019-B</u><br>Acetone Stock Solution Lot # <u>2019-A</u><br><table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td><u>MP5086</u></td></tr><tr><td>Interferent</td><td><u>MP5087</u></td></tr><tr><td>0.050</td><td><u>MP5088</u></td></tr><tr><td>0.080</td><td><u>MP5089</u></td></tr><tr><td>0.200</td><td><u>MP5090</u></td></tr></tbody></table> | Simulator | Serial Number | 0.000 | <u>MP5086</u> | Interferent | <u>MP5087</u> | 0.050 | <u>MP5088</u> | 0.080 | <u>MP5089</u> | 0.200 | <u>MP5090</u> |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Serial Number | Lot Number            | Expiration             |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |               | N/A                   | N/A                    |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.040                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |               |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |               |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |               |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |               |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | N/A           |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Serial Number | Lot Number            | Expiration             |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |               |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |               |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |               |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | N/A           |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Serial Number |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <u>MP5086</u> |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| Interferent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <u>MP5087</u> |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <u>MP5088</u> |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <u>MP5089</u> |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <u>MP5090</u> |                       |                        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |               |       |               |             |               |       |               |       |               |       |               |  |

|                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Notes/Suggested Service:<br><u>Tech Review: Added out handing</u><br><u>checkmark for instrument. SP</u><br>_____<br>_____<br>_____ | <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><input type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use<br><br>Tech Review / Date _____ Admin Review / Date _____ |
|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2729 Fort Knox Blvd.  
Bldg. 2, Suite 1300  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000773, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                        |                                |       |
|-------------------|------------------------|--------------------------------|-------|
| Serial Number:    | <u>80-000773</u>       | UNCERTAINTY* $\pm$             |       |
| Owning Agency:    | <u>LAFAYETTE CO SO</u> | 0.050 g/ 210 L                 | 0.004 |
| Calibration Date: | <u>04/01/2020</u>      | 0.080 g/ 210 L                 | 0.005 |
| Calibration Time: | <u>14:02</u>           | 0.200 g/ 210 L                 | 0.007 |
|                   |                        | 0.080 g/ 210 L Dry Gas Control | 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

04/01/2020

Date

*Shayla Platt*

SHAYLA D PLATT,  
Department Inspector

FDLE/ATP Form 69 January 2020

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality



# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: LAFAYETTE CO SO  
Time of Inspection: 14:02

Date of Inspection: 04/01/2020

Serial Number: 80-000773  
Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:201905A<br>Exp: 05/14/2021 | 0.08g/210L Test<br>(g/210L)<br>Lot#:201905B<br>Exp: 05/14/2021 | 0.20g/210L Test<br>(g/210L)<br>Lot#:201904D<br>Exp: 04/30/2021 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:AG931603<br>Exp: 11/12/2021 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------|
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.198                                                          | 0.077                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.198                                                          | 0.078                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.199                                                          | 0.078                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.199                                                          | 0.077                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.198                                                          | 0.077                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.199                                                          | 0.077                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.199                                                          | 0.077                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.199                                                          | 0.077                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.199                                                          | 0.078                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.200                                                          | 0.077                                                                           |

| Standard Deviations | 0.0005 | 0.0004 | 0.0006 | 0.0004 |
|---------------------|--------|--------|--------|--------|
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

*Shayla Platt*

SHAYLA D PLATT

Signature and Printed Name

04/01/2020  
Date

## stability checks

LAFAYETTE CO 50  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
03/13/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 14:39 |
| Control Test       | 0.047  | 14:40 |
| Air Blank          | 0.000  | 14:40 |
| Control Test       | 0.047  | 14:41 |
| Air Blank          | 0.000  | 14:42 |
| Control Test       | 0.048  | 14:42 |
| Air Blank          | 0.000  | 14:43 |
| Control Test Stats |        |       |
| Average            | 0.0473 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 1.2198 |       |

LAFAYETTE CO 50  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
03/13/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 14:45 |
| Control Test       | 0.076  | 14:45 |
| Air Blank          | 0.000  | 14:46 |
| Control Test       | 0.078  | 14:47 |
| Air Blank          | 0.000  | 14:47 |
| Control Test       | 0.078  | 14:48 |
| Air Blank          | 0.000  | 14:48 |
| Control Test Stats |        |       |
| Average            | 0.0773 |       |
| Std Dev            | 0.0012 |       |
| Rel Std Dev(%)     | 1.4932 |       |

LAFAYETTE CO 50  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
03/13/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 14:50 |
| Control Test       | 0.197  | 14:50 |
| Air Blank          | 0.000  | 14:51 |
| Control Test       | 0.199  | 14:51 |
| Air Blank          | 0.000  | 14:52 |
| Control Test       | 0.200  | 14:53 |
| Air Blank          | 0.000  | 14:53 |
| Control Test Stats |        |       |
| Average            | 0.1987 |       |
| Std Dev            | 0.0015 |       |
| Rel Std Dev(%)     | 0.7689 |       |

wet



Operator's Signature



Operator's Signature



Operator's Signature

LAFAYETTE CO 50  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
03/13/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 14:57 |
| Control Test       | 0.079  | 14:58 |
| Air Blank          | 0.000  | 14:58 |
| Control Test       | 0.078  | 14:58 |
| Air Blank          | 0.000  | 14:59 |
| Control Test       | 0.077  | 14:59 |
| Air Blank          | 0.000  | 15:00 |
| Control Test Stats |        |       |
| Average            | 0.0780 |       |
| Std Dev            | 0.0010 |       |
| Rel Std Dev(%)     | 1.2821 |       |

Dry



Operator's Signature

## stability checks

LAFAYETTE CO SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
04/01/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 07:15 |
| Control Test       | 0.049  | 07:16 |
| Air Blank          | 0.000  | 07:16 |
| Control Test       | 0.049  | 07:17 |
| Air Blank          | 0.000  | 07:17 |
| Control Test       | 0.049  | 07:18 |
| Air Blank          | 0.000  | 07:19 |
| Control Test Stats |        |       |
| Average            | 0.0490 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

MPS088

*SA*

Operator's Signature

LAFAYETTE CO SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
04/01/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 07:20 |
| Control Test       | 0.080  | 07:20 |
| Air Blank          | 0.000  | 07:21 |
| Control Test       | 0.079  | 07:21 |
| Air Blank          | 0.000  | 07:22 |
| Control Test       | 0.080  | 07:23 |
| Air Blank          | 0.000  | 07:23 |
| Control Test Stats |        |       |
| Average            | 0.0797 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7247 |       |

wet  
MPS089

*SA*

Operator's Signature

LAFAYETTE CO SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
04/01/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 07:33 |
| Control Test       | 0.079  | 07:33 |
| Air Blank          | 0.000  | 07:34 |
| Control Test       | 0.079  | 07:34 |
| Air Blank          | 0.000  | 07:35 |
| Control Test       | 0.079  | 07:35 |
| Air Blank          | 0.000  | 07:36 |
| Control Test Stats |        |       |
| Average            | 0.0790 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

Dry

*SA*

Operator's Signature

LAFAYETTE CO SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000773  
04/01/2020  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 07:25 |
| Control Test       | 0.200  | 07:26 |
| Air Blank          | 0.000  | 07:27 |
| Control Test       | 0.200  | 07:27 |
| Air Blank          | 0.000  | 07:28 |
| Control Test       | 0.200  | 07:28 |
| Air Blank          | 0.000  | 07:29 |
| Control Test Stats |        |       |
| Average            | 0.2000 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

MPS090

*SA*

Operator's Signature

Repeated stability  
checks after suspecting  
issue w/ previous  
simulators.