



# INSTRUMENT PROCESSING SHEET

Agency Desoto CSO

S/N 80-001341

Florida Department of  
Law Enforcement

Date In 11/05/2020 DI Completion Date 11/06/2020

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Intake</b> Performed By <u>TDG</u><br><input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input type="checkbox"/> Return from CMI / EE<br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight<br>Other Equipment/ Accessories:<br><input checked="" type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br>Notes: _____ | <b>Quality Checks</b> Performed By <u>TDG</u><br><input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value <u>243</u><br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # <u>ATP106</u><br>32 mm <u>0.156</u> (.139 - .169)<br>36 mm <u>0.171</u> (.156 - .190)<br>53 mm <u>0.250</u> (.228 - .278)<br>103 mm <u>0.492</u> (.447 - .547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # <u>68639</u><br><input checked="" type="checkbox"/> Stability Checks | <b>Flow Calibration</b> Performed By _____<br>Flow Column # _____<br><input type="checkbox"/> 5L/min - 17mm<br><input type="checkbox"/> 15L/min - 53mm<br><input type="checkbox"/> 30L/min - 103mm<br><input type="checkbox"/> R-Value _____<br><input type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column # _____<br>32 mm _____ (.139 - .169)<br>36 mm _____ (.156 - .190)<br>53 mm _____ (.228 - .278)<br>103 mm _____ (.447 - .547) |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| <b>Final Release Date</b><br>FDLE<br>Alcohol<br>Testing<br>Program<br>Digitally signed<br>by FDLE Alcohol<br>Testing Program<br>Date: 2020.11.09<br>21:05:36 -05'00' | <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP4863</td> <td>201905A<br/>05/14/2021</td> </tr> <tr> <td>0.080</td> <td>MP4864</td> <td>201905B<br/>05/14/2021</td> </tr> <tr> <td>0.200</td> <td>MP5097</td> <td>201904D<br/>04/30/2021</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG003005<br/>01/30/2022</td> </tr> </tbody> </table> | Simulator              | Serial # | Lot #/Exp | 0.050 | MP4863 | 201905A<br>05/14/2021 | 0.080 | MP4864 | 201905B<br>05/14/2021 | 0.200 | MP5097 | 201904D<br>04/30/2021 | 0.080 DGS | N/A | AG003005<br>01/30/2022 | <b>Maintenance</b> Performed By _____<br><input type="checkbox"/> Battery Replacement<br><input type="checkbox"/> Dry Gas Regulator Replacement<br><input type="checkbox"/> Breath Tube Replacement<br><input type="checkbox"/> Other _____<br><b>Temperature Checks</b> Performed By <u>TDC</u><br><input checked="" type="checkbox"/> Lab Temp °C <u>21.25</u><br>External Digital Therm. ID#: <u>300504</u><br><input checked="" type="checkbox"/> 34°C +/-2 Serial #: <u>MP4863</u><br><input checked="" type="checkbox"/> 34°C +/-2 Serial #: <u>MP4864</u><br><input checked="" type="checkbox"/> 34°C +/-2 Serial #: <u>MP5097</u> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|----------|-----------|-------|--------|-----------------------|-------|--------|-----------------------|-------|--------|-----------------------|-----------|-----|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Simulator                                                                                                                                                            | Serial #                                                                                                                                                                                                                                                                                                                                                                                                                                   | Lot #/Exp              |          |           |       |        |                       |       |        |                       |       |        |                       |           |     |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 0.050                                                                                                                                                                | MP4863                                                                                                                                                                                                                                                                                                                                                                                                                                     | 201905A<br>05/14/2021  |          |           |       |        |                       |       |        |                       |       |        |                       |           |     |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 0.080                                                                                                                                                                | MP4864                                                                                                                                                                                                                                                                                                                                                                                                                                     | 201905B<br>05/14/2021  |          |           |       |        |                       |       |        |                       |       |        |                       |           |     |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 0.200                                                                                                                                                                | MP5097                                                                                                                                                                                                                                                                                                                                                                                                                                     | 201904D<br>04/30/2021  |          |           |       |        |                       |       |        |                       |       |        |                       |           |     |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 0.080 DGS                                                                                                                                                            | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                        | AG003005<br>01/30/2022 |          |           |       |        |                       |       |        |                       |       |        |                       |           |     |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

| <b>Calibration Adjustment</b> Performed By _____<br>Barometric Pressure Gauge _____ ID # _____<br><table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> <input type="checkbox"/> Post Calibration Adjustment Stability Checks<br><table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> | Simulator     | Serial Number | Lot Number | Expiration | 0.000 |  | N/A | N/A | 0.040 |  |  |  | 0.100 |  |  |  | 0.200 |  |  |  | 0.300 |  |  |  | 0.080 DGS | N/A |  |  | Simulator | Serial Number | Lot Number | Expiration | 0.050 |  |  |  | 0.080 |  |  |  | 0.200 |  |  |  | 0.080 DGS | N/A |  |  | <b>Department Inspection</b> Performed By <u>MH</u><br>Barometric Pressure ID# <u>28199</u><br>Gauge <u>1014</u> Instrument <u>1004</u><br>Mouth Alcohol Solution Lot # <u>2020-A</u><br>Acetone Stock Solution Lot # <u>2019-A</u><br><table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>SD1014</td> </tr> <tr> <td>Interferent</td> <td>SD1015</td> </tr> <tr> <td>0.050</td> <td>MP4863</td> </tr> <tr> <td>0.080</td> <td>MP4864</td> </tr> <tr> <td>0.200</td> <td>MP5097</td> </tr> </tbody> </table> | Simulator | Serial Number | 0.000 | SD1014 | Interferent | SD1015 | 0.050 | MP4863 | 0.080 | MP4864 | 0.200 | MP5097 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------|------------|------------|-------|--|-----|-----|-------|--|--|--|-------|--|--|--|-------|--|--|--|-------|--|--|--|-----------|-----|--|--|-----------|---------------|------------|------------|-------|--|--|--|-------|--|--|--|-------|--|--|--|-----------|-----|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------|-------|--------|-------------|--------|-------|--------|-------|--------|-------|--------|
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Serial Number | Lot Number    | Expiration |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |               | N/A           | N/A        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.040                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |               |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |               |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |               |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |               |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | N/A           |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Serial Number | Lot Number    | Expiration |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |               |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |               |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |               |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | N/A           |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Serial Number |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | SD1014        |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| Interferent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | SD1015        |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | MP4863        |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | MP4864        |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | MP5097        |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |               |       |        |             |        |       |        |       |        |       |        |

|                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Notes/Suggested Service: _____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____ | <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><input checked="" type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use<br>Tech Review / Date <u>Israel Soto 11-09-2020</u><br>Admin Review / Date <u>2020.11.09 21:04:58</u> |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



# Florida Department of Law Enforcement

## Alcohol Testing Program

### DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: DESOTO COUNTY SO  
Time of Inspection: 13:59

Date of Inspection: 11/06/2020

Serial Number: 80-001341  
Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:201905A<br>Exp: 05/14/2021 | 0.08g/210L Test<br>(g/210L)<br>Lot#:201905B<br>Exp: 05/14/2021 | 0.20g/210L Test<br>(g/210L)<br>Lot#:201904D<br>Exp: 04/30/2021 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:AG003005<br>Exp: 01/30/2022 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------|
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.048                                                          | 0.079                                                          | 0.199                                                          | 0.080                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.199                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.199                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.199                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.199                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.198                                                          | 0.081                                                                           |
| 0.000                            | 0.048                                                          | 0.079                                                          | 0.199                                                          | 0.080                                                                           |
| 0.000                            | 0.048                                                          | 0.079                                                          | 0.199                                                          | 0.080                                                                           |

| Standard Deviations | 0.0005 | 0.0004 | 0.0005 | 0.0003 |
|---------------------|--------|--------|--------|--------|
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

AS  
2020.11  
.09  
21:04:3  
1-05'00'

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Michael D Haughey MICHAEL D HAUGHEY  
Signature and Printed Name

11/06/2020  
Date

| Type of Test | Serial Number | Agency     | Date       | Performed By |
|--------------|---------------|------------|------------|--------------|
| Stabilities  | 80-001341     | Desoto CSO | 11/06/2020 | TDG          |

| 0.05g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | 0.08g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | 0.20g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | DGS 0.08g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 0.047 to 0.053                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | 0.077 to 0.083                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | 0.194 to 0.206                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | 0.077 to 0.083                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| <input checked="" type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | <input checked="" type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | <input checked="" type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  | <input checked="" type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| <div>DESOTO COUNTY SO<br/>Intoxilyzer - Alcohol Analyzer<br/>Model 8000<br/>11/06/2020<br/>Software: 8100.27</div> <div>Testg/210LTime</div> <div>Air Blank0.00010:00</div> <div>Control Test0.04910:01</div> <div>Air Blank0.00010:01</div> <div>Control Test0.04910:02</div> <div>Air Blank0.00010:02</div> <div>Control Test0.05010:03</div> <div>Air Blank0.00010:04</div> <div>Control Test Stats</div> <div>Average0.0493</div> <div>Std Dev0.0006</div> <div>Rel Std Dev(%)1.1703</div> <div>Operator's Signature</div> <div></div> |  | <div>DESOTO COUNTY SO<br/>Intoxilyzer - Alcohol Analyzer<br/>Model 8000<br/>11/06/2020<br/>Software: 8100.27</div> <div>Testg/210LTime</div> <div>Air Blank0.00010:08</div> <div>Control Test0.07810:08</div> <div>Air Blank0.00010:09</div> <div>Control Test0.07910:10</div> <div>Air Blank0.00010:10</div> <div>Control Test0.07910:11</div> <div>Air Blank0.00010:11</div> <div>Control Test Stats</div> <div>Average0.0787</div> <div>Std Dev0.0006</div> <div>Rel Std Dev(%)0.7339</div> <div>Operator's Signature</div> <div></div> |  | <div>DESOTO COUNTY SO<br/>Intoxilyzer - Alcohol Analyzer<br/>Model 8000<br/>11/06/2020<br/>Software: 8100.27</div> <div>Testg/210LTime</div> <div>Air Blank0.00010:15</div> <div>Control Test0.19810:15</div> <div>Air Blank0.00010:16</div> <div>Control Test0.19910:17</div> <div>Air Blank0.00010:17</div> <div>Control Test0.19810:18</div> <div>Air Blank0.00010:18</div> <div>Control Test Stats</div> <div>Average0.1983</div> <div>Std Dev0.0006</div> <div>Rel Std Dev(%)0.2911</div> <div>Operator's Signature</div> <div></div> |  | <div>DESOTO COUNTY SO<br/>Intoxilyzer - Alcohol Analyzer<br/>Model 8000<br/>11/06/2020<br/>Software: 8100.27</div> <div>Testg/210LTime</div> <div>Air Blank0.00010:20</div> <div>Control Test0.08210:20</div> <div>Air Blank0.00010:21</div> <div>Control Test0.08010:21</div> <div>Air Blank0.00010:22</div> <div>Control Test0.08110:22</div> <div>Air Blank0.00010:22</div> <div>Control Test Stats</div> <div>Average0.0810</div> <div>Std Dev0.0010</div> <div>Rel Std Dev(%)1.2346</div> <div>Operator's Signature</div> <div></div> |  |

065

DESOTO COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000  
11/06/2020  
Software: 8100.27

SN 80-001341

21:04  
7-05'0


Comments:

25

SP

2020.11  
.09  
21:04:0  
7-05'00





# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
4700 Terminal Drive, Suite 1  
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001341, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                         |                                |       |
|-------------------|-------------------------|--------------------------------|-------|
| Serial Number:    | <u>80-001341</u>        | UNCERTAINTY * $\pm$            |       |
| Owning Agency:    | <u>DESOTO COUNTY SO</u> | 0.050 g/ 210 L                 | 0.004 |
| Calibration Date: | <u>11/06/2020</u>       | 0.080 g/ 210 L                 | 0.005 |
| Calibration Time: | <u>13:59</u>            | 0.200 g/ 210 L                 | 0.007 |
|                   |                         | 0.080 g/ 210 L Dry Gas Control | 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.  
\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).  
The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.  
This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

FDLE/ATP Form 69 April 2020

Issuing Authority: Alcohol Testing Program

11/06/2020

Date

  
**MICHAEL D HAUGHEY,**  
Department Inspector

Service • Integrity • Respect • Quality