



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-005935, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-005935</u>	UNCERTAINTY* ±	
Owning Agency:	<u>OSCEOLA COUNTY SO</u>	0.050 g/ 210 L	0.005
Calibration Date:	<u>06/08/2021</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>14:24</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

06/08/2021

Date


DAVID E REYES-RIVERA,

Department Inspector

FDLE/ATP Form 69 January 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: OSCEOLA COUNTY SO
Time of Inspection: 14:24

Date of Inspection: 06/08/2021

Serial Number: 80-005935
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202010A Exp: 10/05/2022	0.08g/210L Test (g/210L) Lot#:202010B Exp: 10/05/2022	0.20g/210L Test (g/210L) Lot#:202010D Exp: 10/06/2022	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG026705 Exp: 09/23/2022
0.000	0.047	0.078	0.194	0.080
0.000	0.047	0.078	0.196	0.079
0.000	0.047	0.078	0.196	0.079
0.000	0.047	0.078	0.196	0.079
0.000	0.048	0.079	0.195	0.079
0.000	0.048	0.079	0.195	0.079
0.000	0.048	0.078	0.196	0.079
0.000	0.048	0.078	0.196	0.079
0.000	0.048	0.078	0.196	0.079
0.000	0.048	0.078	0.196	0.079


Standard Deviations	0.0005	0.0004	0.0006	0.0003
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.


DAVID E REYES-RIVERA

 Signature and Printed Name

06/08/2021
 Date

Type of Test	Serial Number	Agency	Date	Performed By
Post Stabilities	80-005935	Osceola County Sheriff's Office	6/8/2021	DERR

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																
<p>0.047 to 0.053 <input checked="" type="checkbox"/></p> <p>OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model: 8000 SN 80-005935 06/08/2021 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:38</td></tr> <tr><td>Control Test</td><td>0.048</td><td>12:39</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:39</td></tr> <tr><td>Control Test</td><td>0.048</td><td>12:40</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:40</td></tr> <tr><td>Control Test</td><td>0.048</td><td>12:41</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:42</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0480</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:38	Control Test	0.048	12:39	Air Blank	0.000	12:39	Control Test	0.048	12:40	Air Blank	0.000	12:40	Control Test	0.048	12:41	Air Blank	0.000	12:42	Control Test Stats			Average	0.0480		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<p>0.077 to 0.083 <input checked="" type="checkbox"/></p> <p>OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model: 8000 SN 80-005935 06/08/2021 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:43</td></tr> <tr><td>Control Test</td><td>0.077</td><td>12:43</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:44</td></tr> <tr><td>Control Test</td><td>0.078</td><td>12:45</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:45</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:46</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:46</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0780</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.2821</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:43	Control Test	0.077	12:43	Air Blank	0.000	12:44	Control Test	0.078	12:45	Air Blank	0.000	12:45	Control Test	0.079	12:46	Air Blank	0.000	12:46	Control Test Stats			Average	0.0780		Std Dev	0.0010		Rel Std Dev(%)	1.2821		<p>0.194 to 0.206 <input checked="" type="checkbox"/></p> <p>OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model: 8000 SN 80-005935 06/08/2021 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:52</td></tr> <tr><td>Control Test</td><td>0.194</td><td>12:52</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:53</td></tr> <tr><td>Control Test</td><td>0.195</td><td>12:54</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:54</td></tr> <tr><td>Control Test</td><td>0.195</td><td>12:55</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:55</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1947</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2966</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:52	Control Test	0.194	12:52	Air Blank	0.000	12:53	Control Test	0.195	12:54	Air Blank	0.000	12:54	Control Test	0.195	12:55	Air Blank	0.000	12:55	Control Test Stats			Average	0.1947		Std Dev	0.0006		Rel Std Dev(%)	0.2966		<p>0.077 to 0.083 <input checked="" type="checkbox"/></p> <p>OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model: 8000 SN 80-005935 06/08/2021 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:56</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:57</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:58</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:58</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:59</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0797</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7247</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:56	Control Test	0.080	12:57	Air Blank	0.000	12:57	Control Test	0.080	12:57	Air Blank	0.000	12:58	Control Test	0.079	12:58	Air Blank	0.000	12:59	Control Test Stats			Average	0.0797		Std Dev	0.0006		Rel Std Dev(%)	0.7247	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:38																																																																																																																																																	
Control Test	0.048	12:39																																																																																																																																																	
Air Blank	0.000	12:39																																																																																																																																																	
Control Test	0.048	12:40																																																																																																																																																	
Air Blank	0.000	12:40																																																																																																																																																	
Control Test	0.048	12:41																																																																																																																																																	
Air Blank	0.000	12:42																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0480																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:43																																																																																																																																																	
Control Test	0.077	12:43																																																																																																																																																	
Air Blank	0.000	12:44																																																																																																																																																	
Control Test	0.078	12:45																																																																																																																																																	
Air Blank	0.000	12:45																																																																																																																																																	
Control Test	0.079	12:46																																																																																																																																																	
Air Blank	0.000	12:46																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0780																																																																																																																																																		
Std Dev	0.0010																																																																																																																																																		
Rel Std Dev(%)	1.2821																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:52																																																																																																																																																	
Control Test	0.194	12:52																																																																																																																																																	
Air Blank	0.000	12:53																																																																																																																																																	
Control Test	0.195	12:54																																																																																																																																																	
Air Blank	0.000	12:54																																																																																																																																																	
Control Test	0.195	12:55																																																																																																																																																	
Air Blank	0.000	12:55																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1947																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2966																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:56																																																																																																																																																	
Control Test	0.080	12:57																																																																																																																																																	
Air Blank	0.000	12:57																																																																																																																																																	
Control Test	0.080	12:57																																																																																																																																																	
Air Blank	0.000	12:58																																																																																																																																																	
Control Test	0.079	12:58																																																																																																																																																	
Air Blank	0.000	12:59																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0797																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7247																																																																																																																																																		
<p><i>[Signature]</i> Operator's Signature</p>	<p><i>[Signature]</i> Operator's Signature</p>	<p><i>[Signature]</i> Operator's Signature</p>	<p><i>[Signature]</i> Operator's Signature</p>																																																																																																																																																

ISCOOLA COUNTY SO
 Nitoxilizer - Alcohol Analyzer
 Model 8000
 16/08/2021
 SN 80-005935
 11:58:20

Auto Calibration
 Max Power Res Value = 29
 Auto Range Res Value = 16

Channel 2 >>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 1.5810 (-0.0090)
 Sample #2 = 1.5730 (-0.0040)
 Sample #3 = 1.5660 (0.0060)
 Sample #4 = 1.5470 (0.0000)
 Avg % Abs = 1.5620 (0.0007)
 STD DEV = 0.0135 (0.0050)
 REL STD DEV = 0.861 (754.984)

Channel 2 >>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 6.8090 (-0.0200)
 Sample #2 = 6.8180 (-0.0270)
 Sample #3 = 6.8110 (-0.0320)
 Sample #4 = 6.8390 (-0.0330)
 Avg % Abs = 6.8227 (-0.0307)
 STD DEV = 0.0146 (0.0032)
 REL STD DEV = 0.214 (10.462)

Channel 2 >>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 1.7630 (0.0000)
 Sample #2 = 1.7380 (0.0020)
 Sample #3 = 1.7410 (0.0070)
 Sample #4 = 1.7660 (-0.0180)
 Avg % Abs = 1.7483 (-0.0030)
 STD DEV = 0.0154 (0.0132)
 REL STD DEV = 0.879 (440.959)

Sol Value = 0.100 g/210L ***
 Fit Value = 0.4762 mg/l %
 Samples Taken = 4, Discarded = 1
 **** CHANNEL 1 ****
 Sample #1 = 3266.00
 Sample #2 = 3101.00
 Sample #3 = 3202.00
 Sample #4 = 3202.00
 Average Result = 3168.3333
 STD DEV = 58.3124
 REL STD DEV = 1.840

 **** CHANNEL 2 ****
 Sample #1 = 3281.00
 Sample #2 = 3223.00
 Sample #3 = 3242.00
 Sample #4 = 3251.00
 Average Result = 3238.6667
 STD DEV = 14.2945
 REL STD DEV = 0.441

 Dry Gas H2O Adjust Results *****
 Barometric Pressure = 1018
 3 um H2O Adjust (mg/l*10,000) = 641
 9 um H2O Adjust (mg/l*10,000) = 571
 **** AUTO CAL PASS

Sol Value = 0.300 g/210L ***
 Fit Value = 1.4286 mg/l %
 Samples Taken = 4, Discarded = 1
 **** CHANNEL 1 ****
 Sample #1 = 4.9320 (-0.0140)
 Sample #2 = 4.9790 (-0.0230)
 Sample #3 = 4.9680 (-0.0270)
 Sample #4 = 4.9180 (0.0040)
 Avg % Abs = 4.9550 (-0.0153)
 STD DEV = 0.0325 (0.0169)
 REL STD DEV = 0.656 (109.971)

Sol Value = 0.100 g/210L ***
 Fit Value = 0.4762 mg/l %
 Samples Taken = 4, Discarded = 1
 Sum Io = 13033, Sum Io = 13541
 **** CHANNEL 1 ****
 Sample % Abs (% Abs Ref)
 Sample #1 = 4.9320 (-0.0140)
 Sample #2 = 4.9790 (-0.0230)
 Sample #3 = 4.9680 (-0.0270)
 Sample #4 = 4.9180 (0.0040)
 Avg % Abs = 4.9550 (-0.0153)
 STD DEV = 0.0325 (0.0169)
 REL STD DEV = 0.656 (109.971)

Sol Value = 0.100 g/210L ***
 Fit Value = 0.4762 mg/l %
 Samples Taken = 4, Discarded = 1
 Sum Io = 13033, Sum Io = 13545
 **** CHANNEL 1 ****
 Sample % Abs (% Abs Ref)
 Sample #1 = 1.7630 (0.0000)
 Sample #2 = 1.7380 (0.0020)
 Sample #3 = 1.7410 (0.0070)
 Sample #4 = 1.7660 (-0.0180)
 Avg % Abs = 1.7483 (-0.0030)
 STD DEV = 0.0154 (0.0132)
 REL STD DEV = 0.879 (440.959)

Sol Value = 0.100 g/210L ***
 Fit Value = 0.4762 mg/l %
 Samples Taken = 4, Discarded = 1
 Sum Io = 13032, Sum Io = 13549
 **** CHANNEL 1 ****
 Sample % Abs (% Abs Ref)
 Sample #1 = 0.0720 (-0.0040)
 Sample #2 = 0.0950 (-0.0130)
 Sample #3 = 0.1310 (-0.0010)
 Sample #4 = 0.0940 (0.0020)
 Avg % Abs = 0.1070 (0.0020)
 STD DEV = 0.0208 (0.0167)
 REL STD DEV = 19.447 (835.165)

Sol Value = 0.040 g/210L ***
 Fit Value = 0.1905 mg/l %
 Samples Taken = 4, Discarded = 1
 **** CHANNEL 1 ****
 Sample #1 = 0.1510 (-0.0040)
 Sample #2 = 0.1550 (-0.0150)
 Sample #3 = 0.1770 (-0.0150)
 Sample #4 = 0.1630 (-0.0070)
 Avg % Abs = 0.1650 (-0.0123)
 STD DEV = 0.0111 (0.0046)
 REL STD DEV = 6.749 (37.450)

Sol Value = 0.040 g/210L ***
 Fit Value = 0.1905 mg/l %
 Samples Taken = 4, Discarded = 1
 **** CHANNEL 1 ****
 Sample #1 = 0.1510 (-0.0040)
 Sample #2 = 0.1550 (-0.0150)
 Sample #3 = 0.1770 (-0.0150)
 Sample #4 = 0.1630 (-0.0070)
 Avg % Abs = 0.1650 (-0.0123)
 STD DEV = 0.0111 (0.0046)
 REL STD DEV = 6.749 (37.450)

Sol Value = 0.200 g/210L ***
 Fit Value = 0.9524 mg/l %
 Samples Taken = 4, Discarded = 1
 Sum Io = 13034, Sum Io = 13540
 **** CHANNEL 1 ****
 Sample % Abs (% Abs Ref)
 Sample #1 = 3.3950 (0.0000)
 Sample #2 = 3.3540 (-0.0100)
 Sample #3 = 3.4080 (-0.0360)
 Sample #4 = 3.4300 (-0.0390)
 Avg % Abs = 3.4007 (-0.0283)
 STD DEV = 0.0336 (0.0159)
 REL STD DEV = 0.988 (56.286)

Sol Value = 0.200 g/210L ***
 Fit Value = 0.9524 mg/l %
 Samples Taken = 4, Discarded = 1
 Sum Io = 13034, Sum Io = 13540
 **** CHANNEL 1 ****
 Sample % Abs (% Abs Ref)
 Sample #1 = 3.3950 (0.0000)
 Sample #2 = 3.3540 (-0.0100)
 Sample #3 = 3.4080 (-0.0360)
 Sample #4 = 3.4300 (-0.0390)
 Avg % Abs = 3.4007 (-0.0283)
 STD DEV = 0.0336 (0.0159)
 REL STD DEV = 0.988 (56.286)

Sol Value = 0.040 g/210L ***
 Fit Value = 0.1905 mg/l %
 Samples Taken = 4, Discarded = 1
 Sum Io = 13042, Sum Io = 13547
 **** CHANNEL 1 ****
 Sample % Abs (% Abs Ref)
 Sample #1 = 0.8140 (-0.0320)
 Sample #2 = 0.7510 (0.0000)
 Sample #3 = 0.7650 (0.0170)
 Sample #4 = 0.7510 (0.0150)
 Avg % Abs = 0.7557 (0.0107)
 STD DEV = 0.0081 (0.0093)
 REL STD DEV = 1.070 (87.108)

Sol Value = 0.000 mg/l or 0.000 g/210L
 % Abs = 0.107
 Std Dev = 0.02 Rel Std Dev = 19.45
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 0.756
 Std Dev = 0.01 Rel Std Dev = 1.07
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 1.748
 Std Dev = 0.02 Rel Std Dev = 0.88
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 3.401
 Std Dev = 0.03 Rel Std Dev = 0.99
 Sol Val = 1.4286 mg/l or 0.300 g/210L
 % Abs = 4.955
 Std Dev = 0.03 Rel Std Dev = 0.66
 Zero Order Coef = -266.71
 First Order Coef = 2812.86
 Second Order Coef = 24.19
 Standard Deviation = 41.888489

Sol Val = 0.000 mg/l or 0.000 g/210L
 % Abs = 0.165
 Std Dev = 0.01 Rel Std Dev = 6.75
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 1.562
 Std Dev = 0.01 Rel Std Dev = 0.86
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 3.563
 Std Dev = 0.02 Rel Std Dev = 0.69
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 6.823
 Std Dev = 0.01 Rel Std Dev = 0.21
 Sol Val = 1.4286 mg/l or 0.300 g/210L
 % Abs = 9.791
 Std Dev = 0.02 Rel Std Dev = 0.25
 Zero Order Coef = -206.35
 First Order Coef = 1327.62
 Second Order Coef = 15.40
 Standard Deviation = 32.381302

Sol Val = 0.000 mg/l or 0.000 g/210L
 % Abs = 0.165
 Std Dev = 0.01 Rel Std Dev = 6.75
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 1.562
 Std Dev = 0.01 Rel Std Dev = 0.86
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 3.563
 Std Dev = 0.02 Rel Std Dev = 0.69
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 6.823
 Std Dev = 0.01 Rel Std Dev = 0.21
 Sol Val = 1.4286 mg/l or 0.300 g/210L
 % Abs = 9.791
 Std Dev = 0.02 Rel Std Dev = 0.25
 Zero Order Coef = -206.35
 First Order Coef = 1327.62
 Second Order Coef = 15.40
 Standard Deviation = 32.381302

Sol Val = 0.000 mg/l or 0.000 g/210L
 % Abs = 0.165
 Std Dev = 0.01 Rel Std Dev = 6.75
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 1.562
 Std Dev = 0.01 Rel Std Dev = 0.86
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 3.563
 Std Dev = 0.02 Rel Std Dev = 0.69
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 6.823
 Std Dev = 0.01 Rel Std Dev = 0.21
 Sol Val = 1.4286 mg/l or 0.300 g/210L
 % Abs = 9.791
 Std Dev = 0.02 Rel Std Dev = 0.25
 Zero Order Coef = -206.35
 First Order Coef = 1327.62
 Second Order Coef = 15.40
 Standard Deviation = 32.381302

Sol Val = 0.000 mg/l or 0.000 g/210L
 % Abs = 0.165
 Std Dev = 0.01 Rel Std Dev = 6.75
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 1.562
 Std Dev = 0.01 Rel Std Dev = 0.86
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 3.563
 Std Dev = 0.02 Rel Std Dev = 0.69
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 6.823
 Std Dev = 0.01 Rel Std Dev = 0.21
 Sol Val = 1.4286 mg/l or 0.300 g/210L
 % Abs = 9.791
 Std Dev = 0.02 Rel Std Dev = 0.25
 Zero Order Coef = -206.35
 First Order Coef = 1327.62
 Second Order Coef = 15.40
 Standard Deviation = 32.381302

Optical Calibration	
SN:	80-005935
Agency:	Osceola County SO
Date:	6/8/2021
Quadratic Fit:	+/- 0.002g/210L
By:	DERR 

Sol Value = 0.000 mg/l or 0.000 g/210L
 % Abs = 0.107
 Std Dev = 0.02 Rel Std Dev = 19.45
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 0.756
 Std Dev = 0.01 Rel Std Dev = 1.07
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 1.748
 Std Dev = 0.02 Rel Std Dev = 0.88
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 3.401
 Std Dev = 0.03 Rel Std Dev = 0.99
 Sol Val = 1.4286 mg/l or 0.300 g/210L
 % Abs = 4.955
 Std Dev = 0.03 Rel Std Dev = 0.66
 Zero Order Coef = -266.71
 First Order Coef = 2812.86
 Second Order Coef = 24.19
 Standard Deviation = 41.888489

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-005935	Osceola County Sheriff's Office	6/8/2021	DERR <i>MDL</i>

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																
<p>0.047 to 0.053 <input checked="" type="checkbox"/></p> <p>OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-005935 06/08/2021 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:58</td></tr> <tr><td>Control Test</td><td>0.047</td><td>10:58</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:59</td></tr> <tr><td>Control Test</td><td>0.047</td><td>11:00</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:00</td></tr> <tr><td>Control Test</td><td>0.047</td><td>11:01</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:01</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0470</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <p>Operator's Signature <i>MDL</i></p>	Test	g/210L	Time	Air Blank	0.000	10:58	Control Test	0.047	10:58	Air Blank	0.000	10:59	Control Test	0.047	11:00	Air Blank	0.000	11:00	Control Test	0.047	11:01	Air Blank	0.000	11:01	Control Test Stats			Average	0.0470		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<p>0.077 to 0.083 <input checked="" type="checkbox"/></p> <p>OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-005935 06/08/2021 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:03</td></tr> <tr><td>Control Test</td><td>0.077</td><td>11:03</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:04</td></tr> <tr><td>Control Test</td><td>0.077</td><td>11:04</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:05</td></tr> <tr><td>Control Test</td><td>0.077</td><td>11:06</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:06</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0770</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <p>Operator's Signature <i>MDL</i></p>	Test	g/210L	Time	Air Blank	0.000	11:03	Control Test	0.077	11:03	Air Blank	0.000	11:04	Control Test	0.077	11:04	Air Blank	0.000	11:05	Control Test	0.077	11:06	Air Blank	0.000	11:06	Control Test Stats			Average	0.0770		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<p>0.194 to 0.206 <input checked="" type="checkbox"/></p> <p>OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-005935 06/08/2021 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:09</td></tr> <tr><td>Control Test</td><td>0.191</td><td>11:10</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:10</td></tr> <tr><td>Control Test</td><td>0.193</td><td>11:11</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:11</td></tr> <tr><td>Control Test</td><td>0.194</td><td>11:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:13</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1927</td><td></td></tr> <tr><td>Std Dev</td><td>0.0015</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7928</td><td></td></tr> </tbody> </table> <p>Operator's Signature <i>MDL</i></p>	Test	g/210L	Time	Air Blank	0.000	11:09	Control Test	0.191	11:10	Air Blank	0.000	11:10	Control Test	0.193	11:11	Air Blank	0.000	11:11	Control Test	0.194	11:12	Air Blank	0.000	11:13	Control Test Stats			Average	0.1927		Std Dev	0.0015		Rel Std Dev(%)	0.7928		<p>0.077 to 0.083 <input checked="" type="checkbox"/></p> <p>OSCEOLA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-005935 06/08/2021 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:18</td></tr> <tr><td>Control Test</td><td>0.078</td><td>11:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:19</td></tr> <tr><td>Control Test</td><td>0.079</td><td>11:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:20</td></tr> <tr><td>Control Test</td><td>0.079</td><td>11:20</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:21</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0787</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7339</td><td></td></tr> </tbody> </table> <p>Operator's Signature <i>MDL</i></p>	Test	g/210L	Time	Air Blank	0.000	11:18	Control Test	0.078	11:19	Air Blank	0.000	11:19	Control Test	0.079	11:19	Air Blank	0.000	11:20	Control Test	0.079	11:20	Air Blank	0.000	11:21	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel Std Dev(%)	0.7339	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:58																																																																																																																																																	
Control Test	0.047	10:58																																																																																																																																																	
Air Blank	0.000	10:59																																																																																																																																																	
Control Test	0.047	11:00																																																																																																																																																	
Air Blank	0.000	11:00																																																																																																																																																	
Control Test	0.047	11:01																																																																																																																																																	
Air Blank	0.000	11:01																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0470																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	11:03																																																																																																																																																	
Control Test	0.077	11:03																																																																																																																																																	
Air Blank	0.000	11:04																																																																																																																																																	
Control Test	0.077	11:04																																																																																																																																																	
Air Blank	0.000	11:05																																																																																																																																																	
Control Test	0.077	11:06																																																																																																																																																	
Air Blank	0.000	11:06																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0770																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	11:09																																																																																																																																																	
Control Test	0.191	11:10																																																																																																																																																	
Air Blank	0.000	11:10																																																																																																																																																	
Control Test	0.193	11:11																																																																																																																																																	
Air Blank	0.000	11:11																																																																																																																																																	
Control Test	0.194	11:12																																																																																																																																																	
Air Blank	0.000	11:13																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1927																																																																																																																																																		
Std Dev	0.0015																																																																																																																																																		
Rel Std Dev(%)	0.7928																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	11:18																																																																																																																																																	
Control Test	0.078	11:19																																																																																																																																																	
Air Blank	0.000	11:19																																																																																																																																																	
Control Test	0.079	11:19																																																																																																																																																	
Air Blank	0.000	11:20																																																																																																																																																	
Control Test	0.079	11:20																																																																																																																																																	
Air Blank	0.000	11:21																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		