



INSTRUMENT PROCESSING SHEET

Agency FWCS/N 80-007166

Florida Department of Law Enforcement

Date In 12/1/2021DI Completion Date 12/3/2021 Ship P/U H/D CMI EE

Intake By TDG _____ <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE Visual Inspection: <input checked="" type="checkbox"/> Case <input type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input type="checkbox"/> Screws Tight Other Equipment/ Accessories: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable Notes: <u>Missing 1 screw on DGS regulator valve. Replaced with new screw on 12/3/2021 (TDG)</u> _____ _____ _____ _____ _____ _____	Quality Checks By TDG _____ Date <u>12/3/2021</u> <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>227</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP101</u> 32 mm <u>0.164</u> (.139 - .169) 36 mm <u>0.183</u> (.156 - .190) 53 mm <u>0.253</u> (.228 - .278) 103 mm <u>0.515</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>68639</u> <input checked="" type="checkbox"/> Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP5092</td> <td>202010A 10/05/2022</td> </tr> <tr> <td>0.080</td> <td>MP4864</td> <td>202010B 10/05/2022</td> </tr> <tr> <td>0.200</td> <td>MP5094</td> <td>202010D 10/06/2022</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG026705 09/23/2022</td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.050	MP5092	202010A 10/05/2022	0.080	MP4864	202010B 10/05/2022	0.200	MP5094	202010D 10/06/2022	0.080 DGS	N/A	AG026705 09/23/2022	Flow Calibration By _____ Date _____ Flow Column # _____ <input type="checkbox"/> 5L/min - 17mm <input type="checkbox"/> 15L/min - 53mm <input type="checkbox"/> 30L/min - 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547) Maintenance By TDG _____ <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input checked="" type="checkbox"/> Other <u>Replaced printer paper</u> DI Temp. Checks By TDG _____ <input checked="" type="checkbox"/> Lab Temp °C <u>19.93</u> External Digital Therm. ID#: <u>381198</u> <input checked="" type="checkbox"/> 34°C +-2 Serial #: <u>MP5092</u> <input checked="" type="checkbox"/> 34°C +-2 Serial #: <u>MP4864</u> <input checked="" type="checkbox"/> 34°C +-2 Serial #: <u>MP5094</u>																																												
Simulator	Serial #	Lot #/Exp																																																											
0.050	MP5092	202010A 10/05/2022																																																											
0.080	MP4864	202010B 10/05/2022																																																											
0.200	MP5094	202010D 10/06/2022																																																											
0.080 DGS	N/A	AG026705 09/23/2022																																																											
Calibration Adjustment By _____ Barometric Pressure Gauge _____ ID # _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> <input type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> Notes/Suggested Service: _____ _____ _____ _____ _____ _____	Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Department Inspection By TDG _____ Barometric Pressure ID# <u>28199</u> Gauge <u>1020</u> Instrument <u>1017</u> Mouth Alcohol Solution Lot # <u>2021-B</u> Acetone Stock Solution Lot # <u>2020-A</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>SD3963</td> </tr> <tr> <td>Interferent</td> <td>SD1017</td> </tr> <tr> <td>0.050</td> <td>MP5092</td> </tr> <tr> <td>0.080</td> <td>MP4864</td> </tr> <tr> <td>0.200</td> <td>MP5094</td> </tr> </tbody> </table> Attachments <input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Form 40 <input type="checkbox"/> Other _____ <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use Israel Soto <small>Digitally signed by Israel Soto Date: 2021.12.03 15:55:51 -0500</small> Tech Review / Date _____ Admin Review / Date <u>12/03/21 15:42:15</u>	Simulator	Serial Number	0.000	SD3963	Interferent	SD1017	0.050	MP5092	0.080	MP4864	0.200	MP5094
Simulator	Serial #	Lot #	Expiration																																																										
0.000		N/A	N/A																																																										
0.040																																																													
0.100																																																													
0.200																																																													
0.300																																																													
0.080 DGS	N/A																																																												
Simulator	Serial #	Lot #	Expiration																																																										
0.050																																																													
0.080																																																													
0.200																																																													
0.080 DGS	N/A																																																												
Simulator	Serial Number																																																												
0.000	SD3963																																																												
Interferent	SD1017																																																												
0.050	MP5092																																																												
0.080	MP4864																																																												
0.200	MP5094																																																												

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-007166	FWC	12/03/2021	TDG

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083

FFWCC
Intoxilyzer - Alcohol Analyzer
Model 8000
12/03/2021
Software: 8100.27

FFWCC
Intoxilyzer - Alcohol Analyzer
Model 8000
12/03/2021
Software: 8100.27

FFWCC
Intoxilyzer - Alcohol Analyzer
Model 8000
12/03/2021
Software: 8100.27

FFWCC
Intoxilyzer - Alcohol Analyzer
Model 8000
12/03/2021
Software: 8100.27

Test	g/210L	Time	Test	g/210L	Time
Air Blank	0.000	12:36	Air Blank	0.000	12:46
Control Test	0.050	12:37	Control Test	0.199	12:47
Air Blank	0.000	12:38	Air Blank	0.000	12:47
Control Test	0.050	12:38	Control Test	0.199	12:48
Air Blank	0.000	12:39	Air Blank	0.000	12:48
Control Test	0.050	12:39	Control Test	0.199	12:49
Air Blank	0.000	12:40	Air Blank	0.000	12:50
Control Test Stats			Control Test Stats		
Average	0.0500		Average	0.1990	
Std Dev	0.0000		Std Dev	0.0000	
Rel Std Dev(%)	0.0000		Rel Std Dev(%)	0.0000	

FFWCC
Intoxilyzer - Alcohol Analyzer
Model 8000
12/03/2021
Software: 8100.27

FFWCC
Intoxilyzer - Alcohol Analyzer
Model 8000
12/03/2021
Software: 8100.27

FFWCC
Intoxilyzer - Alcohol Analyzer
Model 8000
12/03/2021
Software: 8100.27

FFWCC
Intoxilyzer - Alcohol Analyzer
Model 8000
12/03/2021
Software: 8100.27

Test	g/210L	Time	Test	g/210L	Time
Air Blank	0.000	12:41	Air Blank	0.000	12:50
Control Test	0.079	12:42	Control Test	0.080	12:51
Air Blank	0.000	12:42	Air Blank	0.000	12:51
Control Test	0.080	12:43	Control Test	0.079	12:52
Air Blank	0.000	12:43	Air Blank	0.000	12:52
Control Test	0.080	12:44	Control Test	0.080	12:52
Air Blank	0.000	12:45	Air Blank	0.000	12:53
Control Test Stats			Control Test Stats		
Average	0.0797		Average	0.0797	
Std Dev	0.0006		Std Dev	0.0006	
Rel Std Dev(%)	0.7247		Rel Std Dev(%)	0.7247	

FFWCC
Intoxilyzer - Alcohol Analyzer
Model 8000
12/03/2021
Software: 8100.27

FFWCC
Intoxilyzer - Alcohol Analyzer
Model 8000
12/03/2021
Software: 8100.27

FFWCC
Intoxilyzer - Alcohol Analyzer
Model 8000
12/03/2021
Software: 8100.27

FFWCC
Intoxilyzer - Alcohol Analyzer
Model 8000
12/03/2021
Software: 8100.27

Operator's Signature

Operator's Signature

Operator's Signature

Operator's Signature

Operator's Signature

Operator's Signature

Operator's Signature

Operator's Signature

Comments:

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FFWCC
Time of Inspection: 14:22

Date of Inspection: 12/03/2021

Serial Number: 80-007166
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202010A Exp: 10/05/2022	0.08g/210L Test (g/210L) Lot#:202010B Exp: 10/05/2022	0.20g/210L Test (g/210L) Lot#:202010D Exp: 10/06/2022	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG026705 Exp: 09/23/2022
0.000	0.050	0.079	0.200	0.080
0.000	0.050	0.080	0.200	0.080
0.000	0.050	0.079	0.200	0.080
0.000	0.050	0.079	0.200	0.080
0.000	0.050	0.080	0.199	0.080
0.000	0.050	0.079	0.200	0.080
0.000	0.051	0.080	0.200	0.080
0.000	0.051	0.080	0.200	0.081
0.000	0.050	0.080	0.200	0.080
0.000	0.050	0.080	0.200	0.080


Standard Deviations	0.0004	0.0005	0.0003	0.0003
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

12/03/2021
Date



Florida Department of Law Enforcement
 Alcohol Testing Program
 4700 Terminal Drive, Suite 1
 Ft. Myers, FL 33907

Calibration Certificate

This is to certify the calibration of Intoxilyzer 8000 serial number 80-007166, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-007166</u>	UNCERTAINTY* ±
Owning Agency:	<u>FFWCC</u>	0.050 g/ 210 L 0.005
Calibration Date:	<u>12/03/2021</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>14:22</u>	0.200 g/ 210 L 0.007
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.
 Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
 *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).
 The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.
 This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

12/03/2021

Date

Taylor D Gutschow

TAYLOR D GUTSCHOW,
 Department Inspector

FDLE/ATP Form 69 December 2021
 Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality