



INSTRUMENT PROCESSING SHEET

Agency Satellite Beach Police DepartmentS/N 80-001001Florida Department of
Law EnforcementDate In 7/11/2022 DI Completion Date 7/12/2022☒ Ship ☐ P/U ☐ H/D ☒ CMI ☐ EE

Intake	By DERR	Quality Checks	By DERR	Date 7/12/2022	Flow Calibration	By	Date																				
☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes: <u>Non-standard shipping box. DERR</u>		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>190</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP101</u> 32 mm <u>0.156</u> (.139 - .169) 36 mm <u>0.175</u> (.156 - .190) 53 mm <u>0.250</u> (.228 - .278) 103 mm <u>0.523</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>28199</u> ☒ Stability Checks			Flow Column # ☐ 5L/min - 17mm ☐ 15L/min - 53mm ☐ 30L/min - 103mm ☐ R-Value ☐ Post Calibration Verification (L/s) Flow Column # 32 mm (.139 - .169) 36 mm (.156 - .190) 53 mm (.228 - .278) 103 mm (.447 - .547)																						
		<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP4863</td><td>202201C 01/11/2024</td></tr><tr><td>0.080</td><td>MP4864</td><td>202201D 01/18/2024</td></tr><tr><td>0.200</td><td>MP5097</td><td>202201E 01/18/2024</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG115904 06/08/2023</td></tr></tbody></table>	Simulator	Serial #	Lot #/Exp	0.050	MP4863	202201C 01/11/2024	0.080	MP4864	202201D 01/18/2024	0.200	MP5097	202201E 01/18/2024	0.080 DGS	N/A	AG115904 06/08/2023										
Simulator	Serial #	Lot #/Exp																									
0.050	MP4863	202201C 01/11/2024																									
0.080	MP4864	202201D 01/18/2024																									
0.200	MP5097	202201E 01/18/2024																									
0.080 DGS	N/A	AG115904 06/08/2023																									
		<table border="1"><thead><tr><th colspan="2">Maintenance</th><th>By</th></tr></thead><tbody><tr><td>☐ Battery Replacement</td><td>☐ Dry Gas Regulator Replacement</td><td></td></tr><tr><td>☐ Breath Tube Replacement</td><td>☐ Other</td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table>					Maintenance		By	☐ Battery Replacement	☐ Dry Gas Regulator Replacement		☐ Breath Tube Replacement	☐ Other													
Maintenance		By																									
☐ Battery Replacement	☐ Dry Gas Regulator Replacement																										
☐ Breath Tube Replacement	☐ Other																										

Calibration Adjustment	By	Department Inspection	By DERR																																																												
Barometric Pressure Gauge ID # <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table> ☐ Post Calibration Adjustment Stability Checks <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>	Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A				Barometric Pressure Gauge ID# <u>26932</u> Gauge <u>1014</u> Instrument <u>1014</u> Mouth Alcohol Solution Lot # <u>2021-D</u> Acetone Stock Solution Lot # <u>2021-C</u> <table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>SD1014</td></tr><tr><td>Interferent</td><td>SD1017</td></tr><tr><td>0.050</td><td>MP4863</td></tr><tr><td>0.080</td><td>MP4864</td></tr><tr><td>0.200</td><td>MP5097</td></tr></tbody></table>	Simulator	Serial Number	0.000	SD1014	Interferent	SD1017	0.050	MP4863	0.080	MP4864	0.200	MP5097	
Simulator	Serial #	Lot #	Expiration																																																												
0.000		N/A	N/A																																																												
0.040																																																															
0.100																																																															
0.200																																																															
0.300																																																															
0.080 DGS	N/A																																																														
Simulator	Serial #	Lot #	Expiration																																																												
0.050																																																															
0.080																																																															
0.200																																																															
0.080 DGS	N/A																																																														
Simulator	Serial Number																																																														
0.000	SD1014																																																														
Interferent	SD1017																																																														
0.050	MP4863																																																														
0.080	MP4864																																																														
0.200	MP5097																																																														
		<table border="1"><thead><tr><th colspan="2">Attachments</th></tr></thead><tbody><tr><td>☒ Form 41</td><td>☐ Post-Stability Checks</td></tr><tr><td>☒ Stability Checks</td><td>☐ Flow Calibration</td></tr><tr><td>☒ Calibration Certificate</td><td>☐ Form 40</td></tr><tr><td>☐ Calibration Adjustment</td><td>☐ Other</td></tr></tbody></table>		Attachments		☒ Form 41	☐ Post-Stability Checks	☒ Stability Checks	☐ Flow Calibration	☒ Calibration Certificate	☐ Form 40	☐ Calibration Adjustment	☐ Other																																																		
Attachments																																																															
☒ Form 41	☐ Post-Stability Checks																																																														
☒ Stability Checks	☐ Flow Calibration																																																														
☒ Calibration Certificate	☐ Form 40																																																														
☐ Calibration Adjustment	☐ Other																																																														

Notes/Suggested Service: <u>Instrument does not recognize interferent on every test. Conducted 10 additional stabilities with acetone interferent to further document the instruments reaction to the interferent test. DERR I will contact agency to see if they want to send the instrument to a repair facility. DERR</u>	☐ Instrument Complies with Chapter 11D-8, FAC ☒ Instrument Does Not Comply with Chapter 11D-8, FAC ☐ Return to/Place into Evidentiary Use ☒ Remain Out of Evidentiary Use ☐ Conduct an Agency Inspection Before Evidentiary Use
Israel Soto Digitally signed by Israel Soto Date: 2022.07.12 08:54:38 +0400	 Tech Review / Date <u>7/12/22</u> Admin Review / Date <u>7/12/22</u>

Return Material Authorization

Ship to:



CMI, Inc.



Enforcement Electronics

Shipment to repair facility authorized by: Sgt. Donald Triebell on 7/13/2022

Items Returned: Instrument ☒ Supplies ☐ Other ☐ Describe: _____

Instrument Model: Intoxilyzer 8000 Serial Number: 80-001001

Bill To Address:

Satellite Beach Police Department

510 Cinnamon Drive

Satellite Beach, FL 32937

Ship to Address:

FDLE FMROC

4700 Terminal Drive Suite 1

Ft. Myers, FL 33907

Reason for Return:

Instrument does not identify interfering substance consistently.

Please choose one of the following options:

☐ 1. I _____, authorize all repairs.

☐ 2. I _____, authorize repairs up to \$_____.

☒ 3. I require an estimate **BEFORE** any repairs will be authorized and/ or conducted.

Please contact: Name: Sgt Donald Triebell

Phone #: 321 773-4400 Ext. 489 Email: dtriebell@satellitebeach.org

ATP Contact Name: David Reyes ATP Email: davidreyes@fdle.state.fl.us

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: SATELLITE BEACH P.D.

Serial Number: 80-001001

Time of Inspection: 09:04

Date of Inspection: 07/12/2022

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect		No	Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp:
0.000				
0.000				
0.000				
0.000				
0.000				
0.000				
0.000				
0.000				
0.000				
0.000				

Standard Deviations				
---------------------	--	--	--	--

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: _____ Number of Simulators Used: 5

Remarks:

Int Det:SIMULATOR CALIBRATION PORT WAS LOOSE. Non-compliance:UNABLE TO DETECT ACETONE EACH TEST..

The above instrument complies () does not comply (X) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

David E Reyes-Rivera DAVID E REYES-RIVERA
Signature and Printed Name

07/12/2022
Date

SATELLITE BEACH P.D.
 Intoxilyzer - Alcohol Analyzer
 Model 8000 SN 80-001001
 07/12/2022
 Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	09:39
Control Test	INT*	09:40
Air Blank	0.000	09:40
Control Test	INT*	09:41
Air Blank	0.000	09:41
Control Test	INT*	09:42
Air Blank	0.000	09:43
Control Test	INT*	09:43
Air Blank	0.000	09:44
Control Test	INT*	09:45
Air Blank	0.000	09:45
Control Test	INT*	09:46
Air Blank	0.000	09:46
Control Test	0.000	09:47
Air Blank	0.000	09:47
Control Test	INT*	09:48
Air Blank	0.000	09:49
Control Test	0.000	09:49
Air Blank	0.000	09:50
Control Test	0.000	09:50
Air Blank	0.000	09:51
Control Test Stats		
Average	0.0000	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

*Interferent Detect

Additional Stabilities Checks	
SN:	80-001001
Agency:	Satellite Beach PD
Date:	7/12//2022
By:	DERR 


 Operator's Signature

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-001001	Satellite Beach Police Department	7/12/2022	DERR <i>Full</i>

0.05g/210L 0.047 to 0.053 ☒	0.08g/210L 0.077 to 0.083 ☒	0.20g/210L 0.194 to 0.206 ☒	DGS 0.08g/210L 0.077 to 0.083 ☒
SATELLITE BEACH P.D. Intoxilyzer - Alcotest Analyzer Model 8100 07/12/2022 SN 80-001001 Software: 8100.27 Test g/210L Time Air Blank 0.000 07:03 Control Test 0.000 07:03 Air Blank 0.000 07:04 Control Test 0.000 07:05 Air Blank 0.000 07:05 Control Test 0.000 07:06 Air Blank 0.000 07:06 Control Test 0.000 07:06 Control Test Stats Average 0.000 Std Dev 0.000 Rel Std Dev(%) 0.000 Operator's Signature <i>Full</i>	SATELLITE BEACH P.D. Intoxilyzer - Alcotest Analyzer Model 8100 07/12/2022 SN 80-001001 Software: 8100.27 Test g/210L Time Air Blank 0.000 07:08 Control Test 0.000 07:08 Air Blank 0.000 07:09 Control Test 0.000 07:10 Air Blank 0.000 07:10 Control Test 0.000 07:11 Air Blank 0.000 07:11 Control Test 0.000 07:11 Control Test Stats Average 0.000 Std Dev 0.000 Rel Std Dev(%) 0.000 Operator's Signature <i>Full</i>	SATELLITE BEACH P.D. Intoxilyzer - Alcotest Analyzer Model 8100 07/12/2022 SN 80-001001 Software: 8100.27 Test g/210L Time Air Blank 0.000 07:13 Control Test 0.000 07:13 Air Blank 0.000 07:14 Control Test 0.000 07:14 Air Blank 0.000 07:15 Control Test 0.000 07:15 Air Blank 0.000 07:16 Control Test 0.000 07:16 Control Test Stats Average 0.000 Std Dev 0.000 Rel Std Dev(%) 0.000 Operator's Signature <i>Full</i>	SATELLITE BEACH P.D. Intoxilyzer - Alcotest Analyzer Model 8100 07/12/2022 SN 80-001001 Software: 8100.27 Test g/210L Time Air Blank 0.000 07:18 Control Test 0.000 07:19 Air Blank 0.000 07:19 Control Test 0.000 07:20 Air Blank 0.000 07:20 Control Test 0.000 07:21 Air Blank 0.000 07:21 Control Test 0.000 07:21 Control Test Stats Average 0.000 Std Dev 0.000 Rel Std Dev(%) 0.000 Operator's Signature <i>Full</i>