



INSTRUMENT PROCESSING SHEET

Agency Haines City PD

S/N 80-001007

Florida Department of Law Enforcement

Date In 2/2/2022

DI Completion Date 2/2/2022

Ship P/U H/D CMI EE

Intake, Quality Checks, Flow Calibration, Maintenance, and Notes sections with various checkboxes and data entry fields.

Calibration Adjustment section including Barometric Pressure Gauge and Post Calibration Adjustment Stability Checks tables.

Department Inspection section including Barometric Pressure Gauge, Mouth Alcohol Solution, Acetone Stock Solution, and Attachments checkboxes.

Notes/Suggested Service section with multiple lines for text entry.

Compliance checkboxes (Instrument Complies with Chapter 11D-8, FAC, etc.) and signature/tech review section.

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-00 1007	Haines City PD	02/02/2022	TDG <i>ML</i>

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083

<p>HAINES CITY PD Intoxilyzer - Alcohol Analyzer Model: 8000 SN 80-001007 02/02/2022 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:59</td></tr> <tr><td>Control Test</td><td>0.050</td><td>13:00</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:00</td></tr> <tr><td>Control Test</td><td>0.050</td><td>13:01</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:01</td></tr> <tr><td>Control Test</td><td>0.049</td><td>13:02</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:03</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0497</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1625</td><td></td></tr> </tbody> </table> <p style="text-align: right;"><i>ML</i> Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	12:59	Control Test	0.050	13:00	Air Blank	0.000	13:00	Control Test	0.050	13:01	Air Blank	0.000	13:01	Control Test	0.049	13:02	Air Blank	0.000	13:03	Control Test Stats			Average	0.0497		Std Dev	0.0006		Rel Std Dev(%)	1.1625		<p>HAINES CITY PD Intoxilyzer - Alcohol Analyzer Model: 8000 SN 80-001007 02/02/2022 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:29</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:29</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:30</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:31</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:31</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:32</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:32</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0800</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <p style="text-align: right;"><i>ML</i> Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	12:29	Control Test	0.080	12:29	Air Blank	0.000	12:30	Control Test	0.080	12:31	Air Blank	0.000	12:31	Control Test	0.080	12:32	Air Blank	0.000	12:32	Control Test Stats			Average	0.0800		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<p>HAINES CITY PD Intoxilyzer - Alcohol Analyzer Model: 8000 SN 80-001007 02/02/2022 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:36</td></tr> <tr><td>Control Test</td><td>0.199</td><td>12:36</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:37</td></tr> <tr><td>Control Test</td><td>0.198</td><td>12:38</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:38</td></tr> <tr><td>Control Test</td><td>0.198</td><td>12:39</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:39</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1983</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2911</td><td></td></tr> </tbody> </table> <p style="text-align: right;"><i>ML</i> Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	12:36	Control Test	0.199	12:36	Air Blank	0.000	12:37	Control Test	0.198	12:38	Air Blank	0.000	12:38	Control Test	0.198	12:39	Air Blank	0.000	12:39	Control Test Stats			Average	0.1983		Std Dev	0.0006		Rel Std Dev(%)	0.2911		<p style="text-align: center;">AGS</p> <p>HAINES CITY PD Intoxilyzer - Alcohol Analyzer Model: 8000 SN 80-001007 02/02/2022 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:41</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:41</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:42</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:42</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:43</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:43</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:44</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table> <p style="text-align: right;"><i>ML</i> Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	12:41	Control Test	0.079	12:41	Air Blank	0.000	12:42	Control Test	0.079	12:42	Air Blank	0.000	12:43	Control Test	0.080	12:43	Air Blank	0.000	12:44	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:59																																																																																																																																																	
Control Test	0.050	13:00																																																																																																																																																	
Air Blank	0.000	13:00																																																																																																																																																	
Control Test	0.050	13:01																																																																																																																																																	
Air Blank	0.000	13:01																																																																																																																																																	
Control Test	0.049	13:02																																																																																																																																																	
Air Blank	0.000	13:03																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0497																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1625																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:29																																																																																																																																																	
Control Test	0.080	12:29																																																																																																																																																	
Air Blank	0.000	12:30																																																																																																																																																	
Control Test	0.080	12:31																																																																																																																																																	
Air Blank	0.000	12:31																																																																																																																																																	
Control Test	0.080	12:32																																																																																																																																																	
Air Blank	0.000	12:32																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0800																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:36																																																																																																																																																	
Control Test	0.199	12:36																																																																																																																																																	
Air Blank	0.000	12:37																																																																																																																																																	
Control Test	0.198	12:38																																																																																																																																																	
Air Blank	0.000	12:38																																																																																																																																																	
Control Test	0.198	12:39																																																																																																																																																	
Air Blank	0.000	12:39																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1983																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2911																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:41																																																																																																																																																	
Control Test	0.079	12:41																																																																																																																																																	
Air Blank	0.000	12:42																																																																																																																																																	
Control Test	0.079	12:42																																																																																																																																																	
Air Blank	0.000	12:43																																																																																																																																																	
Control Test	0.080	12:43																																																																																																																																																	
Air Blank	0.000	12:44																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0793																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7277																																																																																																																																																		

Comments:

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HAINES CITY PD
Time of Inspection: 15:22

Date of Inspection: 02/02/2022

Serial Number: 80-001007
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202010A Exp: 10/05/2022	0.08g/210L Test (g/210L) Lot#:202010B Exp: 10/05/2022	0.20g/210L Test (g/210L) Lot#:202010D Exp: 10/06/2022	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG115904 Exp: 06/08/2023
0.000	0.050	0.080	0.199	0.079
0.000	0.049	0.080	0.199	0.079
0.000	0.050	0.079	0.199	0.079
0.000	0.050	0.080	0.199	0.079
0.000	0.049	0.079	0.199	0.079
0.000	0.050	0.080	0.199	0.079
0.000	0.050	0.080	0.199	0.080
0.000	0.050	0.079	0.198	0.080
0.000	0.050	0.080	0.198	0.079
0.000	0.050	0.080	0.199	0.079


Standard Deviations	0.0004	0.0004	0.0004	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

02/02/2022
Date



Florida Department of Law Enforcement
 Alcohol Testing Program
 4700 Terminal Drive, Suite 1
 Ft. Myers, FL 33907

Calibration Certificate

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001007, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.


Serial Number:	<u>80-001007</u>	UNCERTAINTY* ±	
Owning Agency:	<u>HAINES CITY PD</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>02/02/2022</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>15:22</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.
 Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
 *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).
 The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.
 Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.
 This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.



TAYLOR D GUTSCHOW,
 Department Inspector

02/02/2022
 Date

FDLE/ATP Form 69 December 2021
 Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality