



## INSTRUMENT PROCESSING SHEET

Agency Hendry CSO

S/N 80-006386

Florida Department of  
Law EnforcementDate In 2/2/2022DI Completion Date 2/7/2022☐ Ship☒ P/U☐ H/D☐ CMI☐ EE

Intake	By TDG	Quality Checks	By TDG	Date <u>2/7/2022</u>	Flow Calibration	By	Date																																																												
<input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE  Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight  Other Equipment/ Accessories: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable  Notes: <u>Missing both feet on DGS shelf. AI reports the instrument needs a battery change.</u>		<input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>203</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.160</u> (.139 - .169) 36 mm <u>0.175</u> (.156 - .190) 53 mm <u>0.246</u> (.228 - .278) 103 mm <u>0.519</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>68639</u> <input checked="" type="checkbox"/> Stability Checks			Flow Column # _____ <input type="checkbox"/> 5L/min - 17mm <input type="checkbox"/> 15L/min - 53mm <input type="checkbox"/> 30L/min - 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																																																														
				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> <tr> <td>0.050</td> <td>MP6286</td> <td>202010A 10/05/2022</td> </tr> <tr> <td>0.080</td> <td>MP6287</td> <td>202010B 10/05/2022</td> </tr> <tr> <td>0.200</td> <td>MP6288</td> <td>202010D 10/06/2022</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG115904 06/08/2023</td> </tr> </table>				Simulator	Serial #	Lot #/Exp	0.050	MP6286	202010A 10/05/2022	0.080	MP6287	202010B 10/05/2022	0.200	MP6288	202010D 10/06/2022	0.080 DGS	N/A	AG115904 06/08/2023																																													
Simulator	Serial #	Lot #/Exp																																																																	
0.050	MP6286	202010A 10/05/2022																																																																	
0.080	MP6287	202010B 10/05/2022																																																																	
0.200	MP6288	202010D 10/06/2022																																																																	
0.080 DGS	N/A	AG115904 06/08/2023																																																																	
<b>Calibration Adjustment</b> By _____				<b>Department Inspection</b> By <u>TDG</u>																																																															
Barometric Pressure Gauge _____ ID # _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </table> <input type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </table>				Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Barometric Pressure ID# <u>28663</u> Gauge <u>1020</u> Instrument <u>1022</u> Mouth Alcohol Solution Lot # <u>2021-B</u> Acetone Stock Solution Lot # <u>2021-C</u> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> <tr> <td>0.000</td> <td>MP6284</td> </tr> <tr> <td>Interferent</td> <td>MP6285</td> </tr> <tr> <td>0.050</td> <td>MP6286</td> </tr> <tr> <td>0.080</td> <td>MP6287</td> </tr> <tr> <td>0.200</td> <td>MP6288</td> </tr> </table>				Simulator	Serial Number	0.000	MP6284	Interferent	MP6285	0.050	MP6286	0.080	MP6287	0.200	MP6288
Simulator	Serial #	Lot #	Expiration																																																																
0.000		N/A	N/A																																																																
0.040																																																																			
0.100																																																																			
0.200																																																																			
0.300																																																																			
0.080 DGS	N/A																																																																		
Simulator	Serial #	Lot #	Expiration																																																																
0.050																																																																			
0.080																																																																			
0.200																																																																			
0.080 DGS	N/A																																																																		
Simulator	Serial Number																																																																		
0.000	MP6284																																																																		
Interferent	MP6285																																																																		
0.050	MP6286																																																																		
0.080	MP6287																																																																		
0.200	MP6288																																																																		
<b>Attachments</b> <input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Calibration Adjustment				<input type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Form 40 <input type="checkbox"/> Other _____																																																															
Notes/Suggested Service: <u>Battery was replaced by DERR on 2/3/2022. (TDG)</u>				<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use																																																															
Richard A Williams <small>Digitally signed by Richard A Williams Date: 2022.02.10 17:03:53 -0500</small>				<div style="text-align: right;">               14:30:54              2022.02.10           </div>																																																															
Tech Review / Date				Admin Review / Date																																																															

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-006386	Hendry CSO	02/07/2022	TDG ML

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083
✓	✓	✓	✓
<p>HENDRY COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006386 02/07/2022 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 10:51</p> <p>Control Test 0.049 10:52</p> <p>Air Blank 0.000 10:52</p> <p>Control Test 0.050 10:53</p> <p>Air Blank 0.000 10:53</p> <p>Control Test 0.048 10:54</p> <p>Air Blank 0.000 10:55</p> <p>Control Test Stats</p> <p>Average 0.0490</p> <p>Std Dev 0.0010</p> <p>Rel Std Dev(%) 2.0408</p>	<p>HENDRY COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006386 02/07/2022 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 10:56</p> <p>Control Test 0.078 10:57</p> <p>Air Blank 0.000 10:58</p> <p>Control Test 0.078 10:58</p> <p>Air Blank 0.000 10:59</p> <p>Control Test 0.078 11:00</p> <p>Air Blank 0.000 11:00</p> <p>Control Test Stats</p> <p>Average 0.0780</p> <p>Std Dev 0.0000</p> <p>Rel Std Dev(%) 0.0000</p>	<p>HENDRY COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006386 02/07/2022 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 11:05</p> <p>Control Test 0.197 11:06</p> <p>Air Blank 0.000 11:06</p> <p>Control Test 0.197 11:07</p> <p>Air Blank 0.000 11:07</p> <p>Control Test 0.198 11:08</p> <p>Air Blank 0.000 11:09</p> <p>Control Test Stats</p> <p>Average 0.1973</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.2926</p>	<p>065</p> <p>HENDRY COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006386 02/07/2022 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 11:11</p> <p>Control Test 0.080 11:11</p> <p>Air Blank 0.000 11:12</p> <p>Control Test 0.079 11:12</p> <p>Air Blank 0.000 11:12</p> <p>Control Test 0.080 11:13</p> <p>Air Blank 0.000 11:13</p> <p>Control Test Stats</p> <p>Average 0.0797</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.7247</p>
<p>ML</p> <p>Operator's Signature</p>	<p>ML</p> <p>Operator's Signature</p>	<p>ML</p> <p>Operator's Signature</p>	<p>ML</p> <p>Operator's Signature</p>



# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HENDRY COUNTY SO  
Time of Inspection: 13:06

Date of Inspection: 02/07/2022

Serial Number: 80-006386  
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202010A Exp: 10/05/2022	0.08g/210L Test (g/210L) Lot#:202010B Exp: 10/05/2022	0.20g/210L Test (g/210L) Lot#:202010D Exp: 10/06/2022	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG115904 Exp: 06/08/2023
0.000	0.048	0.079	0.198	0.080
0.000	0.048	0.079	0.198	0.081
0.000	0.048	0.078	0.198	0.080
0.000	0.048	0.078	0.198	0.080
0.000	0.048	0.078	0.198	0.080
0.000	0.049	0.078	0.198	0.080
0.000	0.049	0.079	0.198	0.080
0.000	0.048	0.078	0.197	0.080
0.000	0.049	0.079	0.198	0.079
0.000	0.048	0.079	0.197	0.080

Standard Deviations	0.0004	0.0005	0.0004	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

  
\_\_\_\_\_  
Signature and Printed Name

TAYLOR D GUTSCHOW

02/07/2022  
Date



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
4700 Terminal Drive, Suite 1  
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006386, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-006386</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>HENDRY COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>02/07/2022</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>13:06</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

02/07/2022

Date

TAYLOR D GUTSCHOW,

Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality







Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-004386	Hendry CSO	11/02/2022	TDG MLG

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083
✓	✓	✓	✓
065			
HENDRY COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006386 11/02/2022 Software: 8100.27	HENDRY COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006386 11/02/2022 Software: 8100.27	HENDRY COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006386 11/02/2022 Software: 8100.27	HENDRY COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006386 11/02/2022 Software: 8100.27
Test g/210L Time	Test g/210L Time	Test g/210L Time	Test g/210L Time
Air Blank 0.000 12:13	Air Blank 0.000 12:23	Air Blank 0.000 12:29	Air Blank 0.000 12:05
Control Test 0.048 12:14	Control Test 0.078 12:23	Control Test 0.198 12:30	Control Test 0.081 12:06
Air Blank 0.000 12:15	Air Blank 0.000 12:24	Air Blank 0.000 12:30	Air Blank 0.000 12:06
Control Test 0.048 12:15	Control Test 0.078 12:25	Control Test 0.198 12:31	Control Test 0.081 12:07
Air Blank 0.000 12:16	Air Blank 0.000 12:25	Air Blank 0.000 12:32	Air Blank 0.000 12:07
Control Test 0.048 12:16	Control Test 0.078 12:26	Control Test 0.198 12:32	Control Test 0.080 12:08
Air Blank 0.000 12:17	Air Blank 0.000 12:26	Air Blank 0.000 12:33	Air Blank 0.000 12:08
Control Test Stats	Control Test Stats	Control Test Stats	Control Test Stats
Average 0.0480	Average 0.0780	Average 0.1980	Average 0.0807
Std Dev 0.0000	Std Dev 0.0000	Std Dev 0.0000	Std Dev 0.0006
Rel Std Dev(%) 0.0000	Rel Std Dev(%) 0.0000	Rel Std Dev(%) 0.0000	Rel Std Dev(%) 0.7157
ML Operator's Signature	ML Operator's Signature	ML Operator's Signature	ML Operator's Signature

Comments:

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HENDRY COUNTY SO  
Time of Inspection: 15:51

Date of Inspection: 11/02/2022

Serial Number: 80-006386  
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:00521080A2 Exp: 02/05/2023
0.000	0.048	0.077	0.197	0.080
0.000	0.049	0.077	0.197	0.080
0.000	0.049	0.078	0.197	0.080
0.000	0.048	0.078	0.197	0.080
0.000	0.049	0.077	0.197	0.080
0.000	0.049	0.077	0.197	0.080
0.000	0.049	0.077	0.197	0.080
0.000	0.048	0.077	0.197	0.080
0.000	0.049	0.077	0.197	0.080
0.000	0.049	0.077	0.197	0.080
0.000	0.048	0.077	0.197	0.080
0.000	0.049	0.077	0.197	0.080
0.000	0.049	0.078	0.197	0.080


Standard Deviations	0.0004	0.0004	0.0000	0.0000
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0002 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

11/02/2022  
Date





## Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
4700 Terminal Drive, Suite 1  
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006386, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-006386</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>HENDRY COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>11/02/2022</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>15:51</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

### TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

11/02/2022

Date

  
TAYLOR D GUTSCHOW,  
Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1