

INSTRUMENT PROCESSING SHEET

Agency Hardee County Sheriff's Office

S/N 80-007160

Florida Department of
Law Enforcement

Date In 09/02/2022 DI Completion Date 09/14/2022

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake	By <u>DERR</u>	Quality Checks	By <u>DERR</u>	Date <u>0/7/2022</u>	Flow Calibration	By	Date																																								
☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes: _____ _____ _____ _____ _____ _____ _____ _____		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>200</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP101</u> 32 mm <u>0.160</u> (.139 - .169) 36 mm <u>0.171</u> (.156 - .190) 53 mm <u>0.242</u> (.228 - .278) 103 mm <u>0.511</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>28199</u> ☒ Stability Checks			Flow Column # _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																																										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>SD3963</td> <td>202201C 01/11/2024</td> </tr> <tr> <td>0.080</td> <td>SD3967</td> <td>202201D 01/18/2024</td> </tr> <tr> <td>0.200</td> <td>SD3868</td> <td>202201E 01/18/2024</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>00521080A2 02/05/2023</td> </tr> </tbody> </table>			Simulator	Serial #	Lot #/Exp	0.050	SD3963	202201C 01/11/2024	0.080	SD3967	202201D 01/18/2024	0.200	SD3868	202201E 01/18/2024	0.080 DGS	N/A	00521080A2 02/05/2023	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Maintenance</th> <th>By <u>DERR</u></th> </tr> </thead> <tbody> <tr> <td colspan="2"> ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☒ Other <u>Printer paper replacement</u> </td> </tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> </tbody> </table>			Maintenance	By <u>DERR</u>	☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☒ Other <u>Printer paper replacement</u>																						
Simulator	Serial #	Lot #/Exp																																													
0.050	SD3963	202201C 01/11/2024																																													
0.080	SD3967	202201D 01/18/2024																																													
0.200	SD3868	202201E 01/18/2024																																													
0.080 DGS	N/A	00521080A2 02/05/2023																																													
Maintenance	By <u>DERR</u>																																														
☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☒ Other <u>Printer paper replacement</u>																																															
Calibration Adjustment		Department Inspection			By <u>DERR</u>																																										
Barometric Pressure Gauge <u>1013</u> ID # <u>68639</u>		Barometric Pressure ID# <u>26932</u> Gauge <u>1013</u> Instrument <u>1013</u> Mouth Alcohol Solution Lot # <u>2021-D</u> Acetone Stock Solution Lot # <u>2021-C</u>																																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr><td>0.000</td><td>MP5099</td><td>N/A</td><td>N/A</td></tr> <tr><td>0.040</td><td>MP5096</td><td>21070</td><td>03/01/2023</td></tr> <tr><td>0.100</td><td>MP5098</td><td>21080</td><td>03/08/2023</td></tr> <tr><td>0.200</td><td>MP5100</td><td>20510</td><td>12/03/2022</td></tr> <tr><td>0.300</td><td>MP5101</td><td>21030</td><td>02/02/2023</td></tr> <tr><td>0.080 DGS</td><td>N/A</td><td>AG115904</td><td>06/08/2023</td></tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.000	MP5099	N/A	N/A	0.040	MP5096	21070	03/01/2023	0.100	MP5098	21080	03/08/2023	0.200	MP5100	20510	12/03/2022	0.300	MP5101	21030	02/02/2023	0.080 DGS	N/A	AG115904	06/08/2023	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr><td>0.000</td><td>MP5095</td></tr> <tr><td>Interferent</td><td>MP5097</td></tr> <tr><td>0.050</td><td>MP5092</td></tr> <tr><td>0.080</td><td>MP5093</td></tr> <tr><td>0.200</td><td>MP5094</td></tr> </tbody> </table>						Simulator	Serial Number	0.000	MP5095	Interferent	MP5097	0.050	MP5092	0.080	MP5093	0.200	MP5094
Simulator	Serial #	Lot #	Expiration																																												
0.000	MP5099	N/A	N/A																																												
0.040	MP5096	21070	03/01/2023																																												
0.100	MP5098	21080	03/08/2023																																												
0.200	MP5100	20510	12/03/2022																																												
0.300	MP5101	21030	02/02/2023																																												
0.080 DGS	N/A	AG115904	06/08/2023																																												
Simulator	Serial Number																																														
0.000	MP5095																																														
Interferent	MP5097																																														
0.050	MP5092																																														
0.080	MP5093																																														
0.200	MP5094																																														
☒ Post Calibration Adjustment Stability Checks		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr><td>0.050</td><td>MP5092</td><td>202201C</td><td>01/11/2024</td></tr> <tr><td>0.080</td><td>MP5093</td><td>202201D</td><td>01/18/2024</td></tr> <tr><td>0.200</td><td>MP5094</td><td>202201E</td><td>01/18/2024</td></tr> <tr><td>0.080 DGS</td><td>N/A</td><td>00521080A2</td><td>02/05/2023</td></tr> </tbody> </table>						Simulator	Serial #	Lot #	Expiration	0.050	MP5092	202201C	01/11/2024	0.080	MP5093	202201D	01/18/2024	0.200	MP5094	202201E	01/18/2024	0.080 DGS	N/A	00521080A2	02/05/2023																				
Simulator	Serial #	Lot #	Expiration																																												
0.050	MP5092	202201C	01/11/2024																																												
0.080	MP5093	202201D	01/18/2024																																												
0.200	MP5094	202201E	01/18/2024																																												
0.080 DGS	N/A	00521080A2	02/05/2023																																												
Notes/Suggested Service: Instrument had a note to evaluate instrument. Instrument was calibrated to bring values closer to nominal. DERR		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☒ Calibration Adjustment </td> <td> ☒ Post-Stability Checks ☐ Flow Calibration ☒ Form 40 ☐ Other _____ </td> </tr> </tbody> </table>						Attachments	☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☒ Calibration Adjustment	☒ Post-Stability Checks ☐ Flow Calibration ☒ Form 40 ☐ Other _____																																					
Attachments																																															
☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☒ Calibration Adjustment	☒ Post-Stability Checks ☐ Flow Calibration ☒ Form 40 ☐ Other _____																																														
		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																																													
		Israel Soto Tech Review / Date _____																																													
		Admin Review / Date _____																																													



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-007160, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-007160</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>HARDEE COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>09/14/2022</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>11:43</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

09/14/2022

Date

DAVID E REYES-RIVERA,

Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Florida Department of Law Enforcement

Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HARDEE COUNTY SO
Time of Inspection: 11:43

Date of Inspection: 09/14/2022

Serial Number: 80-007160
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:00521080A2 Exp: 02/05/2023
0.000	0.049	0.077	0.196	0.080
0.000	0.049	0.077	0.196	0.079
0.000	0.049	0.076	0.197	0.079
0.000	0.049	0.076	0.197	0.079
0.000	0.050	0.078	0.197	0.079
0.000	0.049	0.078	0.197	0.079
0.000	0.049	0.079	0.197	0.079
0.000	0.050	0.078	0.197	0.079
0.000	0.049	0.078	0.197	0.079
0.000	0.049	0.079	0.198	0.079

Standard Deviations	0.0004	0.0010	0.0005	0.0003
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0005 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

David E Reyes-Rivera DAVID E REYES-RIVERA
Signature and Printed Name

09/14/2022
Date

Type of Test	Serial Number	Agency	Date	Performed By
Post Stabilities	80-007160	Hardee County Sheriff's Office	9/14/2022	DERR <i>MDL</i>

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	0.08g/210L 0.077 to 0.083																																																																																																																																														
HARDEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 09/14/2022 Software: 8100.27 SN 80-007160 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>08:05</td></tr><tr><td>Control Test</td><td>0.049</td><td>08:06</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:06</td></tr><tr><td>Control Test</td><td>0.050</td><td>08:07</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:07</td></tr><tr><td>Control Test</td><td>0.049</td><td>08:08</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:09</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0493</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.1703</td><td></td></tr></tbody></table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	08:05	Control Test	0.049	08:06	Air Blank	0.000	08:06	Control Test	0.050	08:07	Air Blank	0.000	08:07	Control Test	0.049	08:08	Air Blank	0.000	08:09	Control Test Stats			Average	0.0493		Std Dev	0.0006		Rel Std Dev(%)	1.1703		HARDEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 09/14/2022 Software: 8100.27 SN 80-007160 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.400</td><td>08:11</td></tr><tr><td>Control Test</td><td>0.079</td><td>08:11</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:12</td></tr><tr><td>Control Test</td><td>0.078</td><td>08:13</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:13</td></tr><tr><td>Control Test</td><td>0.079</td><td>08:14</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:14</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0787</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7339</td><td></td></tr></tbody></table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.400	08:11	Control Test	0.079	08:11	Air Blank	0.000	08:12	Control Test	0.078	08:13	Air Blank	0.000	08:13	Control Test	0.079	08:14	Air Blank	0.000	08:14	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel Std Dev(%)	0.7339		HARDEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 09/14/2022 Software: 8100.27 SN 80-007160 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>08:17</td></tr><tr><td>Control Test</td><td>0.198</td><td>08:17</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:18</td></tr><tr><td>Control Test</td><td>0.197</td><td>08:19</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:19</td></tr><tr><td>Control Test</td><td>0.198</td><td>08:20</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:20</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.1977</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.2921</td><td></td></tr></tbody></table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	08:17	Control Test	0.198	08:17	Air Blank	0.000	08:18	Control Test	0.197	08:19	Air Blank	0.000	08:19	Control Test	0.198	08:20	Air Blank	0.000	08:20	Control Test Stats			Average	0.1977		Std Dev	0.0006		Rel Std Dev(%)	0.2921		HARDEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 09/14/2022 Software: 8100.27 SN 80-007160 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>08:22</td></tr><tr><td>Control Test</td><td>0.079</td><td>08:22</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:23</td></tr><tr><td>Control Test</td><td>0.079</td><td>08:23</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:24</td></tr><tr><td>Control Test</td><td>0.079</td><td>08:24</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:24</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0750</td><td></td></tr><tr><td>Std Dev</td><td>0.0000</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr></tbody></table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	08:22	Control Test	0.079	08:22	Air Blank	0.000	08:23	Control Test	0.079	08:23	Air Blank	0.000	08:24	Control Test	0.079	08:24	Air Blank	0.000	08:24	Control Test Stats			Average	0.0750		Std Dev	0.0000		Rel Std Dev(%)	0.0000	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	08:05																																																																																																																																																	
Control Test	0.049	08:06																																																																																																																																																	
Air Blank	0.000	08:06																																																																																																																																																	
Control Test	0.050	08:07																																																																																																																																																	
Air Blank	0.000	08:07																																																																																																																																																	
Control Test	0.049	08:08																																																																																																																																																	
Air Blank	0.000	08:09																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0493																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1703																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.400	08:11																																																																																																																																																	
Control Test	0.079	08:11																																																																																																																																																	
Air Blank	0.000	08:12																																																																																																																																																	
Control Test	0.078	08:13																																																																																																																																																	
Air Blank	0.000	08:13																																																																																																																																																	
Control Test	0.079	08:14																																																																																																																																																	
Air Blank	0.000	08:14																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	08:17																																																																																																																																																	
Control Test	0.198	08:17																																																																																																																																																	
Air Blank	0.000	08:18																																																																																																																																																	
Control Test	0.197	08:19																																																																																																																																																	
Air Blank	0.000	08:19																																																																																																																																																	
Control Test	0.198	08:20																																																																																																																																																	
Air Blank	0.000	08:20																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1977																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2921																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	08:22																																																																																																																																																	
Control Test	0.079	08:22																																																																																																																																																	
Air Blank	0.000	08:23																																																																																																																																																	
Control Test	0.079	08:23																																																																																																																																																	
Air Blank	0.000	08:24																																																																																																																																																	
Control Test	0.079	08:24																																																																																																																																																	
Air Blank	0.000	08:24																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0750																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		

***** AUTO CAL DATA *****

Solution Stats Quadratic Fit Chan 2

Act	Fit	Residual
g/210L	g/210L	g/210L
0.000	-0.000	0.0000
0.040	0.040	-0.0001
0.100	0.100	0.0002
0.200	0.200	-0.0001
0.300	0.300	0.0000

***** CHANNEL 1 *****
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.141
Std Dev = 0.01 Rel Std Dev = 10.48
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 0.337
Std Dev = 0.01 Rel Std Dev = 1.05
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 2.100
Std Dev = 0.02 Rel Std Dev = 0.88
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 3.985
Std Dev = 0.01 Rel Std Dev = 0.33
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 5.787
Std Dev = 0.01 Rel Std Dev = 0.23
Zero Order Coef = -331.57
First Order Coef = 2362.33
Second Order Coef = 28.21
Standard Deviation = 5.77160

***** CHANNEL 2 *****
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.156
Std Dev = 0.04 Rel Std Dev = 27.88
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 1.560
Std Dev = 0.01 Rel Std Dev = 0.55
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 3.565
Std Dev = 0.02 Rel Std Dev = 0.43
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 6.746
Std Dev = 0.01 Rel Std Dev = 0.21
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 9.717
Std Dev = 0.04 Rel Std Dev = 0.41
Zero Order Coef = -210.12
First Order Coef = 1334.84
Second Order Coef = 16.13
Standard Deviation = 6.19308

***** CHANNEL 1 *****
Sol Value = 0.080 g/210L ***
Fit value = 0.3810 mg/l %ZZZ
Samples Taken = 4, Discarded = 1
***** CHANNEL 1 *****
Sample #1 = 2964.00
Sample #2 = 2973.00
Sample #3 = 2949.00
Sample #4 = 2927.00
Average Result = 2949.6667
STD DEV = 23.0072
REL STD DEV = 0.780

***** CHANNEL 2 *****
Sample #1 = 3267.00
Sample #2 = 3301.00
Sample #3 = 3271.00
Sample #4 = 3270.00
Average Result = 3280.6667
STD DEV = 17.6163
REL STD DEV = 0.537

Dry Gas H2O Adjust Results *****
Barometric Pressure = 1013
3 um H2O Adjust (mg/l x 10,000) = 860
9 um H2O Adjust (mg/l x 10,000) = 529
***** AUTO CAL PASS

Solution Stats Quadratic Fit Chan 1

Act	Fit	Residual
g/210L	g/210L	g/210L
0.000	0.000	-0.0000
0.040	0.040	-0.0000
0.100	0.100	0.0002
0.200	0.200	-0.0002
0.300	0.300	0.0001

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 1.5470 (0.0010)
Sample #2 = 1.5520 (-0.0090)
Sample #3 = 1.5580 (-0.0100)
Sample #4 = 1.5630 (-0.0150)
Avg % Abs = 1.5597 (-0.0013)
STD DEV = 0.0086 (0.0142)
REL STD DEV = 0.553 (1061.544)

Sol Value = 0.100 g/210L ***
Fit value = 0.4762 mg/l %ZZZ
Samples Taken = 4, Discarded = 1
Sum Io = 12366, Sum Io = 12634
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 2.1130 (-0.0140)
Sample #2 = 2.1210 (-0.0030)
Sample #3 = 2.0930 (0.0250)
Sample #4 = 2.0860 (0.0480)
Avg % Abs = 2.1000 (0.0233)
STD DEV = 0.0185 (0.0255)
REL STD DEV = 0.882 (109.461)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 3.5390 (0.0190)
Sample #2 = 3.5740 (0.0080)
Sample #3 = 3.5470 (0.0220)
Sample #4 = 3.5730 (0.0250)
Avg % Abs = 3.5647 (0.0183)
STD DEV = 0.0153 (0.0091)
REL STD DEV = 0.429 (49.493)

Sol Value = 0.200 g/210L ***
Fit value = 0.9524 mg/l %ZZZ
Samples Taken = 4, Discarded = 1
Sum Io = 12359, Sum Io = 12629
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 4.0000 (0.0050)
Sample #2 = 3.9720 (0.0330)
Sample #3 = 3.9980 (0.0390)
Sample #4 = 3.9660 (0.0510)
Avg % Abs = 3.9853 (0.0410)
STD DEV = 0.0130 (0.0092)
REL STD DEV = 0.327 (22.354)

Sol Value = 0.040 g/210L ***
Fit value = 0.1905 mg/l %ZZZ
Samples Taken = 4, Discarded = 1
Sum Io = 12377, Sum Io = 12637
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.9480 (-0.0110)
Sample #2 = 0.9340 (0.0030)
Sample #3 = 0.9290 (0.0260)
Sample #4 = 0.9480 (0.0370)
Avg % Abs = 0.9370 (0.0220)
STD DEV = 0.0098 (0.0173)
REL STD DEV = 1.051 (78.861)

Sol Value = 0.040 g/210L ***
Fit value = 0.1905 mg/l %ZZZ
Samples Taken = 4, Discarded = 1
Sum Io = 12390, Sum Io = 12642
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.1460 (-0.0090)
Sample #2 = 0.1460 (0.0070)
Sample #3 = 0.1240 (0.0450)
Sample #4 = 0.1520 (0.0570)
Avg % Abs = 0.1407 (0.0363)
STD DEV = 0.0147 (0.0261)
REL STD DEV = 10.480 (71.841)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 1.5470 (0.0010)
Sample #2 = 1.5520 (-0.0090)
Sample #3 = 1.5580 (-0.0100)
Sample #4 = 1.5630 (-0.0150)
Avg % Abs = 1.5597 (-0.0013)
STD DEV = 0.0086 (0.0142)
REL STD DEV = 0.553 (1061.544)

Sol Value = 0.100 g/210L ***
Fit value = 0.4762 mg/l %ZZZ
Samples Taken = 4, Discarded = 1
Sum Io = 12366, Sum Io = 12634
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 2.1130 (-0.0140)
Sample #2 = 2.1210 (-0.0030)
Sample #3 = 2.0930 (0.0250)
Sample #4 = 2.0860 (0.0480)
Avg % Abs = 2.1000 (0.0233)
STD DEV = 0.0185 (0.0255)
REL STD DEV = 0.882 (109.461)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 3.5390 (0.0190)
Sample #2 = 3.5740 (0.0080)
Sample #3 = 3.5470 (0.0220)
Sample #4 = 3.5730 (0.0250)
Avg % Abs = 3.5647 (0.0183)
STD DEV = 0.0153 (0.0091)
REL STD DEV = 0.429 (49.493)

Sol Value = 0.200 g/210L ***
Fit value = 0.9524 mg/l %ZZZ
Samples Taken = 4, Discarded = 1
Sum Io = 12359, Sum Io = 12629
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 4.0000 (0.0050)
Sample #2 = 3.9720 (0.0330)
Sample #3 = 3.9980 (0.0390)
Sample #4 = 3.9660 (0.0510)
Avg % Abs = 3.9853 (0.0410)
STD DEV = 0.0130 (0.0092)
REL STD DEV = 0.327 (22.354)

Sol Value = 0.040 g/210L ***
Fit value = 0.1905 mg/l %ZZZ
Samples Taken = 4, Discarded = 1
Sum Io = 12377, Sum Io = 12637
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.9480 (-0.0110)
Sample #2 = 0.9340 (0.0030)
Sample #3 = 0.9290 (0.0260)
Sample #4 = 0.9480 (0.0370)
Avg % Abs = 0.9370 (0.0220)
STD DEV = 0.0098 (0.0173)
REL STD DEV = 1.051 (78.861)

Sol Value = 0.040 g/210L ***
Fit value = 0.1905 mg/l %ZZZ
Samples Taken = 4, Discarded = 1
Sum Io = 12390, Sum Io = 12642
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.1460 (-0.0090)
Sample #2 = 0.1460 (0.0070)
Sample #3 = 0.1240 (0.0450)
Sample #4 = 0.1520 (0.0570)
Avg % Abs = 0.1407 (0.0363)
STD DEV = 0.0147 (0.0261)
REL STD DEV = 10.480 (71.841)

Optical Calibration	
SN:	80-007160
Agency: Hardee County SO	
Date:	9/14/2022
Quadratic Fit: +/- 0.002g/210L	
By:	DERR <i>[Signature]</i>

HARDEE COUNTY SO

Intoxilyzer - Alcohol Analyzer

Model 8000

09/14/2022

Auto Calibration

Max Power Res Value = 84

Auto Range Res Value = 57

SN 80-007160

07:03:59

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-007160	Hardee County Sheriff's Office	9/7/2022	DERR <i>MLL</i>

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083																																																																																																																																																						
HARDEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 09/07/2022 Software: 8100.27 SN 80-007160 <table><tr><th>Test</th><th>g/210L</th><th>Time</th></tr><tr><td>Air Blank</td><td>0.000</td><td>07:55</td></tr><tr><td>Control Test</td><td>0.048</td><td>07:56</td></tr><tr><td>Air Blank</td><td>0.000</td><td>07:57</td></tr><tr><td>Control Test</td><td>0.047</td><td>07:57</td></tr><tr><td>Air Blank</td><td>0.000</td><td>07:58</td></tr><tr><td>Control Test</td><td>0.048</td><td>07:59</td></tr><tr><td>Air Blank</td><td>0.000</td><td>07:59</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0477</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.2112</td><td></td></tr></table> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	07:55	Control Test	0.048	07:56	Air Blank	0.000	07:57	Control Test	0.047	07:57	Air Blank	0.000	07:58	Control Test	0.048	07:59	Air Blank	0.000	07:59	Control Test Stats			Average	0.0477		Std Dev	0.0006		Rel Std Dev(%)	1.2112		HARDEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 09/07/2022 Software: 8100.27 SN 80-007160 <table><tr><th>Test</th><th>g/210L</th><th>Time</th></tr><tr><td>Air Blank</td><td>0.000</td><td>08:00</td></tr><tr><td>Control Test</td><td>0.078</td><td>08:01</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:01</td></tr><tr><td>Control Test</td><td>0.078</td><td>08:02</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:03</td></tr><tr><td>Control Test</td><td>0.077</td><td>08:03</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:04</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0777</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7434</td><td></td></tr></table> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	08:00	Control Test	0.078	08:01	Air Blank	0.000	08:01	Control Test	0.078	08:02	Air Blank	0.000	08:03	Control Test	0.077	08:03	Air Blank	0.000	08:04	Control Test Stats			Average	0.0777		Std Dev	0.0006		Rel Std Dev(%)	0.7434		HARDEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 09/07/2022 Software: 8100.27 SN 80-007160 <table><tr><th>Test</th><th>g/210L</th><th>Time</th></tr><tr><td>Air Blank</td><td>0.000</td><td>08:05</td></tr><tr><td>Control Test</td><td>0.188</td><td>08:06</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:06</td></tr><tr><td>Control Test</td><td>0.188</td><td>08:07</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:07</td></tr><tr><td>Control Test</td><td>0.189</td><td>08:08</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:09</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.1883</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.3066</td><td></td></tr></table> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	08:05	Control Test	0.188	08:06	Air Blank	0.000	08:06	Control Test	0.188	08:07	Air Blank	0.000	08:07	Control Test	0.189	08:08	Air Blank	0.000	08:09	Control Test Stats			Average	0.1883		Std Dev	0.0006		Rel Std Dev(%)	0.3066		HARDEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 09/07/2022 Software: 8100.27 SN 80-007160 <table><tr><th>Test</th><th>g/210L</th><th>Time</th></tr><tr><td>Air Blank</td><td>0.000</td><td>08:10</td></tr><tr><td>Control Test</td><td>0.080</td><td>08:10</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:11</td></tr><tr><td>Control Test</td><td>0.080</td><td>08:11</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:11</td></tr><tr><td>Control Test</td><td>0.080</td><td>08:11</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:12</td></tr><tr><td>Control Test</td><td>0.080</td><td>08:12</td></tr><tr><td>Air Blank</td><td>0.000</td><td>08:12</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0800</td><td></td></tr><tr><td>Std Dev</td><td>0.0000</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr></table> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	08:10	Control Test	0.080	08:10	Air Blank	0.000	08:11	Control Test	0.080	08:11	Air Blank	0.000	08:11	Control Test	0.080	08:11	Air Blank	0.000	08:12	Control Test	0.080	08:12	Air Blank	0.000	08:12	Control Test Stats			Average	0.0800		Std Dev	0.0000		Rel Std Dev(%)	0.0000	
Test	g/210L	Time																																																																																																																																																							
Air Blank	0.000	07:55																																																																																																																																																							
Control Test	0.048	07:56																																																																																																																																																							
Air Blank	0.000	07:57																																																																																																																																																							
Control Test	0.047	07:57																																																																																																																																																							
Air Blank	0.000	07:58																																																																																																																																																							
Control Test	0.048	07:59																																																																																																																																																							
Air Blank	0.000	07:59																																																																																																																																																							
Control Test Stats																																																																																																																																																									
Average	0.0477																																																																																																																																																								
Std Dev	0.0006																																																																																																																																																								
Rel Std Dev(%)	1.2112																																																																																																																																																								
Test	g/210L	Time																																																																																																																																																							
Air Blank	0.000	08:00																																																																																																																																																							
Control Test	0.078	08:01																																																																																																																																																							
Air Blank	0.000	08:01																																																																																																																																																							
Control Test	0.078	08:02																																																																																																																																																							
Air Blank	0.000	08:03																																																																																																																																																							
Control Test	0.077	08:03																																																																																																																																																							
Air Blank	0.000	08:04																																																																																																																																																							
Control Test Stats																																																																																																																																																									
Average	0.0777																																																																																																																																																								
Std Dev	0.0006																																																																																																																																																								
Rel Std Dev(%)	0.7434																																																																																																																																																								
Test	g/210L	Time																																																																																																																																																							
Air Blank	0.000	08:05																																																																																																																																																							
Control Test	0.188	08:06																																																																																																																																																							
Air Blank	0.000	08:06																																																																																																																																																							
Control Test	0.188	08:07																																																																																																																																																							
Air Blank	0.000	08:07																																																																																																																																																							
Control Test	0.189	08:08																																																																																																																																																							
Air Blank	0.000	08:09																																																																																																																																																							
Control Test Stats																																																																																																																																																									
Average	0.1883																																																																																																																																																								
Std Dev	0.0006																																																																																																																																																								
Rel Std Dev(%)	0.3066																																																																																																																																																								
Test	g/210L	Time																																																																																																																																																							
Air Blank	0.000	08:10																																																																																																																																																							
Control Test	0.080	08:10																																																																																																																																																							
Air Blank	0.000	08:11																																																																																																																																																							
Control Test	0.080	08:11																																																																																																																																																							
Air Blank	0.000	08:11																																																																																																																																																							
Control Test	0.080	08:11																																																																																																																																																							
Air Blank	0.000	08:12																																																																																																																																																							
Control Test	0.080	08:12																																																																																																																																																							
Air Blank	0.000	08:12																																																																																																																																																							
Control Test Stats																																																																																																																																																									
Average	0.0800																																																																																																																																																								
Std Dev	0.0000																																																																																																																																																								
Rel Std Dev(%)	0.0000																																																																																																																																																								

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: HARDEE COUNTY SO
Time of Inspection: 07:28

Date of Inspection: 09/07/2022

Serial Number: 80-007160
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08g/210L Test (g/210L) Lot#:_____ Exp:_____	0.20g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:_____ Exp:_____

Number of Simulators Used: _____

Remarks:

COMPLIANCE NOT DETERMINED, AI NOT CONDUCTED.

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

David E Reyes-Rivera

DAVID E REYES-RIVERA

Signature and Printed Name

09/07/2022
Date