



# INSTRUMENT PROCESSING SHEET

Agency Monroe CSOS/N 80-000870

Florida Department of Law Enforcement

Date In 03/10/2023 DI Completion Date 05/30/2023 Ship  P/U  H/D  CMI  EE

Intake	By TDG	Quality Checks	By TDG	Date <u>05/30/2023</u>	Flow Calibration	By	Date																																																																																														
<input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE  Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight  Other Equipment/ Accessories: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable  Notes: _____ _____ _____ _____ _____ _____ _____		<input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>194</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.140</u> (.139 - .169) 36 mm <u>0.156</u> (.156 - .190) 53 mm <u>0.230</u> (.228 - .278) 103 mm <u>0.503</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>26932</u> <input checked="" type="checkbox"/> Stability Checks				Flow Column # _____ <input type="checkbox"/> 5L/min - 17mm <input type="checkbox"/> 15L/min - 53mm <input type="checkbox"/> 30L/min - 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																																																																																															
				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td rowspan="2">MP5094</td> <td>202201C 01/11/2024</td> </tr> <tr> <td>0.080</td> <td>202201D 01/18/2024</td> </tr> <tr> <td>0.200</td> <td rowspan="2">MP5096</td> <td>202201E 01/18/2024</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A AG115904 06/08/2023</td> </tr> </tbody> </table>		Simulator	Serial #	Lot #/Exp	0.050	MP5094	202201C 01/11/2024	0.080	202201D 01/18/2024	0.200	MP5096	202201E 01/18/2024	0.080 DGS	N/A AG115904 06/08/2023	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Maintenance</th> <th>By TDG</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Battery Replacement  <input type="checkbox"/> Dry Gas Regulator Replacement  <input type="checkbox"/> Breath Tube Replacement  <input checked="" type="checkbox"/> Other <u>Added breath tube screen</u> </td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> </tr> </tbody> </table>		Maintenance	By TDG	<input checked="" type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input checked="" type="checkbox"/> Other <u>Added breath tube screen</u>	_____	_____	_____	_____	_____	_____	_____																																																																							
Simulator	Serial #	Lot #/Exp																																																																																																			
0.050	MP5094	202201C 01/11/2024																																																																																																			
0.080		202201D 01/18/2024																																																																																																			
0.200	MP5096	202201E 01/18/2024																																																																																																			
0.080 DGS		N/A AG115904 06/08/2023																																																																																																			
Maintenance	By TDG																																																																																																				
<input checked="" type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input checked="" type="checkbox"/> Other <u>Added breath tube screen</u>	_____																																																																																																				
_____	_____																																																																																																				
_____	_____																																																																																																				
_____	_____																																																																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Calibration Adjustment</th> <th>By</th> </tr> </thead> <tbody> <tr> <td>Barometric Pressure Gauge _____ ID # _____</td> <td>_____</td> </tr> <tr> <td> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td colspan="2"> <input type="checkbox"/> Post Calibration Adjustment Stability Checks           <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td colspan="2"> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Department Inspection</th> <th>By TDG</th> </tr> </thead> <tbody> <tr> <td>Barometric Pressure ID# <u>26932</u></td> <td>_____</td> </tr> <tr> <td>Gauge <u>1007</u> Instrument <u>1012</u></td> <td>_____</td> </tr> <tr> <td>Mouth Alcohol Solution Lot # <u>2021-D</u></td> <td>_____</td> </tr> <tr> <td>Acetone Stock Solution Lot # <u>2022-B</u></td> <td>_____</td> </tr> <tr> <td> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5092</td> </tr> <tr> <td>Interferent</td> <td>MP5093</td> </tr> <tr> <td>0.050</td> <td>MP5094</td> </tr> <tr> <td>0.080</td> <td>MP5095</td> </tr> <tr> <td>0.200</td> <td>MP5096</td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td colspan="2"> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Form 41  <input checked="" type="checkbox"/> Stability Checks  <input checked="" type="checkbox"/> Calibration Certificate  <input type="checkbox"/> Calibration Adjustment               </td> <td> <input type="checkbox"/> Post-Stability Checks  <input type="checkbox"/> Flow Calibration  <input checked="" type="checkbox"/> Form 40  <input type="checkbox"/> Other _____               </td> </tr> </tbody> </table> </td> </tr> </tbody> </table> </td> <td colspan="2"> <table border="1" style="width:100%; border-collapse: collapse;"> <tbody> <tr> <td> <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC  <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC  <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use  <input type="checkbox"/> Remain Out of Evidentiary Use  <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use               </td> </tr> <tr> <td>           Phil Nicodemo  <small>Digitally signed by Phil Nicodemo Date: 2023.05.31 12:17:37 0400</small> </td> <td>           _____            2023.06.01            09:30:2            8-04'00'         </td> </tr> <tr> <td>Tech Review / Date</td> <td>Admin Review / Date</td> </tr> </tbody> </table> </td> </tr> <tr> <td colspan="4">           Notes/Suggested Service: Replaced battery and verified setup on 5/3. Added breath tube screen and finished Quality Checks on 5/30. (TDG)            _____            _____            _____            _____         </td> </tr> </tbody></table>				Calibration Adjustment	By	Barometric Pressure Gauge _____ ID # _____	_____	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>	Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A				<input type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Department Inspection</th> <th>By TDG</th> </tr> </thead> <tbody> <tr> <td>Barometric Pressure ID# <u>26932</u></td> <td>_____</td> </tr> <tr> <td>Gauge <u>1007</u> Instrument <u>1012</u></td> <td>_____</td> </tr> <tr> <td>Mouth Alcohol Solution Lot # <u>2021-D</u></td> <td>_____</td> </tr> <tr> <td>Acetone Stock Solution Lot # <u>2022-B</u></td> <td>_____</td> </tr> <tr> <td> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5092</td> </tr> <tr> <td>Interferent</td> <td>MP5093</td> </tr> <tr> <td>0.050</td> <td>MP5094</td> </tr> <tr> <td>0.080</td> <td>MP5095</td> </tr> <tr> <td>0.200</td> <td>MP5096</td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td colspan="2"> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Form 41  <input checked="" type="checkbox"/> Stability Checks  <input checked="" type="checkbox"/> Calibration Certificate  <input type="checkbox"/> Calibration Adjustment               </td> <td> <input type="checkbox"/> Post-Stability Checks  <input type="checkbox"/> Flow Calibration  <input checked="" type="checkbox"/> Form 40  <input type="checkbox"/> Other _____               </td> </tr> </tbody> </table> </td> </tr> </tbody> </table>		Department Inspection	By TDG	Barometric Pressure ID# <u>26932</u>	_____	Gauge <u>1007</u> Instrument <u>1012</u>	_____	Mouth Alcohol Solution Lot # <u>2021-D</u>	_____	Acetone Stock Solution Lot # <u>2022-B</u>	_____	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5092</td> </tr> <tr> <td>Interferent</td> <td>MP5093</td> </tr> <tr> <td>0.050</td> <td>MP5094</td> </tr> <tr> <td>0.080</td> <td>MP5095</td> </tr> <tr> <td>0.200</td> <td>MP5096</td> </tr> </tbody> </table>	Simulator	Serial Number	0.000	MP5092	Interferent	MP5093	0.050	MP5094	0.080	MP5095	0.200	MP5096		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Form 41  <input checked="" type="checkbox"/> Stability Checks  <input checked="" type="checkbox"/> Calibration Certificate  <input type="checkbox"/> Calibration Adjustment               </td> <td> <input type="checkbox"/> Post-Stability Checks  <input type="checkbox"/> Flow Calibration  <input checked="" type="checkbox"/> Form 40  <input type="checkbox"/> Other _____               </td> </tr> </tbody> </table>		Attachments	<input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Calibration Adjustment	<input type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input checked="" type="checkbox"/> Form 40 <input type="checkbox"/> Other _____	<table border="1" style="width:100%; border-collapse: collapse;"> <tbody> <tr> <td> <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC  <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC  <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use  <input type="checkbox"/> Remain Out of Evidentiary Use  <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use               </td> </tr> <tr> <td>           Phil Nicodemo  <small>Digitally signed by Phil Nicodemo Date: 2023.05.31 12:17:37 0400</small> </td> <td>           _____            2023.06.01            09:30:2            8-04'00'         </td> </tr> <tr> <td>Tech Review / Date</td> <td>Admin Review / Date</td> </tr> </tbody> </table>		<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use	Phil Nicodemo <small>Digitally signed by Phil Nicodemo Date: 2023.05.31 12:17:37 0400</small>	_____ 2023.06.01 09:30:2 8-04'00'	Tech Review / Date	Admin Review / Date	Notes/Suggested Service: Replaced battery and verified setup on 5/3. Added breath tube screen and finished Quality Checks on 5/30. (TDG) _____ _____ _____ _____			
Calibration Adjustment	By																																																																																																				
Barometric Pressure Gauge _____ ID # _____	_____																																																																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>	Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A																																																																											
Simulator	Serial #	Lot #	Expiration																																																																																																		
0.000		N/A	N/A																																																																																																		
0.040																																																																																																					
0.100																																																																																																					
0.200																																																																																																					
0.300																																																																																																					
0.080 DGS	N/A																																																																																																				
<input type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Department Inspection</th> <th>By TDG</th> </tr> </thead> <tbody> <tr> <td>Barometric Pressure ID# <u>26932</u></td> <td>_____</td> </tr> <tr> <td>Gauge <u>1007</u> Instrument <u>1012</u></td> <td>_____</td> </tr> <tr> <td>Mouth Alcohol Solution Lot # <u>2021-D</u></td> <td>_____</td> </tr> <tr> <td>Acetone Stock Solution Lot # <u>2022-B</u></td> <td>_____</td> </tr> <tr> <td> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5092</td> </tr> <tr> <td>Interferent</td> <td>MP5093</td> </tr> <tr> <td>0.050</td> <td>MP5094</td> </tr> <tr> <td>0.080</td> <td>MP5095</td> </tr> <tr> <td>0.200</td> <td>MP5096</td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td colspan="2"> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Form 41  <input checked="" type="checkbox"/> Stability Checks  <input checked="" type="checkbox"/> Calibration Certificate  <input type="checkbox"/> Calibration Adjustment               </td> <td> <input type="checkbox"/> Post-Stability Checks  <input type="checkbox"/> Flow Calibration  <input checked="" type="checkbox"/> Form 40  <input type="checkbox"/> Other _____               </td> </tr> </tbody> </table> </td> </tr> </tbody> </table>		Department Inspection	By TDG	Barometric Pressure ID# <u>26932</u>	_____	Gauge <u>1007</u> Instrument <u>1012</u>	_____	Mouth Alcohol Solution Lot # <u>2021-D</u>	_____	Acetone Stock Solution Lot # <u>2022-B</u>	_____	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5092</td> </tr> <tr> <td>Interferent</td> <td>MP5093</td> </tr> <tr> <td>0.050</td> <td>MP5094</td> </tr> <tr> <td>0.080</td> <td>MP5095</td> </tr> <tr> <td>0.200</td> <td>MP5096</td> </tr> </tbody> </table>	Simulator	Serial Number	0.000	MP5092	Interferent	MP5093	0.050	MP5094	0.080	MP5095	0.200	MP5096		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Form 41  <input checked="" type="checkbox"/> Stability Checks  <input checked="" type="checkbox"/> Calibration Certificate  <input type="checkbox"/> Calibration Adjustment               </td> <td> <input type="checkbox"/> Post-Stability Checks  <input type="checkbox"/> Flow Calibration  <input checked="" type="checkbox"/> Form 40  <input type="checkbox"/> Other _____               </td> </tr> </tbody> </table>		Attachments	<input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Calibration Adjustment	<input type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input checked="" type="checkbox"/> Form 40 <input type="checkbox"/> Other _____	<table border="1" style="width:100%; border-collapse: collapse;"> <tbody> <tr> <td> <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC  <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC  <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use  <input type="checkbox"/> Remain Out of Evidentiary Use  <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use               </td> </tr> <tr> <td>           Phil Nicodemo  <small>Digitally signed by Phil Nicodemo Date: 2023.05.31 12:17:37 0400</small> </td> <td>           _____            2023.06.01            09:30:2            8-04'00'         </td> </tr> <tr> <td>Tech Review / Date</td> <td>Admin Review / Date</td> </tr> </tbody> </table>		<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use	Phil Nicodemo <small>Digitally signed by Phil Nicodemo Date: 2023.05.31 12:17:37 0400</small>	_____ 2023.06.01 09:30:2 8-04'00'	Tech Review / Date	Admin Review / Date																																										
Simulator	Serial #	Lot #	Expiration																																																																																																		
0.050																																																																																																					
0.080																																																																																																					
0.200																																																																																																					
0.080 DGS	N/A																																																																																																				
Department Inspection	By TDG																																																																																																				
Barometric Pressure ID# <u>26932</u>	_____																																																																																																				
Gauge <u>1007</u> Instrument <u>1012</u>	_____																																																																																																				
Mouth Alcohol Solution Lot # <u>2021-D</u>	_____																																																																																																				
Acetone Stock Solution Lot # <u>2022-B</u>	_____																																																																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5092</td> </tr> <tr> <td>Interferent</td> <td>MP5093</td> </tr> <tr> <td>0.050</td> <td>MP5094</td> </tr> <tr> <td>0.080</td> <td>MP5095</td> </tr> <tr> <td>0.200</td> <td>MP5096</td> </tr> </tbody> </table>	Simulator	Serial Number	0.000	MP5092	Interferent	MP5093	0.050	MP5094	0.080	MP5095	0.200	MP5096																																																																																									
Simulator	Serial Number																																																																																																				
0.000	MP5092																																																																																																				
Interferent	MP5093																																																																																																				
0.050	MP5094																																																																																																				
0.080	MP5095																																																																																																				
0.200	MP5096																																																																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Form 41  <input checked="" type="checkbox"/> Stability Checks  <input checked="" type="checkbox"/> Calibration Certificate  <input type="checkbox"/> Calibration Adjustment               </td> <td> <input type="checkbox"/> Post-Stability Checks  <input type="checkbox"/> Flow Calibration  <input checked="" type="checkbox"/> Form 40  <input type="checkbox"/> Other _____               </td> </tr> </tbody> </table>		Attachments	<input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Calibration Adjustment	<input type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input checked="" type="checkbox"/> Form 40 <input type="checkbox"/> Other _____																																																																																																	
Attachments																																																																																																					
<input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Calibration Adjustment	<input type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input checked="" type="checkbox"/> Form 40 <input type="checkbox"/> Other _____																																																																																																				
<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use																																																																																																					
Phil Nicodemo <small>Digitally signed by Phil Nicodemo Date: 2023.05.31 12:17:37 0400</small>	_____ 2023.06.01 09:30:2 8-04'00'																																																																																																				
Tech Review / Date	Admin Review / Date																																																																																																				
Notes/Suggested Service: Replaced battery and verified setup on 5/3. Added breath tube screen and finished Quality Checks on 5/30. (TDG) _____ _____ _____ _____																																																																																																					

# Florida Department of Law Enforcement Alcohol Testing Program

## AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: MONROE COUNTY SO  
Time of Inspection: 10:04

Date of Inspection: 05/30/2023

Serial Number: 80-000870  
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08g/210L Test (g/210L) Lot#: _____ Exp: _____	0.20g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: _____ Exp: _____

Number of Simulators Used: \_\_\_\_\_

Remarks:  
AI NOT CONDUCTED. BYPASSED TO BRING OUT OF DISABLED MODE.

*Not determined*      <sup>76</sup>  
05/30/2023

The above instrument complies (  ) does not comply (    ) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

*Taylor D Gutschow*      TAYLOR D GUTSCHOW  
Signature and Printed Name

05/30/2023  
Date

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-000870	Monroe CSO	05/30/2023	TDG <i>MB</i>

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083
<p>MONROE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000870 05/30/2023 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 11:52 Control Test 0.051 11:53 Air Blank 0.000 11:53 Control Test 0.052 11:54 Air Blank 0.000 11:54 Control Test 0.051 11:55 Air Blank 0.000 11:56 Control Test Stats Average 0.0513 Std Dev 0.0006 Rel Std Dev(%) 1.1247</p> <p><i>MB</i> Operator's Signature</p>	<p>MONROE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000870 05/30/2023 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 11:56 Control Test 0.081 12:00 Air Blank 0.000 12:00 Control Test 0.081 12:01 Air Blank 0.000 12:01 Control Test 0.081 12:02 Air Blank 0.000 12:03 Control Test Stats Average 0.0810 Std Dev 0.0000 Rel Std Dev(%) 0.0000</p> <p><i>MB</i> Operator's Signature</p>	<p>MONROE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000870 05/30/2023 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 12:06 Control Test 0.206 12:07 Air Blank 0.000 12:07 Control Test 0.202 12:08 Air Blank 0.000 12:09 Control Test 0.203 12:09 Air Blank 0.000 12:10 Control Test Stats Average 0.2037 Std Dev 0.0021 Rel Std Dev(%) 1.0221</p> <p><i>MB</i> Operator's Signature</p>	<p>MONROE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000870 05/30/2023 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 11:11 Control Test 0.080 11:12 Air Blank 0.000 11:12 Control Test 0.081 11:12 Air Blank 0.000 11:13 Control Test 0.078 11:13 Air Blank 0.000 11:14 Control Test Stats Average 0.0797 Std Dev 0.0015 Rel Std Dev(%) 1.9174</p> <p><i>MB</i> Operator's Signature</p>

**Comments:**

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: MONROE COUNTY SO  
Time of Inspection: 14:19

Date of Inspection: 05/30/2023

Serial Number: 80-000870  
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG115904 Exp: 06/08/2023
0.000	0.050	0.081	0.203	0.078
0.000	0.051	0.081	0.202	0.078
0.000	0.050	0.082	0.203	0.077
0.000	0.050	0.080	0.202	0.077
0.000	0.049	0.080	0.201	0.077
0.000	0.049	0.079	0.202	0.077
0.000	0.049	0.079	0.200	0.076
0.000	0.048	0.078	0.201	0.077
0.000	0.049	0.079	0.201	0.076
0.000	0.049	0.078	0.202	0.076

Standard Deviations	0.0008	0.0013	0.0009	0.0007
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0009 Number of Simulators Used: 5

Remarks:

The above instrument complies (  ) does not comply (  ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

05/30/2023  
Date



Florida Department of Law Enforcement  
 Alcohol Testing Program  
 4700 Terminal Drive, Suite 1  
 Ft. Myers, FL 33907

# Calibration Certificate

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000870, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000870</u>	UNCERTAINTY* ±
Owning Agency:	<u>MONROE COUNTY SO</u>	0.050 g/ 210 L
Calibration Date:	<u>05/30/2023</u>	0.080 g/ 210 L
Calibration Time:	<u>14:19</u>	0.200 g/ 210 L
		0.080 g/ 210 L Dry Gas Control
		0.004
		0.004
		0.007
		0.005

All results are reported in g/ 210 L.  
 Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.  
 \*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).  
 The instrument results before and after any adjustment are found in the associated pre and post stability checks.

### TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

05/30/2023

  
 TAYLOR D GUTSCHOW,  
 Date

Department Inspector

FDLE/ATP Form 69 December 2021  
 Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality