

INSTRUMENT PROCESSING SHEET

Agency Sarasota CSO

S/N 80-005076

Florida Dep Law Enforce											
Intake	By T	DG	Quality Ch	ecks By TDG	Date_05/03/2023	Flow Calib	ration By	Date			
Annual		9.2) 	Breath	Tube Screen		Flow Column #					
Registrati	on		Replace	External O-Ring	gs	□ 5L/min – 17mm □ 15L/min – 53mm					
Return fro	om CMI / EE		🔳 Instrum	nent Set Up Veri	fied						
Marial Incore	-	-	R-Value	245		□ 30L/min – 103mm					
Visual Inspec			Flow Ve	erification (L/s)		R-Value					
Case	Handle		Flow Colu	mn # ATP104		Post Calibration Verification (L/s) Flow Column # 32 mm(.139169					
Keyboard			32 mm	0.164	(.139169)						
Feet	Breath Tub	Service and the service of the servi	36 mm	0.179	(.156190)						
Ports	Screws Tig		53 mm	0.250	(.228278)						
Other Equip	ment/ Accessories:	:	103 mm	0.515	(.228278) (.447547)						
Power co			Barome	etric Pressure Ch	leck						
Static Bag	g 🛛 12V DC Cal	ble	Gauge ID	# 26932							
Notes: Miss	sing a screw on D	GS	Stability								
regulator			Simulator		Lot #/Exp	Maintena	nce	By TDG			
			0.050		202201C		Replacement				
-			0.050	MP5094	01/11/2024	Dry Gas Regulator Replacement					
			0.080		202201D	Breath Tube Replacement					
			0.080	MP5095	01/18/2024	Other <u>Replaced missing screw</u>					
			0.200		202201E	5/3 prior to Quality Checks.					
				MP5096	01/18/2024						
			0.080 DG	S N/A	AG223802	-					
anner Barranser			0.000 20		08/26/2024						
Calibration /	Adjustment	2 A 2 A									
				By	Department Inspec	tion		By TDG			
Barometric F	Pressure Gauge		ID #	By	Department Inspec Barometric Pressure		alaan ka dalada ah ka k 2	By TDG			
Barometric I Simulator	Pressure Gauge Serial #	Lot #	ID #	<u>، محر</u>	Department Inspec Barometric Pressure Gauge 1008	e ID# 26932	2	By TDG			
		and the second second	ID #	Expiration N/A	Barometric Pressure	e ID# <u>26932</u> Ins	2 strument <u>1001</u>	By TDG			
Simulator		and the second second		Expiration	Barometric Pressure Gauge <u>1008</u> Mouth Alcohol Solu	e ID# <u>26932</u> Ins tion Lot # <u>2</u>	2 strument <u>1001</u> 021-D	By TDG			
Simulator 0.000		and the second second		Expiration N/A	Barometric Pressure Gauge <u>1008</u> Mouth Alcohol Solu Acetone Stock Solut	e ID# <u>26932</u> Ins tion Lot # <u>2</u>	2 strument <u>1001</u> 021-D 022-B	By TDG			
Simulator 0.000 0.040 0.100		and the second second		Expiration N/A	Barometric Pressure Gauge <u>1008</u> Mouth Alcohol Solu	e ID# <u>26932</u> Ins tion Lot # <u>2</u>	2 strument <u>1001</u> 021-D	0			
Simulator 0.000 0.040 0.100 0.200		and the second second		Expiration N/A	Barometric Pressure Gauge <u>1008</u> Mouth Alcohol Solu Acetone Stock Solut Simulator 0.000 Interferent	e ID# <u>26932</u> Ins tion Lot # <u>2</u>	strument <u>1001</u> 021-D 022-B Serial Number MP50 MP50)9 <u>2</u>)93			
Simulator 0.000 0.040 0.100 0.200 0.300	Serial #	and the second second		Expiration N/A	Barometric Pressure Gauge <u>1008</u> Mouth Alcohol Solu Acetone Stock Solut Simulator 0.000 Interferent 0.050	e ID# <u>26932</u> Ins tion Lot # <u>2</u>	strument <u>1001</u> 021-D 022-B Serial Number MP50 MP50 MP50)92)93)94			
Simulator 0.000 0.040 0.100 0.200		and the second second		Expiration N/A	Barometric Pressure Gauge 1008 Mouth Alcohol Solu Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080	e ID# <u>26932</u> Ins tion Lot # <u>2</u>	strument <u>1001</u> 021-D 022-B Serial Number MP50 MP50 MP50	092 093 094 095			
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS	Serial #		N/A	Expiration N/A	Barometric Pressure Gauge <u>1008</u> Mouth Alcohol Solu Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200	e ID# <u>26932</u> Ins tion Lot # <u>2</u>	strument <u>1001</u> 021-D 022-B Serial Number MP50 MP50 MP50	092 093 094 095			
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib	Serial #	Stability	N/A	Expiration N/A	Barometric Pressure Gauge <u>1008</u> Mouth Alcohol Solu Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments	e ID# <u>26932</u> Ins tion Lot # <u>2</u>	strument <u>1001</u> 021-D 022-B Serial Number MP50 MP50 MP50	092 093 094 095			
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib	Serial # N/A pration Adjustment	Stability	N/A	Expiration N/A	Barometric Pressure Gauge <u>1008</u> Mouth Alcohol Solu Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments ■ Form 41	e ID# <u>26932</u> Ins tion Lot # <u>2</u> tion Lot # <u>2</u>	strument <u>1001</u> 021-D 022-B Serial Number MP50 MP50 MP50 MP50	092 093 094 095 096 Y Checks			
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib Simulator	Serial # N/A pration Adjustment	Stability	N/A	Expiration N/A	Barometric Pressure Gauge <u>1008</u> Mouth Alcohol Solu Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks	e ID# <u>26932</u> Ins tion Lot # <u>2</u> tion Lot # <u>2</u>	strument <u>1001</u> 021-D 022-B Serial Number MP50 MP50 MP50	092 093 094 095 096 Y Checks			
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib Simulator 0.050	Serial # N/A pration Adjustment	Stability	N/A	Expiration N/A	Barometric Pressure Gauge <u>1008</u> Mouth Alcohol Solu Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert	ificate	2 strument 1001 021-D 022-B Serial Number MP50 M	092 093 094 095 096 Y Checks			
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib Simulator 0.050 0.080	Serial # N/A pration Adjustment	Stability	N/A	Expiration N/A	Barometric Pressure Gauge <u>1008</u> Mouth Alcohol Solu Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks	ificate	2 strument 1001 021-D 022-B Serial Number MP50 MP50 MP50 MP50 MP50 MP50 MP50 MP50 MP50 MP50 MP50 MP50	092 093 094 095 096 Y Checks			
Simulator 0.000 0.440 0.100 0.200 0.300 0.080 DGS □ Post Calib Simulator 0.050 0.080 0.200 0.200 0.080 DGS	Serial # N/A Pration Adjustment Serial #	Stability	N/A	Expiration N/A	Barometric Pressure Gauge <u>1008</u> Mouth Alcohol Solu Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju Instrument Cor	ificate istment inglies with (provide state)	2 strument 1001 021-D 022-B Serial Number MP50 M	092 093 094 095 096 y Checks tion			
Simulator 0.000 0.440 0.100 0.200 0.300 0.080 DGS □ Post Calib Simulator 0.050 0.080 0.200 0.200 0.080 DGS	Serial # N/A pration Adjustment Serial # N/A	Stability	N/A	Expiration N/A	Barometric Pressure Gauge 1008 Mouth Alcohol Solu Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju Instrument Cor Instrument Doc Return to/Place	ificate ustment nplies with (es Not Comp e into Evider	2 strument 1001 021-D 022-B Serial Number MP50 M	2092 2093 2094 2095 2096 2096 2096 2096 2097 2097 2097 2097 2097 2097 2097 2097			
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib Simulator 0.050 0.080 0.200 0.200 0.080 DGS	Serial # N/A pration Adjustment Serial # N/A	Stability	N/A	Expiration N/A	Barometric Pressure Gauge 1008 Mouth Alcohol Solu Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju Instrument Cor Instrument Doe Return to/Place Conduct an Age	ificate istment nplies with (es Not Comp e into Evider Evidentiary ency Inspect	2 strument 1001 021-D 022-B Serial Number MP50 M	2)92 2)93 2)94 2)95 2)96 2)96 2)96 2)96 2)96 2)96 2)95 2)99 2)95 2)99 2)99 2)99 2)99 2)99			
Simulator 0.000 0.440 0.100 0.200 0.300 0.080 DGS □ Post Calib Simulator 0.050 0.080 0.200 0.200 0.080 DGS	Serial # N/A pration Adjustment Serial # N/A	Stability	N/A	Expiration N/A	Barometric Pressure Gauge 1008 Mouth Alcohol Solu Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju Instrument Cor Instrument Doc Return to/Place	ificate ustment ificate ificat	2 strument 1001 021-D 022-B Serial Number MP50 M	2)92 2)93 2)94 2)95 2)96 2)96 2)96 2)96 2)96 2)96 2)97 2)97 2)97 2)97 2)97 2)97 2)97 2)97			

FDLE/ATP Form 48 January 2022 Issuing Authority: Alcohol Testing Program

PRINTED COPIES UNCONTROLLED For Internal ATP Use ONLY

Type of Test	Serial Number	imber Agency	Date , Performed By
Stabilities	30-00 S0-08		03/2023
0.05g/210L			5S 0.08
0.047 to 0.053		0.077 to 0.083 🗸 0.194 to 0.206	✓ 0.077 to 0.083 ✓ ≤0.003 of Wet ✓
. SARASDTA COUNTY 50 Intoxilyzer - Alcohol Analyzer Model 8000 D5/03/2023 Software: 8100.27	2076	SARASOTA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/03/2023 Software: 8100.27 Software: 8100.27	SARASOTA COUNTY SO SARASOTA COUNTY SO Intoxilyzer - Alcobol Analyzer Model 80001 Intoxils2002 SN 80-005076
Test g/210L Rir Blank 0.000 Control Test 0.000 Control Test 0.049 Rir Blank 0.000 Control Test 0.049 Rir Blank 0.000 Control Test 51ats 0.000 Rel Std Deu (2) 0.0000 Rel Std Deu (2) 0.0000 Rel Std Deu (2) 0.0000	11 12:22 12:23 12:23 12:23 12:23 12:23	9/210L 0.0000 0.00000 0.0000 0.0000 0.0000 0.00000 0.00000 0.0000 0.000	05/03/2023 Software: 8100.27 Test g/210L Air Blank 0.000 Control Test 0.080 Air Blank 0.000 Control Test 0.080 Air Blank 0.000 Control Test Stats Auerage 0.0000 Rel Std Deu(2) 0.0000 Rel Std Deu(2) 0.0000
Comments:			

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: SARASOTA COUNTY SO Time of Inspection: 14:18

Date of Inspection: 05/04/2023

Serial Number: 80-005076 Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG223802 Exp: 08/26/2024
0.000	0.049	0.079	0.201	0.081
.0.000	0.049	0.078	0.201	0.081
0.000	0.049	0.079	0.201	0.080
0.000	0.049	0.079	0.201	0.080
0.000	0.048	0.080	0.201	0.080
0.000	0.049	0.079	0.201	0.080
0.000	0.049	0.079	0.201	0.080
0.000	0.049	0.079	0.201	0.080
0.000	0.049	0.079	0.201	0.081
0.000	0.049	0.079	0.201	0.081
			3	
Standard Deviations	0.0003	0.0004	0.0000	0.0005

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies (X) does not comply (

) with Chapter 11D-8, FAC.

Ι	certify	that	I	performed	this	inspection	in	accordance	with	the	provisions	of	Chapter	11D-8,	FAC.
	100	1		1 0/	11	-					provisions				

aula	(hatelow)					TAYLOR	D	GUTSCHOW
0.70		Signature	and	Printed	Name			

05/04/2023 Date

	Florida Department of Law Enforcement Alcohol Testing Program 4700 Terminal Drive, Suite 1 Ft. Myers, FL 33907	as calibrated in accordance with	UNCERTAINTY* ±	0.004	0.004	0.007	0.080 g/ 210 L Dry Gas Control 0.005	er, of the target alcohol concentration.	and certified these CRMs in accordance	ters calibrated by Precision Metrology in	M supplier. The supplier of dry gas standard controls MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM	ii
5	Calibration Certificate	rr 8000 serial number <u>80-005076</u> , manufactured by CMI, Inc. was calibrated in accordance with n Procedures - Intoxilyzer 8000.	UNC	A COUNTY SO 0.050 g/ 210 L	0.080 g/210 L	0.200 g/ 210 L	0.080 g/ 210 L I	All results are reported in g/ 210 L. Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration. *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3). The instrument results before and after any adjustment are found in the associated pre and post stability checks.	repared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance	Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.	rough the use of CRMs supplied by an accredited CRU SO Guide 34 and ISO/ IEC 17025 standards. 05/04/2023 Date Date Service • Integrity • Respect • Quality	
	ANAB ANAB ANAB ANAB ANAB ANAB ANAB ANAB	This is to certify the calibration of Intoxilyzer 8000 serial number <u>80-0050</u> FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000	Serial Number: <u>80-005076</u>	SARASOT	Calibration Date: 05/04/2023	Calibration Time: <u>14:18</u>		All results are reported in g/ 210 L. Bias is limited by calibration acceptance criteria. All calibration results must be within \pm 0.005 e*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3). The instrument results before and after any adjustment are found in the associated pre and post is the instrument results before and after any adjustment are found in the associated pre and post is the instrument results before and after any adjustment are found in the associated pre and post is the instrument results before and after any adjustment are found in the associated pre and post is the instrument results before and after any adjustment are found in the associated pre and post is the instrument results before and after any adjustment are found in the associated pre and post is the instrument results before and after any adjustment are found in the associated pre and post is the instrument results before and after any adjustment are found in the associated pre and post is the instrument results before and after any adjustment are found in the associated pre and post is the instrument results before and after any adjustment are found in the associated pre and post is the post is the associated pre and post is the adjustment are found in the associated pre adjustment are post in the associated pre adjustment are post in the adjustment at the post is the post is the post in the post in the post is the post is the post in the post in the post in the post is the post in the post	TRACEABILITY INFORMATION This instrument was calibrated using solutions pr with ISO 17034 and ISO/ IEC 17025 Standards.	Simulator temperatures are traceable to NIST. Sin accordance with ISO/ IEC 17025 standards.	Dry gas control measurements are traceable to NIST the prepared and certified the CRMs in accordance with IS This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program. FDLE/ATP Form 69 December 2021 Issuing Authority: Alcohol Testing Program	