

INSTRUMENT PROCESSING SHEET Agency Miami PD S/N 80-007517 Date In 11/02/2023 DI Completion Date 11/03/2023 ■Ship □P/U □H/D □CMI □EE Florida Department of Law Enforcement By TDG By TDG Date 11/03/2023 Intake **Quality Checks** Flow Calibration By Date Annual Breath Tube Screen Flow Column # ☐ Registration ■ Replace External O-Rings ☐ 5L/min - 17mm ☐ Return from CMI / EE ■ Instrument Set Up Verified ☐ 15L/min - 53mm R-Value 191 □ 30L/min – 103mm Visual Inspection: Flow Verification (L/s) □ R-Value Case ■ Handle Flow Column # ATP104 ☐ Post Calibration Verification (L/s) Keyboard Dry Gas Shelf 32 mm 0.152 Flow Column #_____ (.139 - .169)Feet ■ Breath Tube 36 mm 0.167 32 mm _____(.139 - .169) (.156 - .190)Ports Screws Tight 53 mm 0.234 _ (.228 - .278) 36 mm _____(.156 - .190) Other Equipment/ Accessories: 103 mm 0.488 (.447 - .547)53 mm _____(.228 - .278) ☐ Power cord ☐ Printer Cable ■ Barometric Pressure Check 103 mm _____ (.447 - .547) ☐ 12V DC Cable Static Bag Gauge ID # 26932 Stability Checks Notes: ___ Simulator Serial # Lot #/Exp Maintenance By_ ☐ Battery Replacement 0.050 202303K MP5094 ☐ Dry Gas Regulator Replacement 03/29/2025 ☐ Breath Tube Replacement 0.080 202303L MP5095 Other _____ 03/29/2025 0.200 202304C MP5096 04/05/2025 0.080 DGS N/A AG223802 08/26/2024 By TDG Calibration Adjustment Department Inspection By _ Barometric Pressure ID# 26932 Barometric Pressure Gauge ID# Simulator | Serial # Lot# Expiration Gauge 1021 Instrument 1020 0.000 N/A N/A Mouth Alcohol Solution Lot # 2023-A 0.040 * Acetone Stock Solution Lot # 2022-B Serial Number 0.100 Simulator 0.000 MP5092 0.200 Interferent MP5093 0.300 0.050 MP5094 0.080 DGS N/A 0.080 MP5095 0.200 MP5096 ☐ Post Calibration Adjustment Stability Checks **Attachments** Simulator | Serial # Lot # Expiration 0.050 Form 41 ☐ Post-Stability Checks ■ Stability Checks 0.080 ☐ Flow Calibration 0.200 ■ Calibration Certificate ☐ Form 40 ☐ Calibration Adjustment ☐ Other ___ 0.080 DGS N/A Instrument Complies with Chapter 11D-8, FAC Notes/Suggested Service: ___ ☐ Instrument Does Not Comply with Chapter 11D-8, FAC Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use Conduct an Agency Inspection Before Evidentiary Use

Israel Soto Date: 2023.11.03 14:58:40 Tech Review / Date

Phil Nicodemo Digitally signed by Phil Nicodemo Date: 2023.11.03 15:10:13 -04'00'

Admin Review / Date

Stability Checks

DGS 0.08g/210L	0.077 to 0.083 🗸 ≤0.003 of Wet 🗸	*	MIRMI PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007517 11/03/2023 Software: 8100.27 Test g/210L Time Air Blank 0.000 10:03 Air Blank 0.000 10:03 Air Blank 0.000 10:04 Control Test 0.079 10:04 Air Blank 0.000 10:04 Air Blank 0.000 10:04 Air Blank 0.000 10:04 Air Blank 0.000 10:04	st 0.078 0.000 0.0783 0.0783 0.0006 0.0006 0.7370 ator's Signature
0.20g/210L	0.194 to 0.206		r - Alcc 8100.27 st st	Control Test Stats Ruerage 0.1967 Std Dev 0.0006 Rel Std Dev(X) 0.2936 Rel Std Dev(X) 5.3936
0.08g/210L	0.077 to 0.083		er - Alcohol Analyzer 3 8100.27 9/210L 0.000 sst 0.078 5.000 sst 0.078 0.000 sst 0.078	Control Test Stats Rerage 0.0780 Std Dev 0.0000 Rel Std Dev(%) 0.0000 Rel Std Dev(%) 0.0000 Rel Std Dev(%) 0.0000
0.05g/210L	0.047 to 0.053		MIRMI PD Intoxilyzer - Ricohol Analyzer Model 8000 11/03/2023 Software: 8100.27 Test g/210L Time Rir Blank 0.000 10:17 Rir Blank 0.000 10:18 Rir Blank 0.000 10:19	st Stats 0.0000 0.0000 0.0000 0.0000 AV

Florida Department of Law Enforcement **Alcohol Testing Program**

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: MIAMI PD

Time of Inspection: 13:00

Date of Inspection: 11/03/2023

Serial Number: 80-007517

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted	_	No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	1
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303K Exp: 03/29/2025	0.08g/210L Test (g/210L) Lot#:202303L Exp: 03/29/2025	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test* (g/210L) Lot#:AG223802 Exp: 08/26/2024	
0.000	0.048	0.078	0.196	0.079	
0.000	0.048	0.078	0.196	0.079	
0.000	0.048	0.078	0.196	0.079	
0.000	0.048	0.078	0.196	0.079	
0.000	0.048	0.078	0.197	0.079	
0.000	0.048	0.078	0.196	0.079	
0.000	0.048	0.078	0.197	0.079	
0.000	0.048	0.078	0.197	0.079	
0.000	0.048	0.078	0.197	0.079	
0.00.0	0.048	0.078	0.197	0.079	
			>		
Standard Deviations	0.0000	0.0000	0.0005	0.0000	

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0001 Number of Simulators Used: 5 Remarks:

) with Chapter 11D-8, FAC. The above instrument complies (X) does not comply (

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Signature and Printed Name

11/03/2023 Date





Calibration Certificate

Florida Department of Law Enforcement 4700 Terminal Drive, Suite 1 Alcohol Testing Program Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-007517, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

			ンファイル
80-007517	MIAMI PD	11/03/2023	13:00
Serial Number:	Owning Agency:	Calibration Date:	Calibration Time:

0.004

UNCERTAINTY*

0.050 g/210 L 0.080 g/210 L 0.200 g/210 L 0.005

0.080 g/210 L Dry Gas Control

0.007

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration. The instrument results before and after any adjustment are found in the associated pre and post stability checks. *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3) All results are reported in g/ 210 L.

IRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards. Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full,

without written approval of the Florida Department of .aw Enforcement Alcohol Testing Program.

11/03/2023

FAYLOR D GUTSCHOW Department Inspector

Service Integrity Respect Quality

Issuing Authority: Alcohol Testing Program

FDLE/ATP Form 69 December 2021