

INSTRUMENT PROCESSING SHEET

Agency Lake Hamilton PD

S/N 80-001866

Florida Department of Date In 11/08/2024 DI Completion Date 11/14/2024 Ship P/U H/D CMI DEE Law Enforcement Date 11/08/2024 Quality Checks By TDG By TDG Intake Date (See Notes) Flow Calibration By Date Annual Breath Tube Screen Flow Column # Registration Replace External O-Rings □ 5L/min – 17mm Return from CMI / EE Instrument Set Up Verified 15L/min – 53mm R-Value 210 □ 30L/min – 103mm Visual Inspection: Flow Verification (L/s) R-Value Case Handle Flow Column # ATP104 Post Calibration Verification (L/s) Keyboard Dry Gas Shelf 32 mm 0.144 Flow Column #_____ (.139 - .169)Feet Breath Tube 36 mm 0.156 (.156 - .190) 32 mm _____ (.139 - .169) Ports Screws Tight 53 mm 0.234 (.228 - .278) 36 mm _____ (.156 - .190) Other'Equipment/ Accessories: 103 mm 0.511 (.447 - .547) 53 mm _____ (.228 - .278) Power cord Printer Cable Barometric Pressure Check 103 mm _____ (.447 - .547) Static Bag 12V DC Cable Gauge ID # 26932 Stability Checks Notes: Needs battery change. Simulator Serial # Lot #/Exp Maintenance By TDG Date (See Notes) Battery Replacement 0.050 202303K MP6286 Dry Gas Regulator Replacement 03/29/2025 Breath Tube Replacement 0.080 202303L MP6287 Cther Replaced the internal printer 03/29/2025 paper on 11/8. Replaced the battery 0.200 202304C on 11/13. MP6288 04/05/2025 0.080 DGS N/A AG429602 10/22/2026 **Calibration Adjustment** Department Inspection By TDG By Barometric Pressure ID# 26932 Barometric Pressure Gauge ID # Simulator | Serial # Gauge 1015 Instrument 1013 Lot # Expiration 0.000 N/A Mouth Alcohol Solution Lot # 2023-A N/A 0.040 ** Acetone Stock Solution Lot # 2023-B 0.100 Simulator Serial Number 0.000 MP6284 0.200 Interferent MP6285 0.300 0.050 MP6286 0.080 DGS N/A 0.080 MP6287 0.200 MP6288 Post Calibration Adjustment Stability Checks Attachments Simulator | Serial # Lot # Expiration Form 41 Post-Stability Checks 0.050 0.080 Stability Checks □ Flow Calibration 0.200 Calibration Certificate Form 40 Calibration Adjustment Other Extra Stabilities 0.080 DGS N/A Notes/Suggested Service: Checked breath tube screen Instrument Complies with Chapter 11D-8, FAC and replaced o-rings on 11/8. Verified setup on 11/13. □ Instrument Does Not Comply with Chapter 11D-8, FAC Finished Quality Checks on 11/14. (TDG) Return to/Place into Evidentiary Use Remain Out of Evidentiary Use Added plastic caps and static bag. (TDG) Conduct an Agency Inspection Before Evidentiary Use Destinee Phil Nicodemo Digitally signed by Phil Nicodemo Date: 2024.11.18 10:45:14 -05'00' Armstrong Date: 2024 11 14 15:14:51 -05:00 Armstrong Tech Review / Date Admin Review / Date

FDLE/ATP Form 48 January 2024 Issuing Authority: Alcohol Testing Program PRINTED COPIES UNCONTROLLED For Internal ATP Use ONLY

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: LAKE HAMILTON PD Time of Inspection: 09:35

Date of Inspection: 11/14/2024

Serial Number: 80-001866 Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		
· · · · · · · · · · · · · · · · · · ·		No
Diagnostic Check (Pre-Inspection): OK		
		No
Alcohol Free Subject Test: 0.000		
0		No
Mouth Alcohol Test: Slope Not Met		
		No
Interferent Detect Test: Interferent Detect		
		No
Diagnostic Check (Post-Inspection): OK		
		No

Exp:	Exp:	Exp:	Lot#: Exp:
	· 1 -		
			17 E

Number of Simulators Used:

Remarks:

AI NOT CONDUCTED. BYPASSED TO BRING OUT OF DISABLED MODE.

Not determined 11/14/24

The above instrument complies (🗡) does not comply (

tune

) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I in accordance with the provisions of Chapter 11D-8, FAC. performed this i nspection

> TAYLOR D GUTSCHOW Signature and Printed Name

> > 11/14/2024 Date

g/210L	Time		
0.000	09:48		
0.050	09:48		
0.000	09:49		
0.050	09:50		
0.000	09:50		
0.048	09:51		
0.000	09:51		
S			
0.0493			
0.0012			
2.3406			
	0.000 0.050 0.000 0.050 0.000 0.048 0.000 25 0.0493 0.0012		

mb

ARS

Test	g/210L	Time		
Air Blank	0.000	09:54		
Control Test	0.079	09:55		
Air Blank	0.000	09:55		
Control Test	0.079	09:56		
Air Blank	0.000	09:57		
Control Test	0.078	09:57		
Air Blank	0.000	09:58		
Control Test Stat	ts			
Average	0.0787			
Std Dev	0.0006			
Rel Std Dev(%)	0.7339			
	1			

0

MG

Operator's Signature

-

Test	g/210L	Time
Air Blank	0.000	10:02
Control Test	0.198	10:03
Air Blank	0.000	10:03
Control Test	0.199	10:04
Air Blank	0.000	10:04
Control Test	0.198	10:05
Air Blank	0.000	10:06
Control Test Stat	ts	
Average	0.1983	
Std Dev	0.0006	
Rel Std Dev(%)	0.2911	

P65

Test	g/210L	Time
Air Blank	0.000	10:07
Control Test	0.079	10:08
Air Blank	0.000	10:08
Control Test	0.079	10:09
Air Blank	0.000	10:09
Control Test	0.080	10:09
Air Blank	0.000	10:10
Control Test Stat	s	
Average	0.0793	
Std Dev	0.0006	
Rel Std Dev(%)	0.7277	÷

MU

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: LAKE HAMILTON PD Time of Inspection: 12:27

Date of Inspection: 11/14/2024

Serial Number: 80-001866 Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes	16.	Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes	2	Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303K Exp: 03/29/2025	0.08g/210L Test (g/210L) Lot#:202303L Exp: 03/29/2025	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.049	0.080 / 0.0	79 0.198	0.079
0.000	0.049	0.079 / 0.0	79 0.199	0.080
0.000	0.050	0.079 / 0.0	79 0.200	0.079
0.000	0.049	0.079 // 0.0	80 0.199	0.079
0.000	0.050	0.079 / 0.0	80 0.198	0.079
0.000	0.050	0.079 / 0.0	79 0.199	0.079
0.000	0.050	0.080 / 0.0	79 0.199	0.079
0.000	0.050	INT / 0.0	80 0.198	0.079
0.000	0.050	/ 0.0	79 0.199	0.079
0.000	0.050	/ 0.0	79 0.198	0.079
Standard Deviations	0.0004	/ 0.00	04 0.0006	0.0003

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

08: Interferent Detect. UNKNOWN SOURCE. AIRED OUT, REPEATED.

The a	above	instrument	complies	(x)	does	not	comply	(
-------	-------	------------	----------	---	---	---	------	-----	--------	---

) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Sunda		
	55	

TAYLOR D GUTSCHOW

Signature and Printed Name $\frac{11/14/2024}{\text{Date}}$

ARS 0.08

	Test	g/210L	Time
	Air Blank	0.000	13:21
	Control Test	0.080	13:21
	Air Blank	0.000	13:21
	Control Test	0.079	13:22
	Air Blank	0.000	13:22
	Control Test	J. 080	13:22
	Air Blank	0 000	13:23
	Control Test	0.000 0.079	13:23
	Air Blank	0.000	13:24
	Control Test	0.080	13:24
	Air Blank	0.000	13:25
	Control Test	0.078	13:25
	Air Blank	0.000	13:25
		0.079	13:26
	Control Test	0.000	13:26
	Air Blank		13:20
	Control Test	0.079	17.07
	Air Blank	0.000	13:27
	Control Test	0.079 0.000	13:27 13:28
	Air Blank	0.000	
	Control Test	0.080	13:28
	Air Blank	0.000	13:29
	Control Test	0.079	13:29
	Air Blank	0.000	13:29
	Control Test	0.080	13:30
	Air Blank	0.000	13:30
	Control Test	0.079	13:31
	Air Blank	0.000	13:31
	Control Test	0.080	13:31
	Air Blank	· 0.000	13:32
	Control Test	0.079	13:32
	Air Blank	0.000	13:33
	Control Test	0.079 0.000	13:33 13:33
	Air Blank	0.000	13:34
	Control Test	0.080	13:34
	Air Blank	0.000	13:34
	Control Test	0.079	12.25
	Air Blank	0.000	13:35
	Control Test	0.080	13.35
			13:35 13:36
1	Air Blank Coptrol Tost	0.000 0.080	 13:36
	Control Test	0.000	13:30
	Air Blank		10:07
	Control Test Sta		
	Average	0.0794	
		0.0006	
	Rel Std Dev(%)	0.7535	

Extra Stabilities

1

10

· Enforcement ogram , Suite 1 907	nce with		0.004	0.004	0.007	0.005	ncentration.	in accordance	n Metrology in	ndard controls	Page 1 of 1)
Florida Department of Law Enforcement Alcohol Testing Program 4700 Terminal Drive, Suite 1 Ft. Myers, FL 33907	, manufactured by CMI, Inc. was calibrated in accordance with	UNCERTAINTY* ±				0.080 g/ 210 L Dry Gas Control	All results are reported in g/ 210 L. Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration. *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3). The instrument results before and after any adjustment are found in the associated pre and post stability checks.	repared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance	Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.	Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of 11/14/2024 Can Control Can Controls Controls and Control Can Enforcement Alcohol Testing Program.	Department Inspector	
	y CMI, Inc. wa	nn	0.050 g/ 210 L	0.080 g/ 210 L	0.200 g/ 210 L	0 g/ 210 L	chever is greate lecks.	ACS prepared	gital thermomet	RM supplier. T	Departm	
Calibration Certificate	anufactured by		0.05	0.08	0.20	0.08	. All calibration results must be within \pm 0.005 or 5%, whicheve expressed to a 99.73% level of confidence (k=3). stment are found in the associated pre and post stability checks.	ms, Inc. (ACS).	ST traceable dig	an accredited C andards.		
n Cei	9	NH D	101) •		, t be within ± 0 of confidence ciated pre and	measure Syste	lecked with NI	Ms supplied by an N/ IEC 17025 stanc	Date Service • Integrity • Respect • Quality	
bratio	er 8000 serial number <u>80-001866</u> on Procedures - Intoxilyzer 8000.	M IL P	<u>V PD</u>				ion results must a 99.73% level und in the asso	Icohol Counter	peratures are ch	VIST through the use of CRMs supplied by an accr with ISO Guide 34 and ISO/ IEC 17025 standards. n full, nent of 11/14/2024	Service • In	
Cali	zer 8000 seri tion Procedur	9	AMILTON PD	14		6	ia. All calibrat s expressed to a justment are fo	prepared by A ls.	Simulator tem	NIST through e with ISO Gu in full, ment of	3 0	
Institutional Accreditation Board Institutional Accreditation Board Escontactorase Alexistic Acutabartion Alexistic Acutabartion	ion of Intoxily rtment Inspec	80-001866	LAKE HAMII	11/14/2024	12:27		0 L. cceptance criter wide data and i ind after any ad	FION using solutions 17025 Standarc	ceable to NIST. 25 standards.	are traceable to 4s in accordanc roduced except c Florida Depart ting Program.	r 2021 ting Program	
A C A S	fy the calibrat rrm 36 - Depa	ber:	gency:	Date:	Time:		eported in g/ 21 by calibration a based on fleet- results before a	Y INFORMA was calibrated and ISO/ IEC	ratures are trac ISO/IEC 170	measurements rtified the CRM shall not be rep approval of the nt Alcohol Tes	m 69 Decembe y: Alcohol Tes	
	This is to certify the calibration of Intoxilyzer 8000 serial number <u>80-00186</u> FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000	Serial Number:	Owning Agency:	Calibration Date:	Calibration Time:	2	All results are reported in g/ 210 L. Bias is limited by calibration acceptance criteria. All calibration results must be within \pm 0.005 (*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3). The instrument results before and after any adjustment are found in the associated pre and post s	TRACEABILITY INFORMATION This instrument was calibrated using solutions p with ISO 17034 and ISO/ IEC 17025 Standards.	Simulator temperatures are traceable to NIS accordance with ISO/ IEC 17025 standards.	Dry gas control measurements are traceable to NIST the prepared and certified the CRMs in accordance with IS This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.	FDLE/ATP Form 69 December 2021 Issuing Authority: Alcohol Testing Program	