

INSTRUMENT PROCESSING SHEET

S/N 80-006239

Agency Palm Beach CSO

Date In 03/04/2024 DI Completion Date 03/04/2024 DShip P/U H/D CMI DEE Florida Department of Law Enforcement Date 03/04/2024 ByTDG Intake By TDG Date 03/04/2024 **Quality Checks** Flow Calibration By____ Date Annual Breath Tube Screen Flow Column # Replace External O-Rings □ 5L/min – 17mm Registration Instrument Set Up Verified 15L/min – 53mm Return from CMI / EE □ 30L/min – 103mm R-Value 227 Visual Inspection: Flow Verification (L/s) R-Value Case Handle Flow Column # ATP106 Post Calibration Verification (L/s) Keyboard Dry Gas Shelf 32 mm 0.144 (.139 - .169)Flow Column # Breath Tube Feet 36 mm 0.164 (.156 - .190) 32 mm _____ (.139 - .169) Ports Screws Tight 53 mm 0.238 (.228 - .278) 36 mm _____ (.156 - .190) Other Equipment/ Accessories: 103 mm 0.503 (.447 - .547) 53 mm _____ (.228 - .278) Power cord Printer Cable Barometric Pressure Check 103 mm (.447 - .547) Static Bag 12V DC Cable Gauge ID # 26932 Stability Checks Notes: Dropped off. Simulator Serial # Lot #/Exp Maintenance By TDG Date 03/04/2024. Battery Replacement 0.050 202303K MP6286 Dry Gas Regulator Replacement 03/29/2025 Breath Tube Replacement 0.080 202303L MP6287 Other 03/29/2025 0.200 202304C MP6288 04/05/2025 0.080 DGS N/A 01923080A3 02/05/2025 By TDG Department Inspection **Calibration Adjustment** By Barometric Pressure ID# 26932 Barometric Pressure Gauge ID # Expiration` Gauge 1018 Instrument 1018 Simulator | Serial # Lot # 0.000 N/A N/A Mouth Alcohol Solution Lot # 2023-A 0.040 Acetone Stock Solution Lot # 2022-B A Su Simulator Serial Number 0.100 0.000 MP6284 0.200 Interferent MP6285 0.300 0.050 MP6286 0.080 DGS N/A 0.080 MP6287 0.200 MP6288 Post Calibration Adjustment Stability Checks Attachments Simulator | Serial # Lot # Expiration Post-Stability Checks Form 41 0.050 Stability Checks □ Flow Calibration 0.080 Calibration Certificate Germ 40 0.200 Calibration Adjustment Other 0.080 DGS N/A Notes/Suggested Service: Replaced the battery prior to the Instrument Complies with Chapter 11D-8, FAC Quality Checks. (TDG) □ Instrument Does Not Comply with Chapter 11D-8, FAC Return to/Place into Evidentiary Use Remain Out of Evidentiary Use Conduct an Agency Inspection Before Evidentiary Use Shayla Digitally signed by Shayla Platt Phil Nicodemo Digitally signed by Phil Nicodemo Date: 2024.03.05 10:57:10 -05'00' Date: 2024.03.04 Platt 15:06:55 -05'00' Tech Review / Date Admin Review / Date

FDLE/ATP Form 48 January 2024 Issuing Authority: Alcohol Testing Program PRINTED COPIES UNCONTROLLED For Internal ATP Use ONLY

0.077 to 0.083 🗸 🛛 ≤0.003 of Wet 11:00 11:00 11:01 11:01 11:02 11:02 11:02 11:02 111 Intoxiiyzer - Alcohol Ahalyzer Model 8000 SN 80-006239 SUC DGS 0.08g/210L Operator's Signature Jul g/210L 0.0793 0.0006 0.7277 0.000 0.080 0.080 0.079 0.079 0.079 0.070 0.000 Air Blank D. Control Test Stats 03/04/2024 Software: 8100.27 Auerage Std Deu Rel Std Deu(%) PALM BEACH CSO Air BTank Control Test Air Blank Control Test Air Blank Control Test Control Test fest > 11:25 11:25 11:26 11:27 11:28 11:28 E TR SN 80-006239 0.20g/210L 0.194 to 0.206 Intoxilyzer - Alconol Analyzer Model 8000 03/04/2024 Operator's Signature g/210L 0.0000 0.000 0.196 0.196 0.196 0.196 0.196 0.1960 Control Test Stats Auerage Std Deu Rei Std Deu(%) Software: 8100.27 PALM BEACH CSO Air Blank Control Test Air Blank Control Test Rir Blank Rir Blank Air Blank -----Test Tine . 11:17 11:19 11:19 11:20 11:21 SN 80-006239 0.08g/210L 0.077 to 0.083 Intoxilyzer - Alcohol Analyzer Model 8000 SN Je Operator's Signature 0.0790 0.0000 0.0000 g/210L 1.000 0.079 0.000 0.079 0.000 0.000 iontrol Test Stats Auerage Std Deu Rei Std Deu(%) Software: 8100.27 PALM BEACH CSO Control Test Air Błank Control Test Air Blank Air Blank Control Test Air Blank 03/04/2024 Test > Time 11:12 11:12 11:12 11:13 11:13 11:13 11:14 11:14 SN 80-006233 Intoxilyzer - Alconol Analyzer Model 8000 03/04/2024 Software: 8100.27 0.05g/210L 0.047 to 0.053 Operator's Signature 9/210L 0.000 0.048 0.000 0.049 0.000 0.049 0.000 0.0487 0.0006 1.1863 Control Test 0 Air Blank 0 Control Test 0. Air Blank 0. Control Test 0. Air Blank 0. Control Test Stats PALM BEACH CSO Auerage Std Deu Rel Std Deu(%) -----Air Blank Test

Stability Checks

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: PALM BEACH CSO Time of Inspection: 13:44

Date of Inspection: 03/04/2024

Serial Number: 80-006239 Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	t
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303K Exp: 03/29/2025	0.08g/210L Test (g/210L) Lot#:202303L Exp: 03/29/2025	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test* (g/210L) Lot#:01923080A3 Exp: 02/05/2025	
0.000	0.049	0.079	0.197	0.079	
0.000	0.048	0.078	0.197	0.079	
0.000	0.048	0.078	0.197	0.080	
0.000	0.048	0.078	0.197	0.079	
0.000	0.049	0.078	0.198	0.080	
0.000	0.049	0.078	0.197	0.079	
0.000	0.048	0.078	0.197	0.079	
0.000	0.049	0.078	0.197	0.079	
0.000	0.048	0.078	0.198	0.079	
0.000	0.049	0.079	0.197	0.079	
Standard Deviations	0.0005	0.0004	0.0004	0.0004	

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies (X) does not comply (

) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Signature and Printed Name 03/04/2024

3/04/2024 Date

	Florida Department of Law Enforcement Alcohol Testing Program 4700 Terminal Drive, Suite 1 Ft. Myers, FL 33907	, manufactured by CMI, Inc. was calibrated in accordance with	JNCERTAINTY* ±	L 0.004	L 0.004	L 0.007	0.080 g/ 210 L Dry Gas Control 0.005	eater, of the target alcohol concentration.	ed and certified these CRMs in accordance	neters calibrated by Precision Metrology in	r. The supplier of dry gas standard controls	Department Inspector Page 1 of 1	
	Calibration Certificate	6	ATECH AND	2 210 L 0.050 g/ 210 L	0.080 g/ 210 L	0.200 g/ 210]	0.080 g/ 210	All results are reported in g/ 210 L. Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration. *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3). The instrument results before and after any adjustment are found in the associated pre and post stability checks.	TRACEABILITY INFORMATION This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.	Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.	Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of 03/04/2024 00% Date Date Date Date Date Date Date Date Date	Depail Service • Integrity • Respect • Quality	
×	ANA Call And And And And And And And Acception Board Acception Board A C C R E D I T E D A C C R E D I T E D FORENSIC CALIBRATION FORENSIC CALIBRATION	This is to certify the calibration of Intoxilyzer 8000 serial number <u>80-00623</u> FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000	r: <u>80-006239</u>	Icy: PALM BEACH CSO	ate: 03/04/2024	ime: <u>13:44</u>		All results are reported in g/ 210 L. Bias is limited by calibration acceptance criteria. All calibratio *Uncertainty is based on fleet-wide data and is expressed to a The instrument results before and after any adjustment are four	TRACEABILITY INFORMATION This instrument was calibrated using solutions prepared by Alc with ISO 17034 and ISO/ IEC 17025 Standards.	Simulator temperatures are traceable to NIST. Simulator tempe accordance with ISO/ IEC 17025 standards.	Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accr prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of 03/04/2024 Law Enforcement Alcohol Testing Program.	FDLE/ATP Form 69 December 2021 Issuing Authority: Alcohol Testing Program	
		This is to certify 1 FDLE/ATP Form	Serial Number:	Owning Agency:	Calibration Date:	Calibration Time:	0	All results are reported in g/ 210 L. Bias is limited by calibration accep *Uncertainty is based on fleet-wide The instrument results before and a	TRACEABILITY INFORMATION This instrument was calibrated using with ISO 17034 and ISO/ IEC 1702:	Simulator temperat accordance with IS	Dry gas control me prepared and certifi This document shal without written app Law Enforcement <i>i</i>	FDLE/ATP Form 69 December 2021 Issuing Authority: Alcohol Testing P	



INSTRUMENT PROCESSING SHEET

Agency Palm Beach CSO

S/N 80-006239

Law Enforce	ement	e In <u>077</u>	03/2024	_ DI Completior	n Date <u>07/09/2024</u>	🗆 Ship	■P/U □H/D □CMI □EE		
Intake B	y TDG Date 07	/03/2024	Quality Che	ecks By TDC	G Date 07/03/2024	Flow Calib	ration By Date		
🔳 Annual			Breath	Tube Screen		Flow Colur	nn #		
🛛 Registrati	on		Replace	External O-Rin	gs	5L/min – 17mm			
Return fro	om CMI / EE		🔳 Instrum	ent Set Up Veri	fied	🖵 15L	/min – 53mm		
Maryallana	- H		R-Value	224		🖵 30L	/min – 103mm		
Visual Inspection Visual Inspection	Handle		Flow Ve	erification (L/s)		R-Value			
Contraction of the second second	Dry Gas Sh	alf	Flow Colu	mn # <u>ATP104</u>		D Post Cal	ibration Verification (L/s)		
Feet	Breath Tub		32 mm	0.140	(.139169)	Flow Colur	nn #		
Ports	Screws Tig		36 mm	0.160	(.156190)	32 mm	(.139169)		
					(.228278)		(.156190)		
Contraction and the second second second second second	ment/ Accessories:				(.447547)	53 mm .	(.228278)		
Winner preservation working	rd 🛛 Printer Cab		Barome	etric Pressure Cl	neck	103 mm	(.447547)		
Static Bag	g 🛛 12V DC Cal	ole	Gauge ID #	#26932					
	oped off in a box.		Stability						
	displays Memory	Full	Simulator Serial #		Lot #/Exp	Maintenar	ce By TDG Date 07/03/2024		
and is in D	isabled Mode.		0.050		202303K		Replacement		
			0.050	MP6286	03/29/2025		Regulator Replacement		
(0.080		202303L		Tube Replacement		
	¥		0.080	MP6287	03/29/2025	Other C	CMI remotely connected and		
			0.200			resolved	the Memory Full message		
			0.200	MP6288	202304C	prior to Q	uality Checks.		
					04/05/2025				
			0.080 DG	S N/A	AG222203				
					08/10/2024				
Calibration Adjustment By					Department Inspec		By <u>TDG</u>		
	Pressure Gauge		ID #		Barometric Pressure ID# 26932				
Simulator	Serial #	Lot #		Expiration	Gauge <u>1018</u> Instrument <u>1018</u>				
0.000			N/A	N/A	Mouth Alcohol Solution Lot # 2023-A				
0.040				×	Acetone Stock Solut				
0.100					Simulator		Serial Number		
0.200	μ.				0.000		MP6284		
0.000							MDCOOF		
0.300					Interferent		MP6285 MP6286		
0.300 0.080 DGS	N/A				0.050 0.080		MP6286		
0.080 DGS	Contraction Contraction	Stability	, Chacks		0.050				
0.080 DGS	ration Adjustment		y Checks	Evpiration	0.050 0.080 0.200		MP6286 MP6287		
0.080 DGS	Contraction Contraction		y Checks	Expiration	0.050 0.080 0.200 Attachments		MP6286 MP6287 MP6288		
0.080 DGS Post Calib Simulator 0.050	ration Adjustment		y Checks	Expiration	0.050 0.080 0.200 Attachments Form 41		MP6286 MP6287 MP6288		
0.080 DGS Post Calib Simulator 0.050 0.080	ration Adjustment		y Checks	Expiration	0.050 0.080 0.200 Attachments Form 41 Stability Checks		MP6286 MP6287 MP6288		
0.080 DGS Post Calib Simulator 0.050 0.080 0.200	oration Adjustment Serial #		y Checks	Expiration	0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert	ificate	MP6286 MP6287 MP6288 Post-Stability Checks Flow Calibration Form 40		
0.080 DGS Post Calib Simulator 0.050 0.080	ration Adjustment		y Checks	Expiration	0.050 0.080 0.200 Attachments Form 41 Stability Checks	ificate	MP6286 MP6287 MP6288		
0.080 DGS Post Calib Simulator 0.050 0.080 0.200 0.080 DGS	oration Adjustment Serial #		y Checks	Expiration	0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju Instrument Cor	ificate Istment Inplies with (Iss Not Comp	MP6286 MP6287 MP6288		
0.080 DGS Post Calib Simulator 0.050 0.080 0.200 0.080 DGS	vration Adjustment Serial # N/A		y Checks	Expiration	0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju	ificate Istment nplies with (es Not Comp e into Evider	MP6286 MP6287 MP6288		
0.080 DGS Post Calib Simulator 0.050 0.080 0.200 0.080 DGS	vration Adjustment Serial # N/A		y Checks	Expiration	0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju Instrument Cor Instrument Doc Return to/Place Remain Out of	ificate Istment nplies with es Not Comp e into Evider Evidentiary	MP6286 MP6287 MP6288		
0.080 DGS Post Calib Simulator 0.050 0.080 0.200 0.080 DGS	vration Adjustment Serial # N/A		y Checks	Expiration	0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju Instrument Cor Instrument Doc Return to/Place Remain Out of	ificate Istment nplies with (es Not Comp into Evider Evidentiary ency Inspect	MP6286 MP6287 MP6288		

FDLE/ATP Form 48 January 2024 Issuing Authority: Alcohol Testing Program

PRINTED COPIES UNCONTROLLED For Internal ATP Use ONLY Stability Checks

14:16 14:16 14:16 14:17 14:17 14:18 14:18 1 0.077 to 0.083 / ≤0.003 of Wet SN 80-106239 SU DGS 0.08g/210L Intoxilyzer - Alconol Analyzer Model 8000 Operator's Signature N 0.0803 0.0006 0.7187 g/21.LL 0.000 0.080 0.080 0.000 0.000 0.000 Stats 07/03/2024 Software: 8100.27 Auerage Std Deu Rei Std Deu(%) Control Test Air Blank Control Test S PALM BEACH CSO Control Test Air B'ank Control Test Air Blank Air Blank Test > 14:27 14:28 14:28 14:29 14:29 14:23 14:30 11 THE SN 82-016239 Intoxilyzer - Alcorol Analyzer Model 8000 07/03/2024 Software: 8100.27 0.20g/210L 0.194 to 0.206 0.000 0.197 0.000 0.195 0.195 0.196 0.000 1012/2 0.1960 0.0010 0.5102 Operator's Si Air' Blank Dul Control Test Dul Air Blank Dul Control Test Dul Air Blank Dul Control Test Dul Air Blank Dul Air Blank Dul Average Std Dev Rei Std Dev(%) PRLM BEACH CSC lest - 22 T 14:13 14:13 14:13 14:13 14:14 14:14 SN 80-016239 Intoxilyzer - Alcohol Analyzer Model 8000 07/03/2024 Software: 8100.27 0.08g/210L 0.077 to 0.083 Operator's Signature g/210L 0.0777 0.0006 0.7434 0.000 0.078 0.078 0.078 0.078 0.077 0.000 0.077 JC-Control Test Stats Auerage Std Deu Rel Std Deu(%) PALM BEACH CSD Control Test Air Blank Control Test Air Blank Control Test Air Blank Air Blank est > 13:55 13:57 13:57 13:57 13:59 13:59 13:59 13:59 au Lug SN 80-006233 intoxilyzer - Alconol Analyzer Model 8000 SN V 0.05g/210L 0.047 to 0.053 Operator's Signatur 0.0480 0.0000 0.0000 g/218L 0.000 0.000 0.048 0.048 0.048 0.048 0.048 Mr Control Test Stats Software: 8100.27 Auerage Std Deu Rel Std Deu(%) PALM BEACH CSC Air Blark Control Test Air Blank Control Test Air Blank Air Blank Air Blank 07/03/2024 Test

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: PALM BEACH CSO Time of Inspection: 15:13

Date of Inspection: 07/09/2024

Serial Number: 80-006239 Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted	-	No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes.	
Alcohol Free Subject Test: 0.000	Yes	41	Mouth Alcohol Test: Slope Not Met	Yes	1
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303K Exp: 03/29/2025	0.08g/210L Test (g/210L) Lot#:202303L Exp: 03/29/2025	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:01923080A3 Exp: 02/05/2025	
0.000	0.048	0.077	0.195	0.080	
0.000 0.048		0.077	0.195	0.079	
0.000 0.049		0.077	0.195	0.079	
0.000 0.048		0.077	0.195	0.079	
0.000	0.048	0.077	0.195	0.079	
0.000	0.049	0.077	0.196 .	0.079	
0.000	0.049	0.077	0.196	0.079	
0.000	0.049	0.078	0.196	0.079	
0.000	0.049	0.077	0.196	0.079	
0.000	0.049	0.078	0.196	0.079	
	L				
Standard Deviations	0.0005	0.0004	0.0005	0.0003	

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies ($\ \ X$) does not comply (

) with Chapter 11D-8, FAC.

TAYLOR D GUTSCHOW

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Signature and Printed Name

07/09/2024 Date

ō.	Florida Department of Law Enforcement Alcohol Testing Program 4700 Terminal Drive, Suite 1 Ft. Myers, FL 33907	, manufactured by CMI, Inc. was calibrated in accordance with	UNCERTAINTY* ±	0.004	0.007	0.080 g/ 210 L Dry Gas Control 0.005	er, of the target alcohol concentration.	TRACEABILITY INFORMATION This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.	Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.	Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of 07/09/2024 07/09/2024 1 1 1 1 1 1 1 1 1 1	Department Inspector Page 1 of 1
		68	IL SAM	0.050 g/ 210 L	0.200 g/ 210 L	0.080 g/ 210 L	All results are reported in g/ 210 L. Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration. *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3). The instrument results before and after any adjustment are found in the associated pre and post stability checks.	re Systems, Inc. (ACS). ACS prepared	with NIST traceable digital thermomet	Ms supplied by an accredited CRM supplier. T)/ IEC 17025 standards. 07/09/2024 Date TAVLOR I	spect • Quality
	Calibration Certificate	yzer 8000 serial number <u>80-006239</u> ction Procedures - Intoxilyzer 8000.	<u>19</u>	PALM BEACH CSO		No and a state of the state of	All results are reported in g/ 210 L. Bias is limited by calibration acceptance criteria. All calibration results must be within \pm 0.005 or 5%, whicheve *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3). The instrument results before and after any adjustment are found in the associated pre and post stability checks.	s prepared by Alcohol Countermeasu	. Simulator temperatures are checked	Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accr prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.	Service • Integrity
•	ANSI NALIONAL ACCOUNTION BOARD ANSI NALIONAL ACCOUNTION BOARD A C C R E D I T E D FORENCE CALIBRATION LABORATORY	libration of Intoxil Department Inspec	80-006239	PALM BE/ 07/09/2024	15:13		g/ 210 L. ion acceptance crite fleet-wide data and fore and after any ac	CMATION rated using solution IEC 17025 Standar	e traceable to NIST 2 17025 standards.	tents are traceable to CRMs in accordanc e reproduced except of the Florida Depar I Testing Program.	ember 2021 I Testing Program
		This is to certify the calibration of Intoxilyzer FDLE/ATP Form 36 - Department Inspection	Serial Number:	Owning Agency: Calibration Date:	Calibration Time:		All results are reported in g/ 210 L. Bias is limited by calibration accept *Uncertainty is based on fleet-wide The instrument results before and a	TRACEABILITY INFORMATION This instrument was calibrated using solutions p with ISO 17034 and ISO/ IEC 17025 Standards.	Simulator temperatures are traceable to NIS accordance with ISO/ IEC 17025 standards.	Dry gas control measurements are traceable to NIST the prepared and certified the CRMs in accordance with IS This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.	FDLE/ATP Form 69 December 2021 Issuing Authority: Alcohol Testing Program