

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000219

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FDLE TROC	06/15/2010	13:44:25	12345	12/31/2010	12/07/2010	16:57

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000223

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
FDLE/ATP	05/19/2010	10:30:54	804021	12/14/2010	12/07/2010	17:19
FDLE/ATP	05/19/2010	10:48:34	419101I	09/20/2009	12/07/2010	17:19
FDLE/ATP	05/21/2010	09:33:35	A	07/07/2010	12/07/2010	17:19
FDLE/ATP	05/21/2010	09:35:07	AG818901	07/07/2010	12/07/2010	17:19

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000227

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FDLE	07/13/2010	07:34:30	731635	03/04/2012	07/13/2010	09:34
FDLE	11/22/2010	11:37:03	817739	08/20/2012	01/04/2011	10:39

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000229

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FDLE	11/30/2010	04:08:30	759279	04/20/2012	11/30/2010	04:10
FDLE	12/02/2010	16:36:38	759279	04/20/2012	12/29/2010	02:14

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000737

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ALACHUA COUNTY SO	06/22/2010	09:22:06	721301	02/01/2012	08/04/2010	13:01
ALACHUA COUNTY SO	09/13/2010	13:44:58	721301	02/01/2012	09/13/2010	14:47
ALACHUA COUNTY SO	12/26/2010	09:49:33	721301	02/01/2012	12/26/2010	10:52

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000738

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FT WALTON BEACH PD	05/01/2010	16:44:00	721301	02/01/2012	05/30/2010 17:06

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000739

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OKALOOSA COUNTY SO	05/08/2010	13:23:14	719876	01/22/2012	05/30/2010 20:22

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000742

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
VALPARAISO PD	02/28/2010	22:06:31	AG004701	02/16/2012	03/01/2010	00:18
VALPARAISO PD	02/28/2010	22:07:19	AG004701	02/16/2012	03/01/2010	00:18
VALPARAISO PD	02/28/2010	22:39:57	AG004701	02/16/2012	03/01/2010	00:18

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000744

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
ESCAMBIA COUNTY SO	03/02/2010	13:56:17	622245	05/28/2011	03/02/2010	15:44
ESCAMBIA COUNTY SO	04/20/2010	16:13:41	627099	06/03/2011	05/18/2010	14:49

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000749

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ESCAMBIA COUNTY SO	07/27/2010	07:42:10	AG907202	03/13/2011	08/19/2010	15:08
ESCAMBIA COUNTY SO	07/29/2010	20:32:37	622245	05/28/2011	08/19/2010	15:08
ESCAMBIA COUNTY SO	08/19/2010	13:26:16	622245	05/28/2011	08/19/2010	15:08
ESCAMBIA COUNTY SO	12/04/2010	02:01:04	817739	08/20/2012	12/16/2010	16:03

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000751

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
ESCAMBIA COUNTY SO	04/20/2010	14:24:03	622245	05/28/2011	04/20/2010	16:29
ESCAMBIA COUNTY SO	07/27/2010	07:47:24	622245	05/28/2011	08/19/2010	15:06
ESCAMBIA COUNTY SO	08/19/2010	13:13:43	622245	05/28/2011	08/19/2010	15:06
ESCAMBIA COUNTY SO	09/17/2010	01:17:41	627099	06/03/2011	09/28/2010	15:43
ESCAMBIA COUNTY SO	09/17/2010	01:18:54	627099	06/03/2011	09/28/2010	15:43

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000752

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MARION COUNTY SO	03/13/2010	07:32:15	581914	02/26/2011	03/28/2010	17:07
MARION COUNTY SO	09/12/2010	02:41:13	710643	12/28/2011	09/19/2010	18:52
MARION COUNTY SO	09/25/2010	04:06:11	581914	02/26/2011	10/12/2010	11:21
MARION COUNTY SO	11/07/2010	01:08:09	710643	12/28/2011	11/30/2010	03:21
MARION COUNTY SO	11/30/2010	03:26:52	581914	02/26/2011	02/10/2011	13:52

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000760

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ALACHUA COUNTY SO	03/24/2010	14:34:50	721301	02/01/2012	04/15/2010	20:30
ALACHUA COUNTY SO	07/30/2010	13:47:17	721301	02/01/2012	07/30/2010	14:34
ALACHUA COUNTY SO	12/26/2010	09:46:14	698118	11/30/2011	12/26/2010	10:49

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000763

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
OKALOOSA COUNTY SO	02/24/2010	08:20:28	829401G	11/07/2010	03/25/2010	09:25
OKALOOSA COUNTY SO	07/28/2010	09:08:56	829401G	11/07/2010	09/05/2010	07:43
OKALOOSA COUNTY SO	07/29/2010	08:36:16	829401G	11/07/2010	09/05/2010	07:43
OKALOOSA COUNTY SO	11/06/2010	03:27:49	646831	08/21/2011	11/29/2010	18:54

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000765

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
SANTA ROSA COUNTY SO	01/26/2010	12:52:47	710643	12/28/2011	01/26/2010	14:35

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000768

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
SUWANNEE CO SO	03/09/2010	17:49:28	581913	02/23/2011	03/31/2010	18:43
SUWANNEE CO SO	08/06/2010	09:03:27	761073	05/06/2012	08/06/2010	09:52

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000770

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HAMILTON COUNTY SO	03/30/2010	18:41:49	668180	09/21/2011	03/30/2010 19:22

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000771

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PERRY POLICE DEPT	05/25/2010	22:01:23	AG005701	02/26/2012	05/26/2010	00:47

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000772

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
SANTA ROSA COUNTY SO	01/26/2010	12:45:09	710643	12/28/2011	01/26/2010	14:39
SANTA ROSA COUNTY SO	04/25/2010	00:51:33	710643	12/28/2011	05/14/2010	13:40

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000773

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LAFAYETTE CO SO	08/31/2010	11:28:20	747256	03/25/2012	12/08/2010	15:45
LAFAYETTE CO SO	08/31/2010	11:28:49	747256	03/25/2012	12/08/2010	15:45

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000776

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LAFAYETTE CO SO	05/26/2010	10:20:10	747256	03/25/2012	05/26/2010	11:12
LAFAYETTE CO SO	09/29/2010	12:50:47	747256	03/25/2012	10/25/2010	09:44

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000777

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
COLUMBIA COUNTY SO	04/27/2010	12:12:01	643837	07/16/2011	05/28/2010 15:17

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000778

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
NAS JACKSONVILLE PD	02/17/2010	07:35:49	719876	01/22/2012	02/26/2010	23:56

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000779

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MADISON COUNTY SO	01/19/2010	11:29:46	643837	07/17/2011	01/19/2010	11:30

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000780

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
SUWANNEE CO SO	05/28/2010	13:15:17	761073	05/06/2012	05/28/2010	13:38
SUWANNEE CO SO	09/30/2010	18:38:08	761073	05/06/2012	09/30/2010	19:27

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000781

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
WASHINGTON COUNTY	03/26/2010	09:27:05	AG003305	02/02/2012	04/30/2010 12:06

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000782

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
WASHINGTON COUNTY	03/30/2010	22:45:34	AG003305	02/02/2012	04/30/2010	12:04
WASHINGTON COUNTY	09/30/2010	09:26:27	817739	08/20/2012	10/01/2010	20:17

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000784

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HOLMES COUNTY SO	12/20/2010	18:23:23	8322011	11/22/2010	12/20/2010	21:30
HOLMES COUNTY SO	12/20/2010	19:38:23	595761	04/13/2011	12/20/2010	21:30
HOLMES COUNTY SO	12/20/2010	19:38:43	595761	04/13/2011	12/20/2010	21:30

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000786

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BROWARD COUNTY SO	05/26/2010	11:42:00	659357	09/02/2011	06/24/2010	15:12
BROWARD COUNTY SO	05/26/2010	11:42:09	659357	09/02/2011	06/24/2010	15:12

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000790

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
VERO BEACH P.D.	03/10/2010	18:49:26	AG004701	02/16/2012	03/10/2010	19:27

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000792

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ST LUCIE COUNTY SO	02/03/2010	21:01:21	\	10/28/2010	02/24/2010	21:08
ST LUCIE COUNTY SO	02/03/2010	21:01:41	8256011	10/28/2010	02/24/2010	21:08
ST LUCIE COUNTY SO	02/19/2010	22:09:23	685214	10/28/2011	02/24/2010	21:08

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000794

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ST LUCIE COUNTY SO	09/25/2010	16:02:03	685214	10/28/2011	09/30/2010	14:58

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000795

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
GULF COUNTY SO	01/03/2010	08:09:05	685214	10/28/2011	01/31/2010	16:38
GULF COUNTY SO	04/24/2010	11:51:43	685214	10/28/2011	04/24/2010	15:16

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000797

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HAMILTON COUNTY SO	01/13/2010	23:15:21	668180	09/21/2011	01/14/2010	01:25
HAMILTON COUNTY SO	07/06/2010	16:02:22	668180	09/21/2011	11/29/2010	01:57

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000808

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
HILLSBOROUGH CO SO	02/05/2010	10:13:15	811301I	05/06/2010	02/05/2010	13:10
HILLSBOROUGH CO SO	02/05/2010	10:17:20	832301I	11/22/2010	02/05/2010	13:10
HILLSBOROUGH CO SO	03/10/2010	15:11:48	832301I	11/22/2010	04/02/2010	10:24
HILLSBOROUGH CO SO	04/09/2010	04:05:31	646831	07/30/2011	04/13/2010	09:35
HILLSBOROUGH CO SO	07/20/2010	10:27:07	747256	03/25/2012	07/20/2010	11:20
HILLSBOROUGH CO SO	10/31/2010	00:58:26	747256	03/25/2012	11/12/2010	13:01

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000809

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
DIXIE COUNTY SO	10/25/2010	07:40:27	747256	03/25/2010	10/25/2010	08:31
DIXIE COUNTY SO	10/25/2010	07:41:16	747256	03/25/2010	10/25/2010	08:31
DIXIE COUNTY SO	10/25/2010	07:42:11	747256	03/25/2010	10/25/2010	08:31
DIXIE COUNTY SO	10/25/2010	07:43:00	747256	03/25/2012	10/25/2010	08:31
DIXIE COUNTY SO	10/25/2010	07:43:31	747256	03/25/2012	10/25/2010	08:31
DIXIE COUNTY SO	10/25/2010	07:51:36	747256	03/25/2012	10/25/2010	08:31
DIXIE COUNTY SO	10/25/2010	07:51:41	747256	03/25/2012	10/25/2010	08:31

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000811

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PERRY POLICE DEPT	03/21/2010	15:08:37	828901G	10/21/2010	04/30/2010	10:10
PERRY POLICE DEPT	07/26/2010	00:27:09	AG005701	02/26/2012	07/26/2010	02:29

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000812

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HERNANDO COUNTY SO	12/07/2010	23:53:23	738619	03/11/2012	01/03/2011	17:05

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000813

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MARION COUNTY SO	08/06/2010	02:25:54	710643	12/28/2011	08/21/2010 18:55

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000814

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HERNANDO COUNTY SO	05/30/2010	03:56:08	8256011	10/28/2010	05/30/2010	23:24
HERNANDO COUNTY SO	10/25/2010	12:42:30	738619	03/11/2012	11/25/2010	03:20

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000815

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SUMTER COUNTY SO	03/30/2010	19:14:42	704221	12/11/2011	03/30/2010 20:30

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000816

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
SUMTER COUNTY SO	03/21/2010	20:37:50	704221	12/11/2011	03/30/2010	20:33

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000817

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CITRUS COUNTY SO	01/09/2010	01:21:33	646831	08/10/2011	01/29/2010	16:11
CITRUS COUNTY SO	07/27/2010	13:28:03	646831	08/10/2011	07/27/2010	13:35

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000819

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CITRUS COUNTY SO	07/27/2010	14:19:02	668180	09/21/2011	07/27/2010	14:39
CITRUS COUNTY SO	10/28/2010	08:58:25	646831	08/10/2011	10/28/2010	13:11
CITRUS COUNTY SO	10/28/2010	09:19:50	817739	08/20/2012	10/28/2010	13:11

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000822

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LAKE COUNTY S.O.	05/03/2010	14:18:28	646831	08/21/2011	05/28/2010	09:11
LAKE COUNTY S.O.	05/03/2010	14:18:57	646831	08/21/2011	05/28/2010	09:11

**Florida Department of Law Enforcement**  
**Alcohol Testing Program**

**Cylinder Change Electronic Data**

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000823

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
LAKE COUNTY S.O.	02/23/2010	09:47:21	646831	08/21/2011	03/09/2010	14:38
LAKE COUNTY S.O.	02/23/2010	09:47:42	646831	08/21/2011	03/09/2010	14:38

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000824

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LEESBURG P.D.	02/24/2010	23:41:27	D1R608	02/02/2012	03/19/2010	13:00
LEESBURG P.D.	02/24/2010	23:41:44	D1R608	02/02/2012	03/19/2010	13:00
LEESBURG P.D.	03/30/2010	18:20:28	AG003305	02/02/2012	04/18/2010	14:59

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000825

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MOUNT DORA P.D.	12/31/2010	23:47:52	761073	05/06/2012	01/30/2011	09:08

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000827

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MARION COUNTY SO	03/28/2010	17:13:48	581914	02/26/2011	04/27/2010	08:01
MARION COUNTY SO	05/25/2010	22:26:23	710643	12/28/2011	06/27/2010	07:23
MARION COUNTY SO	12/30/2010	06:13:36	581914	02/26/2011	01/30/2011	17:45

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000829

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HILLSBOROUGH CO SO	03/10/2010	08:15:52	646831	07/30/2011	03/10/2010	11:52
HILLSBOROUGH CO SO	12/11/2010	06:18:37	747256	03/25/2012	12/17/2010	14:16

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000830

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HILLSBOROUGH CO SO	03/10/2010	08:22:31	646831	07/30/2011	03/10/2010 13:25

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000831

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MARTIN COUNTY SO	06/15/2010	13:34:43	668180	09/21/2011	06/16/2010	22:06
MARTIN COUNTY SO	06/15/2010	13:35:10	646826	07/27/2011	06/16/2010	22:06
MARTIN COUNTY SO	09/29/2010	09:50:57	825601I	10/28/2010	10/28/2010	09:44
MARTIN COUNTY SO	10/28/2010	09:46:58	770941	05/27/2012	11/29/2010	10:15

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000832

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MARTIN COUNTY SO	07/25/2010	09:41:09	770941	05/27/2012	07/25/2010 10:35

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000833

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
HILLSBOROUGH CO SO	02/26/2010	22:46:10	646831	07/31/2011	03/10/2010	14:36
HILLSBOROUGH CO SO	02/26/2010	22:46:41	646831	07/31/2011	03/10/2010	14:36
HILLSBOROUGH CO SO	02/26/2010	22:46:58	646831	07/31/2011	03/10/2010	14:36
HILLSBOROUGH CO SO	02/27/2010	02:57:44	646831	07/30/2011	03/10/2010	14:36
HILLSBOROUGH CO SO	02/27/2010	03:07:32	646831	07/30/2011	03/10/2010	14:36
HILLSBOROUGH CO SO	02/27/2010	03:10:32	646831	07/30/2011	03/10/2010	14:36

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000838

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PANAMA CITY BEACH PD	03/14/2010	00:39:13	HBLJPF	02/16/2012	03/31/2010	22:29

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000859

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CAPE CORAL PD	04/02/2010	11:59:55	688217	11/09/2011	04/02/2010	13:39
CAPE CORAL PD	04/02/2010	15:04:12	646831	08/10/2011	05/07/2010	11:02

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000861

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
SARASOTA COUNTY SO	05/29/2010	01:03:43	828901G	10/21/2010	06/01/2010	08:44
SARASOTA COUNTY SO	07/12/2010	14:17:19	828901G	10/21/2010	08/19/2010	15:42
SARASOTA COUNTY SO	10/26/2010	16:16:36	670754	09/22/2011	11/29/2010	11:09

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000862

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BLOUNTSTOWN PD	08/26/2010	15:01:52	AG005701	02/26/2012	09/10/2010	12:24

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000867

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MONROE COUNTY SO	05/26/2010	11:58:11	675059	09/25/2011	05/26/2010 12:43

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000868

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
MONROE COUNTY SO	02/23/2010	10:06:06	627100	07/01/2011	02/23/2010	11:23
MONROE COUNTY SO	07/11/2010	13:35:27	675059	09/25/2011	08/07/2010	13:35
MONROE COUNTY SO	08/07/2010	11:18:45	675059	09/25/2011	08/07/2010	13:35
MONROE COUNTY SO	12/29/2010	16:11:14	770940	06/02/2012	12/29/2010	17:03
MONROE COUNTY SO	12/29/2010	16:11:54	770940	06/02/2012	12/29/2010	17:03

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000869

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MONROE COUNTY SO	03/23/2010	12:04:22	675059	09/25/2011	03/23/2010	13:05

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000871

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CORAL GABLES PD	08/09/2010	14:05:48	750981	04/09/2012	08/22/2010	18:28
CORAL GABLES PD	08/09/2010	14:06:38	750981	04/09/2012	08/22/2010	18:28
CORAL GABLES PD	08/09/2010	14:08:47	750981	04/09/2012	08/22/2010	18:28

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000872

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
MIAMI PD	02/25/2010	18:38:23	AG002801	01/28/2012	02/25/2010	21:54
MIAMI PD	05/19/2010	16:31:23	8225011	08/21/2010	05/19/2010	20:07
MIAMI PD	07/23/2010	22:26:11	8225011	08/21/2010	08/05/2010	19:18
MIAMI PD	07/23/2010	22:26:40	8225011	08/21/2010	08/05/2010	19:18
MIAMI PD	08/05/2010	18:42:12	AG002801	01/28/2012	08/05/2010	19:18
MIAMI PD	12/14/2010	18:31:04	AG002801	01/28/2012	01/26/2011	12:12
MIAMI PD	12/14/2010	18:31:58	AG002801	01/28/2012	01/26/2011	12:12

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000873

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MIAMI PD	03/31/2010	20:50:50	AG002801	01/28/2012	04/29/2010	15:50
MIAMI PD	12/14/2010	18:58:07	AG002801	01/28/2012	01/26/2011	12:39

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000874

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
MIAMI PD	08/05/2010	18:33:13	AG002801	01/28/2012	08/05/2010	19:27
MIAMI PD	08/08/2010	09:42:20	AGOO2801	01/28/2012	09/07/2010	14:52
MIAMI PD	08/08/2010	09:42:35	AGOO2801	01/28/2012	09/07/2010	14:52
MIAMI PD	08/08/2010	09:47:08	AGOO2801	01/28/2012	09/07/2010	14:52
MIAMI PD	08/08/2010	09:47:11	AGOO2801	01/28/2012	09/07/2010	14:52
MIAMI PD	08/08/2010	09:47:51	AGOO2801	01/28/2012	09/07/2010	14:52
MIAMI PD	08/08/2010	09:47:56	AGOO2801	01/28/2012	09/07/2010	14:52

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000875

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CALHOUN COUNTY SO	01/07/2010	14:58:23	685214	10/28/2011	01/31/2010 22:21

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000876

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HIALEAH PD	06/11/2010	08:22:06	709352	12/23/2011	06/18/2010	12:14

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000878

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HOMESTEAD PD	07/30/2010	16:15:51	8324011	11/21/2010	07/30/2010	16:22
HOMESTEAD PD	07/30/2010	16:17:31	710643	12/28/2011	07/30/2010	16:22

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000879

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MIAMI BEACH PD	04/06/2010	10:21:41	659357	09/03/2011	04/28/2010	15:21
MIAMI BEACH PD	08/30/2010	12:09:54	750981	04/09/2012	09/28/2010	14:32

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000880

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MIAMI-DADE PD	07/14/2010	12:55:39	688217	11/09/2011	07/14/2010	12:59

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000881

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MIAMI-DADE PD	09/14/2010	14:25:10	688217	11/09/2011	10/14/2010	13:55
MIAMI-DADE PD	10/06/2010	10:56:00	688217	11/09/2011	10/14/2010	13:55

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000882

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MIAMI-DADE PD	07/14/2010	12:54:53	688217	11/09/2011	07/14/2010	13:03

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000883

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MIAMI-DADE PD	04/09/2010	22:17:05	688217	11/09/2011	04/15/2010	12:18
MIAMI-DADE PD	07/22/2010	12:38:54	688217	11/09/2011	08/03/2010	10:18
MIAMI-DADE PD	11/20/2010	22:41:42	688217	11/09/2011	12/01/2010	12:41

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000884

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MIAMI-DADE PD	01/07/2010	10:33:53	827701G	10/06/2010	01/07/2010	11:47
MIAMI-DADE PD	10/08/2010	23:01:47	688217	11/09/2011	10/08/2010	23:48

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000885

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MIAMI-DADE PD	04/03/2010	05:01:15	688217	11/09/2011	04/15/2010	12:00
MIAMI-DADE PD	05/17/2010	14:37:13	827701G	10/06/2010	05/18/2010	13:11
MIAMI-DADE PD	10/06/2010	14:00:14	688217	11/09/2011	10/14/2010	14:00

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000886

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
NORTH MIAMI BEACH PD	02/16/2010	13:32:48	710643	12/28/2011	02/25/2010	22:40
NORTH MIAMI BEACH PD	02/16/2010	13:33:10	710643	12/28/2011	02/25/2010	22:40
NORTH MIAMI BEACH PD	10/09/2010	15:19:04	817739	08/20/2012	10/31/2010	07:38
NORTH MIAMI BEACH PD	10/09/2010	15:19:28	817739	08/20/2012	10/31/2010	07:38

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000887

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CHATTAHOOCHEE PD	02/19/2010	17:49:18	710643	12/19/2010	02/19/2010	20:58
CHATTAHOOCHEE PD	02/19/2010	17:49:42	710643	12/28/2011	02/19/2010	20:58

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000889

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PINELLAS COUNTY SO	01/27/2010	21:13:23	827601G	10/06/2010	02/01/2010	13:13
PINELLAS COUNTY SO	07/26/2010	12:15:41	827601G	10/06/2010	07/28/2010	21:04
PINELLAS COUNTY SO	10/01/2010	01:38:51	AG003305	02/02/2012	10/27/2010	02:02

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000890

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PINELLAS COUNTY SO	02/01/2010	16:49:22	822601I	08/21/2010	02/24/2010	03:29
PINELLAS COUNTY SO	02/16/2010	20:19:56	827601G	10/06/2010	02/24/2010	03:29
PINELLAS COUNTY SO	09/22/2010	02:08:54	AG003305	02/02/2012	10/27/2010	00:59

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000891

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FFWCC DESTIN	05/06/2010	13:45:38	AG005701	02/26/2012	05/26/2010	12:56

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000892

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FFWCC PANAMA CITY	05/20/2010	00:38:44	AG005701	02/26/2012	05/20/2010	03:06
FFWCC PANAMA CITY	05/20/2010	00:49:17	AG005701	02/26/2012	05/20/2010	03:06

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000901

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FFWCC TAMPA	01/14/2010	12:35:29	814301G	05/30/2010	01/14/2010	14:10
FFWCC TAMPA	03/11/2010	11:53:50	721301	02/01/2012	03/11/2010	13:45

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000902

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
FFWCC	02/18/2010	16:17:45	814301G	05/30/2010	02/18/2010	17:09
FFWCC	05/08/2010	10:29:35	721301	02/01/2012	05/08/2010	11:32
FFWCC	06/21/2010	11:30:38	750981	04/09/2012	06/21/2010	13:05
FFWCC TAMPA	08/19/2010	12:52:04	750981	04/09/2012	08/19/2010	14:11
FFWCC TAMPA	08/19/2010	12:53:31	750981	04/09/2012	08/19/2010	14:11

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000905

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FWC - OCALA	05/03/2010	15:19:57	AG005701	02/26/2012	05/03/2010	17:04

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000907

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MANATEE COUNTY SO	05/01/2010	21:04:41	831802I	11/22/2010	05/12/2010	11:42

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000909

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PINECREST PD	11/24/2010	11:24:44	617778	05/28/2011	11/24/2010	11:28

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000910

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
NAS WHITING FIELD	02/17/2010	23:55:24	8226011	08/21/2010	03/31/2010	00:52

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000912

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
MANATEE COUNTY SO	02/10/2010	13:03:24	831802I	11/22/2010	02/10/2010	13:07
MANATEE COUNTY SO	09/07/2010	21:51:55	831802I	11/22/2010	09/22/2010	11:22
MANATEE COUNTY SO	11/27/2010	03:09:06	761073	05/06/2012	12/22/2010	11:42

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000913

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MANATEE COUNTY SO	05/29/2010	23:27:36	AG004701	02/16/2012	06/23/2010	11:56

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000914

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
FORT MYERS PD	01/22/2010	12:15:42	8324011	11/21/2010	02/12/2010	12:34
FORT MYERS PD	02/19/2010	09:45:46	688217	11/09/2011	03/12/2010	10:35
FORT MYERS PD	03/30/2010	14:34:41	688217	11/09/2011	04/02/2010	11:45
FORT MYERS PD	04/08/2010	16:08:56	603632	04/13/2011	05/07/2010	13:54
FORT MYERS PD	04/08/2010	16:09:07	603632	04/13/2011	05/07/2010	13:54

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000937

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
SANIBEL PD	05/29/2010	10:07:59	750980	04/07/2012	05/29/2010	10:09

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000938

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LEE COUNTY SO	04/08/2010	16:00:58	747256	03/25/2012	05/07/2010	11:11
LEE COUNTY SO	04/08/2010	16:01:07	747256	03/25/2012	05/07/2010	11:11
LEE COUNTY SO	06/11/2010	11:18:14	646831	08/10/2011	06/11/2010	12:29

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000939

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
LEE COUNTY SO	02/25/2010	10:18:34	688217	11/09/2011	03/12/2010	10:30
LEE COUNTY SO	03/18/2010	13:04:48	832401I	11/21/2010	03/30/2010	13:30
LEE COUNTY SO	03/30/2010	13:36:36	832401I	11/21/2010	04/02/2010	11:38
LEE COUNTY SO	04/08/2010	15:58:06	747256	03/25/2012	05/07/2010	10:54
LEE COUNTY SO	04/08/2010	16:09:20	747256	03/25/2012	05/07/2010	10:54
LEE COUNTY SO	06/15/2010	06:53:27	747256	03/25/2012	07/09/2010	11:04
LEE COUNTY SO	08/13/2010	12:27:50	770940	06/02/2012	09/09/2010	10:52
LEE COUNTY SO	10/28/2010	07:42:10	814704	08/18/2012	10/28/2010	09:55
LEE COUNTY SO	12/10/2010	07:35:04	814704	08/18/2012	12/10/2010	11:48

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000940

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BREVARD COUNTY S.O.	02/25/2010	19:00:11	AG004701	02/16/2012	03/25/2010	18:05
BREVARD COUNTY S.O.	03/25/2010	17:59:52	AG004701	02/16/2012	03/25/2010	18:05
BREVARD COUNTY S.O.	09/15/2010	14:59:47	AG004701	02/16/2012	09/15/2010	16:40

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000941

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
COLLIER COUNTY SO	04/01/2010	12:25:17	812201G	05/06/2010	05/03/2010	16:50
COLLIER COUNTY SO	05/03/2010	16:54:19	581913	02/23/2011	06/01/2010	11:02
COLLIER COUNTY SO	05/03/2010	16:55:28	581913	02/23/2011	06/01/2010	11:02
COLLIER COUNTY SO	06/01/2010	17:37:23	581913	02/23/2011	07/05/2010	15:54
COLLIER COUNTY SO	06/11/2010	18:56:51	581913	02/23/2011	07/05/2010	15:54
COLLIER COUNTY SO	06/11/2010	18:57:01	581913	02/23/2011	07/05/2010	15:54
COLLIER COUNTY SO	06/11/2010	18:57:38	5819130	02/23/2011	07/05/2010	15:54
COLLIER COUNTY SO	06/11/2010	18:57:51	581913	02/23/2011	07/05/2010	15:54
COLLIER COUNTY SO	06/11/2010	19:04:22	581913	02/23/2011	07/05/2010	15:54
COLLIER COUNTY SO	06/11/2010	19:05:24	581913	02/23/2011	07/05/2010	15:54
COLLIER COUNTY SO	06/11/2010	19:05:52	581913	02/23/2011	07/05/2010	15:54
COLLIER COUNTY SO	06/11/2010	19:16:50	581913	02/23/2011	07/05/2010	15:54
COLLIER COUNTY SO	06/11/2010	19:17:01	581913	02/23/2011	07/05/2010	15:54
COLLIER COUNTY SO	09/01/2010	09:00:34	646831	08/24/2011	10/04/2010	09:01

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000942

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
COLLIER COUNTY SO	02/01/2010	13:48:48	823901G	08/29/2010	03/18/2010	09:27
COLLIER COUNTY SO	05/03/2010	13:27:45	646831	08/24/2011	06/01/2010	14:30
COLLIER COUNTY SO	07/05/2010	11:33:07	646831	08/24/2011	08/02/2010	13:15
COLLIER COUNTY SO	09/01/2010	11:54:06	646831	08/24/2011	10/12/2010	16:09

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000943

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
COLLIER COUNTY SO	01/03/2010	20:51:12	581913	02/23/2011	02/01/2010	09:18
COLLIER COUNTY SO	02/01/2010	07:50:47	812201G	05/06/2010	02/01/2010	09:18
COLLIER COUNTY SO	04/01/2010	07:35:15	581913	02/23/2011	04/01/2010	16:55
COLLIER COUNTY SO	06/01/2010	12:59:10	731636	03/08/2012	07/05/2010	13:43
COLLIER COUNTY SO	06/01/2010	12:59:41	731636	03/08/2012	07/05/2010	13:43
COLLIER COUNTY SO	09/01/2010	10:37:28	731636	03/08/2012	09/01/2010	11:15
COLLIER COUNTY SO	09/01/2010	10:37:38	731636	03/08/2012	09/01/2010	11:15
COLLIER COUNTY SO	09/01/2010	11:53:40	731636	03/08/2012	10/12/2010	10:27
COLLIER COUNTY SO	10/17/2010	19:56:09	731636	03/08/2012	11/01/2010	09:07
COLLIER COUNTY SO	10/17/2010	19:56:21	731636	03/08/2012	11/01/2010	09:07
COLLIER COUNTY SO	10/17/2010	20:23:54	731636	03/08/2012	11/01/2010	09:07
COLLIER COUNTY SO	10/17/2010	20:24:06	731636	03/08/2012	11/01/2010	09:07
COLLIER COUNTY SO	10/17/2010	20:24:14	731636	03/08/2012	11/01/2010	09:07

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000944

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
COLLIER COUNTY SO	01/04/2010	10:55:43	823901G	08/29/2010	02/01/2010	15:36
COLLIER COUNTY SO	02/20/2010	23:39:51	823901G	08/29/2010	03/08/2010	12:56
COLLIER COUNTY SO	04/01/2010	12:27:26	823901G	08/29/2010	05/04/2010	07:51
COLLIER COUNTY SO	08/02/2010	11:16:43	731636	03/08/2012	09/01/2010	16:19
COLLIER COUNTY SO	10/04/2010	12:48:54	731636	03/08/2012	11/01/2010	16:39
COLLIER COUNTY SO	10/04/2010	12:52:36	731636	03/08/2012	11/01/2010	16:39
COLLIER COUNTY SO	12/01/2010	12:57:04	581913	02/23/2011	01/05/2011	07:23

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000945

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CHARLOTTE COUNTY SO	03/15/2010	00:01:50	627100	07/01/2011	04/17/2010	09:52
CHARLOTTE COUNTY SO	03/15/2010	00:02:07	627100	07/01/2011	04/17/2010	09:52
CHARLOTTE COUNTY SO	08/16/2010	17:29:27	627100	07/01/2011	08/16/2010	18:12
CHARLOTTE COUNTY SO	12/19/2010	01:56:13	627100	07/01/2011	01/29/2011	21:21

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000946

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CHARLOTTE COUNTY SO	02/28/2010	14:25:52	627100	07/01/2011	02/28/2010	15:44

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000947

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
GLADES COUNTY S.O.	07/30/2010	11:55:53	8323011	11/22/2010	07/30/2010	12:39
GLADES COUNTY S.O.	10/18/2010	10:23:53	8177739	08/20/2012	10/18/2010	11:50

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000948

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
GLADES COUNTY S.O.	03/25/2010	17:34:59	8323011	11/22/2010	03/25/2010	19:39
GLADES COUNTY S.O.	10/18/2010	10:24:34	817739	08/20/2012	10/18/2010	11:54

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000951

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HENDRY COUNTY S.O.	06/27/2010	15:41:37	AGOO4701	02/16/2012	07/02/2010 11:00

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000952

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FRANKLIN COUNTY SO	03/15/2010	13:51:36	8318011	11/20/2010	03/15/2010	13:51

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000953

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FRANKLIN COUNTY SO	03/15/2010	14:01:02	807901I	03/21/2010	03/19/2010	11:45
FRANKLIN COUNTY SO	04/07/2010	11:13:06	831801I	11/20/2010	05/19/2010	14:33
FRANKLIN COUNTY SO	11/19/2010	13:04:40	10310080A2	05/01/2012	12/17/2010	17:47

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000954

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
JEFFERSON COUNTY SO	12/16/2010	11:38:03	643837	07/17/2011	01/20/2011	11:30

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000956

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
JEFFERSON COUNTY SO	02/10/2010	13:38:28	643837	07/17/2011	03/16/2010	12:30

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000957

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LEON COUNTY SO	02/03/2010	12:13:01	8079011	03/21/2010	03/08/2010	10:15
LEON COUNTY SO	03/08/2010	09:17:42	710643	12/28/2011	03/08/2010	10:15
LEON COUNTY SO	08/18/2010	09:44:02	710643	12/28/2011	08/18/2010	10:35
LEON COUNTY SO	12/01/2010	07:06:25	710643	12/28/2011	12/15/2010	08:55

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000958

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
LEON COUNTY SO	03/08/2010	09:21:03	721301	02/01/2012	03/08/2010	10:09
LEON COUNTY SO	04/01/2010	13:23:59	831801I	11/20/2010	04/01/2010	14:06
LEON COUNTY SO	11/02/2010	08:35:47	643837	07/17/2011	11/02/2010	09:24

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000959

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
GADSDEN COUNTY SO	05/06/2010	10:15:11	643837	07/17/2011	06/24/2010	10:23
GADSDEN COUNTY SO	11/23/2010	11:56:18	643837	07/17/2011	12/17/2010	14:15

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000960

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LIBERTY COUNTY SO	02/16/2010	12:14:45	710643	12/28/2011	03/10/2010	09:02
LIBERTY COUNTY SO	05/23/2010	21:30:17	710643	12/28/2011	06/24/2010	12:41
LIBERTY COUNTY SO	11/10/2010	11:04:53	710643	12/28/2011	12/17/2010	15:39

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000961

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
WAKULLA COUNTY SO	01/25/2010	13:18:55	807901I	03/21/2010	01/25/2010	13:20
WAKULLA COUNTY SO	03/11/2010	09:51:17	670754	09/22/2011	03/11/2010	10:18
WAKULLA COUNTY SO	04/07/2010	07:17:54	812301G	05/06/2010	04/07/2010	08:22
WAKULLA COUNTY SO	04/07/2010	07:18:33	812301G	05/06/2010	04/07/2010	08:22
WAKULLA COUNTY SO	11/12/2010	22:30:58	670754	09/22/2011	11/15/2010	08:34
WAKULLA COUNTY SO	11/19/2010	14:20:19	09710080A2	05/01/2012	12/18/2010	07:38

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000962

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
WAKULLA COUNTY SO	03/11/2010	09:45:05	670754	09/22/2011	03/11/2010	09:55
WAKULLA COUNTY SO	12/18/2010	07:48:23	09710080A2	05/01/2012	01/04/2011	12:01

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000963

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ORANGE COUNTY S.O.	06/24/2010	08:37:58	750981	04/09/2012	06/24/2010	09:30
ORANGE COUNTY S.O.	11/18/2010	12:18:08	750981	04/09/2012	12/02/2010	14:56

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000964

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ORANGE COUNTY S.O.	03/26/2010	10:03:45	675059	09/25/2011	04/01/2010	15:53
ORANGE COUNTY S.O.	08/05/2010	13:38:31	750981	04/09/2012	08/05/2010	13:39
ORANGE COUNTY S.O.	12/23/2010	13:44:30	675059	09/25/2011	12/23/2010	13:45

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000965

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
QUINCY PD	03/23/2010	14:04:49	812301G	05/06/2010	04/02/2010	13:15
QUINCY PD	10/20/2010	09:53:30	721301	02/01/2012	11/19/2010	09:39

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000966

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
OSCEOLA CORRECTIONS	08/16/2010	07:37:54	670754	09/22/2011	08/16/2010	10:45

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000967

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
APOPKA P.D.	03/06/2010	03:17:11	670753	09/30/2011	03/29/2010	16:38
APOPKA P.D.	03/29/2010	14:58:17	670753	09/30/2011	03/29/2010	16:38

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000968

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OSCEOLA CORRECTIONS	01/01/2010	06:04:26	827601G	10/06/2010	01/27/2010 21:20

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000994

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
WINTER PARK P.D.	09/30/2010	13:50:04	781787	06/10/2012	10/29/2010	21:27

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000996

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
TITUSVILLE P.D.	05/31/2010	18:04:20	761073	05/06/2012	05/31/2010	18:55

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000997

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ALTAMONTE SPRINGS PD	04/08/2010	19:38:17	8136011	05/30/2010	04/08/2010	21:06
ALTAMONTE SPRINGS PD	05/30/2010	19:14:22	761073	05/06/2012	06/16/2010	03:19

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000998

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SEMINOLE COUNTY S.O.	01/30/2010	21:45:31	704221	12/11/2011	02/03/2010 21:57

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000999

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
SEMINOLE COUNTY S.O.	01/17/2010	01:04:21	704221	12/11/2011	02/03/2010	21:59
SEMINOLE COUNTY S.O.	01/17/2010	01:05:08	704221	12/11/2011	02/03/2010	21:59
SEMINOLE COUNTY S.O.	02/14/2010	04:15:13	704221	12/11/2011	03/03/2010	04:48

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001002

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HARDEE COUNTY SO	05/24/2010	12:18:12	759279	08/20/2012	05/24/2010 13:06

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001003

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PINELLAS COUNTY SO	02/01/2010	12:45:25	827601G	10/06/2010	02/24/2010	03:53
PINELLAS COUNTY SO	06/29/2010	20:50:42	827601G	10/06/2010	07/28/2010	20:51
PINELLAS COUNTY SO	07/07/2010	04:18:32	AG003305	02/02/2012	07/28/2010	20:51

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001004

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BREVARD COUNTY S.O.	02/25/2010	17:16:05	AG004701	02/16/2010	02/25/2010	17:32
BREVARD COUNTY S.O.	02/25/2010	17:19:03	AG004701	02/16/2012	02/25/2010	17:32
BREVARD COUNTY S.O.	03/25/2010	16:41:27	AG004701	02/16/2012	03/25/2010	18:09

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001005

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PINELLAS COUNTY SO	01/29/2010	03:31:52	827601G	10/06/2010	02/01/2010	13:47
PINELLAS COUNTY SO	10/01/2010	01:34:28	AG003305	02/02/2012	10/27/2010	01:11

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001006

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
INDIALANTIC P.D.	01/30/2010	14:52:43	581913	02/23/2011	02/07/2010 21:55

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001007

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HAINES CITY PD	07/14/2010	15:09:37	668180	09/21/2011	08/15/2010	23:55

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001008

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
WEST MELBOURNE P.D.	07/28/2010	18:20:09	770941	05/27/2012	08/16/2010 07:14

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001009

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BAY P.D.	03/25/2010	20:39:45	675059	09/25/2011	03/30/2010 05:01

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001010

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
BREVARD COUNTY S.O.	02/25/2010	17:32:25	AG004701	02/16/2012	02/25/2010	18:17
BREVARD COUNTY S.O.	03/25/2010	17:49:39	AG004701	02/12/2012	03/25/2010	18:13
BREVARD COUNTY S.O.	03/25/2010	17:49:56	AG004701	02/16/2012	03/25/2010	18:13

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001018

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
JACKSONVILLE SO	01/22/2010	06:20:59	675059	09/25/2011	04/15/2010	15:10
JACKSONVILLE SO	07/30/2010	07:30:11	750981	04/09/2012	07/30/2010	09:10

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001042

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PINELLAS PARK PD	05/24/2010	10:24:21	704221	12/11/2011	06/02/2010	16:51
PINELLAS PARK PD	08/03/2010	12:09:36	704221	12/11/2011	08/12/2010	13:53

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001043

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HIGHLANDS COUNTY SO	05/15/2010	09:42:21	759279	04/20/2012	05/15/2010 12:26

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001044

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
COCONUT CREEK PD	03/02/2010	16:32:45	8322011	11/20/2010	04/07/2010	18:50
COCONUT CREEK PD	12/06/2010	10:42:08	AG025702	09/14/2012	12/06/2010	11:15

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001045

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
JACKSONVILLE SO	02/26/2010	09:24:22	704221	12/11/2011	02/26/2010	10:38
JACKSONVILLE SO	05/07/2010	05:39:39	750981	04/09/2012	05/13/2010	13:30
JACKSONVILLE SO	10/15/2010	08:29:28	770940	06/02/2012	10/15/2010	13:49

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001046

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CLAY COUNTY SO	08/25/2010	21:17:45	747256	03/25/2012	08/26/2010	13:37

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001047

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BROWARD COUNTY SO	03/31/2010	12:04:39	659357	09/02/2011	03/31/2010	20:09
BROWARD COUNTY SO	03/31/2010	12:05:20	659357	09/02/2011	03/31/2010	20:09

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001048

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LAKE ALFRED PD	09/12/2010	13:47:05	781787	06/10/2012	09/12/2010	16:30
LAKE ALFRED PD	10/05/2010	17:01:10	78187	06/10/2012	10/17/2010	17:29
LAKE ALFRED PD	10/05/2010	17:01:38	781787	06/10/2012	10/17/2010	17:29
LAKE ALFRED PD	10/05/2010	17:01:45	781787	06/10/2012	10/17/2010	17:29

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001049

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PASCO COUNTY SO	02/27/2010	03:14:28	668180	09/21/2011	03/16/2010	13:51
PASCO COUNTY SO	10/02/2010	04:00:36	759279	04/20/2012	10/14/2010	16:00

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001050

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CORAL SPRINGS PD	08/13/2010	08:55:22	646831	08/10/2011	08/30/2010	14:55
CORAL SPRINGS PD	08/13/2010	18:57:47	646831	08/10/2011	08/30/2010	14:55
CORAL SPRINGS PD	09/23/2010	13:03:47	750980	04/07/2012	09/28/2010	11:34
CORAL SPRINGS PD	09/23/2010	13:04:16	750980	04/07/2012	09/28/2010	11:34

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001051

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
ST PETERSBURG PD	02/25/2010	17:24:40	646831	08/18/2011	02/25/2010	20:26
ST PETERSBURG PD	04/28/2010	17:22:33	646831	08/18/2011	04/28/2010	19:09
ST PETERSBURG PD	11/19/2010	00:16:24	719876	01/22/2012	12/16/2010	18:01

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001052

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
JACKSONVILLE SO	01/22/2010	09:46:12	675059	09/25/2011	01/28/2010	13:54
JACKSONVILLE SO	08/25/2010	10:17:39	675059	09/25/2011	05/09/2011	14:11

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001053

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
NASSAU CO SO	09/27/2010	06:22:48	781787	06/10/2012	10/01/2010	12:06

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001054

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HIGHLANDS COUNTY SO	11/26/2010	08:50:45	698118	11/30/2011	12/11/2010	14:09

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001055

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
POLK COUNTY SO	04/26/2010	09:23:36	603632	04/13/2011	04/26/2010	10:34
POLK COUNTY SO	05/19/2010	10:05:43	759279	04/20/2012	05/19/2010	11:26
POLK COUNTY SO	07/22/2010	11:50:00	759279	04/20/2012	07/22/2010	11:54
POLK COUNTY SO	07/22/2010	11:50:19	759279	04/20/2012	07/22/2010	11:54
POLK COUNTY SO	07/22/2010	11:52:10	759279	04/20/2012	07/22/2010	11:54

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001056

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
DAVIE PD	05/02/2010	04:31:19	831802I	11/22/2010	05/07/2010	04:35
DAVIE PD	11/05/2010	00:12:17	AG025702	09/14/2012	12/24/2010	00:06

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001057

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LAKELAND PD	06/16/2010	01:36:52	8322011	11/22/2010	07/11/2010	08:14
LAKELAND PD	10/14/2010	03:13:54	817739	08/20/2012	10/17/2010	13:46
LAKELAND PD	10/17/2010	09:07:32	817739	08/20/2012	10/17/2010	13:46

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001059

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FERNANDINA BEACH PD	01/28/2010	20:56:59	704221	12/11/2011	01/28/2010	22:27

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001060

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
WINTER HAVEN PD	10/31/2010	06:07:35	704221	12/11/2011	11/30/2010	09:34

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001061

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
GULFPORT PD	10/14/2010	16:25:21	817739	08/20/2012	10/17/2010	17:04
GULFPORT PD	10/26/2010	17:44:19	817739	08/20/2012	11/10/2010	13:50

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001062

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
TREASURE ISLAND PD	06/25/2010	11:16:04	761073	05/06/2012	07/01/2010	09:31
TREASURE ISLAND PD	09/15/2010	16:05:34	761073	05/05/2012	10/01/2010	12:45
TREASURE ISLAND PD	09/15/2010	16:05:53	761073	05/06/2012	10/01/2010	12:45
TREASURE ISLAND PD	09/15/2010	16:06:05	761073	05/06/2012	10/01/2010	12:45

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001063

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HOLLYWOOD PD	05/23/2010	18:36:37	593673	03/16/2011	05/23/2010 19:42

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001064

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
NEW PORT RICHEY PD	11/25/2010	00:56:21	817739	08/20/2010	11/30/2010	07:26
NEW PORT RICHEY PD	12/21/2010	11:41:30	817739	08/20/2012	01/03/2011	05:49

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001065

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
TARPON SPRINGS PD	02/24/2010	11:27:05	8226011	08/21/2010	02/24/2010	13:54
TARPON SPRINGS PD	06/28/2010	12:37:32	761073	05/06/2012	07/30/2010	10:10

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001066

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ST PETE BEACH PD	01/29/2010	12:35:50	646831	08/25/2011	01/29/2010	14:13

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001067

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
BROWARD COUNTY SO	04/02/2010	12:44:00	814301G	05/30/2010	05/26/2010	10:48
BROWARD COUNTY SO	05/14/2010	13:54:20	659357	09/02/2011	05/26/2010	10:48
BROWARD COUNTY SO	05/14/2010	13:54:31	659357	09/02/2011	05/26/2010	10:48
BROWARD COUNTY SO	08/01/2010	22:22:13	659357	09/02/2011	08/04/2010	14:37

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001068

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CLEARWATER PD	03/31/2010	14:59:15	581913	02/23/2011	04/30/2010	07:01
CLEARWATER PD	05/20/2010	22:47:03	750980	04/07/2021	05/23/2010	16:15
CLEARWATER PD	05/20/2010	22:47:31	750980	04/07/2012	05/23/2010	16:15
CLEARWATER PD	05/20/2010	22:48:19	750980	04/07/2012	05/23/2010	16:15

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001069

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
JACKSONVILLE SO	03/17/2010	09:58:54	675059	09/25/2011	03/31/2010	10:47
JACKSONVILLE SO	06/18/2010	10:15:12	704221	12/11/2011	06/30/2010	13:01
JACKSONVILLE SO	08/26/2010	06:08:53	750981	04/09/2012	08/26/2010	10:15
JACKSONVILLE SO	10/28/2010	09:06:06	770940	06/02/2012	10/28/2010	10:11

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001070

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CEDAR KEY PD	06/11/2010	16:38:31	581913	02/26/2011	06/11/2010	17:46

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001071

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CLAY COUNTY SO	02/13/2010	19:36:16	603632	04/13/2011	02/13/2010	21:21
CLAY COUNTY SO	05/18/2010	12:53:35	747256	03/25/2012	05/18/2010	14:17
CLAY COUNTY SO	07/04/2010	23:47:10	747256	03/25/2012	07/29/2010	12:08
CLAY COUNTY SO	07/29/2010	12:06:33	747256	03/25/2012	08/26/2010	13:34
CLAY COUNTY SO	08/25/2010	21:09:32	747256	03/25/2012	08/26/2010	13:34
CLAY COUNTY SO	10/10/2010	15:13:54	747256	03/25/2012	10/14/2010	15:21
CLAY COUNTY SO	11/07/2010	05:54:08	747256	03/25/2012	11/07/2010	07:06

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001073

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
DADE CITY PD	05/17/2010	15:17:05	759279	04/20/2012	05/23/2010	09:52
DADE CITY PD	10/06/2010	11:10:36	759279	04/20/2012	10/20/2010	16:44

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001074

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PASCO COUNTY SO	03/16/2010	12:45:41	668180	09/21/2011	03/16/2010	13:44

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001076

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ZEPHYRHILLS PD	01/24/2010	20:55:01	646831	08/10/2011	02/25/2010	18:32
ZEPHYRHILLS PD	01/24/2010	20:56:49	646831	08/10/2011	02/25/2010	18:32

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001077

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HARDEE COUNTY SO	01/25/2010	18:22:08	822601I	08/21/2010	02/08/2010	07:41
HARDEE COUNTY SO	05/03/2010	16:02:18	822601I	08/21/2010	05/24/2010	13:04
HARDEE COUNTY SO	05/24/2010	12:10:00	759279	08/20/2012	05/24/2010	13:04

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001078

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ST PETERSBURG PD	05/15/2010	01:39:11	719876	01/22/2012	05/26/2010	15:11
ST PETERSBURG PD	12/16/2010	16:57:12	896383	11/19/2012	12/16/2010	18:04

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001079

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
LARGO PD	03/24/2010	10:13:27	8318011	11/20/2010	04/02/2010	16:44
LARGO PD	04/20/2010	09:45:55	750980	04/07/2012	05/04/2010	17:35
LARGO PD	09/08/2010	10:00:08	761073	05/06/2012	09/14/2010	18:08
LARGO PD	09/15/2010	12:08:07	761073	05/06/2012	10/12/2010	11:56
LARGO PD	12/21/2010	09:37:58	781787	06/10/2012	01/06/2011	11:26

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001080

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
POLK COUNTY SO	03/17/2010	08:41:39	688217	11/09/2011	04/26/2010	10:12
POLK COUNTY SO	04/19/2010	14:15:33	609611	04/27/2011	04/26/2010	10:12
POLK COUNTY SO	04/26/2010	08:10:13	603632	04/13/2011	04/26/2010	10:12
POLK COUNTY SO	04/26/2010	08:11:47	603632	04/13/2011	04/26/2010	10:12
POLK COUNTY SO	04/26/2010	08:17:13	603632	04/13/2011	04/26/2010	10:12
POLK COUNTY SO	04/26/2010	11:19:03	603632	04/13/2011	05/19/2010	11:21
POLK COUNTY SO	07/22/2010	11:35:51	759279	04/20/2012	08/27/2010	09:04

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001081

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PASCO COUNTY SO	03/16/2010	12:43:39	668180	09/21/2011	03/16/2010	13:48
PASCO COUNTY SO	09/16/2010	09:54:51	759279	04/20/2012	10/14/2010	15:55

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001083

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
JACKSONVILLE SO	12/01/2010	08:11:29	770940	06/02/2012	12/01/2010 09:05

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001109

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FL HIGHWAY PATROL	04/30/2010	12:40:44	8226011	08/21/2010	04/30/2010	12:43
FL HIGHWAY PATROL	08/22/2010	13:52:16	77094	06/02/2012	08/22/2010	13:51

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001111

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
FHP TROOP A	08/31/2010	16:01:18	825601I	10/28/2010	08/31/2010	18:29
FHP TROOP A	10/28/2010	13:27:38	AG017501	06/24/2012	11/28/2010	13:54
FHP TROOP A	10/28/2010	13:28:13	AG017501	06/24/2012	11/28/2010	13:54

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001116

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
EGLIN AFB	02/10/2010	09:39:14	102597	02/28/2012	02/23/2010	10:18
EGLIN AFB	04/19/2010	00:18:10	102597	02/28/2012	04/19/2010	02:39
EGLIN AFB	04/19/2010	00:19:29	102597	02/28/2012	04/19/2010	02:39
EGLIN AFB	04/19/2010	00:21:30	102597	02/28/2012	04/19/2010	02:39
EGLIN AFB	07/26/2010	17:49:20	AG003305	02/02/2012	07/26/2010	20:19

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001117

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PASCO COUNTY SO	01/12/2010	14:33:14	814801G	05/30/2010	01/12/2010	15:32
PASCO COUNTY SO	03/16/2010	12:41:42	668180	09/21/2011	03/16/2010	13:45
PASCO COUNTY SO	10/14/2010	14:49:20	759279	04/20/2012	10/14/2010	15:57

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001119

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
FHP TROOP D - DELAND	03/26/2010	19:12:28	8113011	05/06/2010	03/30/2010	15:41
FHP TROOP D - DELAND	04/30/2010	20:23:55	675059	09/25/2011	05/09/2010	17:14

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001120

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FHP TROOP K	05/31/2010	12:19:22	704221	12/11/2011	06/11/2010	05:44
FHP TROOP K	05/31/2010	12:19:47	704221	12/11/2011	06/11/2010	05:44

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001122

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FHP MIAMI	01/30/2010	14:10:14	704221	12/11/2011	02/26/2010	07:03
FHP MIAMI	01/30/2010	14:10:50	704221	12/11/2011	02/26/2010	07:03

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001127

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
POLK COUNTY SO	05/19/2010	10:05:51	759279	04/20/2012	05/19/2010	11:30
POLK COUNTY SO	07/22/2010	11:29:55	759279	04/20/2012	08/27/2010	08:53

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001128

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PUTNAM COUNTY SO	01/14/2010	21:28:41	688217	11/09/2011	02/22/2010	21:19
PUTNAM COUNTY SO	05/24/2010	19:47:35	AG011802	04/28/2012	05/24/2010	20:43
PUTNAM COUNTY SO	12/17/2010	11:43:18	AG032601	11/22/2012	12/17/2010	12:37

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001129

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PUTNAM COUNTY SO	01/14/2010	20:11:05	688217	11/09/2011	01/14/2010	21:50
PUTNAM COUNTY SO	05/25/2010	18:46:05	AG011802	04/28/2012	05/27/2010	09:54
PUTNAM COUNTY SO	07/21/2010	15:38:15	AG011802	04/28/2012	07/21/2010	17:39

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001130

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
VOLUSIA COUNTY S.O.	05/23/2010	21:25:08	721301	02/01/2012	05/23/2010 22:45

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001131

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
VOLUSIA COUNTY S.O.	02/25/2010	18:21:55	8322011	11/22/2010	02/25/2010	20:59
VOLUSIA COUNTY S.O.	06/05/2010	18:32:46	721301	02/01/2012	06/08/2010	18:24

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001132

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
	03/15/2010	23:24:15	721301	02/01/2012	05/17/2010	17:38

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001133

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ST JOHN'S COUNTY SO	04/26/2010	14:42:03	603632	04/13/2011	04/26/2010	15:46

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ST JOHN'S COUNTY SO	12/27/2010	11:31:51	770941	05/27/2012	12/27/2010	12:31

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001135

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
DAYTONA BEACH P.D.	11/30/2010	16:04:37	885290	10/19/2012	11/30/2010	16:42

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001139

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BROWARD COUNTY SO	04/02/2010	13:40:32	659357	09/02/2011	05/14/2010	16:35
BROWARD COUNTY SO	04/02/2010	13:41:00	659357	09/02/2011	05/14/2010	16:35

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001149

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LAKE HELEN P.D.	10/28/2010	12:47:18	817739	08/20/2012	10/28/2010	15:13

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001150

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MANATEE COUNTY SO	04/30/2010	03:52:25	724801G	11/22/2010	05/12/2010	11:44
MANATEE COUNTY SO	05/12/2010	11:45:05	831802I	11/22/2010	06/23/2010	12:04

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001151

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HAINES CITY PD	07/14/2010	14:57:46	668180	09/21/2011	08/15/2010	23:50
HAINES CITY PD	07/14/2010	14:57:58	668180	09/21/2011	08/15/2010	23:50

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001152

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
NEW SYMRNA BEACH PD	11/26/2010	09:17:52	670754	09/22/2011	12/26/2010	14:57

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
LEON COUNTY SO	07/01/2010	12:20:28	675059	09/25/2011	07/01/2010 12:21

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001154

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
OAK HILL P.D.	05/04/2010	07:33:22	731635	03/04/2012	05/04/2010	09:21

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001156

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
ORMOND BEACH P.D.	08/30/2010	14:28:53	770940	06/02/2012	08/30/2010 22:00

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001157

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LAKE WALES PD	03/12/2010	15:07:07	603632	04/13/2011	10/05/2010	13:09

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001158

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PONCE INLET P.D.	08/23/2010	17:34:56	781787	06/10/2012	09/15/2010 08:54

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BREVARD COUNTY S.O.	02/25/2010	16:23:09	AG004701	02/16/2012	02/25/2010	18:18
BREVARD COUNTY S.O.	02/25/2010	17:23:53	AG004701	02/16/2012	02/25/2010	18:18
BREVARD COUNTY S.O.	03/25/2010	17:58:26	AG004701	02/16/2012	03/25/2010	18:11

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CLERMONT P.D.	05/24/2010	04:18:50	595761	04/13/2011	05/24/2010	05:16
CLERMONT P.D.	05/24/2010	04:19:31	AG004701	02/16/2012	05/24/2010	05:16

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001177

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LADY LAKE P.D.	07/14/2010	03:03:03	761073	05/06/2012	07/14/2010	03:37

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001178

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MIAMI PD	07/02/2010	18:04:29	AG002801	01/28/2012	07/21/2010	13:43

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001179

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MIAMI PD	03/30/2010	20:00:21	AG002801	01/28/2012	03/30/2010	20:52

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001183

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BOCA RATON PD	05/05/2010	09:52:32	750981	04/09/2012	05/10/2010	13:07
BOCA RATON PD	10/29/2010	18:50:22	817739	08/20/2012	11/12/2010	13:53

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
MARTIN COUNTY SO	07/25/2010	09:43:15	770941	05/27/2012	07/25/2010 10:39

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001190

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
BOYNTON BEACH PD	12/17/2010	11:54:21	885290	10/19/2012	12/27/2010	10:23
BOYNTON BEACH PD	12/17/2010	11:58:14	885290	10/19/2012	12/27/2010	10:23
BOYNTON BEACH PD	12/17/2010	13:00:59	885290	10/19/2012	12/27/2010	10:23

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001201

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
COLLIER COUNTY SO	03/08/2010	14:46:05	823901G	08/29/2010	04/01/2010	12:19
COLLIER COUNTY SO	05/03/2010	13:26:44	823901G	08/29/2010	06/03/2010	13:37
COLLIER COUNTY SO	11/01/2010	09:21:05	731636	03/08/2012	12/01/2010	09:25

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001202

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
COLLIER COUNTY SO	01/04/2010	11:03:48	581913	02/11/2011	02/01/2010	15:31
COLLIER COUNTY SO	01/20/2010	12:17:06	581913	02/23/2011	02/01/2010	15:31
COLLIER COUNTY SO	01/20/2010	12:17:14	581913	02/23/2011	02/01/2010	15:31
COLLIER COUNTY SO	03/08/2010	14:45:00	581913	02/23/2011	04/01/2010	13:46
COLLIER COUNTY SO	03/08/2010	14:45:16	581913	02/23/2011	04/01/2010	13:46
COLLIER COUNTY SO	06/01/2010	13:01:04	823901G	08/29/2010	07/05/2010	13:47
COLLIER COUNTY SO	06/01/2010	13:01:17	823901G	08/29/2010	07/05/2010	13:47
COLLIER COUNTY SO	08/02/2010	11:15:14	646831	08/24/2011	09/01/2010	14:00
COLLIER COUNTY SO	08/02/2010	11:15:47	646831	08/24/2011	09/01/2010	14:00
COLLIER COUNTY SO	09/16/2010	12:34:31	646831	08/24/2011	09/16/2010	12:38
COLLIER COUNTY SO	09/16/2010	12:34:39	646831	08/24/2011	09/16/2010	12:38
COLLIER COUNTY SO	10/04/2010	12:51:00	646831	08/24/2011	11/09/2010	07:29
COLLIER COUNTY SO	12/01/2010	12:56:22	646831	08/24/2011	01/04/2011	15:52
COLLIER COUNTY SO	12/01/2010	12:56:49	646831	08/24/2011	01/04/2011	15:52

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001203

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
GREENACRES PS	08/06/2010	14:40:20	603632	04/13/2011	08/06/2010 15:51

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PANAMA CITY PD	01/20/2010	10:45:19	8256011	10/28/2010	01/30/2010	13:02
PANAMA CITY PD	10/28/2010	14:33:27	817739	08/20/2012	11/30/2010	13:30

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001205

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
NAS PENSACOLA PD	06/27/2010	16:14:54	719876	01/22/2012	06/29/2010 12:53

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001207

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HENDRY COUNTY S.O.	06/27/2010	15:38:17	AG004701	02/16/2012	07/01/2010 20:37

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001208

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
LEE COUNTY SO	04/02/2010	11:58:27	603632	04/13/2011	04/02/2010	13:41
LEE COUNTY SO	05/07/2010	11:46:22	832401I	11/21/2010	05/07/2010	13:51
LEE COUNTY SO	06/25/2010	22:51:24	747256	03/25/2012	07/09/2010	12:12

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001230

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
TYNDALL AFB	10/15/2010	14:07:54	817739	08/12/2012	12/22/2010	14:38

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001231

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
AUBURNDALE PD	05/27/2010	08:39:57	759279	04/20/2012	05/27/2010	09:48
AUBURNDALE PD	07/14/2010	11:44:10	759279	04/20/2012	08/29/2010	09:48
AUBURNDALE PD	07/14/2010	11:44:24	759279	04/20/2012	08/29/2010	09:48

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001232

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
NAS PENSACOLA PD	02/10/2010	22:07:20	716865	01/14/2012	02/27/2010	01:01
NAS PENSACOLA PD	10/30/2010	06:47:05	770940	06/02/2012	10/30/2010	09:13

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001233

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
PALM BEACH CO SO	01/20/2010	17:45:56	668180	09/28/2011	01/22/2010	11:49
PALM BEACH CO SO	02/12/2010	14:51:47	668180	09/28/2011	03/12/2010	11:00
PALM BEACH CO SO	03/12/2010	14:13:17	668180	09/28/2011	04/16/2010	13:10
PALM BEACH CO SO	05/17/2010	17:40:42	750981	04/09/2012	06/07/2010	17:18
PALM BEACH CO SO	06/09/2010	20:36:45	750981	04/09/2012	08/30/2010	09:46
PALM BEACH CO SO	10/15/2010	14:06:42	750981	04/09/2012	11/08/2010	13:56
PALM BEACH CO SO	11/25/2010	13:07:17	761073	05/06/2012	12/10/2010	12:14

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001234

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PALM BEACH CO SO	05/17/2010	17:45:08	828901G	10/21/2010	06/07/2010	17:11
PALM BEACH CO SO	05/28/2010	06:32:40	750981	04/09/2012	06/07/2010	17:11
PALM BEACH CO SO	05/28/2010	06:32:49	750981	04/09/2012	06/07/2010	17:11

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001235

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
WEST PALM BEACH PD	05/02/2010	23:44:45	WRIYQJ	02/16/2012	05/04/2010	18:33

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001236

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PALM BEACH CO SO	03/12/2010	11:17:08	668180	09/28/2011	04/16/2010	13:24
PALM BEACH CO SO	04/23/2010	12:32:59	815401G	06/19/2010	05/17/2010	16:10
PALM BEACH CO SO	06/07/2010	15:51:12	750981	04/09/2012	07/09/2010	14:52
PALM BEACH CO SO	06/07/2010	15:51:34	750981	04/09/2012	07/09/2010	14:52
PALM BEACH CO SO	08/20/2010	13:13:27	750981	04/09/2012	09/10/2010	13:25
PALM BEACH CO SO	08/29/2010	16:05:25	750981	04/09/2012	09/10/2010	13:25
PALM BEACH CO SO	09/10/2010	13:39:41	750981	04/09/2012	10/15/2010	14:02
PALM BEACH CO SO	12/22/2010	11:34:43	761073	05/06/2012	01/10/2011	13:19
PALM BEACH CO SO	12/22/2010	11:34:54	761073	05/06/2012	01/10/2011	13:19

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
POLK COUNTY SO	04/02/2010	06:00:53	688217	11/09/2011	04/26/2010	11:31
POLK COUNTY SO	04/19/2010	15:47:46	609611	04/27/2011	04/26/2010	11:31
POLK COUNTY SO	04/30/2010	07:11:45	603632	04/13/2011	05/19/2010	11:34
POLK COUNTY SO	04/30/2010	07:17:57	603632	04/13/2011	05/19/2010	11:34
POLK COUNTY SO	07/22/2010	11:31:21	603632	04/13/2011	08/27/2010	09:01
POLK COUNTY SO	11/22/2010	09:15:48	770941	05/27/2012	11/22/2010	10:32

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001238

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
GROVELAND P.D.	01/20/2010	09:45:12	AG934801	12/14/2011	01/20/2010	11:09
GROVELAND P.D.	04/08/2010	14:58:11	AG934801	12/14/2011	05/14/2010	13:40
GROVELAND P.D.	05/14/2010	13:43:03	AG005701	02/26/2012	06/10/2010	13:25
GROVELAND P.D.	06/28/2010	15:23:54	AG005701	02/26/2012	07/21/2010	15:46
GROVELAND P.D.	09/22/2010	11:20:27	AG016502	06/14/2012	09/22/2010	13:06
GROVELAND P.D.	10/30/2010	15:22:29	AG025702	09/14/2012	11/24/2010	13:27
GROVELAND P.D.	12/07/2010	13:02:35	AG025702	09/14/2012	12/15/2010	13:21

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001243

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
EDGEWATER P.D.	04/28/2010	10:04:27	698118	11/30/2011	04/28/2010	11:10

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001244

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PUTNAM COUNTY SO	01/14/2010	20:02:20	688217	11/09/2011	01/14/2010	21:46
PUTNAM COUNTY SO	04/20/2010	16:29:59	688217	11/09/2011	04/20/2010	17:11
PUTNAM COUNTY SO	05/24/2010	19:44:00	AG011802	04/28/2012	05/24/2010	20:31

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001245

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PORT ORANGE P.D.	03/30/2010	04:12:29	646826	07/27/2011	03/30/2010	05:03
PORT ORANGE P.D.	03/30/2010	04:17:46	646826	07/27/2011	03/30/2010	05:03
PORT ORANGE P.D.	07/06/2010	16:52:22	731635	04/03/2012	07/06/2010	17:00
PORT ORANGE P.D.	07/06/2010	16:52:41	731635	04/03/2012	07/06/2010	17:00

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001246

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
SOUTH DAYTONA P.D.	01/04/2010	16:42:35	AG934801	12/14/2011	02/01/2010	15:54

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001247

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BROWARD COUNTY SO	04/02/2010	12:50:31	659357	09/02/2011	05/14/2010	16:32

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001248

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BROWARD COUNTY SO	04/02/2010	13:33:56	814301G	05/30/2010	05/26/2010	10:41
BROWARD COUNTY SO	05/14/2010	13:46:08	659357	09/02/2011	05/26/2010	10:41
BROWARD COUNTY SO	05/14/2010	13:46:23	659357	09/02/2011	05/26/2010	10:41

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001249

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BROWARD COUNTY SO	04/02/2010	14:26:26	814301G	05/30/2010	05/26/2010	11:38
BROWARD COUNTY SO	04/02/2010	14:26:39	814301G	05/30/2010	05/26/2010	11:38
BROWARD COUNTY SO	05/14/2010	13:51:18	659357	09/02/2011	05/26/2010	11:38
BROWARD COUNTY SO	05/14/2010	13:51:35	659357	09/02/2011	05/26/2010	11:38

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001250

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
BROWARD COUNTY SO	03/31/2010	12:07:06	659357	09/02/2011	03/31/2010	19:57
BROWARD COUNTY SO	08/01/2010	22:09:04	659357	09/02/2011	08/04/2010	15:24
BROWARD COUNTY SO	08/01/2010	22:09:49	659357	09/02/2011	08/04/2010	15:24

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001253

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BREVARD COUNTY S.O.	03/25/2010	17:40:19	AG004701	02/16/2012	03/25/2010 18:15

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001254

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MONROE COUNTY SO	05/20/2010	10:13:21	627100	07/01/2011	05/20/2010	11:06

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001255

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ORANGE COUNTY S.O.	06/24/2010	08:36:44	750981	04/09/2012	06/24/2010	09:33

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ORANGE COUNTY S.O.	01/22/2010	10:41:47	675059	09/25/2011	01/28/2010	12:30
ORANGE COUNTY S.O.	10/21/2010	08:57:18	675059	09/25/2011	10/21/2010	09:56

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001257

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ORANGE COUNTY S.O.	11/17/2010	08:43:48	750981	04/09/2012	11/18/2010	12:20

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001258

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ORANGE COUNTY S.O.	02/17/2010	11:08:39	675059	09/25/2011	02/17/2010	11:59
ORANGE COUNTY S.O.	12/17/2010	14:09:06	675059	09/25/2011	12/23/2010	13:48

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001260

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
COCOA P.D.	11/20/2010	23:55:49	698118	11/30/2011	12/08/2010	20:21

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MELBOURNE P.D.	01/31/2010	05:35:20	688217	11/09/2011	03/01/2010	02:36
MELBOURNE P.D.	07/03/2010	21:16:39	710643	07/03/2011	08/01/2010	13:42
MELBOURNE P.D.	07/03/2010	21:17:07	710643	12/28/2011	08/01/2010	13:42
MELBOURNE P.D.	11/21/2010	01:00:45	770941	05/27/2012	12/31/2010	19:36

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
BREVARD COUNTY S.O.	03/25/2010	17:46:36	AG004701	02/16/2012	03/25/2010 18:07

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001265

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BAY P.D.	03/24/2010	17:57:00	675059	09/25/2011	03/30/2010 05:08

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001267

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PALM BEACH CO SO	02/12/2010	11:26:48	668180	09/28/2011	03/12/2010	10:55
PALM BEACH CO SO	04/16/2010	13:11:51	668180	09/28/2011	05/17/2010	17:28
PALM BEACH CO SO	09/03/2010	17:34:02	750981	04/09/2012	09/10/2010	14:17
PALM BEACH CO SO	09/03/2010	17:34:36	750981	04/09/2012	09/10/2010	14:17
PALM BEACH CO SO	10/15/2010	14:11:22	761073	05/06/2012	11/08/2010	12:42

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001269

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
PALM BEACH CO SO	02/12/2010	11:24:48	668180	09/28/2011	03/12/2010	12:59
PALM BEACH CO SO	03/12/2010	13:03:10	668180	09/28/2011	04/16/2010	14:16
PALM BEACH CO SO	05/17/2010	17:34:24	750981	04/09/2012	06/07/2010	15:28
PALM BEACH CO SO	08/20/2010	13:14:42	750981	04/09/2012	09/10/2010	14:26
PALM BEACH CO SO	11/05/2010	03:15:38	761073	05/06/2012	11/08/2010	12:48
PALM BEACH CO SO	11/05/2010	03:15:51	761073	05/06/2012	11/08/2010	12:48
PALM BEACH CO SO	11/08/2010	12:59:30	761073	05/06/2012	12/10/2010	13:41

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001270

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
PALM BEACH CO SO	06/03/2010	21:50:23	750981	04/09/2012	06/07/2010	15:46
PALM BEACH CO SO	06/03/2010	21:50:30	750981	04/09/2012	06/07/2010	15:46
PALM BEACH CO SO	07/09/2010	20:37:56	750981	04/09/2012	08/20/2010	12:39
PALM BEACH CO SO	09/10/2010	13:41:17	750981	04/09/2012	10/15/2010	12:51
PALM BEACH CO SO	12/10/2010	12:47:59	761073	05/06/2012	01/10/2011	12:12

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
SEMINOLE COUNTY S.O.	01/17/2010	00:22:24	704221	12/11/2011	02/03/2010	21:54
SEMINOLE COUNTY S.O.	04/19/2010	04:14:20	704221	12/11/2011	05/02/2010	21:24
SEMINOLE COUNTY S.O.	07/02/2010	00:14:53	704221	12/11/2011	08/03/2010	21:03
SEMINOLE COUNTY S.O.	09/13/2010	00:13:02	704221	12/11/2011	09/30/2010	01:11
SEMINOLE COUNTY S.O.	11/06/2010	04:37:45	704221	12/11/2011	11/16/2010	19:09

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001272

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SEMINOLE COUNTY S.O.	01/30/2010	21:44:15	704221	12/11/2011	02/03/2010 22:01

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001275

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HIALEAH GARDENS PD	01/07/2010	10:35:10	827701G	10/06/2010	01/07/2010	12:14
HIALEAH GARDENS PD	02/09/2010	13:39:59	710643	12/28/2011	03/04/2010	12:50
HIALEAH GARDENS PD	12/01/2010	10:15:29	710643	12/28/2011	12/01/2010	11:45

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001276

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MIAMI-DADE PD	03/17/2010	22:56:33	688217	11/09/2011	04/15/2010	12:36
MIAMI-DADE PD	12/01/2010	10:17:24	688217	11/09/2011	12/01/2010	11:40

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001277

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
MIAMI-DADE PD	01/30/2010	04:17:21	804601I	02/18/2010	02/11/2010	13:02
MIAMI-DADE PD	02/19/2010	01:18:13	827701G	10/06/2010	03/02/2010	12:27
MIAMI-DADE PD	03/30/2010	12:15:01	688217	11/09/2011	04/15/2010	12:07
MIAMI-DADE PD	08/06/2010	23:46:11	827701G	10/06/2010	09/14/2010	14:12
MIAMI-DADE PD	10/06/2010	14:18:29	688217	11/09/2011	10/11/2010	11:47
MIAMI-DADE PD	10/06/2010	14:19:05	688217	11/09/2011	10/11/2010	11:47

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001278

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
JACKSONVILLE SO	01/05/2010	10:27:11	675059	09/25/2011	01/15/2010	13:09
JACKSONVILLE SO	01/05/2010	10:27:28	675059	09/25/2011	01/15/2010	13:09
JACKSONVILLE SO	03/23/2010	05:36:06	704221	12/11/2011	03/31/2010	10:58
JACKSONVILLE SO	05/28/2010	15:09:15	675059	09/25/2011	06/16/2010	08:53
JACKSONVILLE SO	09/23/2010	08:52:02	770940	06/02/2012	09/29/2010	14:32
JACKSONVILLE SO	12/23/2010	10:01:34	885290	10/19/2012	12/29/2010	15:27

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001279

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
JACKSONVILLE SO	03/10/2010	14:43:30	704221	12/11/2011	03/10/2010	14:45
JACKSONVILLE SO	07/01/2010	12:58:50	750981	04/09/2012	07/15/2010	11:05
JACKSONVILLE SO	12/15/2010	15:22:29	770940	06/02/2012	12/16/2010	08:36

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001280

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
JACKSONVILLE SO	01/29/2010	06:08:16	675059	09/25/2011	02/17/2010	09:14
JACKSONVILLE SO	04/22/2010	12:42:36	704221	12/11/2011	04/29/2010	14:26
JACKSONVILLE SO	07/23/2010	06:17:51	750981	04/09/2012	07/29/2010	14:04
JACKSONVILLE SO	10/22/2010	06:42:02	770940	06/02/2012	10/28/2010	10:13

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001281

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
NASSAU COUNTY SO	07/14/2010	08:39:25	770940	06/02/2012	07/14/2010 10:12

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001282

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
UNIVERSITY OF FL PD	01/28/2010	18:49:26	8318011	11/20/2010	02/02/2010	07:38
UNIVERSITY OF FL PD	11/18/2010	06:28:03	719876	01/22/2012	12/03/2010	21:44

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001283

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HIGH SPRINGS PD	11/25/2010	14:57:03	817739	08/20/2012	11/25/2010	15:37

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001285

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
GILCHRIST COUNTY SO	10/14/2010	16:21:35	581914	02/23/2011	10/28/2010	22:47

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001286

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BAKER COUNTY SO	08/09/2010	11:44:26	828901G	10/21/2010	08/09/2010	14:34
BAKER COUNTY SO	10/27/2010	06:17:48	828901G	10/21/2010	10/27/2010	07:51
BAKER COUNTY SO	10/27/2010	06:19:29	829401G	11/07/2010	10/27/2010	07:51
BAKER COUNTY SO	11/15/2010	16:11:18	885290	10/19/2012	12/06/2010	03:14
BAKER COUNTY SO	11/19/2010	12:10:07	885290	10/19/2012	12/06/2010	03:14

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001288

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
UNION COUNTY SO	08/18/2010	20:54:29	770941	05/27/2012	09/29/2010	00:44
UNION COUNTY SO	08/18/2010	20:55:34	770941	05/27/2012	09/29/2010	00:44

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001289

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
UNION COUNTY SO	09/27/2010	00:40:23	770941	05/27/2012	09/29/2010	00:45

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001290

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BRADFORD COUNTY SO	10/28/2010	12:00:02	595761	04/13/2011	10/28/2010	16:23
BRADFORD COUNTY SO	11/04/2010	05:32:25	595761	04/13/2011	12/01/2010	16:49
BRADFORD COUNTY SO	12/14/2010	09:52:35	885290	10/19/2012	12/21/2010	13:03

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001291

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BRADFORD COUNTY SO	11/04/2010	10:43:16	595761	04/13/2011	11/27/2010	09:44

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001292

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LEVY COUNTY SO	06/23/2010	23:51:04	8256011	10/28/2010	07/31/2010	01:18
LEVY COUNTY SO	10/27/2010	15:59:17	698118	11/30/2011	10/28/2010	17:51
LEVY COUNTY SO	10/28/2010	16:27:13	698118	11/30/2011	10/28/2010	17:51
LEVY COUNTY SO	12/31/2010	16:52:36	698118	11/30/2011	01/04/2011	02:30

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001302

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
SANTA ROSA COUNTY SO	01/26/2010	12:45:19	710643	12/28/2011	01/26/2010	14:43

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001303

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
SANTA ROSA COUNTY SO	01/26/2010	14:17:43	710643	12/28/2011	01/26/2010	15:58
SANTA ROSA COUNTY SO	06/28/2010	13:49:44	710643	12/28/2011	06/28/2010	15:26

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001305

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MARIANNA PD	09/23/2010	16:39:12	AG025702	09/14/2012	10/22/2010	19:48
MARIANNA PD	09/23/2010	16:41:00	AG025702	09/14/2012	10/22/2010	19:48

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001306

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MEXICO BEACH PD	01/27/2010	17:46:20	698118	11/30/2011	01/27/2010	20:06
MEXICO BEACH PD	11/13/2010	18:05:27	698118	11/30/2011	11/14/2010	19:18
MEXICO BEACH PD	11/13/2010	18:05:46	698118	11/30/2011	11/14/2010	19:18
MEXICO BEACH PD	11/13/2010	18:05:57	698118	11/30/2011	11/14/2010	19:18

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001307

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MADISON COUNTY SO	02/10/2010	10:46:15	643837	07/17/2011	03/16/2010	10:04
MADISON COUNTY SO	12/16/2010	09:24:19	643837	07/17/2011	01/20/2011	09:24

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001308

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BAY COUNTY SO	02/15/2010	11:25:45	670753	09/30/2011	02/15/2010	14:53
BAY COUNTY SO	09/29/2010	13:04:49	685214	10/28/2011	09/29/2010	14:44

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001309

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BAY COUNTY SO	09/29/2010	14:54:06	670753	09/30/2011	09/29/2010	16:28

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001310

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
NICEVILLE PD	07/29/2010	10:06:45	100022	04/09/2011	07/29/2010	12:05
NICEVILLE PD	07/29/2010	10:16:29	100022	04/09/2011	07/29/2010	12:05

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001311

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
WALTON COUNTY SO	04/19/2010	02:38:25	646826	07/27/2011	05/20/2010	11:49
WALTON COUNTY SO	12/20/2010	12:19:50	761073	05/06/2012	01/23/2011	12:08
WALTON COUNTY SO	12/20/2010	12:20:13	761073	05/06/2012	01/23/2011	12:08

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001312

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
WALTON COUNTY SO	06/13/2010	15:15:22	761073	05/06/2012	06/14/2010 12:59

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001320

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
OKEECHOBEE CO SO	11/01/2010	22:33:07	814704	08/18/2012	11/01/2010	23:12

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001321

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
OKEECHOBEE COUNTY	11/01/2010	22:34:11	814704	08/18/2012	11/01/2010	23:20

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001322

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
OKEECHOBEE PD	05/26/2010	11:08:36	8275011	10/06/2010	05/26/2010	12:18
OKEECHOBEE PD	06/11/2010	13:34:44	759279	04/20/2012	06/11/2010	14:12
OKEECHOBEE PD	07/17/2010	16:57:24	759279	04/20/2012	07/17/2010	17:35

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001323

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
PORT ST LUCIE PD	02/25/2010	00:54:35	698118	11/30/2011	02/25/2010	02:20
PORT ST LUCIE PD	03/25/2010	14:36:33	814301G	05/30/2010	03/25/2010	16:06
PORT ST LUCIE PD	05/26/2010	03:12:52	698118	11/30/2011	05/26/2010	04:18

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001328

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
INDIAN RIVER CO. SO	01/21/2010	09:02:24	675059	09/25/2011	01/21/2010	10:35
INDIAN RIVER CO. SO	05/26/2010	22:19:36	675059	09/25/2011	06/02/2010	10:39
INDIAN RIVER CO. SO	09/10/2010	08:17:47	750981	04/09/2012	09/10/2010	10:53

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001329

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
INDIAN RIVER CO. SO	11/19/2010	08:13:15	750981	04/09/2012	11/19/2010	10:45

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001340

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
DESOTO COUNTY SO	10/28/2010	11:57:37	781787	06/10/2012	11/24/2010	20:16

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001341

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
DESOTO COUNTY SO	09/27/2010	21:01:14	781787	06/10/2012	12/20/2010	16:08

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001346

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
SARASOTA COUNTY SO	05/17/2010	12:06:46	670754	09/22/2011	06/14/2010	15:17
SARASOTA COUNTY SO	07/04/2010	00:09:05	670754	09/22/2011	07/12/2010	09:42
SARASOTA COUNTY SO	07/12/2010	08:14:29	670754	09/22/2011	07/12/2010	09:42
SARASOTA COUNTY SO	09/20/2010	23:15:29	670754	09/22/2011	09/29/2010	10:35
SARASOTA COUNTY SO	09/20/2010	23:15:35	670754	09/22/2011	09/29/2010	10:35
SARASOTA COUNTY SO	09/20/2010	23:16:57	670754	09/22/2011	09/29/2010	10:35
SARASOTA COUNTY SO	09/20/2010	23:17:06	670754	09/22/2011	09/29/2010	10:35
SARASOTA COUNTY SO	09/29/2010	09:33:11	670754	09/22/2011	09/29/2010	10:35
SARASOTA COUNTY SO	12/27/2010	09:26:06	904241	11/12/2012	12/27/2010	10:27

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001347

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
SARASOTA COUNTY SO	02/25/2010	16:31:05	581913	02/23/2011	02/25/2010	17:31
SARASOTA COUNTY SO	04/10/2010	20:01:46	581913	02/23/2011	04/15/2010	14:20
SARASOTA COUNTY SO	07/06/2010	13:43:03	581913	02/23/2011	07/12/2010	12:49
SARASOTA COUNTY SO	10/26/2010	12:42:00	670754	09/22/2011	11/29/2010	14:37

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001348

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
SARASOTA COUNTY SO	03/25/2010	09:08:28	828901G	10/21/2010	03/25/2010	10:39
SARASOTA COUNTY SO	04/15/2010	09:54:15	670754	09/22/2011	04/15/2010	11:07
SARASOTA COUNTY SO	09/03/2010	21:34:48	831801I	11/20/2010	09/29/2010	13:08

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001350

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FRUITLAND PARK P.D.	10/03/2010	07:12:07	781787	06/10/2012	10/03/2010	08:38

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001363

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CHARLOTTE COUNTY SO	03/24/2010	07:38:53	627100	07/01/2011	04/17/2010	09:45
CHARLOTTE COUNTY SO	08/16/2010	17:05:31	627100	07/01/2011	08/20/2010	15:03

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001364

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
GAINESVILLE PD	03/30/2010	02:10:31	581913	02/23/2011	03/30/2010	03:11
GAINESVILLE PD	09/16/2010	22:22:26	675059	09/25/2011	09/30/2010	05:43

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001365

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LEVY COUNTY SO	12/31/2010	01:20:28	698118	11/30/2011	06/28/2011	19:10

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001367

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PINELLAS COUNTY SO	04/21/2010	03:49:51	827601G	10/06/2010	04/28/2010	02:02
PINELLAS COUNTY SO	04/21/2010	03:50:11	827601G	10/06/2010	04/28/2010	02:02
PINELLAS COUNTY SO	07/28/2010	00:25:10	827601G	10/06/2010	07/28/2010	02:21
PINELLAS COUNTY SO	10/14/2010	04:12:02	AG005701	02/26/2010	10/27/2010	01:58
PINELLAS COUNTY SO	11/27/2010	19:37:31	AG003305	02/02/2012	12/31/2010	00:17

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001368

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
NAS MAYPORT	03/30/2010	11:32:05	643837	07/16/2011	04/28/2010	08:42
NAS MAYPORT	09/08/2010	09:34:06	643837	07/16/2011	10/29/2010	09:25

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001415

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PINELLAS COUNTY SO	02/10/2010	00:01:47	8226011	08/21/2010	02/24/2010	04:05
PINELLAS COUNTY SO	08/18/2010	21:32:00	AG003305	02/02/2012	08/28/2010	04:01

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001416

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ORANGE COUNTY S.O.	07/23/2010	17:35:54	750981	04/09/2012	07/29/2010	12:54
ORANGE COUNTY S.O.	07/23/2010	17:36:14	750981	04/09/2012	07/29/2010	12:54
ORANGE COUNTY S.O.	11/03/2010	08:38:36	750981	04/09/2012	11/04/2010	16:51

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001418

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ORANGE COUNTY S.O.	10/22/2010	17:27:20	750981	04/09/2012	10/28/2010	14:22
ORANGE COUNTY S.O.	10/22/2010	17:27:31	750981	04/09/2012	10/28/2010	14:22

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001420

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ORANGE COUNTY S.O.	05/18/2010	08:13:49	750981	04/09/2012	05/24/2010	14:37
ORANGE COUNTY S.O.	05/18/2010	08:14:36	750981	04/09/2012	05/24/2010	14:37
ORANGE COUNTY S.O.	11/11/2010	10:52:40	750981	04/09/2012	11/18/2010	12:11

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001439

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MARTIN COUNTY SO	08/15/2010	18:07:58	8256011	10/28/2010	08/30/2010	11:21
MARTIN COUNTY SO	09/29/2010	10:30:44	646826	07/27/2011	10/28/2010	09:39

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001442

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BISCAYNE NAT PARK	08/03/2010	09:28:55	827701G	10/06/2010	08/03/2010	10:20
BISCAYNE NAT PARK	10/02/2010	02:24:59	688217	11/09/2011	10/04/2010	16:40

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001443

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CLAY COUNTY SO	02/26/2010	22:24:33	603632	04/13/2011	03/14/2010	09:19
CLAY COUNTY SO	07/04/2010	23:44:14	747256	03/25/2012	07/29/2010	12:12

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001646

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BAY COUNTY SO	02/14/2010	22:07:04	8256011	10/28/2010	02/15/2010	13:32
BAY COUNTY SO	09/29/2010	13:58:22	670753	09/30/2011	09/29/2010	15:34

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001647

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CAPE CORAL PD	01/22/2010	12:15:48	646826	07/24/2011	02/12/2010	12:41
CAPE CORAL PD	02/12/2010	11:54:44	688217	11/09/2011	02/12/2010	12:41
CAPE CORAL PD	02/25/2010	16:22:22	646831	08/10/2011	03/12/2010	12:38
CAPE CORAL PD	03/30/2010	15:25:23	646831	08/10/2011	04/02/2010	11:42
CAPE CORAL PD	10/28/2010	07:44:54	770940	06/02/2012	10/28/2010	10:00
CAPE CORAL PD	10/28/2010	07:45:10	770940	06/02/2012	10/28/2010	10:00

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001648

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PUTNAM COUNTY SO	01/14/2010	21:20:53	688217	11/09/2011	02/22/2010	21:17
PUTNAM COUNTY SO	05/25/2010	18:45:04	AG011802	04/28/2012	05/25/2010	21:50
PUTNAM COUNTY SO	12/11/2010	11:59:17	AG032601	11/22/2012	12/17/2010	12:59
PUTNAM COUNTY SO	12/17/2010	13:00:35	AG032601	11/22/2012	01/18/2011	16:30

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001649

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
KENNETH CITY PD	10/27/2010	02:42:26	646826	11/24/2011	11/30/2010	04:43

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001650

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
KEY BISCAYNE PD	08/23/2010	20:25:50	AGO16502	06/14/2012	08/23/2010	20:45
KEY BISCAYNE PD	12/14/2010	18:34:02	AG002801	01/28/2012	02/16/2011	13:42
KEY BISCAYNE PD	12/14/2010	18:47:53	AG002801	01/28/2012	02/16/2011	13:42
KEY BISCAYNE PD	12/14/2010	18:51:43	AG016502	06/14/2010	02/16/2011	13:42

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001651

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
COLLIER COUNTY SO	02/01/2010	13:46:07	812201G	05/06/2010	03/08/2010	16:28
COLLIER COUNTY SO	07/05/2010	11:36:08	731636	03/08/2012	08/05/2010	17:32
COLLIER COUNTY SO	07/05/2010	11:36:19	731636	03/08/2012	08/05/2010	17:32

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001652

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
WEST MIAMI PD	08/31/2010	23:01:07	AG002801	01/28/2012	08/31/2010	22:58

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001654

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MIAMI PD	05/19/2010	17:28:02	AG002801	01/28/2012	05/19/2010	19:14

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001655

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ST JOHN'S COUNTY SO	04/26/2010	14:52:02	603632	04/13/2011	04/26/2010	15:51

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001656

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
NORTH MIAMI PD	07/30/2010	15:16:54	617778	05/28/2011	07/30/2010	15:57

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001657

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MICCOSUKEE PD	05/17/2010	14:36:37	731636	03/08/2012	05/18/2010	13:10

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001714

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
UNIVERSITY OF FL PD	03/24/2010	14:55:58	719876	01/22/2012	03/24/2010	16:44

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001720

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
ALACHUA PD	08/30/2010	09:40:52	759279	04/20/2012	08/30/2010	10:24

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001721

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PALM BAY P.D.	03/25/2010	20:36:56	675059	09/25/2011	03/30/2010	05:25
PALM BAY P.D.	12/16/2010	09:16:17	675059	09/25/2011	01/09/2011	12:02

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001722

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
LEE COUNTY SO	01/19/2010	07:27:11	688217	11/09/2011	01/22/2010	09:36
LEE COUNTY SO	02/12/2010	11:51:00	832401I	11/21/2010	02/12/2010	12:31
LEE COUNTY SO	05/07/2010	11:48:18	747256	03/25/2012	05/07/2010	13:46
LEE COUNTY SO	06/15/2010	06:55:34	747256	03/25/2012	07/09/2010	11:09
LEE COUNTY SO	08/13/2010	12:29:12	770940	06/02/2012	09/09/2010	10:57
LEE COUNTY SO	11/02/2010	08:25:12	688217	11/09/2011	11/19/2010	10:05
LEE COUNTY SO	11/19/2010	11:34:38	885290	10/19/2012	12/10/2010	09:47

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001724

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
GRETNA PD	10/13/2010	16:00:30	AG907203	03/13/2011	10/15/2010	11:57
GRETNA PD	10/13/2010	16:00:53	AG907203	03/13/2011	10/15/2010	11:57

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001731

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HILLSBOROUGH SO	01/09/2010	21:19:40	646831	07/30/2011	01/19/2010	14:29

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001737

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
SOUTH MIAMI PD	04/22/2010	20:06:33	822501I	08/21/2010	05/31/2010	19:36
SOUTH MIAMI PD	04/22/2010	20:06:47	822501I	08/21/2010	05/31/2010	19:36
SOUTH MIAMI PD	08/08/2010	17:37:35	AG011703	04/27/2012	08/08/2010	18:52

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001739

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
CHARLOTTE COUNTY SO	03/24/2010	07:41:08	627100	07/01/2011	04/17/2010 09:47

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001740

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CLEARWATER PD	03/26/2010	17:09:22	668180	09/21/2011	03/28/2010	03:10
CLEARWATER PD	12/18/2010	02:06:54	668180	09/21/2011	12/18/2010	23:16

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001741

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
PALM BEACH CO SO	01/22/2010	12:11:52	612623	05/06/2011	02/12/2010 10:20

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001742

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
BRADENTON PD	09/10/2010	17:21:48	AG003305	02/02/2012	09/22/2010	11:14

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001865

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LAKELAND PD	10/17/2010	07:09:44	759279	04/20/2012	10/17/2010	09:14

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001866

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
US AIR FORCE MACDILL	04/05/2010	13:34:54	721301	02/01/2012	04/05/2010	14:39

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001962

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PORT ST LUCIE PD	02/25/2010	00:57:40	814301G	05/30/2010	02/25/2010	02:16
PORT ST LUCIE PD	03/25/2010	14:41:55	698118	11/30/2011	03/25/2010	16:03

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002097

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
NAS JACKSONVILLE PD	02/17/2010	07:34:57	719876	01/22/2012	02/26/2010	23:58

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002170

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
NAS KEY WEST	01/12/2010	08:19:38	685214	10/28/2011	01/20/2010	11:02

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002171

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
FL STATE UNIV PD	02/24/2010	10:09:51	709353	12/28/2011	02/24/2010	10:07
FL STATE UNIV PD	04/13/2010	11:18:39	709353	12/28/2011	05/27/2010	08:28

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002232

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
MIAMI BEACH PD	01/12/2010	09:06:00	670754	09/22/2011	01/28/2010	12:04
MIAMI BEACH PD	06/10/2010	10:46:38	750981	04/09/2012	06/10/2010	11:32
MIAMI BEACH PD	09/20/2010	15:28:19	750981	04/09/2012	09/28/2010	14:03

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002462

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HIALEAH PD	08/11/2010	16:25:13	704221	12/11/2011	08/31/2010	15:59

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002463

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HIALEAH PD	08/11/2010	14:24:52	709352	12/23/2011	08/31/2010 09:49

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002464

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HIALEAH PD	03/22/2010	12:22:01	709352	12/21/2011	04/29/2010	12:33
HIALEAH PD	05/25/2010	09:50:18	709352	12/21/2011	08/31/2010	09:34

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003195

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FWC OCALA	06/02/2010	10:49:35	AG011802	04/28/2012	06/02/2010	11:56

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003196

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FWC Ocala	05/03/2010	15:22:29	AG005701	02/26/2012	05/03/2010 17:03

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003197

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FFWCC CARRABELLE	05/20/2010	01:44:21	AG005701	02/26/2012	05/20/2010 03:13

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003224

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
MIAMI BEACH PD	02/23/2010	14:03:25	659357	09/03/2011	02/24/2010	11:38
MIAMI BEACH PD	05/29/2010	07:21:12	750981	04/09/2012	06/10/2010	11:27
MIAMI BEACH PD	08/11/2010	14:02:15	750981	04/09/2012	08/18/2010	08:19

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003347

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
PASCO COUNTY SO	02/13/2010	01:47:32	814801G	05/30/2010	02/15/2010	20:36
PASCO COUNTY SO	06/23/2010	12:44:31	668180	09/21/2011	06/23/2010	14:00

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003387

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
HILLSBOROUGH CO SO	01/11/2010	04:39:39	646831	07/30/2011	01/14/2010	14:24
HILLSBOROUGH CO SO	03/10/2010	08:28:51	646831	07/30/2011	03/10/2010	13:41
HILLSBOROUGH CO SO	12/10/2010	02:18:05	747256	03/25/2012	12/17/2010	13:36
HILLSBOROUGH CO SO	12/10/2010	07:04:11	747256	03/25/2012	12/17/2010	13:36
HILLSBOROUGH CO SO	12/10/2010	07:06:04	747256	03/25/2012	12/17/2010	13:36

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003388

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
HILLSBOROUGH CO SO	02/09/2010	01:18:08	8323011	11/22/2010	02/24/2010	14:58
HILLSBOROUGH CO SO	02/24/2010	13:26:15	646831	07/30/2011	02/24/2010	14:58
HILLSBOROUGH CO SO	06/16/2010	10:18:42	646831	07/30/2011	06/24/2010	13:34
HILLSBOROUGH CO SO	07/18/2010	23:52:03	747256	03/25/2012	07/20/2010	12:23
HILLSBOROUGH CO SO	10/15/2010	02:04:24	747256	03/25/2012	10/15/2010	09:13

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003406

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download</b>	
					<b>Date/Time</b>	
FL HIGHWAY PATROL	03/26/2010	19:19:08	8318011	11/20/2010	04/01/2010	16:27
FL HIGHWAY PATROL	04/06/2010	16:42:09	643837	07/17/2011	05/06/2010	13:00
FL HIGHWAY PATROL	05/06/2010	12:08:44	\643837	07/17/2011	05/06/2010	13:00
FL HIGHWAY PATROL	10/15/2010	13:26:06	721301	02/01/2012	11/19/2010	11:32
FL HIGHWAY PATROL	10/20/2010	15:08:46	710643	12/28/2011	11/19/2010	11:32

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003407

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
FHP TROOP G	05/25/2010	18:46:17	AG011802	04/28/2012	05/25/2010	22:03

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003410

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP D	07/30/2010	18:45:57	770940	06/02/2012	07/30/2010 20:05

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003412

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
FHP TROOP B	12/14/2010	08:30:01	885290	10/19/2012	12/19/2010 07:34

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003945

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
LAKELAND PD	04/18/2010	09:25:01	8322011	11/22/2010	04/18/2010	09:59
LAKELAND PD	10/17/2010	09:18:12	675059	09/25/2011	10/17/2010	14:14

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004587

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
OSCEOLA COUNTY S.O.	07/24/2010	17:09:46	646826	07/27/2011	07/29/2010 10:36

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004771

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
HURLBURT FIELD PD	09/17/2010	09:41:17	668180	09/21/2011	09/17/2010 13:11

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005058

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>	
CRESTVIEW PD	06/23/2010	14:24:03	719876	01/22/2012	08/04/2010	15:55

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005076

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
SARASOTA COUNTY SO	07/12/2010	13:31:22	761073	05/06/2012	08/19/2010 15:01

# Florida Department of Law Enforcement

## Alcohol Testing Program

### Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005077

<b>Agency</b>	<b>Date</b>	<b>Time</b>	<b>Lot Number</b>	<b>Expiration</b>	<b>Data Download Date/Time</b>
NORTH MIAMI PD	08/03/2010	16:52:27	731635	03/04/2012	08/03/2010 17:45