

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000000

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TALLAHASSEE TRAINING	09/02/2025	10:48:52	AG429602	10/22/2026	12/09/2025 10:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000200

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE TRAINER	03/05/2025	09:40:56	28424080A3	11/05/2026	05/01/2025 14:28
FDLE TRAINER	03/05/2025	13:15:43	28424080A3	11/05/2026	05/01/2025 14:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000219

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	07/01/2025	10:36:35	231603	06/05/2026	08/04/2025 10:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000220

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE TRAINER	02/20/2025	09:41:32	34418080A2	12/05/2025	10/07/2025 9:27
FDLE TRAINER	02/24/2025	11:46:04	AG429602	10/22/2026	10/07/2025 9:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000223

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	04/03/2025	10:00:31	04924080A4	03/05/2026	04/03/2025 10:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000224

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	09/05/2025	15:00:48	23324080A2	10/05/2026	09/05/2025 16:26
FDLE	09/26/2025	01:15:16	23324080A2	10/05/2026	10/16/2025 9:12
FDLE	10/24/2025	10:02:30	04125080A5	03/05/2027	10/27/2025 12:22

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000227

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	03/23/2025	20:19:15	403056709	06/05/2026	04/02/2025 5:23
FDLE	04/01/2025	18:05:42	403056709	06/05/2026	04/02/2025 5:23
FDLE	06/11/2025	14:00:19	31124080A1	12/05/2026	06/11/2025 15:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000228

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	10/23/2025	15:47:34	403268835	02/13/2028	10/23/2025 17:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000229

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	10/02/2025	01:06:25	28424080A4	11/05/2026	10/02/2025 3:19
FDLE	10/02/2025	01:06:32	28424080A4	11/05/2026	10/02/2025 3:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000230

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE TRAINING	03/25/2025	13:01:01	06723080A5	12/25/2025	05/01/2025 14:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000742

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VALPARAISO PD	06/25/2025	10:16:01	403342588	05/09/2028	07/04/2025 11:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000744

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	09/22/2025	09:11:55	402987895	03/06/2027	09/22/2025 11:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000759

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/03/2025	12:46:20	403056709	05/28/2027	04/03/2025 15:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000760

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ALACHUA COUNTY SO	06/21/2025	01:27:31	01524080A4	03/05/2026	07/08/2025 10:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000768

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUWANNEE CO SO	03/26/2025	17:37:36	31124080A1	12/05/2026	04/20/2025 13:48
SUWANNEE CO SO	05/26/2025	14:25:58	31124080A1	12/05/2026	06/23/2025 14:23

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000770

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAMILTON COUNTY SO	08/27/2025	02:03:49	10124080A2	06/05/2026	09/29/2025 1:4
HAMILTON COUNTY SO	08/27/2025	02:04:23	10124080A2	06/05/2026	09/29/2025 1:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000772

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	09/07/2025	19:12:10	403369407	06/23/2028	09/07/2025 21:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000773

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAFAYETTE CO SO	02/11/2025	11:09:08	10124080A3	06/05/2026	03/18/2025 13:30
LAFAYETTE CO SO	02/11/2025	11:09:41	10124080A3	06/05/2026	03/18/2025 13:30
LAFAYETTE CO SO	06/05/2025	08:09:13	10124080A3	06/05/2026	06/24/2025 12:55
LAFAYETTE CO SO	06/25/2025	13:11:26	10124080A3	06/05/2026	07/17/2025 15:10
LAFAYETTE CO SO	08/13/2025	14:50:59	10124080A3	06/05/2026	09/30/2025 13:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000775

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLUMBIA COUNTY SO	05/28/2025	11:35:57	04125080A5	03/05/2027	05/28/2025 12:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000776

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAFAYETTE COUNTY SO	04/29/2025	10:02:39	10124080A3	06/05/2026	05/20/2025 13:23
LAFAYETTE COUNTY SO	04/29/2025	10:03:40	14323080A3	09/05/2026	05/20/2025 13:23
LAFAYETTE COUNTY SO	05/20/2025	13:37:40	14323080A3	09/05/2025	06/26/2025 11:26
LAFAYETTE COUNTY SO	05/20/2025	13:38:07	14323080A3	09/05/2025	06/26/2025 11:26
LAFAYETTE COUNTY SO	07/15/2025	13:45:29	14323080A3	09/05/2025	09/25/2025 12:9
LAFAYETTE COUNTY SO	09/29/2025	17:02:08	1982505 `8	09/05/2027	10/30/2025 15:32
LAFAYETTE COUNTY SO	11/12/2025	16:52:38	19825080A1	09/05/2027	12/02/2025 15:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000778

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS JACKSONVILLE PD	04/24/2025	13:17:14	15924080A2	07/05/2026	04/24/2025 14:5
NAS JACKSONVILLE PD	05/15/2025	11:57:56	28424080A3	11/05/2026	06/24/2025 14:13
NAS JACKSONVILLE PD	11/20/2025	11:14:42	28424080A3	11/05/2026	11/24/2025 10:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000779

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MADISON COUNTY SO	01/28/2025	12:11:07	10124080A3	06/05/2026	02/26/2025 12:10
MADISON COUNTY SO	03/10/2025	15:17:08	10124080A3	06/05/2026	04/29/2025 15:14
MADISON COUNTY SO	03/10/2025	15:17:58	10124080A3	06/05/2026	04/29/2025 15:14
MADISON COUNTY SO	08/27/2025	10:09:37	10124080A3	06/05/2026	09/30/2025 13:44
MADISON COUNTY SO	10/30/2025	11:15:08	10124080A3	06/05/2026	11/18/2025 9:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000780

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUWANNEE COUNTY SO	04/20/2025	15:13:52	31124080A1	12/05/2026	05/26/2025 13:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000781

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	08/31/2025	09:57:32	403374313	06/25/2028	09/13/2025 4:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000782

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	06/28/2025	19:15:42	403308953	04/01/2028	07/01/2025 15:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000785

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/03/2025	14:39:43	402843437	09/08/2026	05/13/2025 13:0
FL HIGHWAY PATROL	04/03/2025	14:40:29	402843437	09/08/2026	05/13/2025 13:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000787

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULF BREEZE PD	03/15/2025	16:10:37	403268835	02/13/2028	03/20/2025 17:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000791

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LARGO PD	10/02/2025	12:39:29	23725080A2	10/05/2027	11/20/2025 12:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000792

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	08/07/2025	10:23:41	00925080A3	02/05/2027	09/26/2025 11:54

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000794

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	05/29/2025	17:05:19	04924080A5	03/05/2026	06/28/2025 19:5
ST LUCIE COUNTY SO	09/26/2025	12:19:01	00925080A3	02/05/2027	10/29/2025 13:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000797

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAMILTON COUNTY SO	07/30/2025	01:47:34	10124080A2	06/05/2026	08/27/2025 1:30
HAMILTON COUNTY SO	07/30/2025	01:47:43	10124080A2	06/05/2026	08/27/2025 1:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000810

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DIXIE COUNTY SO	03/10/2025	12:01:04	31124080A1	12/05/2026	04/15/2025 10:16

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000811

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PERRY PD	04/29/2025	09:17:33	10124080A3	06/05/2026	05/21/2025 12:5
PERRY PD	05/27/2025	12:49:19	10124080A3	06/05/2026	06/26/2025 11:43
PERRY PD	07/15/2025	14:15:14	10124080A3	06/05/2026	09/16/2025 15:10
PERRY PD	09/29/2025	17:31:28	19825080A1	09/05/2027	10/30/2025 15:29
PERRY PD	11/12/2025	15:38:31	19825080A1	09/05/2027	12/02/2025 15:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000813

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	03/20/2025	18:23:26	403008479	03/28/2027	04/23/2025 15:40
MARION COUNTY SO	11/15/2025	07:11:40	403135737	08/30/2027	11/19/2025 15:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000817

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CITRUS COUNTY SO	05/30/2025	21:30:39	232492	10/05/2026	05/30/2025 21:32
CITRUS COUNTY SO	10/23/2025	03:50:51	250713	09/05/2027	10/23/2025 4:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000819

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CITRUS COUNTY SO	01/27/2025	07:02:07	223083	06/05/2025	01/27/2025 8:28
CITRUS COUNTY SO	01/27/2025	07:05:23	232492	10/05/2026	01/27/2025 8:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000822

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	07/07/2025	07:30:42	32324080A2	12/05/2026	07/07/2025 10:27
LAKE COUNTY SO	10/06/2025	08:21:02	32324080A2	12/05/2026	10/27/2025 11:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000824

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEESBURG PD	01/29/2025	12:32:40	32324080A2	12/05/2026	02/27/2025 15:23
LEESBURG PD	02/27/2025	15:27:24	32324080A2	01/25/2026	03/20/2025 15:18
LEESBURG PD	02/27/2025	15:27:51	32324080A2	01/25/2026	03/20/2025 15:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000825

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	02/11/2025	10:27:35	28423080A4	11/05/2025	02/11/2025 11:44
LAKE COUNTY SO	07/07/2025	09:48:06	32324080A2	12/05/2026	07/07/2025 10:36
LAKE COUNTY SO	08/25/2025	12:21:26	32324080A2	12/05/2026	08/25/2025 13:37
LAKE COUNTY SO	09/09/2025	11:15:07	28423080A4	11/05/2025	09/23/2025 12:54
LAKE COUNTY SO	10/06/2025	08:20:47	28423080A4	11/05/2025	10/27/2025 11:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000827

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	08/27/2025	16:17:38	403318190	04/10/2028	09/19/2025 16:40
MARION COUNTY SO	09/19/2025	16:41:15	403318190	04/10/2028	10/21/2025 12:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000831

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	05/15/2025	21:21:01	31124080A2	12/05/2026	05/16/2025 0:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000832

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	05/15/2025	19:04:18	31124080A2	12/05/2026	05/15/2025 20:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000836

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UMATILLA PD(LAKE SO)	01/13/2025	07:41:46	28423080A4	11/05/2025	01/16/2025 12:1
UMATILLA PD(LAKE SO)	01/13/2025	07:42:05	28423080A4	11/05/2025	01/16/2025 12:1
UMATILLA PD(LAKE SO)	01/23/2025	08:31:56	28423080A4	11/05/2025	02/11/2025 11:52
UMATILLA PD(LAKE SO)	04/16/2025	09:50:13	28423080A4	11/05/2025	05/28/2025 11:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000838

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY BEACH PD	01/07/2025	18:57:44	403005538	03/25/2027	01/07/2025 20:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000840

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY PD	03/01/2025	23:48:04	2402946336	01/17/2027	04/05/2025 22:23
PANAMA CITY PD	06/02/2025	07:54:56	2403278599	02/24/2028	06/02/2025 10:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000859

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CAPE CORAL PD	08/14/2025	02:45:02	26824080A1	11/05/2026	08/14/2025 2:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000860

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	09/27/2025	07:55:21	17725080A1	08/05/2027	09/27/2025 9:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000867

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	07/05/2025	22:56:43	402843437	09/08/2026	07/17/2025 13:26
MONROE COUNTY SO	07/05/2025	22:57:00	402843437	09/08/2026	07/17/2025 13:26
MONROE COUNTY SO	07/05/2025	22:58:40	402843437	09/08/2026	07/17/2025 13:26
MONROE COUNTY SO	11/01/2025	14:41:22	402843437	09/08/2026	11/18/2025 13:13
MONROE COUNTY SO	12/11/2025	10:52:03	402843437	09/08/2026	12/11/2025 12:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000870

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	05/20/2025	15:28:23	402886996	11/01/2026	05/20/2025 16:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000872

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	06/27/2025	11:43:19	402732434	04/28/2026	08/05/2025 16:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000873

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	04/30/2025	21:33:05	402732434	04/28/2026	04/30/2025 22:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000874

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	10/30/2025	16:43:17	402732434	04/28/2026	11/20/2025 9:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000876

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	06/04/2025	09:02:51	403255643	01/29/2028	06/04/2025 9:53

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000880

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	06/01/2025	02:42:16	28424080A4	11/05/2026	06/12/2025 2:44
MIAMI DADE PD	06/01/2025	02:42:23	28424080A4	11/05/2026	06/12/2025 2:44
MIAMI DADE SO	08/07/2025	00:53:37	28424080A4	11/05/2026	08/07/2025 3:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000881

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE SO	09/04/2025	00:57:06	28424080A4	11/05/2026	09/04/2025 5:0
MIAMI DADE SO	12/04/2025	01:35:23	28424080A4	11/05/2026	12/11/2025 10:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000882

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	06/05/2025	04:21:34	28424080A4	11/05/2026	06/05/2025 4:25
MIAMI DADE PD	06/05/2025	04:22:05	28424080A4	11/05/2026	06/05/2025 4:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000883

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	06/01/2025	03:39:14	28424080A4	11/05/2026	06/05/2025 2:37
MIAMI DADE PD	06/01/2025	03:39:20	28424080A4	11/05/2026	06/05/2025 2:37
MIAMI DADE PD	11/13/2025	01:24:47	28424080A4	11/05/2026	11/13/2025 4:50
MIAMI DADE PD	11/13/2025	01:24:53	28424080A4	11/05/2026	11/13/2025 4:50
MIAMI DADE PD	12/03/2025	22:56:24	28424080A4	11/05/2026	12/04/2025 1:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000884

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	06/01/2025	04:13:03	28424080A4	11/05/2026	06/05/2025 2:40
MIAMI DADE PD	06/01/2025	04:13:10	28424080A4	11/05/2026	06/05/2025 2:40

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000885

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE SO	09/04/2025	00:54:58	28424080A4	11/05/2026	09/04/2025 3:0
MIAMI DADE SO	11/13/2025	01:22:43	28424080A4	11/05/2026	11/13/2025 5:10
MIAMI DADE SO	11/13/2025	01:22:47	28424080A4	11/05/2026	11/13/2025 5:10
MIAMI DADE SO	12/04/2025	01:53:57	28424080A4	11/05/2026	12/04/2025 3:17

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000889

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	05/08/2025	20:51:53	AG500903	01/09/2027	06/04/2025 11:0
PINELLAS COUNTY SO	06/26/2025	19:06:50	AG329101	10/18/2025	07/09/2025 13:57
PINELLAS COUNTY SO	10/15/2025	07:50:59	AG525301	09/10/2027	10/15/2025 10:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000890

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	03/19/2025	09:18:57	AG500903	01/09/2027	03/19/2025 10:30
PINELLAS COUNTY SO	04/16/2025	19:05:00	AG500903	01/09/2027	04/23/2025 14:17
PINELLAS COUNTY SO	06/20/2025	18:52:10	AG500903	01/09/2027	07/09/2025 14:56
PINELLAS COUNTY SO	08/13/2025	09:04:42	AG500903	01/09/2027	08/13/2025 13:51
PINELLAS COUNTY SO	10/15/2025	10:36:51	AG525301	09/10/2027	10/15/2025 12:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000891

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	04/21/2025	08:41:45	403207508	06/27/2026	04/21/2025 11:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000901

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC TAMPA	10/01/2025	18:11:35	10124080A2	06/05/2026	10/02/2025 10:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000903

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	02/22/2025	10:15:03	403135737	08/30/2027	02/22/2025 11:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000905

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	03/28/2025	14:48:28	00925080A3	02/05/2027	03/28/2025 16:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000908

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ST JOE PD	05/13/2025	17:51:19	403308953	04/01/2028	06/23/2025 23:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000909

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINECREST PD	02/13/2025	13:42:43	403207507	11/26/2027	02/25/2025 12:9
PINECREST PD	08/14/2025	18:18:49	403207507	11/26/2027	08/14/2025 19:54

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000938

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	03/05/2025	00:44:17	28423080A4	11/05/2025	03/05/2025 0:43
LEE COUNTY SO	05/13/2025	02:41:05	28423080A4	11/05/2025	05/13/2025 2:45
LEE COUNTY SO	08/16/2025	20:24:42	26824080A1	11/05/2026	09/12/2025 20:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000939

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	07/17/2025	19:43:57	28423080A4	11/05/2025	08/14/2025 2:39
LEE COUNTY SO	10/21/2025	09:08:23	01524080A2	03/05/2026	10/21/2025 10:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000940

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY SO	09/30/2025	09:10:10	04924080A4	03/05/2026	10/21/2025 8:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000941

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/15/2025	09:04:21	20524080A2	09/05/2026	01/15/2025 15:4
COLLIER COUNTY SO	01/15/2025	11:19:47	20524080A2	09/05/2026	01/15/2025 15:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000942

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	04/05/2025	08:53:09	24923080A2	10/05/2025	04/05/2025 11:6
COLLIER COUNTY SO	09/27/2025	13:43:53	15025080A2	07/05/2027	10/26/2025 6:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000943

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	09/27/2025	13:55:49	04125080A5	03/05/2027	09/28/2025 6:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000946

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	10/21/2025	20:11:12	15025080A1	07/05/2027	10/21/2025 21:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000950

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAVANA PD	02/12/2025	10:36:51	10124080A3	06/05/2026	03/18/2025 14:59
HAVANA PD	03/10/2025	02:17:17	10124080A3	06/05/2026	03/18/2025 14:59
HAVANA PD	04/28/2025	16:34:07	10124080A3	06/05/2026	05/21/2025 11:58
HAVANA PD	05/28/2025	09:20:34	10124080A3	06/05/2026	06/24/2025 11:38
HAVANA PD	06/25/2025	11:33:57	10124080A3	06/05/2026	07/17/2025 15:4
HAVANA PD	09/15/2025	16:00:04	10124080A3	06/05/2026	10/27/2025 11:23

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000951

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HENDRY COUNTY SO	11/04/2025	08:06:48	402872586	10/12/2026	11/14/2025 10:29
HENDRY COUNTY SO	11/04/2025	08:07:19	402872586	10/12/2026	11/14/2025 10:29
HENDRY COUNTY SO	11/04/2025	08:42:21	402872586	10/12/2026	11/14/2025 10:29
HENDRY COUNTY SO	11/04/2025	08:42:38	402872586	10/12/2026	11/14/2025 10:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000952

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FRANKLIN COUNTY SO	03/12/2025	08:12:47	14323080A3	09/05/2025	04/30/2025 11:35
FRANKLIN COUNTY SO	03/12/2025	08:12:55	14323080A3	09/05/2025	04/30/2025 11:35
FRANKLIN COUNTY SO	06/24/2025	13:14:32	14323080A3	09/05/2025	07/24/2025 9:7
FRANKLIN COUNTY SO	08/28/2025	09:30:05	10124080A3	06/05/2026	09/16/2025 12:14
FRANKLIN COUNTY SO	09/10/2025	13:19:07	10124080A3	06/05/2026	09/16/2025 12:14
FRANKLIN COUNTY SO	09/25/2025	16:09:28	10124080A3	06/05/2026	10/23/2025 11:25
FRANKLIN COUNTY SO	10/23/2025	14:38:19	10124080A3	06/05/2026	11/24/2025 7:48
FRANKLIN COUNTY SO	10/23/2025	14:38:30	10124080A3	06/05/2026	11/24/2025 7:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000953

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FRANKLIN COUNTY SO	01/30/2025	10:02:36	10124080A3	06/05/2026	02/27/2025 11:58
FRANKLIN COUNTY SO	03/18/2025	09:10:51	10124080A3	06/05/2026	04/29/2025 16:2
FRANKLIN COUNTY SO	06/24/2025	13:18:14	10124080A3	06/05/2026	07/23/2025 11:50
FRANKLIN COUNTY SO	07/23/2025	12:00:17	10124080A3	06/05/2026	10/29/2025 15:29
FRANKLIN COUNTY SO	09/10/2025	13:16:19	19825080A1	09/05/2027	10/29/2025 15:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000954

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JEFFERSON COUNTY SO	01/29/2025	12:10:20	14323080A3	09/05/2025	02/26/2025 12:19
JEFFERSON COUNTY SO	03/17/2025	11:00:26	14323080A3	09/05/2025	04/29/2025 15:20
JEFFERSON COUNTY SO	05/20/2025	08:05:32	14323080A2	09/05/2025	06/26/2025 11:29
JEFFERSON COUNTY SO	07/15/2025	10:43:36	14323080A3	09/05/2025	09/16/2025 15:44
JEFFERSON COUNTY SO	09/29/2025	15:41:12	19825080A1	09/05/2027	10/30/2025 15:21
JEFFERSON COUNTY SO	11/12/2025	14:08:19	19825080A1	09/05/2027	12/02/2025 15:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000956

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JEFFERSON COUNTY SO	02/11/2025	14:17:54	10124080A3	06/05/2026	03/18/2025 13:28
JEFFERSON COUNTY SO	04/29/2025	12:03:59	10124080A3	06/05/2026	06/10/2025 15:35
JEFFERSON COUNTY SO	06/23/2025	15:53:43	10124080A3	06/05/2026	07/17/2025 11:55
JEFFERSON COUNTY SO	08/27/2025	09:31:25	10124080A3	06/05/2026	09/30/2025 14:58
JEFFERSON COUNTY SO	10/30/2025	13:01:14	19825080A1	09/05/2027	11/13/2025 10:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000957

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	09/15/2025	09:16:16	12345	09/09/2029	08/15/2025 9:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000958

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	01/28/2025	12:07:34	08223080A2	05/05/2025	02/10/2025 15:4
LEON COUNTY SO	01/30/2025	15:37:33	08223080A2	05/05/2025	02/10/2025 15:4
LEON COUNTY SO	05/09/2025	12:21:42	10124080A3	06/05/2026	05/13/2025 11:15

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000959

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GADSDEN COUNTY SO	02/03/2025	07:10:27	10124080A3	06/05/2026	02/26/2025 12:5
GADSDEN COUNTY SO	06/23/2025	14:36:25	10124080A3	06/05/2026	07/17/2025 11:48
GADSDEN COUNTY SO	08/25/2025	10:11:56	10124080A3	06/05/2026	09/30/2025 13:37
GADSDEN COUNTY SO	10/22/2025	15:48:31	10124080A3	06/05/2026	11/18/2025 10:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000960

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LIBERTY COUNTY SO	01/29/2025	14:23:50	14323080A3	09/05/2025	02/26/2025 15:16

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000961

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WAKULLA COUNTY SO	03/12/2025	10:38:57	10124080A3	06/05/2026	04/30/2025 11:39
WAKULLA COUNTY SO	07/16/2025	14:01:23	10124080A3	06/05/2026	09/11/2025 11:49
WAKULLA COUNTY SO	09/25/2025	09:00:04	10124080A3	06/05/2026	10/23/2025 11:20
WAKULLA COUNTY SO	09/25/2025	09:00:17	10124080A3	06/05/2026	10/23/2025 11:20
WAKULLA COUNTY SO	10/23/2025	16:13:00	10124080A3	06/05/2026	11/24/2025 8:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000962

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WAKULLA COUNTY SO	01/28/2025	16:03:55	10124080A3	06/05/2026	02/27/2025 12:0
WAKULLA COUNTY SO	02/27/2025	14:18:25	10124080A3	06/05/2026	03/12/2025 14:42
WAKULLA COUNTY SO	03/17/2025	14:30:19	10124080A3	06/05/2026	04/29/2025 15:11
WAKULLA COUNTY SO	04/30/2025	08:11:22	10124080A3	06/05/2026	05/29/2025 11:15
WAKULLA COUNTY SO	06/24/2025	16:19:33	10124080A3	06/05/2026	07/17/2025 11:44
WAKULLA COUNTY SO	06/24/2025	16:20:55	10124080A3	06/05/2026	07/17/2025 11:44
WAKULLA COUNTY SO	08/28/2025	08:21:45	10124080A3	06/05/2026	09/25/2025 12:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000963

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	05/14/2025	10:39:54	15924080A2	07/05/2026	06/25/2025 12:56
ORANGE COUNTY S.O.	05/14/2025	10:40:06	15924080A2	07/05/2026	06/25/2025 12:56
ORANGE COUNTY S.O.	09/04/2025	17:18:58	00925080A3	02/05/2027	10/16/2025 11:34
ORANGE COUNTY S.O.	09/04/2025	17:19:13	00925080A3	02/05/2027	10/16/2025 11:34
ORANGE COUNTY S.O.	12/10/2025	11:01:17	15924080A2	07/05/2026	12/10/2025 11:50
ORANGE COUNTY S.O.	12/10/2025	11:01:29	15924080A2	07/05/2026	12/10/2025 11:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000964

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	01/16/2025	17:51:05	15924080A2	07/05/2026	02/18/2025 11:38
ORANGE COUNTY SO	01/16/2025	17:51:32	15924080A2	07/05/2026	02/18/2025 11:38
ORANGE COUNTY SO	08/13/2025	10:31:49	15924080A2	07/05/2026	08/13/2025 12:15
ORANGE COUNTY SO	08/13/2025	10:32:11	15924080A2	07/05/2026	08/13/2025 12:15
ORANGE COUNTY SO	10/16/2025	11:54:54	15924080A2	07/05/2026	10/25/2025 16:31
ORANGE COUNTY SO	10/16/2025	11:55:15	15924080A2	07/05/2026	10/25/2025 16:31

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000965

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
QUINCY PD	01/27/2025	15:04:20	08223080A3	05/05/2025	02/26/2025 15:38
QUINCY PD	04/28/2025	16:59:38	10124080A3	06/05/2026	06/05/2025 10:56
QUINCY PD	05/19/2025	11:20:23	10124080A3	06/05/2026	06/05/2025 10:56
QUINCY PD	07/16/2025	10:38:23	10124080A3	06/05/2026	08/25/2025 16:14
QUINCY PD	09/25/2025	15:08:59	19825080A1	09/05/2027	10/23/2025 11:31
QUINCY PD	10/30/2025	10:15:44	10124080A3	06/05/2026	11/13/2025 10:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000966

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY SO	01/09/2025	09:42:50	403207507	11/26/2027	01/20/2025 18:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000967

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT RICHEY PD	06/29/2025	09:54:27	403096064	07/16/2027	06/29/2025 11:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000968

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA CORRECTIONS	01/20/2025	16:05:14	403207507	11/26/2027	01/24/2025 14:37
OSCEOLA CORRECTIONS	02/26/2025	12:28:39	403207507	11/26/2027	02/26/2025 16:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000995

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COCOA BEACH PD	07/14/2025	16:35:13	250284	07/05/2027	07/14/2025 17:33
COCOA BEACH PD	07/14/2025	16:38:08	15025080A2	07/05/2027	07/14/2025 17:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000996

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TITUSVILLE PD	01/23/2025	22:45:18	231592	11/05/2025	01/24/2025 1:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000998

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY SO	08/26/2025	03:56:18	403314418	04/14/2028	08/29/2025 4:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001000

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COCOA PD	07/01/2025	18:59:56	15025080A2	07/05/2027	07/23/2025 21:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001001

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SATELLITE BEACH PD	03/18/2025	16:57:47	403268835	02/13/2028	04/20/2025 19:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001002

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HARDEE COUNTY SO	06/29/2025	21:17:34	4033455775	05/13/2028	06/29/2025 23:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001003

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	03/20/2025	01:12:21	AG409204	04/01/2026	04/23/2025 9:45
PINELLAS COUNTY SO	03/20/2025	19:12:27	AG409204	04/01/2026	04/23/2025 9:45
PINELLAS COUNTY SO	08/13/2025	08:06:37	AG500903	01/09/2027	08/13/2025 9:37
PINELLAS COUNTY SO	11/04/2025	09:00:50	AG525301	09/10/2027	11/12/2025 8:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001005

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	06/30/2025	11:32:30	AG329101	10/18/2025	07/09/2025 10:11
PINELLAS COUNTY SO	10/15/2025	09:54:41	AG525301	09/10/2027	11/12/2025 9:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001007

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAINES CITY PD	06/13/2025	16:23:53	403056709	05/28/2027	06/14/2025 5:8
HAINES CITY PD	10/15/2025	16:07:36	403268835	02/13/2028	10/15/2025 17:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001009

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	10/23/2025	20:30:57	32324080A2	12/05/2026	11/18/2025 15:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001018

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	05/14/2025	08:01:51	28424080A3	11/05/2026	06/11/2025 12:24
JACKSONVILLE SO	11/03/2025	02:12:51	13225080A2	06/05/2027	11/21/2025 11:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001042

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS PARK PD	09/25/2025	04:37:03	28423080A4	11/05/2025	10/01/2025 1:14
PINELLAS PARK PD	10/01/2025	01:18:46	19825080A1	09/05/2027	12/01/2025 5:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001044

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COCONUT CREEK PD	01/28/2025	19:05:57	403207508	12/02/2027	01/29/2025 11:29

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001045

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/28/2025	10:21:45	28424080A3	11/05/2026	03/14/2025 9:54
JACKSONVILLE SO	05/14/2025	08:00:33	28424080A3	11/05/2026	06/11/2025 14:43
JACKSONVILLE SO	06/13/2025	10:42:25	13225080A2	06/05/2027	07/10/2025 14:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001046

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	05/25/2025	10:56:16	01524080A1	03/05/2026	05/25/2025 11:52

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001049

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	05/30/2025	09:46:49	24923080A2	10/05/2025	06/03/2025 11:8
PASCO COUNTY SO	05/30/2025	09:47:03	24923080A2	10/05/2025	06/03/2025 11:8
PASCO COUNTY SO	08/29/2025	11:56:35	24923080A2	10/05/2025	08/29/2025 13:46
PASCO COUNTY SO	08/29/2025	13:56:44	24923080A2	10/05/2025	09/26/2025 13:44
PASCO COUNTY SO	08/29/2025	14:03:17	10124080A2	06/05/2026	09/26/2025 13:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001053

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU COUNTY SO	07/27/2025	09:47:43	232062	03/05/2026	07/27/2025 10:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001055

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	11/22/2025	06:14:55	01524080A2	03/05/2026	11/22/2025 7:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001057

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKELAND PD	02/25/2025	07:55:26	06723080A5	04/05/2025	03/27/2025 10:33
LAKELAND PD	03/27/2025	10:36:23	04125080A5	03/05/2027	05/01/2025 13:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001058

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK CSO	05/20/2025	08:20:58	01524080A2	03/05/2026	05/20/2025 9:6
POLK CSO	11/22/2025	06:13:17	15025080A1	07/05/2027	11/22/2025 7:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001060

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WINTER HAVEN PD	10/07/2025	13:50:48	19825080A1	09/05/2027	10/17/2025 15:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001061

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULFPORT PD	05/24/2025	02:57:03	04125080A5	03/05/2027	05/24/2025 2:54
GULFPORT PD	05/24/2025	02:57:22	04125080A5	03/05/2027	05/24/2025 2:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001065

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TARPON SPRINGS PD	01/30/2025	13:46:48	31124080A1	12/05/2026	02/14/2025 13:42

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001067

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CITY OF MIRAMAR POL	03/14/2025	21:54:26	402477284	06/27/2025	04/02/2025 12:5
CITY OF MIRAMAR POL	03/14/2025	21:54:36	402477284	06/27/2025	04/02/2025 12:5
CITY OF MIRAMAR POL	03/14/2025	21:54:39	402477284	06/27/2025	04/02/2025 12:5
CITY OF MIRAMAR POL	07/27/2025	21:42:25	402590345	11/04/2025	07/27/2025 23:0
CITY OF MIRAMAR POL	07/27/2025	21:42:36	402590345	11/04/2025	07/27/2025 23:0
CITY OF MIRAMAR POL	11/05/2025	10:28:48	403345775	05/13/1018	11/06/2025 4:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001068

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEARWATER PD	07/12/2025	22:44:17	31124080A2	12/05/2026	07/17/2025 19:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001069

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	01/10/2025	11:57:29	15924080A2	07/05/2026	02/21/2025 12:9
JACKSONVILLE SO	03/18/2025	08:41:58	28424080A3	11/05/2026	04/15/2025 20:26
JACKSONVILLE SO	10/03/2025	09:59:15	13225080A2	06/05/2027	10/16/2025 10:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001074

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	01/17/2025	12:21:01	24923080A2	10/05/2025	01/17/2025 14:10
PASCO COUNTY SO	06/27/2025	10:34:29	10124080A2	06/05/2026	06/27/2025 12:8
PASCO COUNTY SO	08/29/2025	11:54:13	10124080A2	06/05/2026	08/29/2025 13:40
PASCO COUNTY SO	08/29/2025	13:50:01	24923080A2	10/05/2025	09/26/2025 12:57
PASCO COUNTY SO	09/26/2025	11:44:13	10124080A2	06/05/2026	09/26/2025 12:57
PASCO COUNTY SO	09/26/2025	11:45:08	10124080A2	06/05/2026	09/26/2025 12:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001076

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ZEPHYRHILLS PD	02/24/2025	12:31:07	00925080A4	02/05/2027	02/24/2025 13:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001077

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HARDEE COUNTY SO	07/27/2025	21:33:11	403345775	05/13/2028	08/31/2025 23:2

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001078

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	01/04/2025	04:37:42	31124080A1	12/05/2026	01/16/2025 1:25
ST PETERSBURG PD	01/16/2025	01:28:44	15924080A2	07/05/2026	02/12/2025 2:10
ST PETERSBURG PD	03/25/2025	12:26:26	31124080A1	12/05/2026	04/10/2025 9:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001079

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LARGO PD	11/20/2025	09:28:45	23725080A2	10/05/2027	11/20/2025 11:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001080

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	04/22/2025	08:06:57	28424080A3	11/05/2026	04/22/2025 9:44
POLK COUNTY SO	06/26/2025	05:43:00	28424080A3	11/05/2026	07/29/2025 5:20
POLK COUNTY SO	09/22/2025	04:03:50	15025080A2	07/05/2027	09/27/2025 5:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001081

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	01/17/2025	12:40:17	24923080A2	10/05/2025	01/17/2025 13:59
PASCO COUNTY SO	08/29/2025	12:10:50	24923080A2	10/05/2025	08/29/2025 13:53
PASCO COUNTY SO	08/29/2025	14:00:06	24923080A2	10/05/2025	09/26/2025 13:9
PASCO COUNTY SO	09/26/2025	11:47:13	10124080A2	06/05/2026	09/26/2025 13:9
PASCO COUNTY SO	09/26/2025	11:48:01	10124080A2	06/05/2026	09/26/2025 13:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	04/11/2025	09:30:27	28424080A3	11/05/2026	04/11/2025 10:32
JACKSONVILLE SO	05/14/2025	08:03:54	28424080A3	11/05/2026	06/11/2025 13:43
JACKSONVILLE SO	05/30/2025	14:43:50	28424080A3	11/05/2026	06/11/2025 13:43
JACKSONVILLE SO	09/26/2025	09:50:22	13225080A2	06/05/2027	10/17/2025 10:55
JACKSONVILLE SO	09/26/2025	09:51:13	13225080A2	06/05/2027	10/17/2025 10:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001111

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/09/2025	02:26:42	403056709	05/28/2027	03/02/2025 10:4
FL HIGHWAY PATROL	04/03/2025	12:42:36	402843437	09/08/2026	04/03/2025 15:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001112

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/10/2025	23:52:15	403207507	11/26/2027	02/28/2025 14:4
FL HIGHWAY PATROL	04/04/2025	06:55:01	403207507	11/26/2027	04/04/2025 11:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001114

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DELAND PD	02/07/2025	08:36:28	1433248	10/12/2026	02/28/2025 16:15
DELAND PD	02/07/2025	08:37:22	402872586	10/12/2026	02/28/2025 16:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001115

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	02/12/2025	09:44:55	10124080A3	06/05/2026	03/18/2025 14:57
FHP	04/28/2025	17:38:28	10124080A3	06/05/2026	06/05/2025 10:54
FHP	05/13/2025	00:41:59	10124080A3	06/05/2026	06/05/2025 10:54
FHP	07/16/2025	11:23:19	10124080A3	06/05/2026	08/25/2025 14:40
FHP	10/22/2025	16:36:46	10124080A3	06/05/2026	11/18/2025 11:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001118

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/08/2025	12:25:02	402946336	01/17/2027	03/09/2025 10:31
FL HIGHWAY PATROL	02/21/2025	12:26:03	402328118	01/17/2027	03/09/2025 10:31
FL HIGHWAY PATROL	02/21/2025	12:26:22	402946336	01/17/2027	03/09/2025 10:31
FL HIGHWAY PATROL	04/03/2025	12:46:30	402946336	01/17/2027	05/12/2025 9:46
FL HIGHWAY PATROL	06/20/2025	15:34:24	403056709	05/28/2027	06/20/2025 17:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001120

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	06/01/2025	18:04:49	403268835	02/13/2028	09/24/2025 13:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001122

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/14/2025	15:27:59	40320756	11/22/2027	01/16/2025 8:43
FL HIGHWAY PATROL	01/14/2025	15:29:20	403207506	11/22/2027	01/16/2025 8:43
FL HIGHWAY PATROL	01/14/2025	15:29:30	403207506	11/22/2027	01/16/2025 8:43

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001123

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP D ORLANDO	03/29/2025	23:36:44	402498227	07/22/2025	04/01/2025 14:29
FHP TROOP D ORLANDO	04/10/2025	23:11:14	402498227	07/22/2025	06/09/2025 14:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001129

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PUTNAM COUNTY SO	11/17/2025	17:00:31	25925080A1	11/05/2027	12/05/2025 14:5

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001133

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	09/18/2025	00:17:49	403374313	06/25/2028	09/30/2025 20:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	01/22/2025	18:16:31	402816921	08/09/2026	01/31/2025 20:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001135

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH PD	06/29/2025	09:40:29	402690226	03/09/2026	06/29/2025 10:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001136

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DELAND PD	02/28/2025	15:26:01	402872586	10/12/2026	02/28/2025 16:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001138

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FLAGLER COUNTY SO	08/29/2025	17:24:09	15924080A2	07/05/2026	08/31/2025 12:16
FLAGLER COUNTY SO	08/29/2025	17:25:43	32324080A2	12/05/2026	08/31/2025 12:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001139

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	12/02/2025	21:05:15	403345775	05/13/2028	12/03/2025 8:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001150

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	02/07/2025	09:28:03	403207507	11/26/2027	03/07/2025 14:31
MANATEE COUNTY SO	02/07/2025	10:59:56	403207507	11/26/2027	03/07/2025 14:31
MANATEE COUNTY SO	09/15/2025	08:39:41	403411042	08/02/2028	09/15/2025 10:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001151

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST. PETERSBURG PD	03/12/2025	03:38:33	31124080A1	12/05/2026	04/10/2025 10:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001152

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NEW SMYRNA BEACH PD	10/03/2025	14:20:32	23725080A1	10/05/2027	10/27/2025 17:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	01/16/2025	11:37:39	10124080A3	06/05/2026	02/11/2025 15:2
LEON COUNTY SO	03/11/2025	12:22:01	10124080A3	06/05/2026	05/13/2025 14:31
LEON COUNTY SO	05/14/2025	09:52:19	10124080A3	06/05/2026	06/10/2025 15:34
LEON COUNTY SO	06/26/2025	11:50:00	10124080A3	06/05/2026	07/17/2025 15:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001154

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY SO	03/26/2025	18:42:37	403135737	08/30/2027	03/26/2025 18:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001157

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	11/22/2025	06:03:20	01524080A2	03/05/2026	11/22/2025 7:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001158

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PONCE INLET PD	05/26/2025	06:18:08	403318190	04/10/2028	06/23/2025 6:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLERMONT PD	02/07/2025	08:34:44	402357111	02/10/2025	02/25/2025 13:38
CLERMONT PD	02/07/2025	08:36:55	403008479	03/28/2027	02/25/2025 13:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001177

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GROVELAND PD	01/21/2025	11:47:05	25024080A3	10/05/2026	01/21/2025 12:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001178

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	04/25/2025	20:36:57	402732434	04/28/2026	04/30/2025 23:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001179

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	04/25/2025	19:18:52	402732434	04/20/2026	04/30/2025 22:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	05/15/2025	19:04:14	31124080A2	12/05/2026	05/15/2025 20:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001190

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BOYNTON BEACH PD	03/01/2025	20:29:39	242263	12/02/2027	03/26/2025 19:55
BOYNTON BEACH PD	03/01/2025	20:30:29	242263	12/02/2027	03/26/2025 19:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY BEACH PD	04/04/2025	15:36:33	403207508	12/02/2027	04/14/2025 6:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001201

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/15/2025	12:15:46	20524080A2	09/05/2026	01/15/2025 14:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001202

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/15/2025	09:44:05	20524080A2	09/05/2026	01/15/2025 15:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001205

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS PENSACOLA PD	04/02/2025	20:54:51	232072	03/05/2027	05/01/2025 2:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001207

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HENDRY COUNTY SO	11/04/2025	07:38:50	402872586	10/12/2026	11/14/2025 10:21
HENDRY COUNTY SO	11/04/2025	07:39:00	402872586	10/12/2026	11/14/2025 10:21
HENDRY COUNTY SO	11/04/2025	07:44:35	402872586	10/12/2026	11/14/2025 10:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001208

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	05/05/2025	13:59:17	31124080A2	12/05/2026	05/08/2025 9:48
LEE COUNTY SO	09/22/2025	08:29:52	13225080A3	06/05/2027	09/22/2025 10:32

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001230

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TYNDALL AFB	03/20/2025	11:07:41	403268835	02/13/2028	04/02/2025 13:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001235

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WEST PALM BEACH PD	06/18/2025	18:39:01	403255643	01/29/2028	06/19/2025 17:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	05/14/2025	14:00:57	32324080A2	01/25/2026	05/14/2025 14:49
LAKE COUNTY SO	09/29/2025	13:53:09	23725080A1	10/05/2027	10/27/2025 11:10
LAKE COUNTY SO	09/29/2025	13:57:26	23725080A1	10/05/2027	10/27/2025 11:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH SHORES	01/08/2025	05:16:01	402477284	06/27/2025	02/13/2025 5:9
DAYTONA BEACH SHORES	01/22/2025	06:59:15	32324080A2	12/05/2026	02/13/2025 5:9
DAYTONA BEACH SHORES	07/26/2025	04:56:50	32324080A2	12/05/2026	07/26/2025 5:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001245

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ORANGE PD	05/30/2025	18:03:51	403008479	03/28/2027	05/30/2025 19:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001246

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SOUTH DAYTONA PD	09/24/2025	17:37:47	403411042	08/02/2028	10/23/2025 3:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001247

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/07/2025	03:21:41	403135737	08/30/2027	02/24/2025 19:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001253

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY SO	09/30/2025	09:06:55	04924080A4	03/05/2026	10/21/2025 8:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001254

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	07/15/2025	10:41:08	403207508	12/02/2027	08/16/2025 12:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001255

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	04/03/2025	11:13:17	15924080A2	07/05/2026	04/22/2025 13:37
ORANGE COUNTY SO	04/03/2025	11:13:29	15924080A2	07/05/2026	04/22/2025 13:37
ORANGE COUNTY SO	06/09/2025	13:43:37	28423080A4	11/05/2025	06/25/2025 13:3
ORANGE COUNTY SO	06/09/2025	13:44:02	28423080A4	11/05/2025	06/25/2025 13:3
ORANGE COUNTY SO	07/03/2025	16:37:11	00925080A3	02/05/2027	07/16/2025 10:31
ORANGE COUNTY SO	07/03/2025	16:37:26	00925080A3	02/05/2027	07/16/2025 10:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	12/10/2025	11:03:58	15924080A2	07/05/2026	12/10/2025 12:31
ORANGE COUNTY SO	12/10/2025	11:04:10	15924080A2	07/05/2026	12/10/2025 12:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001257

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	01/16/2025	18:14:08	15924080A2	07/05/2026	02/06/2025 13:54
ORANGE COUNTY SO	01/16/2025	18:14:27	15924080A2	07/05/2026	02/06/2025 13:54
ORANGE COUNTY SO	02/13/2025	17:32:04	15924080A2	07/05/2026	02/18/2025 12:35
ORANGE COUNTY SO	10/16/2025	10:53:25	15924080A2	07/05/2026	10/16/2025 11:54
ORANGE COUNTY SO	10/16/2025	10:53:46	15924080A2	07/05/2026	10/16/2025 11:54
ORANGE COUNTY SO	11/17/2025	15:33:55	00925080A3	02/05/2027	12/10/2025 10:52
ORANGE COUNTY SO	11/17/2025	15:34:21	00925080A3	02/05/2027	12/10/2025 10:52

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001258

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/14/2025	09:22:39	28423080A4	11/05/2025	01/14/2025 10:44
ORANGE COUNTY S.O.	01/14/2025	09:22:53	28423080A4	11/05/2025	01/14/2025 10:44
ORANGE COUNTY S.O.	03/20/2025	11:32:20	28423080A4	11/05/2025	03/20/2025 12:33
ORANGE COUNTY S.O.	03/20/2025	11:32:42	28423080A4	11/05/2025	03/20/2025 12:33
ORANGE COUNTY S.O.	07/03/2025	16:41:34	00925080A3	02/05/2027	07/16/2025 10:22
ORANGE COUNTY S.O.	07/03/2025	16:41:49	00925080A3	02/05/2027	07/16/2025 10:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001260

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COCOA PD	07/11/2025	19:17:36	15025080A2	07/05/2027	07/23/2025 21:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MELBOURNE PD	03/31/2025	13:43:14	403056709	05/28/2027	04/01/2025 11:18
MELBOURNE PD	07/23/2025	10:32:30	403369407	06/23/2028	07/25/2025 12:32
MELBOURNE PD	11/08/2025	11:06:05	402886996	11/01/2026	11/25/2025 8:36
MELBOURNE PD	11/08/2025	11:07:01	402886996	11/01/2026	11/25/2025 8:36
MELBOURNE PD	11/10/2025	13:07:20	403056709	05/28/2027	11/25/2025 8:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001263

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN HARBOUR PD	09/24/2025	11:12:38	2375080A2	10/05/2027	09/24/2025 14:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	06/22/2025	03:51:22	04924080A4	03/05/2026	06/28/2025 7:5

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001265

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY PD	06/26/2025	21:58:58	32324080A2	12/05/2026	07/28/2025 9:54
PALM BAY PD	10/13/2025	18:16:05	32324080A2	12/05/2026	10/23/2025 19:47
PALM BAY PD	10/14/2025	17:38:17	32324080A2	12/05/2026	10/23/2025 19:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	10/23/2025	18:54:14	24923080A4	10/05/2025	10/31/2025 4:54
PALM BAY P.D.	10/30/2025	18:13:10	32324080A2	12/05/2026	10/31/2025 4:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	02/19/2025	12:57:37	AG409204	04/01/2026	02/19/2025 13:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001276

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	02/14/2025	06:57:46	14323080A2	06/05/2025	03/13/2025 1:53
MIAMI DADE PD	06/01/2025	02:03:44	28424080A4	11/05/2026	06/12/2025 2:51
MIAMI DADE PD	06/01/2025	02:03:58	28424080A4	11/05/2026	06/12/2025 2:51
MIAMI DADE PD	09/04/2025	05:06:44	28424080A4	11/05/2026	09/04/2025 5:6
MIAMI DADE SO	12/03/2025	22:50:48	28424080A4	11/05/2026	12/04/2025 0:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001277

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE SO	08/07/2025	00:52:13	28424080A4	11/05/2026	08/07/2025 4:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001278

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	05/14/2025	08:01:29	28424080A3	11/05/2026	06/11/2025 12:19
JACKSONVILLE SO	05/30/2025	14:44:13	28424080A3	11/05/2026	06/11/2025 12:19

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001279

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/21/2025	13:21:54	28424080A3	11/05/2026	03/14/2025 9:40
JACKSONVILLE SO	07/09/2025	14:04:06	15924080A2	07/05/2026	07/09/2025 14:57
JACKSONVILLE SO	08/01/2025	12:03:59	13225080A2	06/05/2027	08/19/2025 13:51
JACKSONVILLE SO	11/14/2025	08:40:37	28424080A3	11/05/2026	11/21/2025 13:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001281

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU COUNTY SO	04/30/2025	00:14:33	04924080A4	03/05/2026	10/30/2025 9:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001283

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGH SPRINGS PD	04/27/2025	12:53:10	01524080A4	03/05/2026	05/20/2025 9:53
HIGH SPRINGS PD	05/26/2025	14:25:48	10124080A2	06/05/2026	06/01/2025 17:43
HIGH SPRINGS PD	07/01/2025	15:31:36	10124080A2	06/05/2026	07/08/2025 18:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001284

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GILCHRIST COUNTY SO	03/30/2025	15:18:10	10124080A2	06/05/2026	05/13/2025 10:46
GILCHRIST COUNTY SO	05/18/2025	09:09:45	01524080A4	03/05/2026	06/01/2025 17:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001285

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GILCHRIST COUNTY SO	04/10/2025	20:03:37	01524080A4	03/05/2026	04/27/2025 15:35
GILCHRIST COUNTY SO	04/27/2025	16:35:15	10124080A2	06/05/2026	05/27/2025 11:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001287

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAKER COUNTY SO	10/10/2025	11:13:00	10124080A2	06/05/2026	11/10/2025 15:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001288

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UNION COUNTY SO	07/22/2025	09:58:39	403369407	06/23/2028	07/30/2025 11:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001289

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UNION COUNTY SO	07/22/2025	10:01:33	403374313	06/25/2028	07/30/2025 11:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001292

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEVY COUNTY SO	07/20/2025	17:43:56	10124080A2	06/05/2026	07/20/2025 17:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001302

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	11/30/2025	04:54:52	402558895	06/23/2028	12/05/2025 20:37
SANTA ROSA COUNTY SO	11/30/2025	04:55:20	403369407	06/23/2028	12/05/2025 20:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001303

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	06/06/2025	02:29:02	402956578	01/29/2027	06/06/2025 5:6
SANTA ROSA COUNTY SO	06/06/2025	04:09:19	402956578	01/29/2027	07/06/2025 12:59
SANTA ROSA COUNTY SO	11/05/2025	19:08:48	403369407	06/23/2028	11/05/2025 21:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001305

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARIANNA PD	03/31/2025	21:04:01	402697419	03/20/2026	04/03/2025 9:15
MARIANNA PD	03/31/2025	21:04:37	403056709	05/28/2027	04/03/2025 9:15
MARIANNA PD	03/31/2025	21:04:53	403056709	05/28/2027	04/03/2025 9:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001306

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULF BREEZE PD	08/31/2025	20:40:57	402697419	03/20/2026	09/03/2025 15:16

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001307

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MADISON COUNTY SO	02/11/2025	12:38:11	10124080A3	06/05/2026	03/18/2025 14:58
MADISON COUNTY SO	04/29/2025	11:10:11	10124080A3	06/05/2026	05/20/2025 10:43
MADISON COUNTY SO	05/20/2025	10:51:09	10124080A3	06/05/2026	06/26/2025 11:27
MADISON COUNTY SO	07/15/2025	12:14:43	10124080A3	06/05/2026	09/25/2025 12:6
MADISON COUNTY SO	09/29/2025	16:20:08	19825080A1	09/05/2027	11/12/2025 9:48
MADISON COUNTY SO	11/12/2025	14:54:54	10124080A3	06/05/2026	12/02/2025 15:15
MADISON COUNTY SO	11/12/2025	14:55:28	10124080A3	06/05/2026	12/02/2025 15:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001308

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	01/28/2025	14:26:48	402886996	11/01/2026	02/20/2025 11:4
BAY COUNTY SO	07/21/2025	09:53:09	402886996	11/01/2026	07/21/2025 11:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001309

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	09/10/2025	12:28:32	AG429602	10/22/2026	09/10/2025 14:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001310

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NICEVILLE PD	03/02/2025	06:27:11	222583	06/27/2026	03/26/2025 8:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001311

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	08/26/2025	09:58:45	403135737	08/30/2027	08/26/2025 12:55

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001314

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COMM COLLEGE	04/01/2025	13:06:57	906364	12/01/2025	11/19/2025 13:45
BREVARD COMM COLLEGE	04/01/2025	13:22:43	01316080A1	12/01/2025	11/19/2025 13:45
BREVARD COMM COLLEGE	04/01/2025	13:24:14	06616080A2	12/01/2025	11/19/2025 13:45
BREVARD COMM COLLEGE	04/01/2025	13:27:13	1249794	12/01/2025	11/19/2025 13:45
BREVARD COMM COLLEGE	04/01/2025	13:27:37	1249794	12/01/2025	11/19/2025 13:45
BREVARD COMM COLLEGE	04/01/2025	13:27:44	1249794	12/01/2025	11/19/2025 13:45
BREVARD COMM COLLEGE	04/01/2025	13:34:02	906364	12/01/2025	11/19/2025 13:45
BREVARD COMM COLLEGE	04/01/2025	17:30:52	29122080A1	12/01/2025	11/19/2025 13:45
BREVARD COMM COLLEGE	10/13/2025	10:56:38	25721080A2	09/30/2027	11/19/2025 13:45
BREVARD COMM COLLEGE	10/16/2025	14:14:08	711401G	12/25/2025	11/19/2025 13:45
BREVARD COMM COLLEGE	10/16/2025	14:17:01	30219080A4	12/25/2025	11/19/2025 13:45
BREVARD COMM COLLEGE	11/17/2025	11:29:15	30219080A4	12/01/2025	11/19/2025 13:45
BREVARD COMM COLLEGE	11/17/2025	13:51:33	30219080A4	12/01/2025	11/19/2025 13:45
BREVARD COMM COLLEGE	11/17/2025	13:57:01	30219080A4	12/01/2025	11/19/2025 13:45
BREVARD COMM COLLEGE	11/17/2025	13:57:58	30219080A4	12/01/2025	11/19/2025 13:45

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001317

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COMM COLLEGE	02/25/2025	14:00:45	01316080A1	12/01/2025	11/19/2025 13:12
BREVARD COMM COLLEGE	02/25/2025	14:02:25	01316080A1	12/01/2025	11/19/2025 13:12
BREVARD COMM COLLEGE	02/25/2025	14:04:47	06616080A2	12/01/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	02/25/2025	14:06:27	617778	12/01/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	02/26/2025	13:58:12	01316080A1	12/01/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	03/25/2025	16:27:30	30510080A1	12/01/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	03/25/2025	16:29:14	1160200	12/01/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	03/25/2025	16:30:42	30510080A1	12/01/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	03/25/2025	16:32:22	1160200	12/01/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	03/25/2025	16:39:34	30510080A1	12/01/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	10/14/2025	09:38:53	01316080A1	12/25/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	10/16/2025	12:36:39	711401G	12/25/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	10/16/2025	14:12:40	24923080A3	12/25/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	11/17/2025	13:52:06	242923080A	12/01/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	11/17/2025	13:54:48	24923080A3	12/01/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	11/17/2025	13:56:23	24923080A3	12/01/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	11/17/2025	13:57:00	24923080A3	12/01/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	11/17/2025	14:19:26	24923080A3	12/01/2025	11/19/2025 13:13
BREVARD COMM COLLEGE	11/18/2025	10:50:09	24923080A3	12/01/2025	11/19/2025 13:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001321

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE COUNTY SO	03/13/2025	18:19:11	402886996	11/01/2026	03/13/2025 19:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001322

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE COUNTY SO	05/20/2025	18:18:41	402886996	11/01/2026	05/20/2025 19:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001323

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ST LUCIE PD	01/25/2025	08:10:22	15924080A2	07/05/2026	01/31/2025 21:28
PORT ST LUCIE PD	09/03/2025	23:06:24	15924080A2	07/05/2026	09/29/2025 13:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001329

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN RIVER CSO	02/22/2025	13:29:30	403141809	09/10/2027	02/27/2025 8:5
INDIAN RIVER CSO	10/14/2025	17:24:02	403141809	09/10/2027	11/25/2025 16:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001342

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WITHLACOOCHEE CC	09/08/2025	13:12:30	1	01/01/2026	09/19/2025 14:3
WITHLACOOCHEE CC	09/10/2025	15:32:04	08223080A3	11/01/2025	09/19/2025 14:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001344

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	04/04/2025	10:11:14	10124080A2	06/05/2026	05/22/2025 9:30
SARASOTA COUNTY SO	04/06/2025	04:28:18	10124080A2	06/05/2026	05/22/2025 9:30
SARASOTA COUNTY SO	06/01/2025	04:43:47	10124080A2	06/05/2026	06/24/2025 9:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001345

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKELAND PD	01/15/2025	14:44:50	06723080A5	04/05/2025	02/03/2025 14:44
LAKELAND PD	03/27/2025	12:52:43	04125080A5	03/05/2027	04/28/2025 10:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001346

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	02/21/2025	09:00:54	10124080A2	06/05/2026	03/13/2025 9:7
SARASOTA COUNTY SO	05/22/2025	06:33:56	10124080A2	06/05/2026	05/22/2025 7:33
SARASOTA COUNTY SO	07/04/2025	13:31:11	15025080A1	07/05/2027	07/16/2025 7:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001348

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	04/04/2025	08:54:07	10124080A2	06/05/2026	05/22/2025 7:37
SARASOTA COUNTY SO	08/28/2025	08:40:27	15025080A1	07/05/2027	08/28/2025 9:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001350

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BARTOW PD	03/15/2025	10:09:30	231603	07/05/2026	03/15/2025 11:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001360

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
EVERGLADES NAT PARK	10/24/2025	12:15:16	403056709	05/28/2027	11/25/2025 12:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001361

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/28/2025	12:43:07	403207507	11/26/2027	02/28/2025 14:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001363

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	04/24/2025	05:26:25	28423080A4	11/05/2025	04/24/2025 7:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001364

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GAINESVILLE PD	10/30/2025	18:40:20	19825080A1	09/05/2027	10/30/2025 18:37
GAINESVILLE PD	10/30/2025	18:40:38	19825080A1	09/05/2027	10/30/2025 18:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001365

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEVY COUNTY SO	04/16/2025	19:55:01	10124080A2	06/05/2026	05/11/2025 10:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001367

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	03/26/2025	19:18:56	AG500903	01/09/2027	03/26/2025 22:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001368

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS MAYPORT	07/09/2025	10:27:56	32324040A3	12/05/2026	07/09/2025 12:19
NAS MAYPORT	07/09/2025	11:29:37	13225080A2	06/05/2027	07/09/2025 12:19

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001416

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	02/18/2025	09:16:27	15924080A2	07/05/2026	02/18/2025 10:17
ORANGE COUNTY SO	02/18/2025	09:16:39	15924080A2	07/05/2026	02/18/2025 10:17
ORANGE COUNTY SO	10/23/2025	12:00:34	15924080A2	07/05/2026	11/11/2025 10:1
ORANGE COUNTY SO	12/01/2025	16:59:40	17725080A1	08/05/2027	12/10/2025 12:58
ORANGE COUNTY SO	12/01/2025	17:02:12	17725080A1	08/05/2027	12/10/2025 12:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001418

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	03/13/2025	10:16:05	15924080A2	07/05/2026	03/20/2025 12:19
ORANGE COUNTY SO	03/13/2025	10:16:28	15924080A2	07/05/2026	03/20/2025 12:19
ORANGE COUNTY SO	06/25/2025	11:09:32	00925080A3	02/05/2027	06/25/2025 12:3
ORANGE COUNTY SO	06/25/2025	11:09:48	00925080A3	02/05/2027	06/25/2025 12:3
ORANGE COUNTY SO	10/25/2025	16:43:30	17725080A1	08/05/2027	11/11/2025 9:56
ORANGE COUNTY SO	11/17/2025	15:05:41	17725080A1	08/05/2027	11/18/2025 14:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001420

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	06/25/2025	11:06:45	00925080A3	02/05/2027	06/25/2025 11:54
ORANGE COUNTY SO	06/25/2025	11:07:05	00925080A3	02/05/2027	06/25/2025 11:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001439

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	05/15/2025	19:10:08	31124080A2	12/05/2026	05/15/2025 21:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001471

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUMTER COUNTY SO	08/04/2025	11:23:57	231603	06/05/2026	09/15/2025 22:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001646

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TYNDALL AFB	03/20/2025	11:16:54	403268835	02/13/2028	04/02/2025 11:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001647

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CAPE CORAL PD	12/12/2025	20:19:27	26824080A1	11/05/2026	12/12/2025 20:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001648

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PUTNAM COUNTY SO	11/17/2025	16:40:42	25925080A1	11/05/2027	12/03/2025 14:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001651

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	09/28/2025	15:14:32	04125080A5	03/05/2027	10/25/2025 10:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001653

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	01/16/2025	01:29:44	31124080A1	12/05/2026	02/13/2025 9:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001654

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	04/25/2025	21:20:13	402732434	04/28/2026	04/30/2025 23:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001655

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	01/22/2025	18:36:58	402816921	08/09/2026	01/31/2025 20:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001715

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY SO	01/20/2025	15:25:24	403207507	11/26/2027	01/24/2025 14:39
OSCEOLA COUNTY SO	02/26/2025	12:29:26	403207507	11/26/2027	02/26/2025 16:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001720

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ALACHUA PD	09/17/2025	23:49:45	01524080A4	03/05/2026	10/31/2025 10:35
ALACHUA PD	09/17/2025	23:51:26	01524080A4	03/05/2026	10/31/2025 10:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001721

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY PD	08/25/2025	04:54:17	24923080A4	10/05/2025	09/30/2025 17:15
PALM BAY PD	10/07/2025	15:37:27	32324080A2	12/05/2026	10/23/2025 19:56
PALM BAY PD	10/07/2025	15:38:17	32324080A2	12/05/2026	10/23/2025 19:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001722

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	02/19/2025	12:51:52	01524080A2	03/05/2026	02/19/2025 12:55
LEE COUNTY SO	11/04/2025	10:27:10	13225080A3	06/05/2027	11/25/2025 10:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001732

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS PARK PD	01/31/2025	01:12:49	28423080A4	11/05/2025	01/31/2025 2:53

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001737

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SOUTH MIAMI PD	04/24/2025	16:34:14	403207507	11/26/2027	04/24/2025 17:15
SOUTH MIAMI PD	07/02/2025	18:25:59	250284	07/05/2027	08/14/2025 19:51
SOUTH MIAMI PD	07/02/2025	18:26:06	250284	07/05/2027	08/14/2025 19:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001739

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	04/24/2025	05:29:57	28423080A4	11/05/2025	04/24/2025 6:57
CHARLOTTE COUNTY SO	04/24/2025	06:10:22	28423080A4	11/05/2025	04/24/2025 6:57
CHARLOTTE COUNTY SO	05/25/2025	21:11:45	28423080A4	11/05/2025	05/25/2025 21:53
CHARLOTTE COUNTY SO	10/21/2025	21:14:28	15025080A1	07/05/2027	10/21/2025 21:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001740

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEARWATER PD	03/11/2025	20:37:59	231603	03/05/2026	05/03/2025 0:11
CLEARWATER PD	07/12/2025	22:49:14	31124080A2	12/05/2026	07/17/2025 19:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001741

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH COUNTY SO	04/25/2025	14:57:58	32324080A2	12/05/2026	05/09/2025 14:2
PALM BEACH COUNTY SO	04/25/2025	14:58:52	32324080A2	12/05/2026	05/09/2025 14:2
PALM BEACH COUNTY SO	04/25/2025	14:59:24	32324080A2	12/05/2026	05/09/2025 14:2
PALM BEACH COUNTY SO	04/25/2025	15:04:51	32324080A2	12/05/2026	05/09/2025 14:2
PALM BEACH COUNTY SO	05/09/2025	15:01:05	32324080A2	12/05/2026	06/20/2025 16:30
PALM BEACH COUNTY SO	05/09/2025	15:01:42	32324080A2	12/05/2026	06/20/2025 16:30
PALM BEACH COUNTY SO	08/13/2025	23:31:56	14323080A3	09/05/2025	08/15/2025 15:45
PALM BEACH COUNTY SO	11/14/2025	15:10:29	19825080A2	09/05/2027	12/12/2025 14:0
PALM BEACH COUNTY SO	11/14/2025	15:11:10	19825080A2	09/05/2027	12/12/2025 14:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001742

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	03/07/2025	09:58:31	403141809	09/10/2027	03/25/2025 15:56
MANATEE COUNTY SO	06/20/2025	10:40:24	403141809	09/10/2027	07/15/2025 12:50
MANATEE COUNTY SO	07/15/2025	12:56:41	403141809	09/10/2027	08/14/2025 9:29
MANATEE COUNTY SO	09/15/2025	08:35:30	403411042	08/02/2028	09/15/2025 9:59

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001743

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/07/2025	10:40:55	28424080A3	11/05/2026	02/24/2025 13:57
JACKSONVILLE SO	05/14/2025	08:00:01	28424080A3	11/05/2026	06/11/2025 13:37
JACKSONVILLE SO	06/13/2025	10:45:03	28424080A3	11/05/2026	07/10/2025 13:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002231

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NEW SMYRNA BEACH PD	10/03/2025	14:15:10	23725080A1	10/05/2027	10/27/2025 17:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002232

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI BEACH PD	12/11/2025	09:50:54	402872586	10/12/2026	12/11/2025 11:39

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002418

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD STATE COLL	03/25/2025	13:32:04	1249794	12/01/2025	11/19/2025 13:25
BREVARD STATE COLL	04/01/2025	13:26:03	711401G	12/01/2025	11/19/2025 13:25
BREVARD STATE COLL	04/01/2025	13:26:31	711401G	12/01/2025	11/19/2025 13:26
BREVARD STATE COLL	05/22/2025	08:05:49	906364	12/25/2025	11/19/2025 13:26
BREVARD STATE COLL	07/16/2025	11:18:15	29122080A1	12/25/2025	11/19/2025 13:26
BREVARD STATE COLL	10/16/2025	14:12:54	1249794	12/25/2025	11/19/2025 13:26
BREVARD STATE COLL	10/16/2025	14:13:53	1249794	12/25/2025	11/19/2025 13:26
BREVARD STATE COLL	10/16/2025	14:14:52	221303	12/25/2025	11/19/2025 13:26
BREVARD STATE COLL	10/16/2025	14:15:46	221303	12/25/2025	11/19/2025 13:26
BREVARD STATE COLL	10/16/2025	14:15:57	221303	12/25/2025	11/19/2025 13:26
BREVARD STATE COLL	10/16/2025	14:50:59	24923080A4	12/25/2025	11/19/2025 13:26
BREVARD STATE COLL	11/17/2025	13:53:33	24923080A4	12/01/2025	11/19/2025 13:26
BREVARD STATE COLL	11/17/2025	13:54:17	24923080A4	12/01/2025	11/19/2025 13:26
BREVARD STATE COLL	11/17/2025	13:55:08	24923080A4	12/01/2025	11/19/2025 13:26
BREVARD STATE COLL	11/17/2025	13:56:40	24923080A4	12/01/2025	11/19/2025 13:26
BREVARD STATE COLL	11/17/2025	13:57:15	24923080A4	12/01/2025	11/19/2025 13:26
BREVARD STATE COLL	11/17/2025	14:19:58	24923080A4	12/01/2025	11/19/2025 13:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002463

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	05/08/2025	08:01:09	403255643	01/29/2028	05/08/2025 10:2
HIALEAH PD	08/06/2025	08:58:19	403255643	01/29/2028	08/06/2025 10:32

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002989

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TALLAHASSEE PD	01/02/2025	01:47:20	31124080A2	12/05/2026	01/02/2025 20:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003195

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	05/31/2025	15:46:46	AG500903	01/09/2027	05/31/2025 15:45
FFWCC	06/29/2025	22:48:46	AG500903	01/09/2027	07/11/2025 16:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003196

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	04/28/2025	13:25:03	00925080A3	02/05/2027	04/28/2025 15:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003348

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/14/2025	15:29:58	403207506	11/22/2027	01/16/2025 9:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003405

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/15/2025	21:30:52	08425080A2	05/05/2027	05/16/2025 0:54

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003406

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/29/2025	13:45:24	10124080A3	06/05/2026	02/26/2025 12:13
FL HIGHWAY PATROL	03/17/2025	13:24:54	10124080A3	06/05/2026	04/29/2025 16:15
FL HIGHWAY PATROL	05/14/2025	11:27:26	10124080A3	06/05/2026	06/24/2025 11:34
FL HIGHWAY PATROL	06/25/2025	12:18:50	10124080A3	06/05/2026	07/17/2025 15:7
FL HIGHWAY PATROL	08/25/2025	10:48:37	10124080A3	06/05/2026	09/30/2025 13:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003409

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/10/2025	02:42:01	402590345	11/04/2025	04/18/2025 12:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003410

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	11/07/2025	07:58:36	402872586	10/12/2026	11/07/2025 9:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003413

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	09/16/2025	11:14:27	402987895	03/06/2027	09/16/2025 13:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003935

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY SO	01/09/2025	09:43:59	403207507	11/26/2027	02/04/2025 12:16
OSCEOLA COUNTY SO	02/26/2025	12:32:41	403207507	11/26/2027	02/26/2025 16:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003937

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY SO	02/26/2025	12:33:05	403207507	11/26/2027	02/26/2025 16:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003945

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKELAND PD	09/05/2025	14:56:22	19825080A1	09/05/2027	09/26/2025 11:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004587

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY SO	01/20/2025	18:56:03	403207507	11/26/2027	03/06/2025 13:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004770

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT WALTON BEACH PD	07/02/2025	17:11:03	250284	07/05/2027	08/08/2025 17:56

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005057

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	07/25/2025	05:38:26	402783527	06/27/2026	08/29/2025 23:50
OKALOOSA COUNTY SO	10/11/2025	03:18:06	222583	06/27/2026	10/30/2025 10:6
OKALOOSA COUNTY SO	10/31/2025	16:36:27	402783527	06/27/2026	11/27/2025 8:56
OKALOOSA COUNTY SO	11/05/2025	00:49:05	402783527	06/27/2026	11/27/2025 8:56
OKALOOSA COUNTY SO	11/05/2025	00:49:47	402783527	06/27/2026	11/27/2025 8:56
OKALOOSA COUNTY SO	11/05/2025	00:50:19	402783527	06/27/2026	11/27/2025 8:56
OKALOOSA COUNTY SO	11/05/2025	00:51:15	402783527	06/27/2026	11/27/2025 8:56
OKALOOSA COUNTY SO	11/05/2025	00:51:37	402783527	06/27/2026	11/27/2025 8:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005058

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CRESTVIEW PD	07/10/2025	01:50:47	402590345	11/04/2025	07/23/2025 16:9
CRESTVIEW PD	07/23/2025	13:55:00	403342588	05/09/2028	07/23/2025 16:9
CRESTVIEW PD	07/23/2025	13:55:30	403342588	05/09/2028	07/23/2025 16:10
CRESTVIEW PD	07/23/2025	13:55:43	403342588	05/09/2028	07/23/2025 16:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005076

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	04/04/2025	09:00:51	10124080A2	06/05/2026	05/22/2025 7:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005113

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	08/18/2025	07:18:31	04125080A6	03/05/2027	08/18/2025 9:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005146

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PATRICK AFB	05/12/2025	15:43:52	403314418	04/14/2028	05/12/2025 17:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005248

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	09/08/2025	14:56:16	403056709	05/27/2027	09/08/2025 16:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005249

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY SO	01/30/2025	19:09:55	23324080A2	10/05/2026	01/30/2025 19:45
HERNANDO COUNTY SO	05/04/2025	02:58:53	23324080A2	10/05/2026	05/31/2025 19:1
HERNANDO COUNTY SO	06/28/2025	01:38:02	23324080A2	10/05/2026	06/28/2025 2:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005290

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	07/27/2025	03:03:50	AG500903	01/09/2027	07/30/2025 21:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005306

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
	02/25/2025	09:45:05	30219080A4	12/25/2025	02/25/2025 9:45
	10/16/2025	14:13:07	24923080A3	12/25/2025	11/19/2025 13:32
	10/16/2025	14:15:05	30219080A4	12/25/2025	11/19/2025 13:32
	10/16/2025	14:16:30	24923080A3	12/25/2025	11/19/2025 13:32
	10/16/2025	14:17:34	24923080A3	12/25/2025	11/19/2025 13:32
	11/17/2025	13:52:46	24923080A3	12/02/2025	11/19/2025 13:32
	11/17/2025	13:52:52	24923080A3	12/02/2025	11/19/2025 13:32
	11/17/2025	13:53:29	24923080A3	12/02/2025	11/19/2025 13:32
	11/17/2025	13:55:16	24923080A3	12/01/2025	11/19/2025 13:33
	11/17/2025	13:55:56	24923080A3	12/01/2025	11/19/2025 13:33
	11/17/2025	13:56:12	24923080A3	12/01/2025	11/19/2025 13:33
	11/17/2025	13:58:18	24923080A3	12/01/2025	11/19/2025 13:33
	11/17/2025	14:21:32	24923080A3	12/01/2025	11/19/2025 13:33
	11/17/2025	17:12:37	24923080A3	12/01/2025	11/19/2025 13:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005337

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PERRY PD	02/11/2025	10:03:21	14323080A3	09/05/2025	03/18/2025 13:32
PERRY PD	05/20/2025	14:47:41	14323080A3	09/05/2025	05/28/2025 12:5
PERRY PD	06/25/2025	13:58:55	14323080A3	09/05/2025	07/17/2025 14:51
PERRY PD	06/25/2025	13:59:05	14323080A3	09/05/2025	07/17/2025 14:51
PERRY PD	08/13/2025	15:35:24	14323080A3	06/05/2026	09/30/2025 15:0
PERRY PD	08/13/2025	15:35:52	10124080A3	06/05/2026	09/30/2025 15:0
PERRY PD	10/30/2025	09:10:08	10124080A3	06/05/2026	11/13/2025 8:58

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005338

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	03/20/2025	22:29:07	15924080A2	07/05/2026	04/10/2025 11:12
ST PETERSBURG PD	04/10/2025	07:31:22	15924080A2	07/05/2026	04/10/2025 11:12
ST PETERSBURG PD	08/09/2025	01:11:37	04125080A5	03/05/2027	09/17/2025 18:36
ST PETERSBURG PD	11/14/2025	03:00:56	31124080A1	12/05/2026	11/24/2025 12:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005402

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ORANGE PD	02/26/2025	14:39:13	403008479	03/28/2027	03/05/2025 7:22
PORT ORANGE PD	11/07/2025	14:52:02	403008479	03/28/2027	11/11/2025 16:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005404

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	04/22/2025	08:16:25	01524080A2	03/05/2026	04/22/2025 9:47
POLK COUNTY SO	04/22/2025	08:16:31	01524080A2	03/05/2026	04/22/2025 9:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005537

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH PD	01/21/2025	08:22:00	402690226	03/09/2026	01/21/2025 14:2
DAYTONA BEACH PD	11/23/2025	13:17:09	402690226	03/09/2026	11/23/2025 14:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005548

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE SO	06/01/2025	01:30:03	28424080A4	11/05/2026	06/05/2025 4:30
MIAMI DADE SO	06/01/2025	01:30:06	28424080A4	11/05/2026	06/05/2025 4:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005549

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	06/05/2025	02:31:14	28424080A4	11/05/2026	06/05/2025 2:45
MIAMI DADE PD	06/05/2025	02:31:25	28424080A4	11/05/2026	06/05/2025 2:45
MIAMI DADE SO	12/04/2025	01:31:26	28424080A4	11/05/2026	12/04/2025 3:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005550

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	06/05/2025	04:25:19	28424080A4	11/05/2026	06/05/2025 4:32
MIAMI DADE PD	06/05/2025	04:25:25	28424080A4	11/05/2026	06/05/2025 4:32
MIAMI DADE PD	08/07/2025	00:55:11	28424080A4	11/05/2026	08/07/2025 3:43
MIAMI DADE SO	12/03/2025	23:04:55	28424080A4	11/05/2026	12/04/2025 1:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005551

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	06/05/2025	02:32:42	28424080A4	11/05/2026	06/05/2025 2:47
MIAMI DADE PD	06/05/2025	02:32:48	28424080A4	11/05/2026	06/05/2025 2:47
MIAMI DADE SO	12/03/2025	22:54:02	28424080A4	11/05/2026	12/04/2025 1:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005655

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MYERS PD	07/14/2025	12:49:00	232492	10/05/2026	07/14/2025 15:33
FORT MYERS PD	08/16/2025	00:15:53	25024080A3	10/05/2026	08/22/2025 12:21
FORT MYERS PD	10/29/2025	10:44:42	232011	10/05/2026	11/25/2025 11:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005936

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	07/09/2025	15:36:54	15025080A1	07/05/2027	07/16/2025 7:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006027

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH COUNTY SO	02/02/2025	21:23:55	10124080A2	06/05/2026	02/07/2025 13:27
PALM BEACH COUNTY SO	02/02/2025	21:24:08	10124080A2	06/05/2026	02/07/2025 13:27
PALM BEACH COUNTY SO	04/14/2025	17:19:56	10124080A2	06/05/2026	04/25/2025 12:40
PALM BEACH COUNTY SO	04/14/2025	17:20:07	10124080A2	06/05/2026	04/25/2025 12:40
PALM BEACH COUNTY SO	05/25/2025	14:19:34	10124080A2	06/05/2026	06/20/2025 14:31
PALM BEACH COUNTY SO	06/06/2025	05:51:07	32324080A2	12/05/2026	06/20/2025 14:31
PALM BEACH COUNTY SO	06/06/2025	05:51:52	32324080A2	12/05/2026	06/20/2025 14:31
PALM BEACH COUNTY SO	06/20/2025	15:36:16	32324080A2	12/05/2026	07/11/2025 16:8
PALM BEACH COUNTY SO	06/20/2025	15:36:49	32324080A2	12/05/2026	07/11/2025 16:8

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006029

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH COUNTY SO	01/17/2025	15:45:04	10124080A2	06/05/2026	02/07/2025 16:18
PALM BEACH COUNTY SO	01/17/2025	15:45:41	10124080A2	06/05/2026	02/07/2025 16:18
PALM BEACH COUNTY SO	01/29/2025	19:38:13	10124080A2	06/05/2026	02/07/2025 16:18
PALM BEACH COUNTY SO	01/29/2025	19:38:18	10124080A2	06/05/2026	02/07/2025 16:18
PALM BEACH COUNTY SO	02/07/2025	16:57:02	14323080A3	09/05/2025	03/14/2025 13:47
PALM BEACH COUNTY SO	02/07/2025	16:57:38	14323080A3	09/05/2025	03/14/2025 13:47
PALM BEACH COUNTY SO	03/14/2025	14:34:54	14323080A3	09/05/2025	04/25/2025 16:9
PALM BEACH COUNTY SO	03/14/2025	14:35:39	14323080A3	09/05/2025	04/25/2025 16:9
PALM BEACH COUNTY SO	03/14/2025	14:36:26	14323080A3	09/05/2025	04/25/2025 16:9
PALM BEACH COUNTY SO	09/12/2025	15:39:41	32324080A2	12/05/2026	10/17/2025 12:48
PALM BEACH COUNTY SO	09/12/2025	15:40:21	32324080A2	12/05/2026	10/17/2025 12:48
PALM BEACH COUNTY SO	10/17/2025	13:39:36	32324080A2	12/05/2026	11/14/2025 16:34
PALM BEACH COUNTY SO	10/17/2025	13:40:08	32324080A2	12/05/2026	11/14/2025 16:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006168

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	05/15/2025	21:34:00	31124080A2	12/05/2026	05/16/2025 0:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006169

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	05/15/2025	18:59:52	31124080A2	12/05/2026	05/15/2025 20:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006170

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	07/06/2025	05:16:58	31124080A2	12/05/2026	07/24/2025 22:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006199

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOMESTEAD PD	05/21/2025	11:24:49	402623828	12/22/2025	05/21/2025 16:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006218

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE TRAINER	05/16/2025	11:08:41	28424080A3	11/05/2026	12/09/2025 11:2
FDLE TRAINER	06/17/2025	21:12:58	00521080A2	06/15/2026	12/09/2025 11:2

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006219

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE TRAINER	04/30/2025	10:29:36	213073	08/05/2025	10/07/2025 11:39
FDLE TRAINER	04/30/2025	10:30:28	213073	08/05/2025	10/07/2025 11:39
FDLE TRAINER	04/30/2025	10:58:15	15922080A4	08/05/2025	10/07/2025 11:39
FDLE TRAINER	05/12/2025	14:05:26	163437	10/30/2025	10/07/2025 11:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006222

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	04/16/2025	09:59:22	28423080A4	11/05/2025	05/28/2025 11:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006234

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HENDRY COUNTY SO	05/30/2025	07:46:18	402872586	10/12/2026	06/02/2025 13:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006236

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	10/24/2025	13:47:16	403141809	09/10/2027	11/10/2025 14:1
MANATEE COUNTY SO	10/24/2025	15:51:00	403141809	09/10/2027	11/10/2025 14:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	11/08/2025	06:26:19	01524080A1	03/05/2026	11/30/2025 11:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH COUNTY SO	05/09/2025	14:53:53	32324080A2	12/05/2026	05/14/2025 14:17
PALM BEACH COUNTY SO	05/09/2025	14:54:51	32324080A2	12/05/2026	05/14/2025 14:17
PALM BEACH COUNTY SO	05/09/2025	14:55:24	32324080A2	12/05/2026	05/14/2025 14:17

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006239

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH COUNTY SO	06/20/2025	15:33:02	10124080A2	06/05/2026	07/11/2025 14:24
PALM BEACH COUNTY SO	06/20/2025	15:33:37	10124080A2	06/05/2026	07/11/2025 14:24
PALM BEACH COUNTY SO	06/20/2025	15:33:41	10124080A2	06/05/2026	07/11/2025 14:24
PALM BEACH COUNTY SO	07/11/2025	16:24:34	10124080A2	06/05/2026	08/15/2025 16:2
PALM BEACH COUNTY SO	07/11/2025	16:25:09	10124080A2	06/05/2026	08/15/2025 16:2

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006240

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH COUNTY SO	03/14/2025	14:40:03	14323080A3	09/05/2025	04/25/2025 13:25
PALM BEACH COUNTY SO	03/14/2025	14:40:33	14323080A3	09/05/2025	04/25/2025 13:25
PALM BEACH COUNTY SO	03/14/2025	14:40:51	14323080A3	09/05/2025	04/25/2025 13:25
PALM BEACH COUNTY SO	03/14/2025	14:40:58	14323080A3	09/05/2025	04/25/2025 13:25
PALM BEACH COUNTY SO	04/25/2025	14:53:34	32324080A2	12/05/2026	05/09/2025 16:23
PALM BEACH COUNTY SO	04/25/2025	14:54:46	32324080A2	12/05/2026	05/09/2025 16:23
PALM BEACH COUNTY SO	10/17/2025	13:34:51	32324080A2	12/05/2026	11/14/2025 14:10
PALM BEACH COUNTY SO	10/17/2025	13:35:52	32324080A2	12/05/2026	11/14/2025 14:10
PALM BEACH COUNTY SO	11/14/2025	15:13:42	32324080A2	12/05/2026	12/12/2025 16:34
PALM BEACH COUNTY SO	11/14/2025	15:14:33	32324080A2	12/05/2026	12/12/2025 16:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006260

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/25/2025	20:24:54	3024028434	09/08/2026	01/31/2025 10:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006261

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/16/2025	19:53:17	3024026238	10/22/2025	03/16/2025 21:6
FL HIGHWAY PATROL	08/22/2025	02:15:57	403135736	08/29/2027	09/10/2025 18:38
FL HIGHWAY PATROL	10/29/2025	17:52:14	19825080A1	09/05/2027	11/20/2025 18:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006262

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY SO	06/30/2025	15:35:49	403135737	08/30/2027	07/30/2025 16:56
VOLUSIA COUNTY SO	06/30/2025	15:37:08	403135737	08/30/2027	07/30/2025 16:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006384

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GAINESVILLE PD	08/27/2025	18:25:12	24923080A3	10/05/2025	08/27/2025 18:23
GAINESVILLE PD	09/28/2025	17:09:22	19825080A1	09/05/2027	09/28/2025 17:8

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006385

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CSO	02/20/2025	08:03:34	28423080A2	11/05/2025	02/20/2025 9:53
HILLSBOROUGH CSO	04/17/2025	09:12:35	28423080A2	11/05/2025	04/17/2025 10:43
HILLSBOROUGH CSO	06/05/2025	10:12:48	28423080A2	11/05/2025	08/01/2025 10:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006435

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	03/12/2025	10:05:48	402690226	03/09/2026	03/12/2025 11:55
ESCAMBIA COUNTY SO	04/14/2025	09:29:39	402987895	03/06/2027	04/14/2025 10:36
ESCAMBIA COUNTY SO	10/21/2025	11:07:38	4022987895	03/06/2027	10/21/2025 12:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006436

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	05/07/2025	10:39:04	402987895	03/06/2027	05/07/2025 12:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006457

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	04/25/2025	18:57:41	402732434	04/28/2026	04/30/2025 22:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006471

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	04/21/2025	08:26:13	402843437	09/08/2026	04/27/2025 9:32

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006473

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINECREST PD	03/28/2025	13:39:01	403268835	02/13/2028	04/02/2025 15:36
PINECREST PD	08/14/2025	18:21:21	403268835	02/13/2028	08/27/2025 19:48
PINECREST PD	08/14/2025	18:42:31	403268835	02/13/2028	08/27/2025 19:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006475

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	06/15/2025	19:17:14	402783528	06/27/2026	06/15/2025 21:11
BROWARD COUNTY SO	06/15/2025	19:17:41	402783528	06/27/2026	06/15/2025 21:11

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006476

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH COUNTY SO	01/17/2025	15:41:39	14323080A3	09/05/2025	02/07/2025 13:51
PALM BEACH COUNTY SO	01/17/2025	15:42:35	14323080A3	09/05/2025	02/07/2025 13:51
PALM BEACH COUNTY SO	01/17/2025	15:42:50	14323080A3	09/05/2025	02/07/2025 13:51
PALM BEACH COUNTY SO	02/07/2025	14:42:20	14323080A3	09/05/2025	03/14/2025 15:51
PALM BEACH COUNTY SO	02/07/2025	14:43:04	14323080A3	09/05/2025	03/14/2025 15:51
PALM BEACH COUNTY SO	02/07/2025	14:43:17	14323080A3	09/05/2025	03/14/2025 15:51
PALM BEACH COUNTY SO	02/07/2025	14:43:30	14323080A3	09/05/2025	03/14/2025 15:51
PALM BEACH COUNTY SO	08/15/2025	14:46:52	32324080A2	12/05/2026	09/12/2025 14:45
PALM BEACH COUNTY SO	08/15/2025	14:47:47	32324080A2	12/05/2026	09/12/2025 14:45
PALM BEACH COUNTY SO	08/27/2025	19:18:35	32324080A2	12/05/2026	09/12/2025 14:45
PALM BEACH COUNTY SO	09/12/2025	15:44:01	32324080A2	12/05/2026	10/17/2025 14:56
PALM BEACH COUNTY SO	09/12/2025	15:44:42	32324080A2	12/05/2026	10/17/2025 14:56

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006477

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH COUNTY SO	07/11/2025	16:28:32	32324080A2	12/05/2026	08/15/2025 13:49
PALM BEACH COUNTY SO	07/11/2025	16:29:53	32324080A2	12/05/2026	08/15/2025 13:49
PALM BEACH COUNTY SO	08/15/2025	14:50:16	32324080A2	12/05/2026	09/12/2025 17:7
PALM BEACH COUNTY SO	08/15/2025	14:51:13	32324080A2	12/05/2026	09/12/2025 17:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006565

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	02/07/2025	11:00:53	403141809	09/10/2027	03/07/2025 14:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006567

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CSO	02/20/2025	08:01:24	28423080A2	11/05/2025	02/20/2025 9:45
HILLSBOROUGH CSO	07/17/2025	07:08:12	28423080A2	11/05/2025	07/17/2025 9:58
HILLSBOROUGH CSO	11/06/2025	08:20:17	04125080A6	03/05/2027	11/06/2025 10:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006616

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FLAGLER COUNTY SO	09/24/2025	11:34:55	23725080A2	10/05/2027	10/28/2025 16:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006621

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
KENNEDY SPACE CENTER	10/07/2025	10:58:20	08425080A1	05/05/2027	10/07/2025 11:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006622

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BOCA RATON PD	04/17/2025	10:25:01	01524080A2	03/05/2026	05/09/2025 18:33
BOCA RATON PD	12/09/2025	14:34:02	08425080A2	05/05/2027	12/09/2025 15:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006626

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	08/14/2025	17:41:54	403135736	08/29/2027	08/21/2025 16:26
FL HIGHWAY PATROL	08/14/2025	17:42:52	403135736	08/29/2027	08/21/2025 16:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006628

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	07/02/2025	22:27:21	403342588	05/09/2028	07/03/2025 4:28
FHP	10/09/2025	23:17:42	403342588	05/09/2028	11/13/2025 18:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006629

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/08/2025	21:09:13	402477284	06/27/2025	04/01/2025 14:31
FL HIGHWAY PATROL	03/22/2025	21:03:16	402477284	06/27/2025	04/01/2025 14:31
FL HIGHWAY PATROL	03/22/2025	21:30:33	402498227	07/22/2025	04/01/2025 14:31
FL HIGHWAY PATROL	08/16/2025	22:40:52	403342588	05/09/2028	08/17/2025 3:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006631

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	03/01/2025	22:23:07	403207507	11/26/2027	03/07/2025 14:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006634

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	10/02/2025	20:36:18	403411042	08/02/2028	10/17/2025 14:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006636

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/11/2025	00:13:12	403207507	11/26/2027	03/02/2025 6:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006637

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	07/30/2025	02:10:52	2402649340	01/27/2026	09/01/2025 2:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006638

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/13/2025	21:26:19	403135738	08/29/2027	01/13/2025 21:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006692

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOLMES BEACH PD	07/15/2025	08:01:21	403255643	01/29/2028	07/15/2025 9:15
HOLMES BEACH PD	07/15/2025	08:09:03	403255643	01/29/2028	07/15/2025 9:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006694

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	04/21/2025	22:50:31	402419647	09/10/2027	05/16/2025 9:48
MANATEE COUNTY SO	10/24/2025	15:37:53	403141809	09/10/2027	11/10/2025 13:55
MANATEE COUNTY SO	10/24/2025	15:50:40	403141809	09/10/2027	11/10/2025 13:55

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006736

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	06/01/2025	18:03:30	403268835	02/13/2028	06/01/2025 19:1
FL HIGHWAY PATROL	08/14/2025	17:44:00	403141809	09/10/2027	08/21/2025 16:17
FL HIGHWAY PATROL	08/14/2025	17:44:07	403141809	09/10/2027	08/21/2025 16:17
FL HIGHWAY PATROL	08/14/2025	17:44:29	403141809	09/10/2027	08/21/2025 16:17
FL HIGHWAY PATROL	08/18/2025	19:11:03	403141809	09/10/2027	08/21/2025 16:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006758

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/10/2025	17:35:42	402590345	11/04/2025	03/07/2025 9:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006759

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
KENNEDY SPACE CENTER	05/13/2025	07:43:19	08425080A1	05/05/2027	05/13/2025 8:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006760

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	08/20/2025	06:57:43	403308953	04/01/2028	09/29/2025 19:59

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006761

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/10/2025	17:25:25	402590345	11/04/2025	03/07/2025 9:17
FL HIGHWAY PATROL	02/10/2025	17:26:16	402590345	11/04/2025	03/07/2025 9:17
FL HIGHWAY PATROL	02/21/2025	19:02:35	402590345	11/04/2025	03/07/2025 9:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006764

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/28/2025	17:35:08	403135736	08/29/2027	05/21/2025 19:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006765

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/03/2025	15:32:56	403135736	08/29/2027	02/18/2025 16:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006768

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/31/2025	12:49:30	403255643	01/29/2028	05/03/2025 17:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006770

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/25/2025	20:25:12	3024028434	09/08/2026	02/03/2025 9:10

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006895

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE SO	06/01/2025	01:17:14	28424080A4	11/05/2026	06/05/2025 4:27
MIAMI DADE SO	06/01/2025	01:17:20	28424080A4	11/05/2026	06/05/2025 4:27
MIAMI DADE SO	08/07/2025	00:50:50	28424080A4	11/05/2026	08/07/2025 3:55
MIAMI DADE SO	11/13/2025	01:23:14	28424080A4	11/05/2026	11/13/2025 3:58
MIAMI DADE SO	11/13/2025	01:23:18	28424080A4	11/05/2026	11/13/2025 3:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006925

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	08/16/2025	21:09:24	402783528	06/27/2026	08/16/2025 23:15
BROWARD COUNTY SO	08/16/2025	21:09:48	402783528	06/27/2026	08/16/2025 23:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006926

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TALLAHASSEE PD	01/02/2025	01:29:54	31124080A2	12/05/2026	01/02/2025 20:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006939

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT LAUDERDALE PD	06/12/2025	01:40:05	402886996	11/01/2026	06/24/2025 22:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007006

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	12/02/2025	21:16:07	403345775	05/13/2028	12/03/2025 9:40
BROWARD COUNTY SO	12/02/2025	21:16:24	403345775	05/13/2028	12/03/2025 9:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007008

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	01/06/2025	20:20:38	402783528	06/27/2026	01/08/2025 10:15
BROWARD COUNTY SO	01/06/2025	20:20:49	402783528	06/27/2026	01/08/2025 10:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007078

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/16/2025	14:04:43	20524080A2	09/05/2026	01/16/2025 16:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	04/24/2025	05:25:38	28423080A4	11/05/2025	04/24/2025 7:19
CHARLOTTE COUNTY SO	11/26/2025	20:12:39	15025080A1	07/05/2027	11/26/2025 20:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007084

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE SO	12/03/2025	22:54:45	28424080A4	11/05/2026	12/04/2025 1:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007107

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	01/06/2025	20:22:19	402783528	06/27/2026	01/08/2025 10:25
BROWARD COUNTY SO	01/06/2025	20:22:34	402783528	06/27/2026	01/08/2025 10:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007108

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	06/01/2025	19:47:16	402783528	06/27/2026	06/04/2025 10:57
BROWARD COUNTY SO	06/01/2025	19:47:26	402783528	06/27/2026	06/04/2025 10:57

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007159

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PENSACOLA P.D.	03/22/2025	08:23:23	232353	08/30/2027	03/22/2025 11:2
PENSACOLA P.D.	05/27/2025	12:54:32	232353	08/30/2027	06/04/2025 15:52
PENSACOLA P.D.	08/27/2025	10:16:13	232353	08/30/2027	09/02/2025 10:22
PENSACOLA P.D.	10/08/2025	14:18:42	250133	05/09/2028	10/16/2025 14:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007160

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HARDEE COUNTY SO	07/27/2025	21:31:50	403345775	05/13/2028	07/27/2025 22:11

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007163

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	01/12/2025	22:10:15	231603	08/05/2026	01/23/2025 12:9
HILLSBOROUGH CO SO	01/12/2025	22:10:53	231603	09/05/2026	01/23/2025 12:9
HILLSBOROUGH CO SO	01/12/2025	22:12:09	231603	09/05/2026	01/24/2025 9:40
HILLSBOROUGH CO SO	01/12/2025	22:17:28	20524080A2	09/05/2026	01/24/2025 9:40
HILLSBOROUGH CO SO	01/12/2025	22:18:04	20524080A2	09/05/2026	01/24/2025 9:40
HILLSBOROUGH CO SO	01/15/2025	23:55:31	20524080A2	09/05/2026	01/24/2025 9:40
HILLSBOROUGH CO SO	01/15/2025	23:58:36	20524080A2	09/05/2026	01/24/2025 9:40
HILLSBOROUGH CO SO	01/16/2025	00:04:28	20524080A2	09/05/2026	01/24/2025 9:40
HILLSBOROUGH CO SO	01/23/2025	12:14:13	20524080A2	09/05/2026	01/24/2025 9:40
HILLSBOROUGH CO SO	05/04/2025	22:47:26	20524080A2	09/05/2026	05/15/2025 13:7
HILLSBOROUGH CO SO	05/15/2025	15:34:41	20524080A2	09/05/2026	06/05/2025 11:5
HILLSBOROUGH CSO	09/18/2025	07:21:24	04125080A6	03/05/2027	09/18/2025 9:3
HILLSBOROUGH CSO	11/02/2025	01:59:53	04125080A6	03/05/2027	11/06/2025 12:29
HILLSBOROUGH CSO	11/02/2025	01:00:57	04125080A6	03/05/2027	11/06/2025 12:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007165

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	02/22/2025	10:16:48	403207508	12/02/2027	02/22/2025 11:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007166

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	02/22/2025	10:19:14	403207508	12/02/2027	02/22/2025 10:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007167

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	04/27/2025	13:08:22	402886996	11/01/2026	04/27/2025 14:27
MONROE COUNTY SO	09/17/2025	10:28:13	402843437	09/08/2026	09/17/2025 11:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007168

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	08/28/2025	16:46:52	403056709	05/28/2027	09/08/2025 15:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007170

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	01/19/2025	20:23:52	402886996	11/01/2026	02/19/2025 17:7

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007171

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	01/24/2025	17:56:30	403008479	03/28/2027	02/20/2025 17:37
MARION COUNTY SO	05/16/2025	16:03:01	403135737	08/30/2027	06/23/2025 15:23
MARION COUNTY SO	07/25/2025	16:54:25	403318190	04/10/2028	08/27/2025 16:10

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007172

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	02/20/2025	18:03:16	403135737	08/30/2027	03/20/2025 18:22
MARION COUNTY SO	04/23/2025	16:20:27	403008479	03/28/2027	05/16/2025 15:28
MARION COUNTY SO	06/23/2025	15:32:18	403318190	04/10/2028	07/25/2025 16:23
MARION COUNTY SO	08/27/2025	16:28:55	403135737	08/30/2027	09/19/2025 16:46

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007173

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	01/31/2025	12:21:14	403135737	08/30/2027	01/31/2025 14:13
WALTON COUNTY SO	12/11/2025	12:57:57	402697419	03/20/2026	12/11/2025 13:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007252

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GROVELAND PD	01/21/2025	13:28:10	25024080A3	10/05/2026	01/21/2025 15:42
GROVELAND PD	09/03/2025	03:00:41	25024080A3	10/05/2026	09/03/2025 3:32

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007362

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PENSACOLA PD	07/01/2025	15:58:36	232353	08/30/2027	08/01/2025 9:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007373

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	09/03/2025	07:57:02	402783528	06/27/2026	09/03/2025 11:15
BROWARD COUNTY SO	09/03/2025	07:57:11	402783528	06/27/2026	09/03/2025 11:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007380

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOMESTEAD PD	01/09/2025	21:20:14	402806340	07/26/2026	01/31/2025 8:33
HOMESTEAD PD	01/18/2025	02:00:54	403008479	03/28/2027	01/31/2025 8:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007381

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	01/06/2025	19:24:41	402783528	06/27/2026	01/08/2025 9:43
BROWARD COUNTY SO	01/06/2025	20:19:40	402783528	06/27/2026	01/08/2025 9:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007433

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	06/01/2025	19:33:40	402783528	06/27/2026	06/04/2025 10:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007434

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	09/29/2025	19:46:19	403345775	05/13/2028	10/01/2025 10:52
BROWARD COUNTY SO	09/29/2025	19:46:33	403345775	05/13/2028	10/01/2025 10:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007439

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAKER COUNTY SO	10/10/2025	11:15:14	01524080A2	03/05/2026	11/07/2025 15:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007440

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/26/2025	02:52:12	402649340	01/27/2026	03/26/2025 4:3
FL HIGHWAY PATROL	07/30/2025	01:17:08	2403135737	08/30/2027	09/01/2025 2:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007443

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	07/07/2025	15:09:08	403314418	04/14/2028	07/11/2025 10:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007455

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	07/02/2025	19:28:34	403135736	08/29/2027	08/20/2025 15:28

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007456

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	01/01/2025	21:14:52	08223080A2	05/05/2025	01/28/2025 11:22
FHP	01/12/2025	17:45:15	08223080A2	05/05/2025	01/28/2025 11:22
FHP	01/25/2025	19:01:10	08223080A2	05/05/2025	01/28/2025 11:22
FHP	01/30/2025	07:48:31	10124080A3	06/05/2026	02/26/2025 15:18
FHP	01/30/2025	08:06:51	14323080A3	09/05/2025	02/26/2025 15:18
FHP	01/30/2025	08:40:50	14323080A3	09/05/2025	02/26/2025 15:18
FHP	03/13/2025	17:06:42	10124080A3	06/05/2026	04/30/2025 11:28
FHP	04/12/2025	19:46:18	10124080A3	06/05/2026	04/30/2025 11:28
FHP	05/16/2025	17:49:13	10124080A3	06/05/2026	06/24/2025 13:3
FHP	05/26/2025	20:40:46	10124080A3	06/05/2026	06/24/2025 13:3
FHP	06/04/2025	19:43:04	10124080A3	06/05/2026	06/24/2025 13:3
FHP	06/13/2025	18:55:14	10124080A3	06/05/2026	06/24/2025 13:3
FHP	06/14/2025	17:13:24	10124080A3	06/05/2026	06/24/2025 13:3
FHP	06/18/2025	16:40:20	10124080A3	06/05/2026	06/24/2025 13:3
FHP	06/27/2025	20:21:38	10124080A3	06/05/2026	07/17/2025 11:46
FHP	11/17/2025	07:11:53	10124080A3	06/05/2026	12/01/2025 12:0
FHP	11/18/2025	13:07:18	10124080A3	06/05/2026	12/01/2025 12:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007459

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/04/2025	23:37:36	402397742	03/25/2025	01/29/2025 9:24
FL HIGHWAY PATROL	01/17/2025	21:19:37	402477284	06/27/2025	01/29/2025 9:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007478

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	08/04/2025	10:29:51	402886996	11/01/2026	08/04/2025 13:46

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007479

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CSO	03/13/2025	10:14:36	28423080A2	11/05/2025	03/13/2025 14:11
HILLSBOROUGH CSO	08/08/2025	04:07:01	20524080A2	09/05/2026	08/18/2025 11:18
HILLSBOROUGH CSO	08/08/2025	04:07:38	20524080A2	09/05/2026	08/18/2025 11:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007480

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	05/04/2025	03:31:33	08223080A4	06/05/2025	05/15/2025 15:29
HILLSBOROUGH CO SO	05/15/2025	15:42:19	20524080A2	09/05/2026	06/05/2025 9:8
HILLSBOROUGH CO SO	08/18/2025	05:19:25	20524080A2	09/05/2026	08/18/2025 11:33
HILLSBOROUGH CO SO	08/18/2025	05:19:41	20524080A2	09/05/2026	08/18/2025 11:33

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007482

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/20/2025	09:49:10	28423080A2	11/05/2025	02/20/2025 13:49
HILLSBOROUGH CO SO	03/02/2025	04:53:44	20524080A2	09/05/2026	03/13/2025 10:3
HILLSBOROUGH CO SO	03/02/2025	04:54:04	20524080A2	09/05/2026	03/13/2025 10:3
HILLSBOROUGH CSO	06/05/2025	07:06:20	20524080A2	09/05/2026	06/05/2025 9:20
HILLSBOROUGH CSO	08/24/2025	04:44:59	04125080A6	03/05/2027	09/18/2025 10:37
HILLSBOROUGH CSO	08/24/2025	04:45:19	04125080A6	03/05/2027	09/18/2025 10:37
HILLSBOROUGH CSO	10/06/2025	02:21:08	04125080A6	03/05/2027	10/16/2025 12:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007483

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CSO	06/05/2025	07:07:49	28423080A2	11/05/2025	06/05/2025 9:32
HILLSBOROUGH CSO	07/13/2025	03:05:34	04125080A6	03/05/2027	07/17/2025 9:47
HILLSBOROUGH CSO	07/13/2025	03:05:57	04125080A6	03/05/2027	07/17/2025 9:47
HILLSBOROUGH CSO	08/31/2025	19:38:08	04125080A6	03/05/2027	09/18/2025 10:47
HILLSBOROUGH CSO	08/31/2025	19:40:48	04125080A6	03/05/2027	09/18/2025 10:47

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007484

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/09/2025	00:13:47	28423080A2	11/05/2025	02/20/2025 14:1
HILLSBOROUGH CO SO	03/07/2025	03:51:34	20524080A2	09/05/2026	03/13/2025 8:50
HILLSBOROUGH CO SO	03/07/2025	03:51:49	20524080A2	09/05/2026	03/13/2025 8:50
HILLSBOROUGH CSO	10/16/2025	07:05:36	04125080A6	03/05/2027	10/16/2025 9:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007495

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	03/28/2025	14:46:47	00925080A3	02/05/2027	03/28/2025 16:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007496

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	03/28/2025	14:44:31	00925080A3	02/05/2027	03/28/2025 16:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007499

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	05/29/2025	13:57:17	403207508	12/02/2027	05/29/2025 15:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007502

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	03/18/2025	12:12:57	403056709	05/28/2027	04/08/2025 11:18
FFWCC	08/28/2025	14:39:52	403056709	05/28/2027	09/08/2025 15:26
FFWCC	10/24/2025	10:34:36	403056709	05/28/2027	10/24/2025 12:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007503

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	11/22/2025	06:07:23	15025080A1	07/05/2027	11/22/2025 7:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007504

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	01/06/2025	15:19:39	01524080A2	03/05/2026	02/11/2025 9:20
POLK COUNTY SO	07/02/2025	15:33:57	15025080A1	07/05/2027	07/29/2025 8:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007505

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGHLANDS COUNTY SO	05/10/2025	19:39:23	402886996	11/01/2026	05/10/2025 20:51
HIGHLANDS COUNTY SO	05/20/2025	17:57:30	14323080A3	09/05/2025	05/24/2025 21:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007506

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	01/14/2025	18:16:08	01524080A2	03/05/2026	01/15/2025 17:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007507

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGHLANDS COUNTY SO	05/26/2025	22:12:42	00925080A4	02/05/2027	06/22/2025 19:52
HIGHLANDS COUNTY SO	05/26/2025	22:13:08	00925080A4	02/05/2027	06/22/2025 19:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007508

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DESOTO COUNTY SO	05/30/2025	14:53:51	04125080A5	03/05/2027	06/04/2025 17:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007515

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	07/07/2025	16:09:16	403268835	02/13/2028	08/28/2025 23:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007516

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	04/25/2025	18:59:28	402732434	04/28/2026	04/30/2025 23:23