

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000223

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	01/22/2026	14:12:50	01524080A4	03/05/2026	05/07/2026 15:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000227

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	04/29/2026	13:16:00	25925080A1	11/05/2027	04/29/2026 21:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000228

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	05/12/2026	09:38:37	4032688835	02/13/2028	05/12/2026 12:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000229

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	02/10/2026	03:54:34	04924080A4	03/05/2026	02/13/2026 12:42
FDLE	02/18/2026	10:22:37	23725080A1	10/05/2027	03/01/2026 0:10
FDLE	02/18/2026	10:23:02	23725080A1	10/05/2027	03/01/2026 0:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000737

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ALACHUA COUNTY SO	03/26/2026	12:31:44	03326080A2	03/05/2028	04/24/2026 10:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000739

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	03/05/2026	04:15:14	402783527	06/27/2026	03/29/2026 17:11
OKALOOSA COUNTY SO	03/05/2026	04:15:29	402783527	06/27/2026	03/29/2026 17:11
OKALOOSA COUNTY SO	03/05/2026	04:16:00	402783527	06/27/2026	03/29/2026 17:11
OKALOOSA COUNTY SO	03/05/2026	04:16:18	402783527	06/27/2026	03/29/2026 17:11
OKALOOSA COUNTY SO	03/05/2026	04:16:29	402783527	06/27/2026	03/29/2026 17:11
OKALOOSA COUNTY SO	03/05/2026	04:16:48	402783527	06/27/2026	03/29/2026 17:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000749

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	02/09/2026	09:43:11	402987895	03/06/2027	02/09/2026 10:40
ESCAMBIA COUNTY SO	04/21/2026	10:47:40	402987895	03/06/2027	04/21/2026 12:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000770

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAMILTON COUNTY SO	01/09/2026	00:48:12	31425080A1	01/05/2028	01/31/2026 1:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000773

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAFAYETTE CO SO	01/07/2026	13:26:59	10124080A3	06/05/2026	02/04/2026 8:59
LAFAYETTE CO SO	03/05/2026	14:28:35	10124080A3	06/05/2026	04/08/2026 8:27
LAFAYETTE CO SO	05/04/2026	14:38:37	10124080A3	06/05/2026	06/08/2026 7:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000775

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLUMBIA COUNTY SO	05/27/2026	12:57:43	04125080A5	03/05/2027	05/29/2026 9:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000776

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAFAYETTE COUNTY SO	02/03/2026	09:39:57	19825080A1	09/05/2027	03/06/2026 6:33
LAFAYETTE COUNTY SO	04/07/2026	09:09:45	19825080A1	09/05/2027	05/05/2026 7:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000777

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLUMBIA COUNTY SO	03/27/2026	11:02:22	04125080A5	03/05/2027	03/31/2026 9:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000779

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MADISON COUNTY SO	02/03/2026	07:21:17	19825080A1	09/05/2027	03/06/2026 6:40
MADISON COUNTY SO	04/07/2026	07:03:12	19825080A1	09/05/2027	05/05/2026 7:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000780

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUWANNEE COUNTY SO	02/21/2026	12:44:31	403374313	06/25/2028	02/21/2026 13:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000784

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/19/2026	10:38:04	403374313	06/25/2028	01/19/2026 11:32

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000785

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/02/2026	05:40:59	403056709	05/28/2027	03/11/2026 15:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000792

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	05/06/2026	03:26:29	00925080A3	02/05/2027	05/06/2026 17:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000794

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	03/18/2026	17:56:33	00925080A3	02/05/2027	04/22/2026 13:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000811

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PERRY PD	01/07/2026	11:49:10	19825080A1	09/05/2027	02/04/2026 9:20
PERRY PD	03/05/2026	08:45:30	19825080A1	09/05/2027	04/08/2026 8:24
PERRY PD	05/04/2026	10:55:51	19825080A1	09/05/2027	06/08/2026 7:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000814

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY SO	02/27/2026	15:02:31	25925080A1	11/05/2027	02/27/2026 15:47
HERNANDO COUNTY SO	04/29/2026	13:17:52	26-4437	01/29/2028	04/29/2026 22:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000815

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUMTER COUNTY SO	05/30/2026	08:01:01	251683	12/05/2027	05/30/2026 9:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000816

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUMTER CO SO	01/16/2026	14:26:08	251683	12/05/2027	01/16/2026 15:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000817

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CITRUS COUNTY SO	01/29/2026	02:14:08	250713	09/05/2027	01/29/2026 19:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000822

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	03/24/2026	14:32:02	32324080A2	12/05/2026	04/29/2026 8:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000823

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	02/03/2026	16:45:47	23725080A1	10/05/2027	02/28/2026 21:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000825

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	02/23/2026	10:56:39	32324080A2	12/05/2026	03/24/2026 14:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000827

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	03/25/2026	20:50:19	403369407	06/23/2028	04/08/2026 20:14
MARION COUNTY SO	05/15/2026	16:31:53	403549457	01/29/2029	06/05/2026 5:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000836

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	02/23/2026	10:53:48	29425080A2	12/05/2027	02/23/2026 11:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000838

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY BEACH PD	03/10/2026	22:04:10	403516665	12/16/2028	04/23/2026 15:0

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000840

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY PD	02/06/2026	22:48:13	2403056709	05/28/2027	02/19/2026 18:53
PANAMA CITY PD	02/07/2026	19:16:39	2403207508	12/02/2027	02/19/2026 18:53

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000859

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CAPE CORAL PD	01/10/2026	14:38:42	26824080A1	11/05/2026	01/10/2026 14:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000867

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	01/22/2026	11:24:51	403411042	08/02/2028	01/22/2026 12:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000870

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	03/19/2026	01:23:16	403411042	08/02/2028	04/14/2026 14:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000872

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	03/23/2026	15:18:19	403314417	04/11/2028	03/23/2026 18:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000873

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	03/23/2026	15:15:01	403318190	04/11/2028	03/23/2026 17:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000874

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	03/23/2026	15:14:38	203318190	04/11/2028	03/23/2026 17:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000875

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CALHOUN COUNTY SO	03/11/2026	11:54:36	403207508	12/02/2027	03/11/2026 15:50
CALHOUN COUNTY SO	03/11/2026	14:58:56	402956578	01/29/2027	04/24/2026 2:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000879

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI BEACH PD	01/15/2026	10:42:09	403135736	08/29/2027	01/15/2026 14:15

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000887

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/04/2026	08:06:33	403056709	05/28/2027	04/04/2026 11:22
FL HIGHWAY PATROL	05/26/2026	01:06:36	403056709	05/28/2027	06/01/2026 13:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000890

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	02/27/2026	23:56:06	AG525301	09/10/2027	03/04/2026 14:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000891

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	05/29/2026	09:23:57	403525131	01/02/2029	05/29/2026 13:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000892

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	05/29/2026	09:19:05	403525131	01/02/2029	05/29/2026 13:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000893

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	01/16/2026	09:36:35	403268835	02/13/2028	01/16/2026 11:15
FFWCC	01/16/2026	09:36:46	403268835	02/13/2028	01/16/2026 11:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000900

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	01/16/2026	09:34:33	403476659	10/28/2028	01/16/2026 11:12
FFWCC	01/16/2026	09:34:57	403476659	10/28/2028	01/16/2026 11:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000901

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC TAMPA	06/02/2026	18:34:48	26-4437	01/29/2028	06/04/2026 15:46

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000904

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	02/12/2026	16:05:09	403516665	12/16/2028	02/12/2026 18:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000938

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	02/22/2026	00:28:05	13225080A3	06/05/2027	03/25/2026 10:28
LEE COUNTY SO	03/03/2026	13:11:52	29425080Q2	12/05/2027	03/25/2026 10:28

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000939

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	01/04/2026	00:36:13	29425080A2	12/05/2027	01/21/2026 15:12
LEE COUNTY SO	01/04/2026	00:37:09	29425080A2	12/05/2027	01/21/2026 15:12
LEE COUNTY SO	02/08/2026	03:58:08	13225080A3	06/05/2027	02/18/2026 13:50
LEE COUNTY SO	04/16/2026	09:24:53	29425080A2	12/05/2027	05/26/2026 9:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000940

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY SO	02/25/2026	10:27:24	25925080A1	11/05/2027	02/26/2026 7:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000947

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GLADES COUNTY SO	05/16/2026	11:28:54	03326080A1	03/05/2028	05/16/2026 12:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000948

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GLADES COUNTY SO	03/06/2026	06:35:42	03326080A1	03/05/2028	04/07/2026 16:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000950

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAVANA PD	01/08/2026	12:24:34	10124080A3	06/05/2026	02/19/2026 12:6
HAVANA PD	03/06/2026	08:22:26	10124080A3	06/05/2026	04/08/2026 9:55
HAVANA PD	03/06/2026	08:22:50	10124080A3	06/05/2026	04/08/2026 9:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000952

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FRANKLIN COUNTY SO	01/21/2026	10:16:26	10124080A3	06/05/2026	02/20/2026 9:36
FRANKLIN COUNTY SO	01/21/2026	10:16:37	10124080A3	06/05/2026	02/20/2026 9:36
FRANKLIN COUNTY SO	04/07/2026	13:48:10	10124080A3	06/05/2026	05/18/2026 11:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000953

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FRANKLIN COUNTY SO	01/06/2026	08:58:34	10124080A3	06/05/2026	01/07/2026 9:12
FRANKLIN COUNTY SO	01/06/2026	09:24:19	10124080A3	06/05/2026	01/07/2026 9:12
FRANKLIN COUNTY SO	03/06/2026	09:23:50	10124080A3	06/05/2026	04/08/2026 8:30
FRANKLIN COUNTY SO	05/05/2026	09:46:25	10124080A3	06/05/2026	06/08/2026 9:20
FRANKLIN COUNTY SO	05/05/2026	09:46:37	10124080A3	06/05/2026	06/08/2026 9:20
FRANKLIN COUNTY SO	05/25/2026	20:00:24	03326080A1	03/05/2028	06/08/2026 9:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000954

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JEFFERSON COUNTY SO	01/07/2026	10:03:06	19825080A1	09/05/2027	01/08/2026 15:25
JEFFERSON COUNTY SO	02/03/2026	06:33:50	19825080A1	09/05/2027	03/06/2026 6:35
JEFFERSON COUNTY SO	04/07/2026	06:20:10	19825080A1	09/05/2027	05/05/2026 7:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000956

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JEFFERSON COUNTY SO	01/08/2026	10:02:56	19825080A1	09/05/2027	02/04/2026 9:0
JEFFERSON COUNTY SO	03/05/2026	11:51:43	19825080A1	09/05/2027	04/08/2026 8:16
JEFFERSON COUNTY SO	04/08/2026	06:12:47	19825080A1	07/05/2027	04/08/2026 8:16
JEFFERSON COUNTY SO	05/04/2026	11:50:57	19825080A1	09/05/2027	06/08/2026 7:46
JEFFERSON COUNTY SO	05/04/2026	11:51:15	19825080A1	09/05/2027	06/08/2026 7:46

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000957

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	02/02/2026	12:13:27	10124080A3	06/05/2026	03/05/2026 8:14
LEON COUNTY SO	04/01/2026	10:26:16	10124080A3	06/05/2026	05/04/2026 8:59
LEON COUNTY SO	05/04/2026	11:24:38	10124080A3	06/05/2026	06/01/2026 18:6
LEON COUNTY SO	06/01/2026	16:21:45	03326080A1	03/05/2028	06/01/2026 18:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000958

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	02/02/2026	12:19:00	10124080A3	06/05/2026	03/05/2026 8:20
LEON COUNTY SO	05/04/2026	11:15:37	10124080A3	06/05/2026	06/01/2026 17:57
LEON COUNTY SO	06/01/2026	16:24:23	03326080A1	03/05/2028	06/01/2026 17:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000959

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GADSDEN COUNTY SO	03/06/2026	07:39:51	10124080A3	06/05/2026	04/08/2026 9:53
GADSDEN COUNTY SO	05/05/2026	11:21:47	10124080A3	06/05/2026	06/08/2026 9:30
GADSDEN COUNTY SO	05/26/2026	17:14:24	03326080A1	03/05/2028	06/08/2026 9:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000960

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LIBERTY COUNTY SO	04/08/2026	13:22:45	10124080A3	06/05/2026	05/06/2026 7:32
LIBERTY COUNTY SO	05/06/2026	08:49:22	10124080A3	06/05/2026	06/08/2026 9:28
LIBERTY COUNTY SO	05/26/2026	18:08:36	03326080A1	03/05/2028	06/08/2026 9:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000961

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WAKULLA COUNTY SO	03/06/2026	10:33:19	10124080A3	06/05/2026	04/08/2026 9:57
WAKULLA COUNTY SO	05/05/2026	08:25:57	10124080A3	06/05/2026	06/08/2026 9:23
WAKULLA COUNTY SO	05/25/2026	18:48:31	03326080A1	03/05/2028	06/08/2026 9:24

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000962

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WAKULLA COUNTY SO	01/14/2026	09:46:48	10124080A3	06/05/2026	02/20/2026 9:35
WAKULLA COUNTY SO	02/20/2026	10:39:30	10124080A3	06/05/2026	03/10/2026 7:33
WAKULLA COUNTY SO	04/07/2026	12:20:14	10124080A3	06/05/2026	05/06/2026 7:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000963

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	02/16/2026	09:14:32	15924080A2	07/05/2026	02/16/2026 10:15
ORANGE COUNTY S.O.	02/16/2026	09:14:43	15924080A2	07/05/2026	02/16/2026 10:15
ORANGE COUNTY S.O.	03/18/2026	10:35:58	17725080A1	08/05/2027	04/08/2026 10:48
ORANGE COUNTY S.O.	03/18/2026	10:36:11	17725080A1	08/05/2027	04/08/2026 10:49
ORANGE COUNTY S.O.	05/21/2026	18:04:26	17725080A1	08/05/2027	06/04/2026 10:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000964

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	01/26/2026	10:01:34	00925080A3	02/05/2027	02/16/2026 11:35
ORANGE COUNTY SO	01/29/2026	11:27:15	17725080A1	08/05/2027	02/16/2026 11:35
ORANGE COUNTY SO	01/29/2026	11:27:26	17725080A1	08/05/2027	02/16/2026 11:35
ORANGE COUNTY SO	05/14/2026	12:37:52	17725080A1	08/05/2027	05/14/2026 13:36
ORANGE COUNTY SO	05/14/2026	12:38:15	17725080A1	08/05/2027	05/14/2026 13:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000965

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
QUINCY PD	02/16/2026	07:48:58	10124080A3	06/05/2026	03/10/2026 7:35
QUINCY PD	04/07/2026	15:32:43	10124080A3	06/05/2026	05/06/2026 7:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001002

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HARDEE COUNTY SO	04/30/2026	15:40:02	403345775	05/13/2028	04/30/2026 16:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001003

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/24/2026	19:04:16	AG525301	09/10/2027	02/04/2026 9:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001004

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	02/25/2026	10:52:02	29525080AT	11/05/2027	02/26/2026 8:18

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001008

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WEST MELBOURNE PD	03/06/2026	08:10:55	03326080A1	03/05/2028	03/27/2026 13:44
WEST MELBOURNE PD	04/17/2026	14:52:50	03326080A1	03/05/2028	05/02/2026 10:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001018

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	01/30/2026	18:03:16	13225080A2	06/05/2027	02/20/2026 11:8
JACKSONVILLE SO	04/10/2026	14:45:08	36525080A4	02/05/2028	04/20/2026 11:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001042

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS PARK PD	05/03/2026	02:08:06	29425080A2	12/05/2027	05/31/2026 23:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001046

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	03/05/2026	09:15:57	36525080A4	02/05/2028	03/22/2026 14:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001049

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	02/27/2026	11:56:16	10124080A2	06/05/2026	02/27/2026 13:18
PASCO COUNTY SO	04/28/2026	13:13:51	10124080A2	06/05/2026	05/29/2026 12:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001051

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	04/27/2026	15:37:53	04125080A5	03/05/2027	05/26/2026 13:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001053

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU COUNTY SO	02/28/2026	23:55:15	26-4437	01/29/2028	03/30/2026 15:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001055

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	02/09/2026	06:41:08	15025080A2	07/05/2027	02/24/2026 7:49
POLK COUNTY SO	05/15/2026	00:03:13	15025080A2	07/05/2027	05/19/2026 8:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001056

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAVIE PD	03/25/2026	14:14:16	402872586	10/12/2026	03/25/2026 14:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001066

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	02/28/2026	19:06:10	AG525301	09/10/2027	03/04/2026 9:27
PINELLAS COUNTY SO	04/05/2026	02:56:43	AG525301	09/10/2027	05/20/2026 9:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001068

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEARWATER PD	01/17/2026	21:04:07	01524080A2	03/05/2026	01/23/2026 19:32
CLEARWATER PD	01/17/2026	21:06:45	29425080A2	12/05/2027	01/23/2026 19:32
CLEARWATER PD	01/17/2026	21:07:38	29425080A2	12/05/2027	01/23/2026 19:32
CLEARWATER PD	03/27/2026	19:11:42	29425080A2	12/05/2027	04/16/2026 11:25
CLEARWATER PD	05/13/2026	22:28:52	29425080A2	12/05/2027	05/14/2026 19:33
CLEARWATER PD	05/13/2026	22:29:12	29425080A2	12/05/2027	05/14/2026 19:33
CLEARWATER PD	05/13/2026	22:29:23	29425080A2	12/05/2027	05/14/2026 19:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001069

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	03/03/2026	11:56:18	36525080A4	02/05/2028	03/20/2026 11:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001074

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	02/27/2026	12:19:54	10124080A2	06/05/2026	02/27/2026 13:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001081

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	02/27/2026	12:15:22	10124080A2	06/05/2026	02/27/2026 13:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	04/10/2026	14:43:06	36525080A4	02/05/2028	04/27/2026 15:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001115

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	02/16/2026	08:44:01	10124080A3	06/05/2026	03/10/2026 7:37
FHP	04/07/2026	14:49:25	10124080A3	06/05/2026	05/06/2026 7:35
FHP	04/26/2026	03:45:52	10124080A3	06/05/2026	05/06/2026 7:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001116

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
EGLIN AFB	01/13/2026	07:55:47	403374313	06/25/2028	01/13/2026 9:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001119

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/25/2026	08:50:25	402872586	10/12/2026	02/25/2026 11:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001132

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY SO	03/29/2026	15:09:02	403342588	05/09/2028	03/29/2026 16:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001135

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH PD	03/30/2026	13:09:01	403207508	12/02/2027	03/30/2026 14:16

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001139

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	05/24/2026	19:05:19	403345775	05/13/2028	06/01/2026 21:40
BROWARD COUNTY SO	05/24/2026	19:05:37	403345775	05/13/2028	06/01/2026 21:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001149

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE HELEN PD	04/09/2026	21:21:59	264437	01/29/2028	05/04/2026 8:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001151

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	01/22/2026	21:31:21	04125080A5	03/05/2027	02/26/2026 8:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001155

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
EGLIN AFB	01/13/2026	08:13:38	403374313	06/25/2028	01/14/2026 9:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001157

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	02/24/2026	08:06:38	29425080A2	12/05/2027	02/24/2026 8:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY BEACH PD	03/03/2026	04:44:03	403516665	12/16/2028	03/03/2026 7:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH SHORES	03/20/2026	14:49:48	32324080A2	12/05/2026	03/20/2026 15:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001244

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PUTNAM COUNTY SO	01/30/2026	19:47:39	25925080A1	11/05/2027	01/30/2026 20:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001246

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SOUTH DAYTONA PD	03/30/2026	17:11:55	250514	08/02/2028	03/30/2026 17:45
SOUTH DAYTONA PD	03/30/2026	17:12:41	403411042	08/02/2028	03/30/2026 17:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001253

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY SO	02/25/2026	10:48:17	29525080A1	11/05/2027	02/26/2026 8:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	03/26/2026	10:13:10	17725080A1	08/05/2027	04/08/2026 13:24
ORANGE COUNTY SO	03/26/2026	10:13:19	17725080A1	08/05/2027	04/08/2026 13:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001257

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	05/07/2026	08:37:33	17725080A1	08/05/2027	05/14/2026 13:23
ORANGE COUNTY SO	05/07/2026	08:37:59	17725080A1	08/05/2027	05/14/2026 13:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001258

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	06/04/2026	12:17:32	17725080A1	08/05/2027	06/04/2026 12:51
ORANGE COUNTY S.O.	06/04/2026	12:17:43	17725080A1	08/05/2027	06/04/2026 12:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MELBOURNE PD	03/10/2026	15:07:58	403369407	06/23/2028	03/10/2026 15:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	02/25/2026	10:44:20	29525080A1	11/05/2027	02/26/2026 8:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001265

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY PD	03/28/2026	17:47:04	29425080A3	12/05/2027	03/28/2026 20:2
PALM BAY PD	05/29/2026	01:29:52	29425080A3	12/05/2027	06/01/2026 10:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	05/29/2026	01:34:16	32324080A2	12/05/2026	06/01/2026 10:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY SO	05/06/2026	06:53:31	4033314418	04/14/2028	05/22/2026 5:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	03/29/2026	02:27:56	AG525301	09/10/2027	04/03/2026 12:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	03/19/2026	04:20:49	AG525301	09/10/2027	04/03/2026 20:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001275

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH GARDENS PD	04/10/2026	21:03:19	26-4437	01/29/2026	04/10/2026 22:40
HIALEAH GARDENS PD	04/12/2026	00:37:26	26-4437	01/29/2028	05/10/2026 0:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001277

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE SO	04/15/2026	23:39:54	28424080A4	11/05/2026	04/16/2026 1:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001278

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/12/2026	14:02:48	23725080A1	10/05/2027	02/19/2026 11:16
JACKSONVILLE SO	05/29/2026	13:28:57	36525080A4	02/05/2028	06/03/2026 11:35
JACKSONVILLE SO	05/29/2026	13:30:06	36525080A4	02/05/2028	06/03/2026 11:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001279

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	03/03/2026	11:55:41	23725080A1	10/05/2027	03/25/2026 13:23
JACKSONVILLE SO	05/21/2026	14:44:25	36525080A4	02/05/2028	06/03/2026 11:47
JACKSONVILLE SO	05/21/2026	14:44:55	36525080A4	02/05/2028	06/03/2026 11:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001280

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	05/27/2026	10:41:07	36525080A4	02/05/2028	05/27/2026 12:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001283

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGH SPRINGS PD	02/06/2026	16:39:51	01524080A4	03/05/2026	04/01/2026 12:7
HIGH SPRINGS PD	04/02/2026	16:17:58	10124080A2	06/05/2026	04/13/2026 6:29
HIGH SPRINGS PD	04/25/2026	08:51:52	03326080A2	03/05/2028	05/28/2026 6:11
HIGH SPRINGS PD	05/29/2026	14:14:29	10124080A2	06/05/2026	06/03/2026 5:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001287

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAKER COUNTY SO	05/28/2026	16:45:57	03326080A2	03/05/2028	06/09/2026 15:1
BAKER COUNTY SO	05/28/2026	16:53:18	10124080A2	06/05/2026	06/09/2026 15:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001290

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BRADFORD COUNTY SO	04/11/2026	11:06:01	10124080A2	06/05/2026	05/27/2026 14:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001291

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BRADFORD COUNTY SO	02/05/2026	18:42:55	10124080A2	06/05/2026	02/05/2026 18:44
BRADFORD COUNTY SO	03/05/2026	17:56:32	10124080A2	06/05/2026	04/28/2026 11:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001303

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	06/02/2026	18:47:32	403369407	06/23/2028	06/02/2026 20:49

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001307

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MADISON COUNTY SO	01/07/2026	10:56:10	19825080A1	09/05/2027	02/04/2026 9:2
MADISON COUNTY SO	03/05/2026	12:56:17	19825080A1	09/05/2027	04/08/2026 8:20
MADISON COUNTY SO	05/04/2026	13:14:41	19825080A3	09/05/2027	06/08/2026 7:38
MADISON COUNTY SO	05/04/2026	13:14:59	19825080A3	09/05/2027	06/08/2026 7:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001308

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	03/26/2026	11:19:47	AG510701	04/17/2027	03/26/2026 12:41
BAY COUNTY SO	04/28/2026	10:48:48	AG510701	04/17/2027	04/29/2026 12:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001309

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	02/12/2026	10:00:21	AG500903	01/09/2027	02/12/2026 11:36
BAY COUNTY SO	04/08/2026	12:28:10	AG500903	01/09/2027	04/08/2026 15:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001310

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NICEVILLE PD	02/06/2026	17:52:20	403476659	10/28/2028	03/11/2026 13:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001311

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	04/18/2026	12:41:52	403135737	08/30/2027	04/18/2026 14:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001312

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	03/13/2026	09:03:44	403135737	08/30/2027	04/18/2026 13:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001322

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE COUNTY SO	01/29/2026	12:16:06	402872586	10/12/2026	01/30/2026 18:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001323

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ST LUCIE PD	03/22/2026	09:11:26	15924080A2	07/05/2026	04/21/2026 14:9
PORT ST LUCIE PD	05/21/2026	14:21:11	403008479	03/28/2027	05/21/2026 15:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001328

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN RIVER CSO	02/22/2026	12:45:47	403141809	09/10/2027	03/30/2026 12:40
INDIAN RIVER CSO	04/28/2026	09:41:14	403573876	02/26/2029	06/02/2026 14:44
INDIAN RIVER CSO	05/27/2026	19:00:46	402806340	07/26/2026	06/02/2026 14:44
INDIAN RIVER CSO	05/29/2026	17:11:13	403141809	09/10/2027	06/02/2026 14:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001347

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	03/31/2026	16:28:50	1502080A1	07/05/2027	04/29/2026 18:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001348

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	01/28/2026	20:46:17	10124080A2	06/05/2026	02/11/2026 9:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001350

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BARTOW PD	02/07/2026	06:50:14	231603	07/05/2026	02/08/2026 8:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001363

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	04/02/2026	03:42:16	15025080A1	07/05/2027	05/26/2026 9:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001364

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GAINESVILLE PD	04/21/2026	05:06:06	19825080A1	09/05/2027	04/24/2026 1:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001365

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEVY COUNTY SO	03/19/2026	19:44:16	10124080A2	06/05/2026	04/30/2026 14:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001415

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	03/15/2026	02:24:00	AG329101	04/01/2026	04/03/2026 12:33
PINELLAS COUNTY SO	03/15/2026	02:24:25	AG409204	04/01/2026	04/03/2026 12:33
PINELLAS COUNTY SO	03/29/2026	02:31:35	AG525301	09/10/2027	04/03/2026 12:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001471

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUMTER COUNTY SO	02/20/2026	12:36:50	251683	12/05/2027	03/28/2026 19:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001647

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CAPE CORAL PD	01/10/2026	14:38:43	26824080A1	11/05/2026	01/10/2026 14:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001648

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PUTNAM COUNTY SO	01/30/2026	19:55:58	25925080A1	11/05/2027	01/30/2026 20:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001653

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	01/24/2026	02:48:54	04125080A5	03/05/2027	02/26/2026 8:2
ST PETERSBURG PD	01/24/2026	02:50:18	04125080A5	03/05/2027	02/26/2026 8:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001720

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ALACHUA PD	01/16/2026	11:00:02	01524080A4	03/05/2026	02/16/2026 9:43
ALACHUA PD	03/17/2026	14:27:58	03326080A2	03/05/2028	03/27/2026 13:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001721

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY PD	03/28/2026	17:41:21	29425080A3	12/05/2027	03/28/2026 19:58
PALM BAY PD	03/28/2026	17:42:15	29425080A3	12/05/2027	03/28/2026 19:58

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001740

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEARWATER PD	03/27/2026	19:13:47	31124080A2	12/05/2026	04/17/2026 19:37
CLEARWATER PD	04/02/2026	14:38:01	29425080A2	12/05/2027	04/17/2026 19:37
CLEARWATER PD	04/02/2026	14:38:37	29425080A2	12/05/2027	04/17/2026 19:37
CLEARWATER PD	04/02/2026	14:48:43	29425080A2	06/05/2025	04/17/2026 19:37
CLEARWATER PD	04/02/2026	14:55:43	29425080A2	12/05/2027	04/18/2026 22:18
CLEARWATER PD	04/02/2026	14:55:53	29425080A2	12/05/2027	04/18/2026 22:18
CLEARWATER PD	04/02/2026	14:57:54	29425080A2	12/05/2027	04/18/2026 22:18
CLEARWATER PD	04/02/2026	15:12:21	29425080A2	06/05/2025	04/18/2026 22:18
CLEARWATER PD	04/02/2026	15:47:38	29425080A2	12/05/2027	04/18/2026 22:18
CLEARWATER PD	04/02/2026	15:47:55	29425080A2	12/05/2027	04/18/2026 22:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001741

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH COUNTY SO	02/13/2026	15:54:35	19825080A2	09/05/2027	03/13/2026 16:8
PALM BEACH COUNTY SO	02/13/2026	15:54:59	19825080A2	09/05/2027	03/13/2026 16:8
PALM BEACH COUNTY SO	02/13/2026	15:55:23	19825080A2	09/05/2027	03/13/2026 16:8
PALM BEACH COUNTY SO	04/21/2026	01:55:03	19825080A2	09/05/2027	05/22/2026 16:13
PALM BEACH COUNTY SO	04/21/2026	01:55:58	19825080A2	09/05/2027	05/22/2026 16:13
PALM BEACH COUNTY SO	04/21/2026	01:56:21	19825080A2	09/05/2027	05/22/2026 16:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002464

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	05/05/2026	10:12:59	403255643	01/29/2028	05/05/2026 10:53

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003197

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	01/20/2026	13:41:52	403321942	04/14/2028	01/22/2026 14:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003224

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI BEACH PD	01/15/2026	10:50:28	403207508	12/02/2027	01/15/2026 14:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003387

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CSO	03/19/2026	04:05:21	29425080A2	12/05/2027	04/09/2026 12:40
HILLSBOROUGH CSO	03/19/2026	04:05:53	29425080A2	12/05/2027	04/09/2026 12:40
HILLSBOROUGH CSO	04/10/2026	10:09:50	29425080A2	12/05/2027	05/15/2026 9:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003406

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/08/2026	13:13:34	10124080A3	06/05/2026	02/19/2026 12:4
FL HIGHWAY PATROL	02/12/2026	15:47:38	10124080A3	06/05/2026	02/19/2026 12:4
FL HIGHWAY PATROL	02/19/2026	13:08:28	10124080A3	06/05/2026	03/10/2026 7:40
FL HIGHWAY PATROL	02/20/2026	11:46:31	10124080A3	06/05/2026	03/10/2026 7:40
FL HIGHWAY PATROL	05/05/2026	10:44:18	10124080A3	06/05/2026	06/01/2026 20:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003407

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/01/2026	15:13:36	402678400	11/29/2026	05/07/2026 9:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003411

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/30/2026	19:22:09	403135736	08/29/2027	06/05/2026 17:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005113

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	04/09/2026	16:45:38	29425080A2	12/05/2027	05/18/2026 11:13
HILLSBOROUGH CO SO	04/09/2026	16:45:48	29425080A2	12/05/2027	05/18/2026 11:13
HILLSBOROUGH CO SO	04/09/2026	23:54:50	29425080A2	12/05/2027	05/18/2026 11:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005290

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	02/28/2026	02:01:27	AG500903	01/09/2027	03/04/2026 10:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005337

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PERRY PD	02/03/2026	08:10:39	10124080A3	06/05/2026	03/06/2026 6:37
PERRY PD	04/07/2026	08:01:06	10124080A3	06/05/2026	05/05/2026 7:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005454

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
Ocala PD	03/03/2026	22:29:42	31124080A1	12/05/2026	03/04/2026 19:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005655

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MYERS PD	02/08/2026	03:56:35	13225080A3	06/05/2027	02/12/2026 17:37
FORT MYERS PD	02/12/2026	10:39:37	403525131	01/02/2029	02/12/2026 17:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006214

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
Ocala PD	03/03/2026	22:31:02	31124080A1	12/05/2026	03/04/2026 19:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006221

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP B	03/24/2026	23:56:31	402909409	11/29/2026	03/25/2026 1:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006233

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY SO	03/25/2026	08:27:35	25925080A1	11/05/2027	03/25/2026 11:37

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH COUNTY SO	01/16/2026	14:51:26	19825080A2	09/05/2027	02/13/2026 12:39
PALM BEACH COUNTY SO	01/16/2026	14:51:57	19825080A2	09/05/2027	02/13/2026 12:39
PALM BEACH COUNTY SO	01/16/2026	14:52:23	19825080A2	09/05/2027	02/13/2026 12:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006239

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH COUNTY SO	02/13/2026	15:51:35	19825080A2	09/05/2027	03/13/2026 14:1
PALM BEACH COUNTY SO	02/13/2026	15:52:06	19825080A2	09/05/2027	03/13/2026 14:1
PALM BEACH COUNTY SO	03/13/2026	14:57:38	19825080A2	09/05/2027	04/17/2026 15:9
PALM BEACH COUNTY SO	03/13/2026	14:58:13	19825080A2	09/05/2027	04/17/2026 15:9
PALM BEACH COUNTY SO	03/13/2026	14:58:28	19825080A2	09/05/2027	04/17/2026 15:9
PALM BEACH COUNTY SO	03/13/2026	14:58:41	19825080A2	09/05/2027	04/17/2026 15:9
PALM BEACH COUNTY SO	03/13/2026	14:59:04	19825080A2	09/05/2027	04/17/2026 15:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006261

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/04/2026	18:40:19	19825080A1	09/05/2027	04/04/2026 19:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006436

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	02/09/2026	11:53:12	402987895	03/06/2027	02/09/2026 12:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006456

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	03/23/2026	15:12:18	403318190	04/11/2028	03/23/2026 18:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006471

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	02/17/2026	13:22:12	403207508	12/02/2027	03/12/2026 14:38
MONROE COUNTY SO	03/12/2026	14:54:50	403411042	08/02/2028	03/25/2026 14:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006475

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	05/30/2026	19:33:54	403411042	08/02/2028	05/30/2026 22:55
BROWARD COUNTY SO	05/30/2026	19:34:19	403411042	08/02/2028	05/30/2026 22:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006476

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH COUNTY SO	04/17/2026	15:44:47	19825080A2	09/05/2027	05/22/2026 13:53
PALM BEACH COUNTY SO	04/17/2026	15:45:34	19825080A2	09/05/2027	05/22/2026 13:53

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006477

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH COUNTY SO	03/13/2026	14:49:06	19825080A2	09/05/2027	04/17/2026 12:40
PALM BEACH COUNTY SO	03/13/2026	14:50:02	19825080A2	09/05/2027	04/17/2026 12:40
PALM BEACH COUNTY SO	04/17/2026	15:48:41	19825080A2	09/05/2027	04/21/2026 1:22
PALM BEACH COUNTY SO	04/17/2026	15:49:36	19825080A2	09/05/2027	04/21/2026 1:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CSO	01/16/2026	14:54:46	19825080A2	09/05/2027	02/13/2026 15:22
PALM BEACH CSO	01/16/2026	14:55:12	19825080A2	09/05/2027	02/13/2026 15:22
PALM BEACH CSO	01/16/2026	14:55:40	19825080A2	09/05/2027	02/13/2026 15:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006565

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	02/11/2026	00:45:45	403207507	11/26/2027	02/16/2026 13:59
MANATEE COUNTY SO	04/05/2026	15:40:54	403141809	09/10/2027	04/22/2026 9:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006567

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CSO	03/12/2026	06:59:59	04125080A6	03/05/2027	03/12/2026 11:39
HILLSBOROUGH CSO	03/12/2026	07:00:33	04125080A6	03/05/2027	03/12/2026 11:39
HILLSBOROUGH CSO	05/14/2026	09:53:43	29425080A2	12/05/2027	05/15/2026 12:46

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006616

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FLAGLER COUNTY SO	04/17/2026	09:19:56	23725080A2	01/05/2027	04/17/2026 10:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006631

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	05/14/2026	16:27:27	403411042	08/02/2028	05/22/2026 15:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006638

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/04/2026	18:45:31	19825080A1	09/05/2027	04/04/2026 20:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006736

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/25/2026	19:14:02	403268835	02/13/2028	04/26/2026 19:43
FL HIGHWAY PATROL	04/26/2026	19:48:12	403141809	09/10/2027	05/22/2026 16:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006758

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/04/2026	01:41:01	403411042	08/02/2028	01/12/2026 9:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006760

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/04/2026	07:59:38	403308953	04/01/2028	04/04/2026 10:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006766

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/23/2026	19:55:17	3024028434	09/08/2026	05/23/2026 22:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006767

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/16/2026	12:50:28	403419188	08/13/2028	02/16/2026 14:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006768

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/19/2026	10:37:28	403056709	05/28/2027	01/19/2026 11:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006924

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	01/13/2026	23:24:25	403345775	05/13/2028	01/14/2026 8:39
BROWARD COUNTY SO	01/13/2026	23:24:56	403345775	05/13/2028	01/14/2026 8:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006925

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	05/03/2026	21:30:18	403345775	05/13/2028	05/06/2026 7:15
BROWARD COUNTY SO	05/03/2026	21:30:27	403345775	05/13/2028	05/06/2026 7:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007008

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	05/03/2026	22:02:02	403345775	05/13/2028	05/06/2026 7:28
BROWARD COUNTY SO	05/03/2026	22:02:14	403345775	05/13/2028	05/06/2026 7:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	03/29/2026	17:32:15	03326080A2	03/05/2028	03/29/2026 18:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007107

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	05/03/2026	21:27:19	403345775	05/13/2028	05/06/2026 7:6
BROWARD COUNTY SO	05/03/2026	21:27:43	403345775	05/13/2028	05/06/2026 7:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007108

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	05/24/2026	19:28:34	403411042	08/02/2028	05/30/2026 22:3
BROWARD COUNTY SO	05/24/2026	19:28:45	403411042	08/02/2028	05/30/2026 22:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007159

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PENSACOLA P.D.	03/02/2026	10:48:42	403342588	05/09/2028	04/20/2026 12:8
PENSACOLA P.D.	04/07/2026	07:05:54	403342588	05/09/2028	04/20/2026 12:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007163

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CSO	04/09/2026	16:44:38	04125080A6	03/05/2027	05/15/2026 12:16
HILLSBOROUGH CSO	04/09/2026	23:52:38	04125080A6	03/05/2027	05/15/2026 12:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007170

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	03/13/2026	18:40:21	403207508	12/02/2027	04/08/2026 19:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007171

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	05/25/2026	22:39:57	403549457	01/29/2029	06/05/2026 6:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007172

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	01/08/2026	11:59:18	403369407	06/23/2028	02/23/2026 16:5
MARION COUNTY SO	03/16/2026	17:35:28	403549457	01/29/2029	03/25/2026 20:45
MARION COUNTY SO	05/15/2026	16:35:36	403369407	06/23/2028	06/05/2026 6:2
MARION COUNTY SO	05/25/2026	22:23:27	403549457	01/29/2029	06/05/2026 6:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007173

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	04/18/2026	14:39:40	403135737	08/30/2027	04/18/2026 16:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007362

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PENSACOLA PD	01/12/2026	10:04:55	403342588	05/09/2028	02/16/2026 10:46

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007373

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	05/03/2026	21:46:19	403354775	05/13/2028	05/06/2026 9:14
BROWARD COUNTY SO	05/03/2026	21:46:38	403345775	05/13/2028	05/06/2026 9:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007380

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOMESTEAD PD	03/14/2026	22:30:54	403374313	06/25/2028	03/23/2026 20:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007381

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	05/03/2026	21:59:56	403345775	05/13/2028	05/06/2026 7:10
BROWARD COUNTY SO	05/03/2026	22:00:47	403345775	05/13/2028	05/06/2026 7:10

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007433

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	05/03/2026	21:48:07	403345775	05/13/2028	05/06/2026 8:6
BROWARD COUNTY SO	05/03/2026	21:48:13	403345775	05/13/2028	05/06/2026 8:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007439

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAKER COUNTY SO	03/06/2026	08:35:58	03326080A2	03/05/2028	03/24/2026 13:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007440

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/30/2026	18:42:08	2403135737	08/30/2027	06/05/2026 18:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007441

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	01/19/2026	09:39:33	402843437	09/08/2026	01/19/2026 11:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007442

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TRP B LAKE CITY	03/25/2026	01:55:30	402909409	11/29/2026	05/07/2026 9:19
FHP TRP B LAKE CITY	05/06/2026	10:40:16	403602530	04/01/2029	05/07/2026 9:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007443

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/06/2026	19:58:17	19825080A1	09/05/2027	05/22/2026 9:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007444

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/24/2026	14:00:09	2403135737	08/30/2027	05/30/2026 17:5

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007455

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/04/2026	18:44:58	19825080A1	09/05/2027	04/04/2026 20:6

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007456

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	01/14/2026	11:16:40	10124080A3	06/05/2026	02/04/2026 8:58
FHP	02/19/2026	14:20:23	10124080A3	06/05/2026	03/02/2026 14:12
FHP	04/03/2026	18:21:06	10124080A3	06/05/2026	05/04/2026 8:54
FHP	04/05/2026	00:24:30	10124080A3	06/05/2026	05/04/2026 8:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007478

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	03/27/2026	12:05:11	402886996	11/01/2026	03/27/2026 14:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007480

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CSO	04/09/2026	23:53:51	04125080A6	03/05/2027	05/15/2026 9:20
HILLSBOROUGH CSO	04/09/2026	23:54:56	29425080A2	12/05/2027	05/15/2026 9:20
HILLSBOROUGH CSO	04/09/2026	23:55:16	29425080A2	12/05/2027	05/15/2026 9:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007481

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CSO	03/01/2026	02:38:43	04125080A6	03/05/2027	03/12/2026 12:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007483

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CSO	04/10/2026	10:51:10	04125080A6	03/05/2027	05/15/2026 10:59

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007484

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CSO	01/14/2026	02:52:01	04125080A6	03/05/2027	01/15/2026 11:34
HILLSBOROUGH CSO	01/14/2026	02:52:14	04125080A6	03/05/2027	01/15/2026 11:34
HILLSBOROUGH CSO	01/14/2026	02:53:39	04125080A6	03/05/2027	01/15/2026 11:34
HILLSBOROUGH CSO	03/28/2026	01:59:09	29425080A2	12/05/2027	04/09/2026 12:28
HILLSBOROUGH CSO	03/28/2026	01:59:33	29425080A2	12/05/2027	04/09/2026 12:28
HILLSBOROUGH CSO	04/10/2026	09:00:14	29425080A2	12/05/2027	05/15/2026 10:42
HILLSBOROUGH CSO	04/10/2026	09:00:35	29425080A2	12/05/2027	05/15/2026 10:42
HILLSBOROUGH CSO	04/10/2026	09:28:33	29425080A2	12/05/2027	05/15/2026 10:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007492

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	06/02/2026	18:29:38	26-4437	01/29/2028	06/04/2026 8:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007498

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	01/20/2026	13:44:02	403321942	04/14/2028	01/22/2026 13:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007500

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	01/14/2026	10:03:25	403268835	02/13/2028	01/16/2026 11:5

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007501

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	01/14/2026	10:03:38	403268835	02/13/2028	01/16/2026 11:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007509

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DESOTO COUNTY SO	01/02/2026	21:27:04	22521080A5	03/05/2027	01/31/2026 12:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007515

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	04/27/2026	01:00:33	403525131	01/02/2029	04/29/2026 22:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007516

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	03/23/2026	15:20:13	403318190	04/11/2028	03/23/2026 16:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007517

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	04/24/2026	09:11:06	403318190	04/11/2028	04/24/2026 11:2