Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006199

INSTRUMENT REGISTERED TO: HOMESTEAD PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ROQUE,OSCAR,A
BREATH TEST OPERATOR AGENCY: Homestead PD
ARRESTING OFFICER: ROQUE,OSCAR
ARRESTING OFFICER AGENCY: Homestead PD
LAST AGENCY INSPECTION: 12/30/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 402806340
DRY GAS EXPIRY DATE: 07/26/2026
VIOLATION CODE: DUI
ARREST TIME: 20:00
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:15

SUBJECT'S LAST NAME: VICENTE GODINEZ

DATE/TIME OF TEST: 01/11/2026 20:51:14

Diagnostics Check		OK	20:44
Air Blank		0.000	20:44
Control Test		0.082	20:44
Air Blank		0.000	20:45
Subject Sample	# 1	0.163	20:46
Breath Volume		1.902	20:46
Air Blank		0.000	20:47
Air Blank		0.000	20:48
Subject Sample	# 2	0.169	20:49
Breath Volume		2.410	20:49
Air Blank		0.000	20:50
Control Test		0.081	20:50
Air Blank		0.000	20:51
Diagnostics Check		OK	20:51

Data Download Date/Time: 01/22/2026 19:11

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006199

INSTRUMENT REGISTERED TO: HOMESTEAD PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ROQUE,OSCAR,A
BREATH TEST OPERATOR AGENCY: Homestead PD
ARRESTING OFFICER: ROQUE,OSCAR
ARRESTING OFFICER AGENCY: Homestead PD
LAST AGENCY INSPECTION: 01/22/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 402806340
DRY GAS EXPIRY DATE: 07/26/2026
VIOLATION CODE: DUI
ARREST TIME: 20:05
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:42

SUBJECT'S LAST NAME: ORTIZ CASTILLO

DATE/TIME OF TEST: 01/26/2026 01:45:56

Diagnostics Check		OK	01:38
Air Blank		0.000	01:38
Control Test		0.081	01:38
Air Blank		0.000	01:39
Subject Sample	# 1	0.137	01:40
Breath Volume		1.675	01:40
Air Blank		0.000	01:41
Air Blank		0.000	01:43
Subject Sample	# 2	0.142	01:44
Breath Volume		2.796	01:44
Air Blank		0.000	01:45
Control Test		0.078	01:45
Air Blank		0.000	01:45
Diagnostics Check		OK	01:45

Data Download Date/Time: 02/16/2026 18:10

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006199

INSTRUMENT REGISTERED TO: HOMESTEAD PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GARCIA,NIVIA,M
BREATH TEST OPERATOR AGENCY: Homestead PD
ARRESTING OFFICER: GONZALEZ,J
ARRESTING OFFICER AGENCY: Homestead PD
LAST AGENCY INSPECTION: 01/22/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 402806340
DRY GAS EXPIRY DATE: 07/26/2026
VIOLATION CODE: DUI
ARREST TIME: 01:26
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:34

SUBJECT'S LAST NAME: PEREZ

DATE/TIME OF TEST: 01/26/2026 02:00:59

Diagnostics Check		OK	01:58	
Air Blank		0.000	01:58	
Control Test		0.079	01:58	
Air Blank		0.000	01:59	
Subject Sample	# 1		01:59	Subject Test Refused
Breath Volume		0.000	01:59	
Air Blank		0.000	02:00	
Control Test		0.080	02:00	
Air Blank		0.000	02:00	
Diagnostics Check		OK	02:00	

Data Download Date/Time: 02/16/2026 18:10

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006234

INSTRUMENT REGISTERED TO: HENDRY COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: OLVERA,JESUS,
BREATH TEST OPERATOR AGENCY: Hendry County SO
ARRESTING OFFICER: OLVERA,JESUS
ARRESTING OFFICER AGENCY: Hendry County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 402872586
DRY GAS EXPIRY DATE: 10/12/2026
VIOLATION CODE: DUI
ARREST TIME: 05:55
GENDER: Male
OBSERVATION PERIOD BEGAN: 05:55

SUBJECT'S LAST NAME: SANCHEZ

DATE/TIME OF TEST: 01/10/2026 07:47:56

Diagnostics Check		OK	07:40
Air Blank		0.000	07:41
Control Test		0.081	07:41
Air Blank		0.000	07:42
Subject Sample	# 1	0.188	07:43
Breath Volume		1.332	07:43
Air Blank		0.000	07:44
Air Blank		0.000	07:45
Subject Sample	# 2	0.182	07:45
Breath Volume		2.511	07:45
Air Blank		0.000	07:46
Control Test		0.077	07:47
Air Blank		0.000	07:47
Diagnostics Check		OK	07:47

Data Download Date/Time: 01/16/2026 10:01

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006236

INSTRUMENT REGISTERED TO: MANATEE COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: VANOVER,ANDREW,P
BREATH TEST OPERATOR AGENCY: Manatee County SO
ARRESTING OFFICER: VANOVER,ANDREW
ARRESTING OFFICER AGENCY: Manatee County SO
LAST AGENCY INSPECTION: 12/21/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 403141809
DRY GAS EXPIRY DATE: 09/10/2027
VIOLATION CODE: DUI
ARREST TIME: 02:27
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:39

SUBJECT'S LAST NAME: ZIECINA

DATE/TIME OF TEST: 01/01/2026 03:06:02

Diagnostics Check		OK	03:00
Air Blank		0.000	03:00
Control Test		0.083	03:00
Air Blank		0.000	03:01
Subject Sample	# 1	0.077	03:01
Breath Volume		2.417	03:01
Air Blank		0.000	03:02
Air Blank		0.000	03:04
Subject Sample	# 2	0.077	03:04
Breath Volume		2.160	03:04
Air Blank		0.000	03:05
Control Test		0.081	03:05
Air Blank		0.000	03:05
Diagnostics Check		OK	03:06

Data Download Date/Time: 01/12/2026 08:53

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006236

INSTRUMENT REGISTERED TO: MANATEE COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: VANOVER,ANDREW,P
BREATH TEST OPERATOR AGENCY: Manatee County SO
ARRESTING OFFICER: VANOVER,ANDREW
ARRESTING OFFICER AGENCY: Manatee County SO
LAST AGENCY INSPECTION: 12/21/2025

Date or Time Changed: Yes
DRY GAS STANDARD LOT #: 403141809
DRY GAS EXPIRY DATE: 09/10/2027
VIOLATION CODE: DUI
ARREST TIME: 23:08
GENDER: Female
OBSERVATION PERIOD BEGAN: 23:10

SUBJECT'S LAST NAME: SCHAMBER

DATE/TIME OF TEST: 01/07/2026 23:36:46

Diagnostics Check		OK	23:30
Air Blank		0.000	23:31
Control Test		0.081	23:31
Air Blank		0.000	23:32
Subject Sample	# 1	0.029	23:32
Breath Volume		3.359	23:32
Air Blank		0.000	23:33
Air Blank		0.000	23:34
Subject Sample	# 2	0.029	23:35
Breath Volume		3.722	23:35
Air Blank		0.000	23:35
Control Test		0.079	23:36
Air Blank		0.000	23:36
Diagnostics Check		OK	23:36

Data Download Date/Time: 01/12/2026 08:53

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

INSTRUMENT REGISTERED TO: CLAY COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: PATTERSON,RONALD,R
BREATH TEST OPERATOR AGENCY: Clay County SO
ARRESTING OFFICER: GELSOMINO,M
ARRESTING OFFICER AGENCY: Clay County SO
LAST AGENCY INSPECTION: 12/30/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 01524080A1
DRY GAS EXPIRY DATE: 03/05/2026
VIOLATION CODE: DUI
ARREST TIME: 00:44
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:15

SUBJECT'S LAST NAME: TAYNTON

DATE/TIME OF TEST: 01/07/2026 01:47:29

Diagnostics Check		OK	01:40
Air Blank		0.000	01:41
Control Test		0.080	01:41
Air Blank		0.000	01:42
Subject Sample	# 1	0.207	01:42
Breath Volume		3.593	01:42
Air Blank		0.000	01:43
Air Blank		0.000	01:45
Subject Sample	# 2	0.207	01:45
Breath Volume		3.074	01:45
Air Blank		0.000	01:46
Control Test		0.080	01:46
Air Blank		0.000	01:47
Diagnostics Check		OK	01:47

Data Download Date/Time: 02/03/2026 18:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

INSTRUMENT REGISTERED TO: CLAY COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: PATTERSON,RONALD,R
BREATH TEST OPERATOR AGENCY: Clay County SO
ARRESTING OFFICER: BYRNE,J
ARRESTING OFFICER AGENCY: Clay County SO
LAST AGENCY INSPECTION: 12/30/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 01524080A1
DRY GAS EXPIRY DATE: 03/05/2026
VIOLATION CODE: DUI
ARREST TIME: 02:26
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:26

SUBJECT'S LAST NAME: TUCKER

DATE/TIME OF TEST: 01/07/2026 03:30:28

Diagnostics Check		OK	03:22
Air Blank		0.000	03:22
Control Test		0.080	03:23
Air Blank		0.000	03:23
Subject Sample	# 1	0.339	03:24
Breath Volume		3.304	03:24
Air Blank		0.000	03:25
Air Blank		0.000	03:26
Subject Sample	# 2	0.330	03:28
Breath Volume		2.792	03:28
Air Blank		0.000	03:29
Control Test		0.079	03:29
Air Blank		0.000	03:30
Diagnostics Check		OK	03:30

Data Download Date/Time: 02/03/2026 18:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

INSTRUMENT REGISTERED TO: CLAY COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ROSE,ERNEST,W
BREATH TEST OPERATOR AGENCY: Clay County SO
ARRESTING OFFICER: CRUZPENA,C
ARRESTING OFFICER AGENCY: Clay County SO
LAST AGENCY INSPECTION: 12/30/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 01524080A1
DRY GAS EXPIRY DATE: 03/05/2026
VIOLATION CODE: DUI
ARREST TIME: 15:08
GENDER: Male
OBSERVATION PERIOD BEGAN: 16:57

SUBJECT'S LAST NAME: WUELLENWEBER

DATE/TIME OF TEST: 01/09/2026 17:30:05

Diagnostics Check		OK	17:23	
Air Blank		0.000	17:24	
Control Test		0.081	17:24	
Air Blank		0.000	17:24	
Subject Sample	# 1	0.225	17:25	
Breath Volume		2.562	17:25	
Air Blank		0.000	17:26	
Air Blank		0.000	17:28	
Subject Sample	# 2		17:28	RFI Detect
Breath Volume		0.000	17:28	
Air Blank		0.000	17:29	
Control Test		0.080	17:29	
Air Blank		0.000	17:30	
Diagnostics Check		OK	17:30	

Data Download Date/Time: 02/03/2026 18:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

INSTRUMENT REGISTERED TO: CLAY COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: PATTERSON,RONALD,R
BREATH TEST OPERATOR AGENCY: Clay County SO
ARRESTING OFFICER: WHITNEY,K
ARRESTING OFFICER AGENCY: Green Cove Springs
LAST AGENCY INSPECTION: 12/30/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 01524080A1
DRY GAS EXPIRY DATE: 03/05/2026
VIOLATION CODE: DUI
ARREST TIME: 03:34
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:52

SUBJECT'S LAST NAME: EZAKOVICH

DATE/TIME OF TEST: 01/10/2026 04:21:48

Diagnostics Check		OK	04:15
Air Blank		0.000	04:15
Control Test		0.082	04:16
Air Blank		0.000	04:16
Subject Sample	# 1	0.177	04:17
Breath Volume		2.636	04:17
Air Blank		0.000	04:17
Air Blank		0.000	04:19
Subject Sample	# 2	0.180	04:20
Breath Volume		2.781	04:20
Air Blank		0.000	04:20
Control Test		0.080	04:21
Air Blank		0.000	04:21
Diagnostics Check		OK	04:21

Data Download Date/Time: 02/03/2026 18:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

INSTRUMENT REGISTERED TO: CLAY COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: JACKLEY,CORDERRO,J
BREATH TEST OPERATOR AGENCY: Clay County SO
ARRESTING OFFICER: GELSOMINO,M
ARRESTING OFFICER AGENCY: Clay County SO
LAST AGENCY INSPECTION: 12/30/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 01524080A1
DRY GAS EXPIRY DATE: 03/05/2026
VIOLATION CODE: DUI
ARREST TIME: 00:55
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:50

SUBJECT'S LAST NAME: CALLIS

DATE/TIME OF TEST: 01/11/2026 02:24:39

Diagnostics Check		OK	02:16	
Air Blank		0.000	02:16	
Control Test		0.080	02:16	
Air Blank		0.000	02:17	
Subject Sample	# 1		02:20	No Sample Provided
Breath Volume		0.000	02:20	
Air Blank		0.000	02:20	
Air Blank		0.000	02:22	
Subject Sample	# 2		02:23	Subject Test Refused
Breath Volume		0.000	02:23	
Air Blank		0.000	02:23	
Control Test		0.081	02:24	
Air Blank		0.000	02:24	
Diagnostics Check		OK	02:24	

Data Download Date/Time: 02/03/2026 18:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

INSTRUMENT REGISTERED TO: CLAY COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: PATTERSON,RONALD,R
BREATH TEST OPERATOR AGENCY: Clay County SO
ARRESTING OFFICER: GELSOMINO,M
ARRESTING OFFICER AGENCY: Clay County SO
LAST AGENCY INSPECTION: 12/30/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 01524080A1
DRY GAS EXPIRY DATE: 03/05/2026
VIOLATION CODE: DUI
ARREST TIME: 03:05
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:30

SUBJECT'S LAST NAME: ROSALES MONTES

DATE/TIME OF TEST: 01/15/2026 04:01:12

Diagnostics Check		OK	03:53
Air Blank		0.000	03:53
Control Test		0.081	03:54
Air Blank		0.000	03:54
Subject Sample	# 1	0.084	03:55
Breath Volume		1.906	03:55
Air Blank		0.000	03:56
Air Blank		0.000	03:58
Subject Sample	# 2	0.088	03:59
Breath Volume		1.371	03:59
Air Blank		0.000	04:00
Control Test		0.082	04:00
Air Blank		0.000	04:01
Diagnostics Check		OK	04:01

Data Download Date/Time: 02/03/2026 18:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

INSTRUMENT REGISTERED TO: CLAY COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MARTIN,M,T
BREATH TEST OPERATOR AGENCY: Clay County SO
ARRESTING OFFICER: MAHLKE,D
ARRESTING OFFICER AGENCY: Clay County SO
LAST AGENCY INSPECTION: 12/30/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 01524080A1
DRY GAS EXPIRY DATE: 03/05/2026
VIOLATION CODE: DUI
ARREST TIME: 20:12
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:02

SUBJECT'S LAST NAME: OSCAR

DATE/TIME OF TEST: 01/17/2026 21:32:20

Diagnostics Check		OK	21:23	
Air Blank		0.000	21:23	
Control Test		0.081	21:23	
Air Blank		0.000	21:24	
Subject Sample	# 1		21:27	No Sample Provided
Breath Volume		0.000	21:27	
Air Blank		0.000	21:27	
Air Blank		0.000	21:29	
Subject Sample	# 2		21:30	Subject Test Refused
Breath Volume		0.000	21:30	
Air Blank		0.000	21:31	
Control Test		0.080	21:31	
Air Blank		0.000	21:32	
Diagnostics Check		OK	21:32	

Data Download Date/Time: 02/03/2026 18:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

INSTRUMENT REGISTERED TO: CLAY COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MARTIN,M,T
BREATH TEST OPERATOR AGENCY: Clay County SO
ARRESTING OFFICER: WILSON,C
ARRESTING OFFICER AGENCY: Clay County SO
LAST AGENCY INSPECTION: 12/30/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 01524080A1
DRY GAS EXPIRY DATE: 03/05/2026
VIOLATION CODE: DUI
ARREST TIME: 00:02
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:30

SUBJECT'S LAST NAME: BEACHNER

DATE/TIME OF TEST: 01/18/2026 00:59:37

Diagnostics Check		OK	00:50	
Air Blank		0.000	00:50	
Control Test		0.081	00:50	
Air Blank		0.000	00:51	
Subject Sample	# 1		00:54	No Sample Provided
Breath Volume		0.000	00:54	
Air Blank		0.000	00:55	
Air Blank		0.000	00:57	
Subject Sample	# 2		00:58	Subject Test Refused
Breath Volume		0.000	00:58	
Air Blank		0.000	00:58	
Control Test		0.080	00:59	
Air Blank		0.000	00:59	
Diagnostics Check		OK	00:59	

Data Download Date/Time: 02/03/2026 18:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

INSTRUMENT REGISTERED TO: CLAY COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: NEUBAUER,J,E
BREATH TEST OPERATOR AGENCY: Clay County SO
ARRESTING OFFICER: GARRISON,T
ARRESTING OFFICER AGENCY: Clay County SO
LAST AGENCY INSPECTION: 12/30/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 01524080A1
DRY GAS EXPIRY DATE: 03/05/2026
VIOLATION CODE: DUI
ARREST TIME: 02:01
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:40

SUBJECT'S LAST NAME: ORTIZ COTTO

DATE/TIME OF TEST: 01/18/2026 03:12:46

Diagnostics Check		OK	03:06
Air Blank		0.000	03:06
Control Test		0.080	03:06
Air Blank		0.000	03:07
Subject Sample	# 1	0.249	03:08
Breath Volume		1.765	03:08
Air Blank		0.000	03:08
Air Blank		0.000	03:10
Subject Sample	# 2	0.246	03:11
Breath Volume		1.515	03:11
Air Blank		0.000	03:11
Control Test		0.080	03:12
Air Blank		0.000	03:12
Diagnostics Check		OK	03:12

Data Download Date/Time: 02/03/2026 18:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

INSTRUMENT REGISTERED TO: CLAY COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SMITH,ROY,A
BREATH TEST OPERATOR AGENCY: Clay County SO
ARRESTING OFFICER: CAMPBELL,A
ARRESTING OFFICER AGENCY: Clay County SO
LAST AGENCY INSPECTION: 12/30/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 01524080A1
DRY GAS EXPIRY DATE: 03/05/2026
VIOLATION CODE: DUI
ARREST TIME: 07:29
GENDER: Male
OBSERVATION PERIOD BEGAN: 08:05

SUBJECT'S LAST NAME: HERNANDEZ

DATE/TIME OF TEST: 01/18/2026 08:37:33

Diagnostics Check		OK	08:31
Air Blank		0.000	08:31
Control Test		0.081	08:31
Air Blank		0.000	08:32
Subject Sample	# 1	0.188	08:32
Breath Volume		3.285	08:32
Air Blank		0.000	08:33
Air Blank		0.000	08:35
Subject Sample	# 2	0.195	08:35
Breath Volume		3.011	08:35
Air Blank		0.000	08:36
Control Test		0.080	08:36
Air Blank		0.000	08:37
Diagnostics Check		OK	08:37

Data Download Date/Time: 02/03/2026 18:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

INSTRUMENT REGISTERED TO: CLAY COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MARTIN,M,T
BREATH TEST OPERATOR AGENCY: Clay County SO
ARRESTING OFFICER: RILEY,R
ARRESTING OFFICER AGENCY: Clay County SO
LAST AGENCY INSPECTION: 12/30/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 01524080A1
DRY GAS EXPIRY DATE: 03/05/2026
VIOLATION CODE: DUI
ARREST TIME: 17:51
GENDER: Female
OBSERVATION PERIOD BEGAN: 18:34

SUBJECT'S LAST NAME: BOSIN

DATE/TIME OF TEST: 01/18/2026 19:08:57

Diagnostics Check		OK	18:57	
Air Blank		0.000	18:58	
Control Test		0.082	18:58	
Air Blank		0.000	18:58	
Subject Sample	# 1		19:02	No Sample Provided
Breath Volume		0.000	19:02	
Air Blank		0.000	19:02	
Air Blank		0.000	19:04	
Subject Sample	# 2		19:07	Subject Test Refused
Breath Volume		0.000	19:07	
Air Blank		0.000	19:08	
Control Test		0.082	19:08	
Air Blank		0.000	19:08	
Diagnostics Check		OK	19:08	

Data Download Date/Time: 02/03/2026 18:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

INSTRUMENT REGISTERED TO: CLAY COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: PATTERSON,RONALD,R
BREATH TEST OPERATOR AGENCY: Clay County SO
ARRESTING OFFICER: POWERS,P
ARRESTING OFFICER AGENCY: Green Cove Springs
LAST AGENCY INSPECTION: 12/30/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 01524080A1
DRY GAS EXPIRY DATE: 03/05/2026
VIOLATION CODE: DUI
ARREST TIME: 22:10
GENDER: Female
OBSERVATION PERIOD BEGAN: 23:10

SUBJECT'S LAST NAME: STRELLA

DATE/TIME OF TEST: 01/19/2026 23:39:38

Diagnostics Check		OK	23:33
Air Blank		0.000	23:33
Control Test		0.082	23:34
Air Blank		0.000	23:34
Subject Sample	# 1	0.000	23:35
Breath Volume		1.781	23:35
Air Blank		0.000	23:35
Air Blank		0.000	23:37
Subject Sample	# 2	0.000	23:38
Breath Volume		1.714	23:38
Air Blank		0.000	23:38
Control Test		0.082	23:39
Air Blank		0.000	23:39
Diagnostics Check		OK	23:39

Data Download Date/Time: 02/03/2026 18:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WARD,CHRISTOPHER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 00:05
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:20

SUBJECT'S LAST NAME: COPPOLA

DATE/TIME OF TEST: 01/17/2026 00:57:54

Diagnostics Check		OK	00:51
Air Blank		0.000	00:51
Control Test		0.078	00:52
Air Blank		0.000	00:52
Subject Sample	# 1	0.222	00:53
Breath Volume		1.574	00:53
Air Blank		0.000	00:54
Air Blank		0.000	00:55
Subject Sample	# 2	0.235	00:56
Breath Volume		1.761	00:56
Air Blank		0.000	00:56
Control Test		0.077	00:57
Air Blank		0.000	00:57
Diagnostics Check		OK	00:57

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: BELMANOTERO,JONATHAN
ARRESTING OFFICER AGENCY: Delray Beach PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 01:40
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:12

SUBJECT'S LAST NAME: GERARDO

DATE/TIME OF TEST: 01/17/2026 02:53:12

Diagnostics Check		OK	02:40	
Air Blank		0.000	02:41	
Control Test		0.078	02:41	
Air Blank		0.000	02:42	
Subject Sample	# 1	0.227	02:43	
Breath Volume		1.613	02:43	
Air Blank		0.000	02:44	
Air Blank		0.000	02:45	
Subject Sample	# 2	0.201	02:49	Volume Not Met
Breath Volume		0.589	02:49	
Air Blank		0.000	02:49	
Air Blank		0.000	02:51	
Subject Sample	# 3		02:51	Subject Test Refused
Breath Volume		0.000	02:51	
Air Blank		0.000	02:52	
Control Test		0.074	02:52	Control Outside Tolerance
Air Blank		0.000	02:53	

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: FLINK,ANDREW
ARRESTING OFFICER AGENCY: Palm Beach Gardens
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 23:35
GENDER: Female
OBSERVATION PERIOD BEGAN: 00:30

SUBJECT'S LAST NAME: ALOISE

DATE/TIME OF TEST: 01/18/2026 01:10:15

Diagnostics Check		OK	00:56
Air Blank		0.000	00:56
Control Test		0.077	00:56
Air Blank		0.000	00:57
Subject Sample	# 1	0.161	00:59
Breath Volume		1.109	00:59
Air Blank		0.000	01:00
Air Blank		0.000	01:02
Subject Sample	# 2	0.188	01:03
Breath Volume		1.656	01:03
Air Blank		0.000	01:04
Air Blank		0.000	01:06
Subject Sample	# 3	0.161	01:08
Breath Volume		1.824	01:08
Air Blank		0.000	01:09
Control Test		0.075	01:09
Air Blank		0.000	01:10
Diagnostics Check		OK	01:10

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WHITE,EDWARD
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:13
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:36

SUBJECT'S LAST NAME: GUZMAN MARTINEZ

DATE/TIME OF TEST: 01/18/2026 03:18:59

Diagnostics Check		OK	03:12
Air Blank		0.000	03:12
Control Test		0.077	03:13
Air Blank		0.000	03:13
Subject Sample	# 1	0.158	03:14
Breath Volume		1.199	03:14
Air Blank		0.000	03:15
Air Blank		0.000	03:17
Subject Sample	# 2	0.155	03:17
Breath Volume		1.179	03:17
Air Blank		0.000	03:18
Control Test		0.076	03:18
Air Blank		0.000	03:18
Diagnostics Check		OK	03:18

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: AGAOGLU,YASEMIN
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 22:40
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:02

SUBJECT'S LAST NAME: CASTRO VARON

DATE/TIME OF TEST: 01/18/2026 23:37:29

Diagnostics Check		OK	23:30
Air Blank		0.000	23:31
Control Test		0.078	23:31
Air Blank		0.000	23:32
Subject Sample	# 1	0.134	23:32
Breath Volume		3.523	23:32
Air Blank		0.000	23:33
Air Blank		0.000	23:35
Subject Sample	# 2	0.130	23:35
Breath Volume		2.667	23:35
Air Blank		0.000	23:36
Control Test		0.077	23:36
Air Blank		0.000	23:37
Diagnostics Check		OK	23:37

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: POUND,PARIS,D
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: REZA,RYAN
ARRESTING OFFICER AGENCY: Palm Beach Co Sch PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: ADMIN
ARREST TIME: 15:11
GENDER: Male
OBSERVATION PERIOD BEGAN: 17:15

SUBJECT'S LAST NAME: DIBERARDINO

DATE/TIME OF TEST: 01/20/2026 17:46:22

Diagnostics Check		OK	17:40
Air Blank		0.000	17:40
Control Test		0.078	17:40
Air Blank		0.000	17:41
Subject Sample	# 1	0.207	17:41
Breath Volume		2.023	17:41
Air Blank		0.000	17:42
Air Blank		0.000	17:44
Subject Sample	# 2	0.197	17:44
Breath Volume		2.070	17:44
Air Blank		0.000	17:45
Control Test		0.077	17:45
Air Blank		0.000	17:46
Diagnostics Check		OK	17:46

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: ESCARAN,LESTER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 17:56
GENDER: Female
OBSERVATION PERIOD BEGAN: 18:44

SUBJECT'S LAST NAME: SORGIE

DATE/TIME OF TEST: 01/22/2026 19:16:59

Diagnostics Check		OK	19:09
Air Blank		0.000	19:09
Control Test		0.078	19:09
Air Blank		0.000	19:10
Subject Sample	# 1	0.093	19:11
Breath Volume		1.972	19:11
Air Blank		0.000	19:12
Air Blank		0.000	19:13
Subject Sample	# 2	0.089	19:15
Breath Volume		2.187	19:15
Air Blank		0.000	19:16
Control Test		0.077	19:16
Air Blank		0.000	19:16
Diagnostics Check		OK	19:16

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WARD,CHRISTOPHER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 20:23
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:43

SUBJECT'S LAST NAME: POSTEMUS

DATE/TIME OF TEST: 01/23/2026 21:14:02

Diagnostics Check		OK	21:07
Air Blank		0.000	21:08
Control Test		0.078	21:08
Air Blank		0.000	21:09
Subject Sample	# 1	0.000	21:09
Breath Volume		1.855	21:09
Air Blank		0.000	21:10
Air Blank		0.000	21:12
Subject Sample	# 2	0.000	21:12
Breath Volume		1.707	21:12
Air Blank		0.000	21:13
Control Test		0.078	21:13
Air Blank		0.000	21:13
Diagnostics Check		OK	21:14

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: LAFLEUR,ROBENSON
ARRESTING OFFICER AGENCY: FHP Troop L
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 00:11
GENDER: Female
OBSERVATION PERIOD BEGAN: 00:38

SUBJECT'S LAST NAME: LANE

DATE/TIME OF TEST: 01/24/2026 01:31:15

Diagnostics Check		OK	01:24
Air Blank		0.000	01:25
Control Test		0.078	01:25
Air Blank		0.000	01:25
Subject Sample	# 1	0.107	01:26
Breath Volume		1.378	01:26
Air Blank		0.000	01:27
Air Blank		0.000	01:29
Subject Sample	# 2	0.115	01:29
Breath Volume		1.812	01:29
Air Blank		0.000	01:30
Control Test		0.078	01:30
Air Blank		0.000	01:31
Diagnostics Check		OK	01:31

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: HECTOR,BRADY
ARRESTING OFFICER AGENCY: Boynton Beach PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:26
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:45

SUBJECT'S LAST NAME: EDOUARD

DATE/TIME OF TEST: 01/24/2026 03:40:50

Diagnostics Check		OK	03:29	
Air Blank		0.000	03:29	
Control Test		0.078	03:30	
Air Blank		0.000	03:30	
Subject Sample	# 1	0.097	03:33	Volume Not Met
Breath Volume		0.226	03:33	
Air Blank		0.000	03:34	
Air Blank		0.000	03:36	
Subject Sample	# 2	0.109	03:39	Volume Not Met
Breath Volume		0.613	03:39	
Air Blank		0.000	03:39	
Control Test		0.077	03:40	
Air Blank		0.000	03:40	
Diagnostics Check		OK	03:40	

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WARD,CHRISTOPHER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 17:52
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:10

SUBJECT'S LAST NAME: JAIMES

DATE/TIME OF TEST: 01/24/2026 18:41:10

Diagnostics Check		OK	18:34
Air Blank		0.000	18:35
Control Test		0.078	18:35
Air Blank		0.000	18:35
Subject Sample	# 1	0.213	18:36
Breath Volume		1.714	18:36
Air Blank		0.000	18:37
Air Blank		0.000	18:39
Subject Sample	# 2	0.204	18:39
Breath Volume		1.859	18:39
Air Blank		0.000	18:40
Control Test		0.076	18:40
Air Blank		0.000	18:41
Diagnostics Check		OK	18:41

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WHITE,EDWARD
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 19:37
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:17

SUBJECT'S LAST NAME: BOTEO MEDRANO

DATE/TIME OF TEST: 01/24/2026 21:00:01

Diagnostics Check		OK	20:53
Air Blank		0.000	20:54
Control Test		0.078	20:54
Air Blank		0.000	20:54
Subject Sample	# 1	0.213	20:55
Breath Volume		1.609	20:55
Air Blank		0.000	20:56
Air Blank		0.000	20:58
Subject Sample	# 2	0.218	20:58
Breath Volume		1.203	20:58
Air Blank		0.000	20:59
Control Test		0.077	20:59
Air Blank		0.000	20:59
Diagnostics Check		OK	21:00

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WARD,CHRISTOPHER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 22:43
GENDER: Female
OBSERVATION PERIOD BEGAN: 22:59

SUBJECT'S LAST NAME: CORDASCO

DATE/TIME OF TEST: 01/24/2026 23:33:08

Diagnostics Check		OK	23:24
Air Blank		0.000	23:24
Control Test		0.078	23:25
Air Blank		0.000	23:25
Subject Sample	# 1	0.159	23:27
Breath Volume		1.171	23:27
Air Blank		0.000	23:27
Air Blank		0.000	23:29
Subject Sample	# 2	0.163	23:31
Breath Volume		1.464	23:31
Air Blank		0.000	23:32
Control Test		0.077	23:32
Air Blank		0.000	23:33
Diagnostics Check		OK	23:33

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WHITE,EDWARD
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 23:27
GENDER: Female
OBSERVATION PERIOD BEGAN: 00:25

SUBJECT'S LAST NAME: MILLER

DATE/TIME OF TEST: 01/26/2026 00:58:33

Diagnostics Check		OK	00:52
Air Blank		0.000	00:52
Control Test		0.079	00:52
Air Blank		0.000	00:53
Subject Sample	# 1	0.158	00:54
Breath Volume		1.539	00:54
Air Blank		0.000	00:54
Air Blank		0.000	00:56
Subject Sample	# 2	0.159	00:57
Breath Volume		1.531	00:57
Air Blank		0.000	00:57
Control Test		0.078	00:57
Air Blank		0.000	00:58
Diagnostics Check		OK	00:58

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: SMIGELSKI,TREVOR
ARRESTING OFFICER AGENCY: Palm Beach Gardens
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 00:37
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:59

SUBJECT'S LAST NAME: PRIETO

DATE/TIME OF TEST: 01/29/2026 01:44:48

Diagnostics Check		OK	01:33	
Air Blank		0.000	01:33	
Control Test		0.080	01:33	
Air Blank		0.000	01:34	
Subject Sample	# 1	0.161	01:37	Volume Not Met
Breath Volume		0.113	01:37	
Air Blank		0.000	01:38	
Air Blank		0.000	01:40	
Subject Sample	# 2	0.143	01:43	Volume Not Met
Breath Volume		0.425	01:43	
Air Blank		0.000	01:43	
Control Test		0.078	01:44	
Air Blank		0.000	01:44	
Diagnostics Check		OK	01:44	

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: SMIGELSKI,TREVOR
ARRESTING OFFICER AGENCY: Palm Beach Gardens
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 00:37
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:59

SUBJECT'S LAST NAME: PRIETO

DATE/TIME OF TEST: 01/29/2026 01:54:35

Diagnostics Check		OK	01:49	
Air Blank		0.000	01:49	
Control Test		0.078	01:49	
Air Blank		0.000	01:50	
Subject Sample	# 1		01:53	Subject Test Refused
Breath Volume		0.054	01:53	
Air Blank		0.000	01:53	
Control Test		0.078	01:53	
Air Blank		0.000	01:54	
Diagnostics Check		OK	01:54	

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: LONDONO,JULIAN
ARRESTING OFFICER AGENCY: Boynton Beach PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:20
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:43

SUBJECT'S LAST NAME: PHILIP

DATE/TIME OF TEST: 01/30/2026 03:16:28

Diagnostics Check		OK	03:09
Air Blank		0.000	03:10
Control Test		0.079	03:10
Air Blank		0.000	03:11
Subject Sample	# 1	0.132	03:11
Breath Volume		1.707	03:11
Air Blank		0.000	03:12
Air Blank		0.000	03:14
Subject Sample	# 2	0.137	03:14
Breath Volume		2.035	03:14
Air Blank		0.000	03:15
Control Test		0.078	03:15
Air Blank		0.000	03:16
Diagnostics Check		OK	03:16

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: POUND,PARIS,D
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: RAMIREZ,JAIME
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 09:28
GENDER: Female
OBSERVATION PERIOD BEGAN: 10:40

SUBJECT'S LAST NAME: MORGAN

DATE/TIME OF TEST: 01/30/2026 11:13:29

Diagnostics Check		OK	11:06
Air Blank		0.000	11:06
Control Test		0.079	11:07
Air Blank		0.000	11:07
Subject Sample	# 1	0.253	11:08
Breath Volume		2.378	11:08
Air Blank		0.000	11:09
Air Blank		0.000	11:11
Subject Sample	# 2	0.253	11:11
Breath Volume		1.937	11:11
Air Blank		0.000	11:12
Control Test		0.077	11:12
Air Blank		0.000	11:13
Diagnostics Check		OK	11:13

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WHITE,EDWARD
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 20:15
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:17

SUBJECT'S LAST NAME: QUEZADE

DATE/TIME OF TEST: 01/30/2026 21:51:58

Diagnostics Check		OK	21:44
Air Blank		0.000	21:44
Control Test		0.078	21:44
Air Blank		0.000	21:45
Subject Sample	# 1	0.109	21:47
Breath Volume		1.808	21:47
Air Blank		0.000	21:47
Air Blank		0.000	21:49
Subject Sample	# 2	0.110	21:50
Breath Volume		2.441	21:50
Air Blank		0.000	21:51
Control Test		0.077	21:51
Air Blank		0.000	21:51
Diagnostics Check		OK	21:51

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: ALEXIS,VLADIMIR
ARRESTING OFFICER AGENCY: Boynton Beach PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 22:39
GENDER: Female
OBSERVATION PERIOD BEGAN: 23:09

SUBJECT'S LAST NAME: CRUZ

DATE/TIME OF TEST: 01/30/2026 23:43:34

Diagnostics Check		OK	23:36
Air Blank		0.000	23:37
Control Test		0.079	23:37
Air Blank		0.000	23:38
Subject Sample	# 1	0.000	23:39
Breath Volume		1.226	23:39
Air Blank		0.000	23:39
Air Blank		0.000	23:41
Subject Sample	# 2	0.000	23:42
Breath Volume		1.542	23:42
Air Blank		0.000	23:42
Control Test		0.078	23:42
Air Blank		0.000	23:43
Diagnostics Check		OK	23:43

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

INSTRUMENT REGISTERED TO: PALM BEACH COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WARD,CHRISTOPHER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 19:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 19:58

SUBJECT'S LAST NAME: JONES

DATE/TIME OF TEST: 01/31/2026 20:30:16

Diagnostics Check		OK	20:23
Air Blank		0.000	20:24
Control Test		0.078	20:24
Air Blank		0.000	20:25
Subject Sample	# 1	0.212	20:25
Breath Volume		1.558	20:25
Air Blank		0.000	20:26
Air Blank		0.000	20:28
Subject Sample	# 2	0.206	20:28
Breath Volume		1.800	20:28
Air Blank		0.000	20:29
Control Test		0.077	20:29
Air Blank		0.000	20:30
Diagnostics Check		OK	20:30

Data Download Date/Time: 02/13/2026 12:39

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006260

INSTRUMENT REGISTERED TO: FL HIGHWAY PATROL
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BLAKE,DAVID,A
BREATH TEST OPERATOR AGENCY: FHP Troop F
ARRESTING OFFICER: BLAKE,DAVID
ARRESTING OFFICER AGENCY: FHP Troop F
LAST AGENCY INSPECTION: 01/22/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 3024028434
DRY GAS EXPIRY DATE: 09/08/2026
VIOLATION CODE: DUI
ARREST TIME: 23:31
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:40

SUBJECT'S LAST NAME: NEES

DATE/TIME OF TEST: 01/29/2026 00:09:10

Diagnostics Check		OK	00:02
Air Blank		0.000	00:03
Control Test		0.081	00:03
Air Blank		0.000	00:04
Subject Sample	# 1	0.140	00:04
Breath Volume		2.339	00:04
Air Blank		0.000	00:05
Air Blank		0.000	00:06
Subject Sample	# 2	0.135	00:07
Breath Volume		3.160	00:07
Air Blank		0.000	00:08
Control Test		0.081	00:08
Air Blank		0.000	00:09
Diagnostics Check		OK	00:09

Data Download Date/Time: 02/19/2026 01:53

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006261

INSTRUMENT REGISTERED TO: FL HIGHWAY PATROL
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SEARS,COLBY,D
BREATH TEST OPERATOR AGENCY: FHP Troop G
ARRESTING OFFICER: LYDON,A
ARRESTING OFFICER AGENCY: Nassau County SO
LAST AGENCY INSPECTION: 12/27/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A1
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 01:10
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:37

SUBJECT'S LAST NAME: BALESTRA

DATE/TIME OF TEST: 01/01/2026 02:06:27

Diagnostics Check		OK	01:58
Air Blank		0.000	01:58
Control Test		0.079	01:58
Air Blank		0.000	01:59
Subject Sample	# 1	0.211	02:01
Breath Volume		1.257	02:01
Air Blank		0.000	02:02
Air Blank		0.000	02:03
Subject Sample	# 2	0.231	02:04
Breath Volume		1.101	02:04
Air Blank		0.000	02:05
Control Test		0.075	02:05
Air Blank		0.000	02:06
Diagnostics Check		OK	02:06

Data Download Date/Time: 01/09/2026 18:40

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006261

INSTRUMENT REGISTERED TO: FL HIGHWAY PATROL
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SEARS,COLBY,D
BREATH TEST OPERATOR AGENCY: FHP Troop G
ARRESTING OFFICER: KNIGHT,B
ARRESTING OFFICER AGENCY: Nassau County SO
LAST AGENCY INSPECTION: 12/27/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A1
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 01:20
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:18

SUBJECT'S LAST NAME: MELENDEZ

DATE/TIME OF TEST: 01/01/2026 02:44:40

Diagnostics Check		OK	02:38
Air Blank		0.000	02:39
Control Test		0.077	02:39
Air Blank		0.000	02:39
Subject Sample	# 1	0.187	02:40
Breath Volume		2.195	02:40
Air Blank		0.000	02:40
Air Blank		0.000	02:42
Subject Sample	# 2	0.178	02:43
Breath Volume		2.171	02:43
Air Blank		0.000	02:43
Control Test		0.079	02:44
Air Blank		0.000	02:44
Diagnostics Check		OK	02:44

Data Download Date/Time: 01/09/2026 18:40

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006261

INSTRUMENT REGISTERED TO: FL HIGHWAY PATROL
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SEARS,COLBY,D
BREATH TEST OPERATOR AGENCY: FHP Troop G
ARRESTING OFFICER: SEARS,COLBY
ARRESTING OFFICER AGENCY: FHP Troop G
LAST AGENCY INSPECTION: 12/27/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A1
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 21:23
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:30

SUBJECT'S LAST NAME: JONES

DATE/TIME OF TEST: 01/06/2026 21:57:35

Diagnostics Check		OK	21:50
Air Blank		0.000	21:50
Control Test		0.077	21:51
Air Blank		0.000	21:51
Subject Sample	# 1	0.126	21:52
Breath Volume		1.449	21:52
Air Blank		0.000	21:53
Air Blank		0.000	21:54
Subject Sample	# 2	0.129	21:56
Breath Volume		1.664	21:56
Air Blank		0.000	21:56
Control Test		0.076	21:56
Air Blank		0.000	21:57
Diagnostics Check		OK	21:57

Data Download Date/Time: 01/09/2026 18:40

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006261

INSTRUMENT REGISTERED TO: FL HIGHWAY PATROL
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SEARS,COLBY,D
BREATH TEST OPERATOR AGENCY: FHP Troop G
ARRESTING OFFICER: SAPP,CORY
ARRESTING OFFICER AGENCY: FHP Troop G
LAST AGENCY INSPECTION: 12/27/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A1
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:39
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:40

SUBJECT'S LAST NAME: OVERSTREET

DATE/TIME OF TEST: 01/07/2026 03:07:21

Diagnostics Check		OK	03:01	
Air Blank		0.000	03:01	
Control Test		0.076	03:01	
Air Blank		0.000	03:02	
Subject Sample	# 1	0.141	03:02	
Breath Volume		1.757	03:02	
Air Blank		0.000	03:03	
Air Blank		0.000	03:05	
Subject Sample	# 2	0.137	03:05	
Breath Volume		1.703	03:05	
Air Blank		0.000	03:06	
Control Test		0.072	03:06	Control Outside Tolerance
Air Blank		0.000	03:07	

Data Download Date/Time: 01/09/2026 18:40

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006261

INSTRUMENT REGISTERED TO: FL HIGHWAY PATROL
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SEARS,COLBY,D
BREATH TEST OPERATOR AGENCY: FHP Troop G
ARRESTING OFFICER: SAPP,CORY
ARRESTING OFFICER AGENCY: FHP Troop G
LAST AGENCY INSPECTION: 12/27/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A1
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:39
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:40

SUBJECT'S LAST NAME: OVERSTREET

DATE/TIME OF TEST: 01/07/2026 03:10:53

Diagnostics Check	OK	03:09	
Air Blank	0.000	03:09	
Control Test	0.075	03:10	
Air Blank		03:10	RFI Detect
Air Blank	0.000	03:10	

Data Download Date/Time: 01/09/2026 18:40

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006261

INSTRUMENT REGISTERED TO: FL HIGHWAY PATROL
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SEARS,COLBY,D
BREATH TEST OPERATOR AGENCY: FHP Troop G
ARRESTING OFFICER: SAPP,CORY
ARRESTING OFFICER AGENCY: FHP Troop G
LAST AGENCY INSPECTION: 12/27/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A1
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:39
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:40

SUBJECT'S LAST NAME: OVERSTREET

DATE/TIME OF TEST: 01/07/2026 03:18:25

Diagnostics Check		OK	03:12
Air Blank		0.000	03:12
Control Test		0.076	03:13
Air Blank		0.000	03:13
Subject Sample	# 1	0.128	03:14
Breath Volume		1.441	03:14
Air Blank		0.000	03:14
Air Blank		0.000	03:16
Subject Sample	# 2	0.132	03:16
Breath Volume		1.574	03:16
Air Blank		0.000	03:17
Control Test		0.075	03:17
Air Blank		0.000	03:18
Diagnostics Check		OK	03:18

Data Download Date/Time: 01/09/2026 18:41

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006261

INSTRUMENT REGISTERED TO: FL HIGHWAY PATROL
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SEARS,COLBY,D
BREATH TEST OPERATOR AGENCY: FHP Troop G
ARRESTING OFFICER: SEARS,COLBY
ARRESTING OFFICER AGENCY: FHP Troop G
LAST AGENCY INSPECTION: 01/09/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A1
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 04:48
GENDER: Male
OBSERVATION PERIOD BEGAN: 05:07

SUBJECT'S LAST NAME: ARNOLD JR

DATE/TIME OF TEST: 01/10/2026 05:34:00

Diagnostics Check		OK	05:27
Air Blank		0.000	05:28
Control Test		0.076	05:28
Air Blank		0.000	05:28
Subject Sample	# 1	0.188	05:29
Breath Volume		2.464	05:29
Air Blank		0.000	05:30
Air Blank		0.000	05:31
Subject Sample	# 2	0.185	05:32
Breath Volume		1.675	05:32
Air Blank		0.000	05:33
Control Test		0.075	05:33
Air Blank		0.000	05:33
Diagnostics Check		OK	05:34

Data Download Date/Time: 02/06/2026 17:44

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006262

INSTRUMENT REGISTERED TO: VOLUSIA COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SWEENEY,PARKER,L
BREATH TEST OPERATOR AGENCY: Edgewater PD
ARRESTING OFFICER: SWEENEY,PARKER
ARRESTING OFFICER AGENCY: Edgewater PD
LAST AGENCY INSPECTION: 12/22/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 403135737
DRY GAS EXPIRY DATE: 08/30/2027
VIOLATION CODE: DUI
ARREST TIME: 20:30
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:30

SUBJECT'S LAST NAME: PARLIN

DATE/TIME OF TEST: 01/05/2026 21:03:54

Diagnostics Check		OK	20:57
Air Blank		0.000	20:57
Control Test		0.082	20:57
Air Blank		0.000	20:58
Subject Sample	# 1	0.166	20:59
Breath Volume		3.355	20:59
Air Blank		0.000	20:59
Air Blank		0.000	21:01
Subject Sample	# 2	0.163	21:02
Breath Volume		2.789	21:02
Air Blank		0.000	21:02
Control Test		0.081	21:03
Air Blank		0.000	21:03
Diagnostics Check		OK	21:03

Data Download Date/Time: 02/02/2026 19:11

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006473

INSTRUMENT REGISTERED TO: PINECREST PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BRAVO,GEORGE,A
BREATH TEST OPERATOR AGENCY: SOUTH MIAMI PD
ARRESTING OFFICER: BRAVO,GEORGE
ARRESTING OFFICER AGENCY: SOUTH MIAMI PD
LAST AGENCY INSPECTION: 12/08/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 403268835
DRY GAS EXPIRY DATE: 02/13/2028
VIOLATION CODE: DUI
ARREST TIME: 20:20
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:25

SUBJECT'S LAST NAME: ZAMORA DELGADO

DATE/TIME OF TEST: 01/08/2026 21:01:23

Diagnostics Check		OK	20:53
Air Blank		0.000	20:54
Control Test		0.080	20:54
Air Blank		0.000	20:55
Subject Sample	# 1	0.198	20:56
Breath Volume		1.554	20:56
Air Blank		0.000	20:57
Air Blank		0.000	20:59
Subject Sample	# 2	0.207	20:59
Breath Volume		1.472	20:59
Air Blank		0.000	21:00
Control Test		0.079	21:00
Air Blank		0.000	21:01
Diagnostics Check		OK	21:01

Data Download Date/Time: 01/15/2026 09:24

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006473

INSTRUMENT REGISTERED TO: PINECREST PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: REDWAN,NADER,
BREATH TEST OPERATOR AGENCY: PINECREST PD
ARRESTING OFFICER: GONZALEZ,LUIS
ARRESTING OFFICER AGENCY: SOUTH MIAMI PD
LAST AGENCY INSPECTION: 12/08/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 403268835
DRY GAS EXPIRY DATE: 02/13/2028
VIOLATION CODE: DUI
ARREST TIME: 04:08
GENDER: Female
OBSERVATION PERIOD BEGAN: 05:30

SUBJECT'S LAST NAME: AVILA

DATE/TIME OF TEST: 01/11/2026 05:54:12

Diagnostics Check	OK	05:51	
Air Blank	0.000	05:52	
Control Test	0.081	05:52	
Air Blank		05:53	Purge Fail
Air Blank		05:54	Purge Fail

Data Download Date/Time: 01/15/2026 09:24

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006473

INSTRUMENT REGISTERED TO: PINECREST PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: REDWAN,NADER,
BREATH TEST OPERATOR AGENCY: PINECREST PD
ARRESTING OFFICER: PACHO,HENRY
ARRESTING OFFICER AGENCY: PINECREST PD
LAST AGENCY INSPECTION: 01/15/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 403268835
DRY GAS EXPIRY DATE: 02/13/2028
VIOLATION CODE: DUI
ARREST TIME: 23:04
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:17

SUBJECT'S LAST NAME: JOHNSON

DATE/TIME OF TEST: 01/31/2026 23:37:08

Diagnostics Check		OK	23:28	
Air Blank		0.000	23:29	
Control Test		0.082	23:29	
Air Blank		0.000	23:29	
Subject Sample	# 1		23:33	No Sample Provided
Breath Volume		0.000	23:33	
Air Blank		0.000	23:33	
Air Blank		0.000	23:35	
Subject Sample	# 2		23:35	Subject Test Refused
Breath Volume		0.000	23:35	
Air Blank		0.000	23:36	
Control Test		0.082	23:36	
Air Blank		0.000	23:37	
Diagnostics Check		OK	23:37	

Data Download Date/Time: 02/13/2026 15:43

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: YOUNG,ALEX
ARRESTING OFFICER AGENCY: FHP Troop L
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 00:58
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:32

SUBJECT'S LAST NAME: BUCHANAN

DATE/TIME OF TEST: 01/01/2026 02:07:59

Diagnostics Check		OK	02:00
Air Blank		0.000	02:01
Control Test		0.079	02:01
Air Blank		0.000	02:01
Subject Sample	# 1	0.098	02:03
Breath Volume		1.332	02:03
Air Blank		0.000	02:03
Air Blank		0.000	02:05
Subject Sample	# 2	0.099	02:06
Breath Volume		1.652	02:06
Air Blank		0.000	02:07
Control Test		0.079	02:07
Air Blank		0.000	02:07
Diagnostics Check		OK	02:07

Data Download Date/Time: 01/16/2026 13:29

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: LAFLEUR,ROBENSON
ARRESTING OFFICER AGENCY: FHP Troop L
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:06
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:38

SUBJECT'S LAST NAME: BOLANOS ALEJO

DATE/TIME OF TEST: 01/01/2026 03:20:45

Diagnostics Check		OK	03:10	
Air Blank		0.000	03:11	
Control Test		0.079	03:11	
Air Blank		0.000	03:11	
Subject Sample	# 1		03:15	No Sample Provided
Breath Volume		0.000	03:15	
Air Blank		0.000	03:15	
Air Blank		0.000	03:17	
Subject Sample	# 2		03:19	Subject Test Refused
Breath Volume		0.000	03:19	
Air Blank		0.000	03:19	
Control Test		0.079	03:20	
Air Blank		0.000	03:20	
Diagnostics Check		OK	03:20	

Data Download Date/Time: 01/16/2026 13:29

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELL,JOSHUA,J
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: YOCHUM,CRAIG
ARRESTING OFFICER AGENCY: Jupiter PD
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:05
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:19

SUBJECT'S LAST NAME: THARP

DATE/TIME OF TEST: 01/01/2026 03:52:34

Diagnostics Check		OK	03:46
Air Blank		0.000	03:46
Control Test		0.079	03:46
Air Blank		0.000	03:47
Subject Sample	# 1	0.150	03:48
Breath Volume		2.433	03:48
Air Blank		0.000	03:48
Air Blank		0.000	03:50
Subject Sample	# 2	0.148	03:50
Breath Volume		1.468	03:50
Air Blank		0.000	03:51
Control Test		0.079	03:51
Air Blank		0.000	03:52
Diagnostics Check		OK	03:52

Data Download Date/Time: 01/16/2026 13:29

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: AGAOGLU,YASEMIN
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 03:11
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:30

SUBJECT'S LAST NAME: HERNANDEZ MORALES

DATE/TIME OF TEST: 01/01/2026 04:37:47

Diagnostics Check		OK	04:31
Air Blank		0.000	04:31
Control Test		0.079	04:32
Air Blank		0.000	04:32
Subject Sample	# 1	0.195	04:33
Breath Volume		2.046	04:33
Air Blank		0.000	04:33
Air Blank		0.000	04:35
Subject Sample	# 2	0.190	04:36
Breath Volume		2.441	04:36
Air Blank		0.000	04:36
Control Test		0.079	04:37
Air Blank		0.000	04:37
Diagnostics Check		OK	04:37

Data Download Date/Time: 01/16/2026 13:29

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: POUND,PARIS,D
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: GARCIA,WILLIAM
ARRESTING OFFICER AGENCY: West Palm Beach PD
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 12:11
GENDER: Female
OBSERVATION PERIOD BEGAN: 13:33

SUBJECT'S LAST NAME: SILIEN

DATE/TIME OF TEST: 01/01/2026 14:13:40

Diagnostics Check		OK	14:07
Air Blank		0.000	14:07
Control Test		0.079	14:07
Air Blank		0.000	14:08
Subject Sample	# 1	0.219	14:08
Breath Volume		1.929	14:08
Air Blank		0.000	14:09
Air Blank		0.000	14:11
Subject Sample	# 2	0.210	14:11
Breath Volume		2.855	14:11
Air Blank		0.000	14:12
Control Test		0.078	14:13
Air Blank		0.000	14:13
Diagnostics Check		OK	14:13

Data Download Date/Time: 01/16/2026 13:29

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: DENIER,MICHAEL
ARRESTING OFFICER AGENCY: Jupiter PD
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 18:07
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:50

SUBJECT'S LAST NAME: BULUX VELASQUEZ

DATE/TIME OF TEST: 01/01/2026 19:32:29

Diagnostics Check		OK	19:25
Air Blank		0.000	19:26
Control Test		0.079	19:26
Air Blank		0.000	19:27
Subject Sample	# 1	0.182	19:27
Breath Volume		2.328	19:27
Air Blank		0.000	19:28
Air Blank		0.000	19:30
Subject Sample	# 2	0.182	19:30
Breath Volume		1.636	19:30
Air Blank		0.000	19:31
Control Test		0.079	19:31
Air Blank		0.000	19:32
Diagnostics Check		OK	19:32

Data Download Date/Time: 01/16/2026 13:29

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: FLINK,ANDREW
ARRESTING OFFICER AGENCY: Palm Beach Gardens
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 01:05
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:35

SUBJECT'S LAST NAME: POLA

DATE/TIME OF TEST: 01/02/2026 02:09:18

Diagnostics Check		OK	02:02
Air Blank		0.000	02:03
Control Test		0.078	02:03
Air Blank		0.000	02:04
Subject Sample	# 1	0.157	02:04
Breath Volume		1.476	02:04
Air Blank		0.000	02:05
Air Blank		0.000	02:07
Subject Sample	# 2	0.161	02:07
Breath Volume		2.746	02:07
Air Blank		0.000	02:08
Control Test		0.078	02:08
Air Blank		0.000	02:09
Diagnostics Check		OK	02:09

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: CASAZZA,KIETH
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 05:20
GENDER: Male
OBSERVATION PERIOD BEGAN: 05:47

SUBJECT'S LAST NAME: RAMIREZ

DATE/TIME OF TEST: 01/02/2026 06:21:15

Diagnostics Check		OK	06:14
Air Blank		0.000	06:14
Control Test		0.078	06:14
Air Blank		0.000	06:15
Subject Sample	# 1	0.178	06:16
Breath Volume		1.632	06:16
Air Blank		0.000	06:17
Air Blank		0.000	06:19
Subject Sample	# 2	0.177	06:19
Breath Volume		1.183	06:19
Air Blank		0.000	06:20
Control Test		0.078	06:20
Air Blank		0.000	06:21
Diagnostics Check		OK	06:21

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: VALENZUELA,PAOLA
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 07:51
GENDER: Male
OBSERVATION PERIOD BEGAN: 08:44

SUBJECT'S LAST NAME: VASQUEZ VELASQUEZ

DATE/TIME OF TEST: 01/02/2026 09:18:59

Diagnostics Check		OK	09:12
Air Blank		0.000	09:12
Control Test		0.078	09:12
Air Blank		0.000	09:13
Subject Sample	# 1	0.125	09:14
Breath Volume		2.316	09:14
Air Blank		0.000	09:14
Air Blank		0.000	09:16
Subject Sample	# 2	0.122	09:17
Breath Volume		2.636	09:17
Air Blank		0.000	09:18
Control Test		0.078	09:18
Air Blank		0.000	09:18
Diagnostics Check		OK	09:18

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: ESCARAN,LESTER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 20:09
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:49

SUBJECT'S LAST NAME: MATEO JUAREZ

DATE/TIME OF TEST: 01/03/2026 21:26:52

Diagnostics Check		OK	21:17
Air Blank		0.000	21:17
Control Test		0.079	21:17
Air Blank		0.000	21:18
Subject Sample	# 1	0.292	21:18
Breath Volume		2.375	21:18
Air Blank		0.000	21:19
Air Blank		0.000	21:21
Subject Sample	# 2	0.271	21:21
Breath Volume		2.347	21:21
Air Blank		0.000	21:22
Air Blank		0.000	21:24
Subject Sample	# 3	0.274	21:25
Breath Volume		2.335	21:25
Air Blank		0.000	21:25
Control Test		0.077	21:26
Air Blank		0.000	21:26
Diagnostics Check		OK	21:26

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: DENIER,MICHAEL
ARRESTING OFFICER AGENCY: Jupiter PD
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 00:34
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:22

SUBJECT'S LAST NAME: SETTLE

DATE/TIME OF TEST: 01/04/2026 01:54:09

Diagnostics Check		OK	01:47
Air Blank		0.000	01:48
Control Test		0.078	01:48
Air Blank		0.000	01:48
Subject Sample	# 1	0.198	01:49
Breath Volume		1.363	01:49
Air Blank		0.000	01:50
Air Blank		0.000	01:51
Subject Sample	# 2	0.205	01:52
Breath Volume		1.707	01:52
Air Blank		0.000	01:53
Control Test		0.078	01:53
Air Blank		0.000	01:54
Diagnostics Check		OK	01:54

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: SENTMANAT,ADOLFO
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 01:11
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:41

SUBJECT'S LAST NAME: MORALES

DATE/TIME OF TEST: 01/04/2026 02:16:36

Diagnostics Check		OK	02:09
Air Blank		0.000	02:09
Control Test		0.078	02:10
Air Blank		0.000	02:10
Subject Sample	# 1	0.148	02:11
Breath Volume		1.144	02:11
Air Blank		0.000	02:12
Air Blank		0.000	02:14
Subject Sample	# 2	0.152	02:14
Breath Volume		1.660	02:14
Air Blank		0.000	02:15
Control Test		0.078	02:15
Air Blank		0.000	02:16
Diagnostics Check		OK	02:16

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: FLINK,ANDREW
ARRESTING OFFICER AGENCY: Palm Beach Gardens
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 01:17
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:45

SUBJECT'S LAST NAME: CARRON IV

DATE/TIME OF TEST: 01/05/2026 02:19:41

Diagnostics Check		OK	02:13
Air Blank		0.000	02:13
Control Test		0.077	02:13
Air Blank		0.000	02:14
Subject Sample	# 1	0.000	02:15
Breath Volume		3.046	02:15
Air Blank		0.000	02:15
Air Blank		0.000	02:17
Subject Sample	# 2	0.000	02:18
Breath Volume		2.183	02:18
Air Blank		0.000	02:18
Control Test		0.079	02:19
Air Blank		0.000	02:19
Diagnostics Check		OK	02:19

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: STEPHENS,TIA,L
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: RAMIREZ,ARIEL
ARRESTING OFFICER AGENCY: Tequesta PD
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 22:51
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:56

SUBJECT'S LAST NAME: LOPEZ

DATE/TIME OF TEST: 01/07/2026 00:35:00

Diagnostics Check		OK	00:28
Air Blank		0.000	00:29
Control Test		0.078	00:29
Air Blank		0.000	00:29
Subject Sample	# 1	0.265	00:30
Breath Volume		2.328	00:30
Air Blank		0.000	00:31
Air Blank		0.000	00:32
Subject Sample	# 2	0.270	00:33
Breath Volume		2.156	00:33
Air Blank		0.000	00:34
Control Test		0.077	00:34
Air Blank		0.000	00:34
Diagnostics Check		OK	00:35

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: O'NEAL,SHARI,L
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: ESCARAN,LESTER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:45
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:10

SUBJECT'S LAST NAME: PINEDA CARRERO

DATE/TIME OF TEST: 01/07/2026 03:42:52

Diagnostics Check		OK	03:36
Air Blank		0.000	03:36
Control Test		0.078	03:37
Air Blank		0.000	03:37
Subject Sample	# 1	0.188	03:38
Breath Volume		3.812	03:38
Air Blank		0.000	03:39
Air Blank		0.000	03:40
Subject Sample	# 2	0.191	03:41
Breath Volume		3.875	03:41
Air Blank		0.000	03:41
Control Test		0.078	03:42
Air Blank		0.000	03:42
Diagnostics Check		OK	03:42

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: POUND,PARIS,D
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: LEWIS,BRENNEN
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 11:27
GENDER: Male
OBSERVATION PERIOD BEGAN: 12:02

SUBJECT'S LAST NAME: GREEN

DATE/TIME OF TEST: 01/07/2026 12:36:42

Diagnostics Check		OK	12:29
Air Blank		0.000	12:30
Control Test		0.078	12:30
Air Blank		0.000	12:31
Subject Sample	# 1	0.219	12:31
Breath Volume		3.257	12:31
Air Blank		0.000	12:32
Air Blank		0.000	12:34
Subject Sample	# 2	0.223	12:35
Breath Volume		3.183	12:35
Air Blank		0.000	12:35
Control Test		0.077	12:36
Air Blank		0.000	12:36
Diagnostics Check		OK	12:36

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: EGINTON,JOSEPH
ARRESTING OFFICER AGENCY: FHP Troop L
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 18:06
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:45

SUBJECT'S LAST NAME: HARWELL

DATE/TIME OF TEST: 01/07/2026 19:30:32

Diagnostics Check		OK	19:23
Air Blank		0.000	19:24
Control Test		0.078	19:24
Air Blank		0.000	19:25
Subject Sample	# 1	0.210	19:25
Breath Volume		1.359	19:25
Air Blank		0.000	19:26
Air Blank		0.000	19:28
Subject Sample	# 2	0.201	19:28
Breath Volume		1.921	19:28
Air Blank		0.000	19:29
Control Test		0.078	19:29
Air Blank		0.000	19:30
Diagnostics Check		OK	19:30

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WARD,CHRISTOPHER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:31
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:56

SUBJECT'S LAST NAME: QUINTANILLA

DATE/TIME OF TEST: 01/08/2026 03:32:07

Diagnostics Check		OK	03:25
Air Blank		0.000	03:26
Control Test		0.078	03:26
Air Blank		0.000	03:26
Subject Sample	# 1	0.110	03:27
Breath Volume		2.191	03:27
Air Blank		0.000	03:28
Air Blank		0.000	03:29
Subject Sample	# 2	0.111	03:30
Breath Volume		2.351	03:30
Air Blank		0.000	03:31
Control Test		0.078	03:31
Air Blank		0.000	03:32
Diagnostics Check		OK	03:32

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: MILORD,JHAMIL
ARRESTING OFFICER AGENCY: North Palm Beach
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 01:11
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:50

SUBJECT'S LAST NAME: RAGGETT

DATE/TIME OF TEST: 01/09/2026 02:23:21

Diagnostics Check		OK	02:16
Air Blank		0.000	02:16
Control Test		0.078	02:16
Air Blank		0.000	02:17
Subject Sample	# 1	0.205	02:18
Breath Volume		2.109	02:18
Air Blank		0.000	02:18
Air Blank		0.000	02:20
Subject Sample	# 2	0.207	02:21
Breath Volume		1.570	02:21
Air Blank		0.000	02:22
Control Test		0.079	02:22
Air Blank		0.000	02:23
Diagnostics Check		OK	02:23

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: TORRES,KERWIN
ARRESTING OFFICER AGENCY: Riviera Beach PD
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 11:06
GENDER: Male
OBSERVATION PERIOD BEGAN: 13:15

SUBJECT'S LAST NAME: FREEMAN

DATE/TIME OF TEST: 01/10/2026 14:10:55

Diagnostics Check		OK	14:02	
Air Blank		0.000	14:02	
Control Test		0.078	14:03	
Air Blank		0.000	14:03	
Subject Sample	# 1	0.170	14:06	Volume Not Met
Breath Volume		0.250	14:06	
Air Blank		0.000	14:07	
Air Blank		0.000	14:09	
Subject Sample	# 2		14:09	Subject Test Refused
Breath Volume		0.000	14:09	
Air Blank		0.000	14:09	
Control Test		0.076	14:10	
Air Blank		0.000	14:10	
Diagnostics Check		OK	14:10	

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WARD,CHRISTOPHER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 20:01
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:35

SUBJECT'S LAST NAME: MCENANEY

DATE/TIME OF TEST: 01/10/2026 23:04:25

Diagnostics Check		OK	22:57
Air Blank		0.000	22:58
Control Test		0.078	22:58
Air Blank		0.000	22:59
Subject Sample	# 1	0.121	22:59
Breath Volume		1.378	22:59
Air Blank		0.000	23:00
Air Blank		0.000	23:02
Subject Sample	# 2	0.123	23:02
Breath Volume		1.640	23:02
Air Blank		0.000	23:03
Control Test		0.078	23:03
Air Blank		0.000	23:04
Diagnostics Check		OK	23:04

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WHITE,EDWARD
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 23:01
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:31

SUBJECT'S LAST NAME: AYALA GARCIA

DATE/TIME OF TEST: 01/11/2026 00:12:53

Diagnostics Check		OK	00:06
Air Blank		0.000	00:06
Control Test		0.079	00:06
Air Blank		0.000	00:07
Subject Sample	# 1	0.146	00:08
Breath Volume		4.250	00:08
Air Blank		0.000	00:08
Air Blank		0.000	00:10
Subject Sample	# 2	0.147	00:11
Breath Volume		3.527	00:11
Air Blank		0.000	00:11
Control Test		0.078	00:12
Air Blank		0.000	00:12
Diagnostics Check		OK	00:12

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WARD,CHRISTOPHER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:28
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:56

SUBJECT'S LAST NAME: PROFIT

DATE/TIME OF TEST: 01/11/2026 03:34:47

Diagnostics Check		OK	03:26
Air Blank		0.000	03:26
Control Test		0.078	03:26
Air Blank		0.000	03:27
Subject Sample	# 1	0.118	03:30
Breath Volume		1.542	03:30
Air Blank		0.000	03:30
Air Blank		0.000	03:32
Subject Sample	# 2	0.119	03:33
Breath Volume		1.566	03:33
Air Blank		0.000	03:33
Control Test		0.077	03:34
Air Blank		0.000	03:34
Diagnostics Check		OK	03:34

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: STEPHENS,TIA,L
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: DEPEINE,KENS
ARRESTING OFFICER AGENCY: FHP Troop K
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:23
GENDER: Female
OBSERVATION PERIOD BEGAN: 03:16

SUBJECT'S LAST NAME: ORLOSKY

DATE/TIME OF TEST: 01/13/2026 04:05:26

Diagnostics Check		OK	03:57
Air Blank		0.000	03:57
Control Test		0.079	03:58
Air Blank		0.000	03:58
Subject Sample	# 1	0.112	04:00
Breath Volume		1.351	04:00
Air Blank		0.000	04:00
Air Blank		0.000	04:02
Subject Sample	# 2	0.119	04:03
Breath Volume		2.031	04:03
Air Blank		0.000	04:04
Control Test		0.078	04:04
Air Blank		0.000	04:05
Diagnostics Check		OK	04:05

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: STEPHENS,TIA,L
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WICKS,PATRICK
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:49
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:14

SUBJECT'S LAST NAME: BARDES

DATE/TIME OF TEST: 01/14/2026 03:51:19

Diagnostics Check		OK	03:44
Air Blank		0.000	03:45
Control Test		0.078	03:45
Air Blank		0.000	03:46
Subject Sample	# 1	0.265	03:46
Breath Volume		2.101	03:46
Air Blank		0.000	03:47
Air Blank		0.000	03:49
Subject Sample	# 2	0.268	03:49
Breath Volume		1.925	03:49
Air Blank		0.000	03:50
Control Test		0.078	03:50
Air Blank		0.000	03:51
Diagnostics Check		OK	03:51

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: ESCARAN,LESTER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 04:09
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:43

SUBJECT'S LAST NAME: ORTIZ BERDUO

DATE/TIME OF TEST: 01/15/2026 05:19:01

Diagnostics Check		OK	05:12
Air Blank		0.000	05:12
Control Test		0.079	05:13
Air Blank		0.000	05:13
Subject Sample	# 1	0.140	05:14
Breath Volume		1.824	05:14
Air Blank		0.000	05:15
Air Blank		0.000	05:16
Subject Sample	# 2	0.139	05:17
Breath Volume		3.734	05:17
Air Blank		0.000	05:18
Control Test		0.078	05:18
Air Blank		0.000	05:18
Diagnostics Check		OK	05:19

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: DORIVAL,ADLER
ARRESTING OFFICER AGENCY: FHP Troop K
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 19:45
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:29

SUBJECT'S LAST NAME: NEELEY

DATE/TIME OF TEST: 01/15/2026 21:15:31

Diagnostics Check		OK	21:08
Air Blank		0.000	21:08
Control Test		0.079	21:08
Air Blank		0.000	21:09
Subject Sample	# 1	0.102	21:10
Breath Volume		1.433	21:10
Air Blank		0.000	21:10
Air Blank		0.000	21:12
Subject Sample	# 2	0.100	21:13
Breath Volume		2.320	21:13
Air Blank		0.000	21:14
Control Test		0.078	21:14
Air Blank		0.000	21:15
Diagnostics Check		OK	21:15

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: MELLERS,KEVIN
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 00:30
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:57

SUBJECT'S LAST NAME: COACHMAN

DATE/TIME OF TEST: 01/16/2026 01:34:50

Diagnostics Check		OK	01:28
Air Blank		0.000	01:28
Control Test		0.079	01:29
Air Blank		0.000	01:29
Subject Sample	# 1	0.087	01:30
Breath Volume		1.628	01:30
Air Blank		0.000	01:30
Air Blank		0.000	01:32
Subject Sample	# 2	0.088	01:33
Breath Volume		2.671	01:33
Air Blank		0.000	01:33
Control Test		0.079	01:34
Air Blank		0.000	01:34
Diagnostics Check		OK	01:34

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: KAHN,JUSTIN
ARRESTING OFFICER AGENCY: Palm Beach Gardens
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:12
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:43

SUBJECT'S LAST NAME: GARCIA LOPEZ

DATE/TIME OF TEST: 01/16/2026 03:18:22

Diagnostics Check		OK	03:11
Air Blank		0.000	03:11
Control Test		0.079	03:12
Air Blank		0.000	03:12
Subject Sample	# 1	0.196	03:13
Breath Volume		2.097	03:13
Air Blank		0.000	03:14
Air Blank		0.000	03:16
Subject Sample	# 2	0.188	03:16
Breath Volume		2.601	03:16
Air Blank		0.000	03:17
Control Test		0.078	03:17
Air Blank		0.000	03:18
Diagnostics Check		OK	03:18

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WARD,CHRISTOPHER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 12/12/2025

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 03:02
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:21

SUBJECT'S LAST NAME: GONZALEZ

DATE/TIME OF TEST: 01/16/2026 04:00:20

Diagnostics Check		OK	03:53
Air Blank		0.000	03:53
Control Test		0.079	03:53
Air Blank		0.000	03:54
Subject Sample	# 1	0.269	03:55
Breath Volume		1.601	03:55
Air Blank		0.000	03:56
Air Blank		0.000	03:57
Subject Sample	# 2	0.281	03:58
Breath Volume		3.156	03:58
Air Blank		0.000	03:59
Control Test		0.079	03:59
Air Blank		0.000	04:00
Diagnostics Check		OK	04:00

Data Download Date/Time: 01/16/2026 13:30

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: AGAOGLU,YASEMIN
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 04:02
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:21

SUBJECT'S LAST NAME: MUNOZ

DATE/TIME OF TEST: 01/17/2026 04:57:34

Diagnostics Check		OK	04:50
Air Blank		0.000	04:51
Control Test		0.079	04:51
Air Blank		0.000	04:52
Subject Sample	# 1	0.121	04:52
Breath Volume		2.304	04:52
Air Blank		0.000	04:53
Air Blank		0.000	04:55
Subject Sample	# 2	0.120	04:55
Breath Volume		3.531	04:55
Air Blank		0.000	04:56
Control Test		0.078	04:56
Air Blank		0.000	04:57
Diagnostics Check		OK	04:57

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LEAHEY,THOMAS,H
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: COEHLO,GABRIEL
ARRESTING OFFICER AGENCY: Boynton Beach PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 20:29
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:51

SUBJECT'S LAST NAME: MCGOVERN

DATE/TIME OF TEST: 01/17/2026 21:27:40

Diagnostics Check		OK	21:18
Air Blank		0.000	21:19
Control Test		0.078	21:19
Air Blank		0.000	21:20
Subject Sample	# 1	0.294	21:21
Breath Volume		1.906	21:21
Air Blank		0.000	21:22
Air Blank		0.000	21:24
Subject Sample	# 2	0.314	21:25
Breath Volume		2.605	21:25
Air Blank		0.000	21:26
Control Test		0.077	21:26
Air Blank		0.000	21:27
Diagnostics Check		OK	21:27

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: ORTEGA,JUAN
ARRESTING OFFICER AGENCY: Boynton Beach PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 23:37
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:56

SUBJECT'S LAST NAME: CORDERO SASVIN

DATE/TIME OF TEST: 01/18/2026 00:31:52

Diagnostics Check		OK	00:24
Air Blank		0.000	00:25
Control Test		0.078	00:25
Air Blank		0.000	00:26
Subject Sample	# 1	0.242	00:27
Breath Volume		1.976	00:27
Air Blank		0.000	00:27
Air Blank		0.000	00:29
Subject Sample	# 2	0.240	00:30
Breath Volume		2.382	00:30
Air Blank		0.000	00:30
Control Test		0.078	00:31
Air Blank		0.000	00:31
Diagnostics Check		OK	00:31

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LEAHEY,THOMAS,H
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WARD,CHRISTOPHER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 00:29
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:53

SUBJECT'S LAST NAME: WHITE

DATE/TIME OF TEST: 01/18/2026 01:26:09

Diagnostics Check		OK	01:18
Air Blank		0.000	01:19
Control Test		0.078	01:19
Air Blank		0.000	01:20
Subject Sample	# 1	0.155	01:21
Breath Volume		1.539	01:21
Air Blank		0.000	01:21
Air Blank		0.000	01:23
Subject Sample	# 2	0.154	01:24
Breath Volume		1.160	01:24
Air Blank		0.000	01:25
Control Test		0.077	01:25
Air Blank		0.000	01:26
Diagnostics Check		OK	01:26

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: LAPARCHE,CAMDEN
ARRESTING OFFICER AGENCY: Palm Springs PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 01:21
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:44

SUBJECT'S LAST NAME: DALE

DATE/TIME OF TEST: 01/18/2026 02:21:46

Diagnostics Check		OK	02:15
Air Blank		0.000	02:15
Control Test		0.078	02:15
Air Blank		0.000	02:16
Subject Sample	# 1	0.165	02:17
Breath Volume		1.144	02:17
Air Blank		0.000	02:17
Air Blank		0.000	02:19
Subject Sample	# 2	0.162	02:20
Breath Volume		1.382	02:20
Air Blank		0.000	02:20
Control Test		0.078	02:21
Air Blank		0.000	02:21
Diagnostics Check		OK	02:21

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LEAHEY,THOMAS,H
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: LAFLEUR,ROBESON
ARRESTING OFFICER AGENCY: FHP Troop L
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 01:59
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:29

SUBJECT'S LAST NAME: PREVILON

DATE/TIME OF TEST: 01/18/2026 03:11:50

Diagnostics Check		OK	03:04
Air Blank		0.000	03:05
Control Test		0.079	03:05
Air Blank		0.000	03:06
Subject Sample	# 1	0.058	03:06
Breath Volume		2.765	03:06
Air Blank		0.000	03:07
Air Blank		0.000	03:09
Subject Sample	# 2	0.055	03:10
Breath Volume		1.726	03:10
Air Blank		0.000	03:10
Control Test		0.078	03:11
Air Blank		0.000	03:11
Diagnostics Check		OK	03:11

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: AGAOGLU,YASEMIN
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 01:53
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:52

SUBJECT'S LAST NAME: WILLIAMS

DATE/TIME OF TEST: 01/18/2026 03:32:32

Diagnostics Check		OK	03:23
Air Blank		0.000	03:23
Control Test		0.078	03:23
Air Blank		0.000	03:24
Subject Sample	# 1	0.068	03:26
Breath Volume		1.472	03:26
Air Blank		0.000	03:27
Air Blank		0.000	03:29
Subject Sample	# 2	0.071	03:30
Breath Volume		1.917	03:30
Air Blank		0.000	03:31
Control Test		0.078	03:31
Air Blank		0.000	03:32
Diagnostics Check		OK	03:32

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: SNELGROVE,DYLAN
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 04:09
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:24

SUBJECT'S LAST NAME: GRIFFIN

DATE/TIME OF TEST: 01/18/2026 05:05:16

Diagnostics Check		OK	04:53	
Air Blank		0.000	04:53	
Control Test		0.078	04:53	
Air Blank		0.000	04:54	
Subject Sample	# 1	0.000	04:57	Volume Not Met
Breath Volume		0.085	04:57	
Air Blank		0.000	04:58	
Air Blank		0.000	05:00	
Subject Sample	# 2	0.098	05:00	
Breath Volume		1.703	05:00	
Air Blank		0.000	05:01	
Air Blank		0.000	05:03	
Subject Sample	# 3	0.098	05:03	
Breath Volume		1.136	05:03	
Air Blank		0.000	05:04	
Control Test		0.078	05:04	
Air Blank		0.000	05:05	
Diagnostics Check		OK	05:05	

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELL,JOSHUA,J
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: HECTOR,BRADY
ARRESTING OFFICER AGENCY: Boynton Beach PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 21:48
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:11

SUBJECT'S LAST NAME: PEARCY

DATE/TIME OF TEST: 01/20/2026 22:44:12

Diagnostics Check		OK	22:37
Air Blank		0.000	22:38
Control Test		0.080	22:38
Air Blank		0.000	22:39
Subject Sample	# 1	0.000	22:39
Breath Volume		3.453	22:39
Air Blank		0.000	22:40
Air Blank		0.000	22:42
Subject Sample	# 2	0.000	22:42
Breath Volume		3.550	22:42
Air Blank		0.000	22:43
Control Test		0.079	22:43
Air Blank		0.000	22:44
Diagnostics Check		OK	22:44

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: ESCARAN,LESTER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 22:24
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:44

SUBJECT'S LAST NAME: OLIVERO GONZALEZ

DATE/TIME OF TEST: 01/21/2026 23:19:56

Diagnostics Check		OK	23:13
Air Blank		0.000	23:13
Control Test		0.079	23:14
Air Blank		0.000	23:14
Subject Sample	# 1	0.216	23:15
Breath Volume		1.980	23:15
Air Blank		0.000	23:16
Air Blank		0.000	23:17
Subject Sample	# 2	0.227	23:18
Breath Volume		2.480	23:18
Air Blank		0.000	23:18
Control Test		0.078	23:19
Air Blank		0.000	23:19
Diagnostics Check		OK	23:19

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: STROUD,ELIZABETH
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 20:44
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:22

SUBJECT'S LAST NAME: GUERRA RODRIGUEZ

DATE/TIME OF TEST: 01/23/2026 21:49:06

Diagnostics Check		OK	21:42
Air Blank		0.000	21:43
Control Test		0.078	21:43
Air Blank		0.000	21:44
Subject Sample	# 1	0.217	21:44
Breath Volume		2.425	21:44
Air Blank		0.000	21:45
Air Blank		0.000	21:46
Subject Sample	# 2	0.215	21:47
Breath Volume		2.804	21:47
Air Blank		0.000	21:48
Control Test		0.078	21:48
Air Blank		0.000	21:49
Diagnostics Check		OK	21:49

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: ESCARAN,LESTER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 20:34
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:15

SUBJECT'S LAST NAME: ANDERSON

DATE/TIME OF TEST: 01/23/2026 22:02:49

Diagnostics Check		OK	21:56
Air Blank		0.000	21:57
Control Test		0.077	21:57
Air Blank		0.000	21:58
Subject Sample	# 1	0.000	21:58
Breath Volume		2.007	21:58
Air Blank		0.000	21:59
Air Blank		0.000	22:01
Subject Sample	# 2	0.000	22:01
Breath Volume		4.007	22:01
Air Blank		0.000	22:01
Control Test		0.078	22:02
Air Blank		0.000	22:02
Diagnostics Check		OK	22:02

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: GUTIERREZ,DAVID
ARRESTING OFFICER AGENCY: Juno Beach PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 21:00
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:51

SUBJECT'S LAST NAME: SPIVAK

DATE/TIME OF TEST: 01/23/2026 22:37:37

Diagnostics Check		OK	22:25	
Air Blank		0.000	22:26	
Control Test		0.078	22:26	
Air Blank		0.000	22:27	
Subject Sample	# 1	0.155	22:30	Slope Not Level
Breath Volume		1.152	22:30	
Air Blank		0.000	22:31	
Air Blank		0.000	22:32	
Subject Sample	# 2	0.128	22:35	Volume Not Met
Breath Volume		0.265	22:35	
Air Blank		0.000	22:36	
Control Test		0.077	22:36	
Air Blank		0.000	22:37	
Diagnostics Check		OK	22:37	

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: GUTIERREZ,DAVID
ARRESTING OFFICER AGENCY: Juno Beach PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 21:00
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:51

SUBJECT'S LAST NAME: SPIVAK

DATE/TIME OF TEST: 01/23/2026 22:45:21

Diagnostics Check		OK	22:41	
Air Blank		0.000	22:41	
Control Test		0.077	22:41	
Air Blank		0.000	22:42	
Subject Sample	# 1		22:43	Subject Test Refused
Breath Volume		0.976	22:43	
Air Blank		0.000	22:44	
Control Test		0.078	22:44	
Air Blank		0.000	22:45	
Diagnostics Check		OK	22:45	

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: KAHN,JUSTIN
ARRESTING OFFICER AGENCY: Palm Beach Gardens
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 23:27
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:08

SUBJECT'S LAST NAME: ELIEN

DATE/TIME OF TEST: 01/24/2026 00:49:03

Diagnostics Check		OK	00:38
Air Blank		0.000	00:39
Control Test		0.078	00:39
Air Blank		0.000	00:40
Subject Sample	# 1	0.351	00:41
Breath Volume		2.406	00:41
Air Blank		0.000	00:41
Air Blank		0.000	00:43
Subject Sample	# 2	0.317	00:44
Breath Volume		2.046	00:44
Air Blank		0.000	00:44
Air Blank		0.000	00:46
Subject Sample	# 3	0.320	00:47
Breath Volume		1.109	00:47
Air Blank		0.000	00:48
Control Test		0.077	00:48
Air Blank		0.000	00:48
Diagnostics Check		OK	00:49

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: RINI,LAWRENCE
ARRESTING OFFICER AGENCY: Boynton Beach PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 00:03
GENDER: Female
OBSERVATION PERIOD BEGAN: 00:32

SUBJECT'S LAST NAME: LYTAL

DATE/TIME OF TEST: 01/24/2026 01:13:44

Diagnostics Check		OK	01:06
Air Blank		0.000	01:06
Control Test		0.077	01:07
Air Blank		0.000	01:07
Subject Sample	# 1	0.151	01:08
Breath Volume		1.972	01:08
Air Blank		0.000	01:09
Air Blank		0.000	01:11
Subject Sample	# 2	0.145	01:12
Breath Volume		1.636	01:12
Air Blank		0.000	01:12
Control Test		0.077	01:13
Air Blank		0.000	01:13
Diagnostics Check		OK	01:13

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GONZALEZ,MADELIN,
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WARD,CHRISTOPHER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 00:44
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:52

SUBJECT'S LAST NAME: LOPEZ

DATE/TIME OF TEST: 01/24/2026 01:45:14

Diagnostics Check		OK	01:38
Air Blank		0.000	01:39
Control Test		0.079	01:39
Air Blank		0.000	01:40
Subject Sample	# 1	0.101	01:40
Breath Volume		3.468	01:40
Air Blank		0.000	01:41
Air Blank		0.000	01:43
Subject Sample	# 2	0.101	01:43
Breath Volume		3.031	01:43
Air Blank		0.000	01:44
Control Test		0.078	01:44
Air Blank		0.000	01:45
Diagnostics Check		OK	01:45

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WHITE,EDWARD
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:12
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:45

SUBJECT'S LAST NAME: MILFORT

DATE/TIME OF TEST: 01/24/2026 03:26:05

Diagnostics Check		OK	03:18
Air Blank		0.000	03:19
Control Test		0.078	03:19
Air Blank		0.000	03:20
Subject Sample	# 1	0.158	03:21
Breath Volume		1.875	03:21
Air Blank		0.000	03:22
Air Blank		0.000	03:23
Subject Sample	# 2	0.152	03:24
Breath Volume		1.847	03:24
Air Blank		0.000	03:25
Control Test		0.077	03:25
Air Blank		0.000	03:26
Diagnostics Check		OK	03:26

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LEAHEY,THOMAS,H
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: NORMIL,RITCHY
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 22:37
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:53

SUBJECT'S LAST NAME: CAMPBELL

DATE/TIME OF TEST: 01/24/2026 23:23:52

Diagnostics Check		OK	23:17
Air Blank		0.000	23:18
Control Test		0.078	23:18
Air Blank		0.000	23:19
Subject Sample	# 1	0.155	23:19
Breath Volume		1.554	23:19
Air Blank		0.000	23:20
Air Blank		0.000	23:21
Subject Sample	# 2	0.149	23:22
Breath Volume		1.902	23:22
Air Blank		0.000	23:22
Control Test		0.078	23:23
Air Blank		0.000	23:23
Diagnostics Check		OK	23:23

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,THOMASINA,E
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: AGAOGLU,YASEMIN
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 23:08
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:21

SUBJECT'S LAST NAME: BUENO CAPOTE

DATE/TIME OF TEST: 01/24/2026 23:57:51

Diagnostics Check		OK	23:48
Air Blank		0.000	23:48
Control Test		0.078	23:48
Air Blank		0.000	23:49
Subject Sample	# 1	0.241	23:52
Breath Volume		1.691	23:52
Air Blank		0.000	23:53
Air Blank		0.000	23:54
Subject Sample	# 2	0.223	23:56
Breath Volume		1.351	23:56
Air Blank		0.000	23:56
Control Test		0.076	23:57
Air Blank		0.000	23:57
Diagnostics Check		OK	23:57

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LEAHEY,THOMAS,H
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: LAFLEUR,ROBENSON
ARRESTING OFFICER AGENCY: FHP Troop L
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 03:53
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:15

SUBJECT'S LAST NAME: BORNO

DATE/TIME OF TEST: 01/25/2026 04:48:32

Diagnostics Check		OK	04:41
Air Blank		0.000	04:42
Control Test		0.078	04:42
Air Blank		0.000	04:43
Subject Sample	# 1	0.120	04:43
Breath Volume		1.906	04:43
Air Blank		0.000	04:44
Air Blank		0.000	04:46
Subject Sample	# 2	0.123	04:46
Breath Volume		1.511	04:46
Air Blank		0.000	04:47
Control Test		0.078	04:47
Air Blank		0.000	04:48
Diagnostics Check		OK	04:48

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LEAHEY,THOMAS,H
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WARD,CHRISTOPHER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 21:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:49

SUBJECT'S LAST NAME: ZAZO DIAZ

DATE/TIME OF TEST: 01/25/2026 22:25:52

Diagnostics Check		OK	22:18
Air Blank		0.000	22:18
Control Test		0.078	22:19
Air Blank		0.000	22:19
Subject Sample	# 1	0.160	22:21
Breath Volume		1.636	22:21
Air Blank		0.000	22:21
Air Blank		0.000	22:23
Subject Sample	# 2	0.167	22:24
Breath Volume		1.843	22:24
Air Blank		0.000	22:24
Control Test		0.077	22:25
Air Blank		0.000	22:25
Diagnostics Check		OK	22:25

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELL,JOSHUA,J
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: AGAOGLU,YASEMIN
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 23:36
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:55

SUBJECT'S LAST NAME: SANCHEZ

DATE/TIME OF TEST: 01/26/2026 00:38:26

Diagnostics Check		OK	00:27	
Air Blank		0.000	00:27	
Control Test		0.078	00:27	
Air Blank		0.000	00:28	
Subject Sample	# 1	0.157	00:31	Volume Not Met
Breath Volume		0.257	00:31	
Air Blank		0.000	00:32	
Air Blank		0.000	00:33	
Subject Sample	# 2		00:36	Subject Test Refused
Breath Volume		0.285	00:36	
Air Blank		0.000	00:37	
Control Test		0.077	00:37	
Air Blank		0.000	00:38	
Diagnostics Check		OK	00:38	

Data Download Date/Time: 02/13/2026 15:22

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LEAHEY,THOMAS,H
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: KNIGHT,AIDAN
ARRESTING OFFICER AGENCY: Palm Beach PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 00:05
GENDER: Female
OBSERVATION PERIOD BEGAN: 00:41

SUBJECT'S LAST NAME: WATKINS

DATE/TIME OF TEST: 01/26/2026 01:17:56

Diagnostics Check		OK	01:08
Air Blank		0.000	01:08
Control Test		0.078	01:09
Air Blank		0.000	01:09
Subject Sample	# 1	0.228	01:10
Breath Volume		2.019	01:10
Air Blank		0.000	01:10
Air Blank		0.000	01:12
Subject Sample	# 2	0.204	01:13
Breath Volume		2.351	01:13
Air Blank		0.000	01:14
Air Blank		0.000	01:15
Subject Sample	# 3	0.215	01:16
Breath Volume		2.582	01:16
Air Blank		0.000	01:16
Control Test		0.077	01:17
Air Blank		0.000	01:17
Diagnostics Check		OK	01:17

Data Download Date/Time: 02/13/2026 15:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELL,JOSHUA,J
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: AGAOGLU,YASEMIN
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 04:09
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:23

SUBJECT'S LAST NAME: AMILCA

DATE/TIME OF TEST: 01/26/2026 05:11:29

Diagnostics Check		OK	04:57	
Air Blank		0.000	04:58	
Control Test		0.079	04:58	
Air Blank		0.000	04:59	
Subject Sample	# 1	0.156	05:02	Volume Not Met
Breath Volume		0.175	05:02	
Air Blank		0.000	05:02	
Air Blank		0.000	05:04	
Subject Sample	# 2	0.143	05:06	
Breath Volume		2.109	05:06	
Air Blank		0.000	05:07	
Air Blank		0.000	05:09	
Subject Sample	# 3	0.151	05:09	
Breath Volume		1.589	05:09	
Air Blank		0.000	05:10	
Control Test		0.077	05:10	
Air Blank		0.000	05:11	
Diagnostics Check		OK	05:11	

Data Download Date/Time: 02/13/2026 15:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LEAHEY,THOMAS,H
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: WARD,CHRISTOPHER
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 23:19
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:32

SUBJECT'S LAST NAME: ARIZAGA

DATE/TIME OF TEST: 01/27/2026 00:03:34

Diagnostics Check		OK	23:57
Air Blank		0.000	23:57
Control Test		0.079	23:58
Air Blank		0.000	23:58
Subject Sample	# 2	0.000	23:59
Breath Volume		1.273	23:59
Air Blank		0.000	23:59
Air Blank		0.000	00:01
Subject Sample	# 1	0.000	00:02
Breath Volume		1.570	00:02
Air Blank		0.000	00:02
Control Test		0.079	00:02
Air Blank		0.000	00:03
Diagnostics Check		OK	00:03

Data Download Date/Time: 02/13/2026 15:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: O'NEAL,SHARI,L
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: RENE,JENNYFER
ARRESTING OFFICER AGENCY: FL Atlantic UPD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 02:30
GENDER: Female
OBSERVATION PERIOD BEGAN: 03:42

SUBJECT'S LAST NAME: MCCULLERS

DATE/TIME OF TEST: 01/28/2026 04:21:34

Diagnostics Check		OK	04:14
Air Blank		0.000	04:14
Control Test		0.079	04:15
Air Blank		0.000	04:15
Subject Sample	# 1	0.194	04:16
Breath Volume		2.152	04:16
Air Blank		0.000	04:17
Air Blank		0.000	04:19
Subject Sample	# 2	0.183	04:19
Breath Volume		1.859	04:19
Air Blank		0.000	04:20
Control Test		0.080	04:20
Air Blank		0.000	04:21
Diagnostics Check		OK	04:21

Data Download Date/Time: 02/13/2026 15:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RAGIN,RENEE,M
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: KAHN,JUSTIN
ARRESTING OFFICER AGENCY: Palm Beach Gardens
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 21:13
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:50

SUBJECT'S LAST NAME: HERNANDEZ SUAREZ

DATE/TIME OF TEST: 01/29/2026 22:20:49

Diagnostics Check		OK	22:15
Air Blank		0.000	22:15
Control Test		0.079	22:15
Air Blank		0.000	22:16
Subject Sample	# 1	0.000	22:16
Breath Volume		1.402	22:16
Air Blank		0.000	22:17
Air Blank		0.000	22:19
Subject Sample	# 2	0.000	22:19
Breath Volume		2.464	22:19
Air Blank		0.000	22:19
Control Test		0.079	22:20
Air Blank		0.000	22:20
Diagnostics Check		OK	22:20

Data Download Date/Time: 02/13/2026 15:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: O'NEAL,SHARI,L
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: CUNNINGHAM,GREGORY
ARRESTING OFFICER AGENCY: Delray Beach PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 01:58
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:39

SUBJECT'S LAST NAME: WHITFIELD

DATE/TIME OF TEST: 01/30/2026 03:17:11

Diagnostics Check		OK	03:08
Air Blank		0.000	03:09
Control Test		0.079	03:09
Air Blank		0.000	03:10
Subject Sample	# 1	0.197	03:11
Breath Volume		1.175	03:11
Air Blank		0.000	03:12
Air Blank		0.000	03:14
Subject Sample	# 2	0.187	03:15
Breath Volume		1.289	03:15
Air Blank		0.000	03:16
Control Test		0.079	03:16
Air Blank		0.000	03:17
Diagnostics Check		OK	03:17

Data Download Date/Time: 02/13/2026 15:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: O'NEAL,SHARI,L
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: BARRERAS,KIMBERLY
ARRESTING OFFICER AGENCY: Palm Beach County SO
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 03:31
GENDER: Female
OBSERVATION PERIOD BEGAN: 03:59

SUBJECT'S LAST NAME: SMOUDIANIS

DATE/TIME OF TEST: 01/30/2026 04:32:34

Diagnostics Check		OK	04:26
Air Blank		0.000	04:26
Control Test		0.078	04:27
Air Blank		0.000	04:27
Subject Sample	# 1	0.194	04:27
Breath Volume		1.984	04:27
Air Blank		0.000	04:28
Air Blank		0.000	04:30
Subject Sample	# 2	0.193	04:30
Breath Volume		2.132	04:30
Air Blank		0.000	04:31
Control Test		0.078	04:31
Air Blank		0.000	04:32
Diagnostics Check		OK	04:32

Data Download Date/Time: 02/13/2026 15:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.

Florida Department of Law Enforcement

Alcohol Testing Program

Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

INSTRUMENT REGISTERED TO: PALM BEACH CSO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LEAHEY,THOMAS,H
BREATH TEST OPERATOR AGENCY: Palm Beach County SO
ARRESTING OFFICER: ALEXIS,VLADIMIR
ARRESTING OFFICER AGENCY: Boynton Beach PD
LAST AGENCY INSPECTION: 01/16/2026

Date or Time Changed: No
DRY GAS STANDARD LOT #: 19825080A2
DRY GAS EXPIRY DATE: 09/05/2027
VIOLATION CODE: DUI
ARREST TIME: 20:18
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:37

SUBJECT'S LAST NAME: PIERRE

DATE/TIME OF TEST: 01/31/2026 21:14:46

Diagnostics Check		OK	21:02	
Air Blank		0.000	21:02	
Control Test		0.080	21:02	
Air Blank		0.000	21:03	
Subject Sample	# 1	0.214	21:06	Volume Not Met
Breath Volume		0.617	21:06	
Air Blank		0.000	21:07	
Air Blank		0.000	21:08	
Subject Sample	# 2	0.218	21:09	
Breath Volume		1.375	21:09	
Air Blank		0.000	21:10	
Air Blank		0.000	21:11	
Subject Sample	# 3	0.227	21:13	
Breath Volume		1.195	21:13	
Air Blank		0.000	21:13	
Control Test		0.078	21:14	
Air Blank		0.000	21:14	
Diagnostics Check		OK	21:14	

Data Download Date/Time: 02/13/2026 15:23

Printed: 07 March 2026

COBRA ©1997-2014 CMI, Inc.