

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15056 Method GC
 Analyst Name Adams, Susan

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2112	0.206	0.0	0.207	0.5
Initial	D	2434	0.289	-0.5	0.289	-0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter 2nd Iter
A	0.200	0.212	0.206	0.002	86	1 1
B	0.046	0.052	0.049	0.001	90	0 5
C	0.066	0.072	0.069	0.001	82	1 2
D	0.279	0.303	0.291	0.004	92	2 4
E	0.104	0.116	0.110	0.002	90	1 1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15120 Method GC
Analyst Name Alford (GC-FID/MS), Ilene

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2246	0.051	2.0	0.050	1.0
Initial	D	2413	0.295	1.0	0.296	1.3

Proficiency Cycle Statistics

Level	Lower Limit		Upper Limit		Mean (Average)	Std Dev	N	Number Out of Range	
								1st Iter	2nd Iter
A	0.200		0.212		0.206	0.002	86	1	1
B	0.046		0.052		0.049	0.001	90	0	5
C	0.066		0.072		0.069	0.001	82	1	2
D	0.279		0.303		0.291	0.004	92	2	4
E	0.104		0.116		0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15075 Method GC
Analyst Name Allard, Roger

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2347	0.067	-2.0	0.067	-2.0
Initial	E	2522	0.107	-1.5	0.108	-1.0

Proficiency Cycle Statistics

Level	Lower Limit		Upper Limit		Mean (Average)	Std Dev	N	Number Out of Range	
								1st Iter	2nd Iter
A	0.200		0.212		0.206	0.002	86	1	1
B	0.046		0.052		0.049	0.001	90	0	5
C	0.066		0.072		0.069	0.001	82	1	2
D	0.279		0.303		0.291	0.004	92	2	4
E	0.104		0.116		0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15097 Method GC
Analyst Name Anderson, Carla

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2162	0.207	0.5	0.207	0.5
Initial	D	2409	0.294	0.8	0.296	1.3

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15086 Method GC
 Analyst Name Ashfaq, Fauzia

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.

Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	D	2406	0.292	0.3	0.295	1.0
Initial	E	2571	0.113	1.5	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	Number Out of Range	
					1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	1	1
B	0.046	0.052	0.049	0.001	0	5
C	0.066	0.072	0.069	0.001	1	2
D	0.279	0.303	0.291	0.004	2	4
E	0.104	0.116	0.110	0.002	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15171 Method GC
Analyst Name Baldwin, Jacquelyn

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.

Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2315	0.069	0.0	0.068	-1.0
Initial	E	2554	0.111	0.5	0.110	0.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15090 Method GC
 Analyst Name Boland, Diane

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2211	0.050	1.0	0.049	0.0
Initial	E	2565	0.110	0.0	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	Number Out of Range	
					1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	1	1
B	0.046	0.052	0.049	0.001	0	5
C	0.066	0.072	0.069	0.001	1	2
D	0.279	0.303	0.291	0.004	2	4
E	0.104	0.116	0.110	0.002	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15184 Method GC
Analyst Name Brunner, Brandon

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2250	0.051	2.0	0.049	0.0
Initial	D	2418	0.291	0.0	0.290	-0.3

Proficiency Cycle Statistics

Level	Lower Limit		Upper Limit		Mean (Average)	Std Dev	N		Number Out of Range	
							1st Iter	2nd Iter		
A	0.200		0.212		0.206	0.002	86	1	1	1
B	0.046		0.052		0.049	0.001	90	0	0	5
C	0.066		0.072		0.069	0.001	82	1	1	2
D	0.279		0.303		0.291	0.004	92	2	2	4
E	0.104		0.116		0.110	0.002	90	1	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15082 Method GC
Analyst Name Cangiano, Carol

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.

Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	D	2412	0.289	-0.5	0.289	-0.5
Initial	E	2543	0.111	0.5	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15080 Method GC
Analyst Name Carey, Regina

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.

Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2140	0.207	0.5	0.207	0.5
Initial	B	2224	0.050	1.0	0.051	2.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15092 Method GC
Analyst Name Carswell, Katheryn

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration. Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	D	2471	0.288	-0.8	0.290	-0.3
Initial	E	2513	0.112	1.0	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit		Upper Limit		Mean (Average)	Std Dev	N	Number Out of Range	
	Limit		Limit					1st Iter	2nd Iter
A	0.200		0.212		0.206	0.002	86	1	1
B	0.046		0.052		0.049	0.001	90	0	5
C	0.066		0.072		0.069	0.001	82	1	2
D	0.279		0.303		0.291	0.004	92	2	4
E	0.104		0.116		0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15117 Method GC
Analyst Name Catlin, Tara

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2316	0.071	2.0	0.071	2.0
Initial	D	2454	0.295	1.0	0.297	1.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
A	0.200	0.212	0.206	0.002	86	1st Iter	2nd Iter
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15014 Method GC
Analyst Name Chin, Jenna

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2210	0.049	0.0	0.049	0.0
Initial	C	2349	0.070	1.0	0.068	-1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15068 Method GC
Analyst Name Cofino, Julio

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2109	0.201	-2.5	0.203	-1.5
Initial	C	2351	0.066	-3.0	0.067	-2.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	Number Out of Range	
					1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	1	1
B	0.046	0.052	0.049	0.001	0	5
C	0.066	0.072	0.069	0.001	1	2
D	0.279	0.303	0.291	0.004	2	4
E	0.104	0.116	0.110	0.002	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15128 Method GC
 Analyst Name Connelly (AA-4), Gina

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.

Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2123	0.207	0.5	0.208	1.0
Initial	B	2249	0.050	1.0	0.050	1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 12129 Method GC
Analyst Name Escobar-Jacobs, Monica

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2217	0.049	0.0	0.050	1.0
Initial	D	2450	0.285	-1.5	0.286	-1.3

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15041 Method GC
Analyst Name Fernandez, Denise

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2319	0.070	1.0	0.070	1.0
Initial	D	2449	0.290	-0.3	0.291	0.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15151 Method GC
Analyst Name Figueroa (HS70), Stephanie

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2170	0.209	1.5	0.208	1.0
Initial	D	2419	0.295	1.0	0.296	1.3

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15150 Method GC
Analyst Name Figueroa (HS110), Stephanie

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2221	0.051	2.0	0.051	2.0
Initial	D	2440	0.293	0.5	0.292	0.3

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter 2nd Iter
A	0.200	0.212	0.206	0.002	86	1 1
B	0.046	0.052	0.049	0.001	90	0 5
C	0.066	0.072	0.069	0.001	82	1 2
D	0.279	0.303	0.291	0.004	92	2 4
E	0.104	0.116	0.110	0.002	90	1 1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15141 Method GC
Analyst Name Gagen, Sara

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2127	0.206	0.0	0.205	-0.5
Initial	B	2255	0.050	1.0	0.048	-1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15194 Method GC
Analyst Name Gonyea, Jennifer

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.

Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2137	0.205	-0.5	0.205	-0.5
Initial	B	2259	0.048	-1.0	0.048	-1.0
Initial	C	2324	0.068	-1.0	0.068	-1.0
Initial	D	2461	0.288	-0.8	0.286	-1.3
Initial	E	2547	0.109	-0.5	0.109	-0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15034 Method GC
Analyst Name Gottal, Josephine

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2122	0.210	2.0	0.210	2.0
Initial	E	2540	0.112	1.0	0.113	1.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15032 Method GC
Analyst Name Gray, Marda

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2252	0.050	1.0	0.050	1.0
Initial	D	2417	0.291	0.0	0.290	-0.3

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15022 Method GC
Analyst Name Hays, Jeffrey

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	D	2416	0.297	1.5	0.292	0.3
Initial	E	2542	0.110	0.0	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15039 Method GC
Analyst Name Hime, George

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2151	0.205	-0.5	0.206	0.0
Initial	E	2529	0.108	-1.0	0.107	-1.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15024 Method GC
Analyst Name Hippolyte, Theresa

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2266	0.048	-1.0	0.048	-1.0
Initial	E	2512	0.109	-0.5	0.109	-0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15192 Method GC
Analyst Name Huene (HS70), Lauren

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2240	0.049	0.0	0.051	2.0
Initial	D	2427	0.293	0.5	0.293	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15191 Method GC
Analyst Name Huene (HS110), Lauren

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2307	0.070	1.0	0.070	1.0
Initial	E	2566	0.112	1.0	0.112	1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15188 Method GC
Analyst Name Jean (HS70), Kenson

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.

Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2108	0.207	0.5	0.208	1.0
Initial	B	2267	0.051	2.0	0.048	-1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15186 Method GC
Analyst Name Jean (HS110), Kenson

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2325	0.069	0.0	0.069	0.0
Initial	E	2510	0.112	1.0	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15176 Method GC
Analyst Name Jean, Wilsa

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2320	0.069	0.0	0.069	0.0
Initial	E	2553	0.109	-0.5	0.109	-0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15045 Method GC
Analyst Name Jones, Carolyn

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2265	0.050	1.0	0.050	1.0
Initial	D	2426	0.290	-0.3	0.290	-0.3

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15149 Method GC
Analyst Name Kahl, Joseph

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	D	2464	0.287	-1.0	0.287	-1.0
Initial	E	2523	0.111	0.5	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit		Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
							1st Iter	2nd Iter
A	0.200		0.212	0.206	0.002	86	1	1
B	0.046		0.052	0.049	0.001	90	0	5
C	0.066		0.072	0.069	0.001	82	1	2
D	0.279		0.303	0.291	0.004	92	2	4
E	0.104		0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15197 Method GC
Analyst Name Kamandulis (AA-4r1), Linet

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2126	0.204	-1.0	0.205	-0.5
Initial	B	2260	0.049	0.0	0.048	-1.0
Initial	C	2355	0.067	-2.0	0.067	-2.0
Initial	D	2431	0.288	-0.8	0.287	-1.0
Initial	E	2544	0.109	-0.5	0.108	-1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15198 Method GC
 Analyst Name Kamandulis (AA-5r1), Linet

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2158	0.203	-1.5	0.207	0.5
Initial	B	2234	0.049	0.0	0.049	0.0
Initial	C	2313	0.070	1.0	0.068	-1.0
Initial	D	2470	0.286	-1.3	0.285	-1.5
Initial	E	2546	0.111	0.5	0.108	-1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15037 Method GC
Analyst Name Kessler, Karen

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.

Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2107	0.208	1.0	0.208	1.0
Initial	B	2264	0.049	0.0	0.049	0.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15153 Method GC
 Analyst Name King (HS70), Joanna

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2167	0.208	1.0	0.200	-3.0
Initial	D	2405	0.294	0.8	0.293	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15152 Method GC
Analyst Name King (HS110), Joanna

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2276	0.052	3.0	0.052	3.0
Initial	C	2335	0.071	2.0	0.071	2.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15157 Method GC
Analyst Name Kirkland, Dominique

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2326	0.068	-1.0	0.068	-1.0
Initial	E	2568	0.111	0.5	0.112	1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15181 Method GC
Analyst Name Kunsmann, Gary

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.

Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2323	0.069	0.0	0.067	-2.0
Initial	E	2551	0.111	0.5	0.112	1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: 'Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15195 Method GC
 Analyst Name Lewis (AA-4r1), Jennifer

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2114	0.205	-0.5	0.205	-0.5
Initial	B	2245	0.047	-2.0	0.047	-2.0
Initial	C	2363	0.066	-3.0	0.066	-3.0
Initial	D	2432	0.289	-0.5	0.290	-0.3
Initial	E	2527	0.109	-0.5	0.108	-1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15196 Method GC
 Analyst Name Lewis (AA-5r1), Jennifer

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2136	0.204	-1.0	0.205	-0.5
Initial	B	2253	0.047	-2.0	0.048	-1.0
Initial	C	2328	0.067	-2.0	0.068	-1.0
Initial	D	2460	0.288	-0.8	0.288	-0.8
Initial	E	2541	0.108	-1.0	0.108	-1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15125 Method GC
Analyst Name Maragh, Sharin

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2166	0.211	2.5	0.209	1.5
Initial	B	2227	0.049	0.0	0.050	1.0

Proficiency Cycle Statistics

Level	Lower Limit		Upper Limit		Mean (Average)	Std Dev	N	Number Out of Range	
								1st Iter	2nd Iter
A	0.200		0.212		0.206	0.002	86	1	1
B	0.046		0.052		0.049	0.001	90	0	5
C	0.066		0.072		0.069	0.001	82	1	2
D	0.279		0.303		0.291	0.004	92	2	4
E	0.104		0.116		0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15033 Method GC
Analyst Name Mark, Amy

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2333	0.069	0.0	0.069	0.0
Initial	E	2520	0.111	0.5	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15064 Method GC
Analyst Name Mazek (AA-4), Kathleen

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2215	0.049	0.0	0.049	0.0
Initial	D	2441	0.290	-0.3	0.290	-0.3

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15188 Method GC
Analyst Name McKee, Stacy

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2204	0.048	-1.0	0.050	1.0
Initial	C	2368	0.069	0.0	0.067	-2.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15146 Method GC
Analyst Name Montgomery (HS70), Lisa

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2176	0.208	1.0	0.208	1.0
Initial	E	2534	0.111	0.5	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15147 Method GC
Analyst Name Montgomery (HS110), Lisa

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2369	0.070	1.0	0.070	1.0
Initial	D	2410	0.293	0.5	0.293	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15099 Method GC
Analyst Name Nash, Nadra

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2149	0.204	-1.0	0.206	0.0
Initial	E	2507	0.111	0.5	0.112	1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15175 Method GC
Analyst Name Neufeld, Alison

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2205	0.050	1.0	0.050	1.0
Initial	D	2443	0.290	-0.3	0.291	0.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15140 Method GC
Analyst Name Nguyen, Linda

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2164	0.208	1.0	0.205	-0.5
Initial	C	2308	0.070	1.0	0.069	0.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15142 Method GC
Analyst Name Nunez, William

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2124	0.209	1.5	0.208	1.0
Initial	E	2563	0.110	0.0	0.110	0.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15083 Method GC
Analyst Name Parsons, Bob

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2133	0.201	-2.5	0.201	-2.5
Initial	D	2404	0.286	-1.3	0.288	-0.8

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15029 Method GC
Analyst Name Patel, Minakshi

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2371	0.069	0.0	0.069	0.0
Initial	E	2545	0.111	0.5	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 12130 Method GC
Analyst Name Ramsey, Shibaughn

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2216	0.050	1.0	0.050	1.0
Initial	E	2504	0.110	0.0	0.110	0.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 7/11/2014 Participation Number 15126 Method GC
 Analyst Name Reidy, Lisa

Your 14Q2 proficiency test outcome is Satisfactory - This report supercedes all other reports for this proficiency cycle

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Re-Test	A	2148	0.205	-0.5	0.207	0.5
Re-Test	B	2222	0.049	0.0	0.050	1.0
Re-Test	C	2304	0.068	-1.0	0.068	-1.0
Re-Test	D	2452	0.292	0.3	0.291	0.0
Re-Test	E	2530	0.110	0.0	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

*Amended
10/8/2015
BK*

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15126 Method GC
Analyst Name Reidy, Lisa

Your 14Q2 proficiency test outcome is Unsatisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2120	0.210	2.0	0.210	2.0
Initial	B	2257	0.046	-3.0	0.045	-4.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15126 Method GC
Analyst Name Reidy, Lisa

Your 14Q2 proficiency test outcome is Unsatisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2120	0.046	-80.0	0.210	2.0
Initial	B	2257	0.045	-4.0	0.210	161.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	Number Out of Range	
					1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	1	1
B	0.046	0.052	0.049	0.001	0	5
C	0.066	0.072	0.069	0.001	1	2
D	0.279	0.303	0.291	0.004	2	4
E	0.104	0.116	0.110	0.002	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15066 Method GC
Analyst Name Rein, Joseph

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2268	0.050	1.0	0.050	1.0
Initial	C	2309	0.069	0.0	0.069	0.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15189 Method GC
 Analyst Name Richter (HS70), Stephanie

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2311	0.071	2.0	0.070	1.0
Initial	E	2519	0.110	0.0	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15185 Method GC
 Analyst Name Richter (HS110), Stephanie

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2153	0.208	1.0	0.209	1.5
Initial	C	2372	0.071	2.0	0.071	2.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15121 Method GC
Analyst Name Shan (GC-FID/MS), Xiaoqin

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2165	0.208	1.0	0.207	0.5
Initial	B	2226	0.050	1.0	0.050	1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15173 Method GC
Analyst Name Shaw (AA-4), Kristie

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2214	0.051	2.0	0.050	1.0
Initial	C	2370	0.070	1.0	0.070	1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15174 Method GC
Analyst Name Shaw (AA-5), Kristie

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	D	2468	0.292	0.3	0.294	0.8
Initial	E	2533	0.111	0.5	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15193 Method GC
 Analyst Name Shoff, Elisa

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2159	0.203	-1.5	0.204	-1.0
Initial	B	2242	0.050	1.0	0.049	0.0
Initial	C	2367	0.068	-1.0	0.068	-1.0
Initial	D	2436	0.287	-1.0	0.285	-1.5
Initial	E	2526	0.111	0.5	0.111	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15122 Method GC
Analyst Name Tiscione (GC-FID/MS), Nicholas

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2111	0.206	0.0	0.207	0.5
Initial	B	2258	0.050	1.0	0.050	1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15155 Method GC
 Analyst Name Titko, Justine

Your 14Q2 proficiency test outcome is **Satisfactory**

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2110	0.209	1.5	0.210	2.0
Initial	E	2576	0.112	1.0	0.112	1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15060 Method GC
Analyst Name Toth, Mary Lou

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2336	0.069	0.0	0.069	0.0
Initial	D	2414	0.293	0.5	0.297	1.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15085 Method GC
Analyst Name Troesch, Lisa

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2238	0.049	0.0	0.049	0.0
Initial	C	2312	0.069	0.0	0.069	0.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15044 Method GC
 Analyst Name Vacha (AA-4), Ruth E.

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2269	0.049	0.0	0.049	0.0
Initial	D	2415	0.290	-0.3	0.291	0.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15138 Method GC
 Analyst Name Vacha (AA-5), Ruth

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2161	0.206	0.0	0.206	0.0
Initial	D	2422	0.289	-0.5	0.292	0.3

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15067 Method GC
 Analyst Name Wagner, Michael

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	B	2261	0.049	0.0	0.048	-1.0
Initial	E	2515	0.109	-0.5	0.108	-1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15051 Method GC
 Analyst Name Warner (AA-4), Ryan

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2168	0.204	-1.0	0.205	-0.5
Initial	E	2532	0.109	-0.5	0.110	0.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter 2nd Iter
A	0.200	0.212	0.206	0.002	86	1 1
B	0.046	0.052	0.049	0.001	90	0 5
C	0.066	0.072	0.069	0.001	82	1 2
D	0.279	0.303	0.291	0.004	92	2 4
E	0.104	0.116	0.110	0.002	90	1 1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15139 Method GC
 Analyst Name Warner (AA-5), Ryan

Evaluation Procedure

Your 14Q2 proficiency test outcome is Satisfactory

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.

Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2360	0.067	-2.0	0.068	-1.0
Initial	E	2517	0.108	-1.0	0.109	-0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15116 Method GC
 Analyst Name Wright, Deborah

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2169	0.206	0.0	0.206	0.0
Initial	D	2411	0.289	-0.5	0.288	-0.8

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15190 Method GC
Analyst Name Yang (HS70), Michelle

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2160	0.201	-2.5	0.208	1.0
Initial	D	2424	0.293	0.5	0.293	0.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15187 Method GC
Analyst Name Yang (HS110), Michelle

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	D	2439	0.296	1.3	0.297	1.5
Initial	E	2561	0.112	1.0	0.113	1.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter 2nd Iter
A	0.200	0.212	0.206	0.002	86	1 1
B	0.046	0.052	0.049	0.001	90	0 5
C	0.066	0.072	0.069	0.001	82	1 2
D	0.279	0.303	0.291	0.004	92	2 4
E	0.104	0.116	0.110	0.002	90	1 1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15123 Method GC
 Analyst Name Yeatman (GC-FID/MS), Dustin

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	A	2125	0.208	1.0	0.208	1.0
Initial	B	2262	0.049	0.0	0.050	1.0

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range 1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.056	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
 The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.

Florida Department of Law Enforcement

Alcohol Testing Program

BLOOD ALCOHOL PROFICIENCY INITIAL TEST OUTCOME REPORT

Proficiency Cycle 14Q2 Receive Results By: 6/20/2014 Participation Number 15040 Method GC
Analyst Name Zaney, Mary Elizabeth

Your 14Q2 proficiency test outcome is Satisfactory

Evaluation Procedure

First iteration: For each level, the qualified results reported by participating analysts and reference labs are pooled, the mean, standard deviation and acceptable range are calculated using truncation, and results outside the acceptable range are excluded from the second iteration.
Second iteration: The mean, standard deviation and acceptable range are recalculated using truncation, every analyst's qualified results are compared to the recalculated acceptable range, and every analyst is assigned an outcome for the proficiency cycle. All analysts with Results Outside Acceptable Range receive retest samples. The retest results are compared to the acceptable range established by the initial test and the retested analyst's outcome for the proficiency cycle is assigned based on the second comparison.

Type Test	Level ID	Vial Number	Results #1 Reported (g/dL)	#1 Z Score	Results #2 Reported (g/dL)	#2 Z Score
Initial	C	2310	0.070	1.0	0.069	0.0
Initial	D	2469	0.284	-1.8	0.285	-1.5

Proficiency Cycle Statistics

Level	Lower Limit	Upper Limit	Mean (Average)	Std Dev	N	Number Out of Range	
						1st Iter	2nd Iter
A	0.200	0.212	0.206	0.002	86	1	1
B	0.046	0.052	0.049	0.001	90	0	5
C	0.066	0.072	0.069	0.001	82	1	2
D	0.279	0.303	0.291	0.004	92	2	4
E	0.104	0.116	0.110	0.002	90	1	1

Notes: Z score is your reported analytical result compared to the mean in terms of the standard deviation, calculated as (Result-Mean)/StdDev.
The parameter n is the number of results reported which are used to calculate the second iteration mean and standard deviation.