

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000206

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	01/11/2016	11:18:14	AG425202	09/09/2015	01/22/2016 7:15
FDLE	01/21/2016	08:44:46	AG425202	09/09/2016	01/22/2016 7:15

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000223

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	06/02/2016	16:26:38	18015080A2	08/05/2017	07/07/2016 11:53
FDLE	09/03/2016	18:50:18	13115080A1	06/05/2017	09/27/2016 12:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000737

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ALACHUA COUNTY SO	06/27/2016	13:49:22	11315080A1	05/05/2017	06/27/2016 14:32

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000744

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	08/23/2016	08:50:42	03415080A2	03/05/2017	08/23/2016 10:46
ESCAMBIA COUNTY SO	09/06/2016	05:11:03	03415080A2	03/05/2017	09/06/2016 7:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000752

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	01/13/2016	21:34:00	83550	09/26/2018	01/22/2016 0:55
MARION COUNTY SO	03/02/2016	01:27:26	1766638	11/05/2017	03/24/2016 23:48
MARION COUNTY SO	03/18/2016	19:32:47	1766638	11/05/2017	03/24/2016 23:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000758

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FPSI TRAINING	05/16/2016	13:00:53	28814080A3	11/05/2016	10/13/2016 13:47
FPSI TRAINING	06/28/2016	08:49:29	709353	11/05/2016	10/13/2016 13:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000759

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/28/2016	14:22:28	19615080A3	09/05/2017	02/28/2016 16:52
FL HIGHWAY PATROL	08/31/2016	18:10:46	461951	06/15/2019	09/27/2016 22:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000760

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ALACHUA COUNTY SO	07/26/2016	08:44:36	11315080A1	05/05/2017	07/26/2016 9:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000763

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	08/11/2016	12:00:58	13115080A2	06/05/2017	08/11/2016 13:29
OKALOOSA COUNTY SO	12/15/2016	11:23:14	13115080A2	06/05/2017	01/20/2017 9:46
OKALOOSA COUNTY SO	12/15/2016	11:24:20	13115080A2	06/05/2017	01/20/2017 9:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000768

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUWANNEE CO SO	12/28/2016	14:09:28	06616080A2	04/05/2018	12/28/2016 14:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000770

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAMILTON COUNTY SO	09/30/2016	01:08:55	14816080A3	07/05/2018	09/30/2016 2:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000772

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	05/02/2016	09:56:21	AG431502	11/11/2016	05/31/2016 15:10
SANTA ROSA COUNTY SO	09/27/2016	13:40:51	AG431502	11/11/2016	10/25/2016 15:21
SANTA ROSA COUNTY SO	11/30/2016	14:17:37	AG608505	03/25/2018	12/29/2016 0:50
SANTA ROSA COUNTY SO	12/28/2016	23:02:30	AG608505	03/25/2018	12/29/2016 0:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000773

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAFAYETTE CO SO	03/28/2016	11:49:48	22315080A2	09/05/2017	03/28/2016 12:19
LAFAYETTE CO SO	09/23/2016	10:16:33	0421608A3	03/05/2018	09/23/2016 10:57
LAFAYETTE CO SO	09/29/2016	09:58:35	17316080A2	08/05/2018	11/09/2016 10:0
LAFAYETTE CO SO	12/27/2016	11:56:18	23016080A3	09/05/2018	12/27/2016 12:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000774

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD TRAINING	10/04/2016	13:53:46	1482986	04/03/2017	12/30/2016 15:8
MIAMI PD TRAINING	12/30/2016	15:04:10	366849	03/30/2019	12/30/2016 15:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000775

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLUMBIA COUNTY SO	01/24/2016	16:42:27	1686772	06/02/2017	02/26/2016 16:37
COLUMBIA COUNTY SO	06/21/2016	05:09:10	09216080A2	05/05/2018	06/21/2016 6:16
COLUMBIA COUNTY SO	12/18/2016	19:32:31	1686772	06/02/2017	01/16/2017 2:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000776

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAFAYETTE CO SO	11/09/2016	10:45:49	22315080A2	09/05/2017	11/09/2016 11:26
LAFAYETTE CO SO	11/09/2016	10:46:45	17316080A2	08/05/2018	11/09/2016 11:26
LAFAYETTE CO SO	11/21/2016	11:10:16	17316080A2	08/06/2018	01/25/2017 12:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000779

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MADISON COUNTY SO	07/13/2016	11:54:05	34015080A2	01/05/2018	08/17/2016 11:10
MADISON COUNTY SO	07/13/2016	11:54:12	34015080A2	01/05/2018	08/17/2016 11:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000780

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUWANNEE CO SO	01/11/2016	23:35:59	06415080A1	04/05/2017	01/31/2016 5:16
SUWANNEE CO SO	06/29/2016	01:20:19	06616080A2	04/05/2018	07/31/2016 3:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000781

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WASHINGTON COUNTY SO	04/27/2016	10:17:33	01316080A1	02/05/2018	12/13/2016 12:18

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000782

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WASHINGTON COUNTY SO	04/27/2016	10:09:23	01316080A1	02/05/2018	12/13/2016 12:20

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000787

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULF BREEZE PD	07/07/2016	13:18:23	18015080A2	08/05/2017	08/24/2016 20:50
GULF BREEZE PD	09/27/2016	12:25:59	13115080A1	06/05/2017	09/27/2016 13:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000788

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	11/03/2016	11:47:00	24515080A1	10/05/2017	11/03/2016 17:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000790

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VERO BEACH P.D.	07/21/2016	00:55:41	12716080A6	06/05/2018	08/29/2016 2:10
VERO BEACH P.D.	07/21/2016	00:56:20	12716080A6	06/05/2018	08/29/2016 2:10
VERO BEACH P.D.	07/21/2016	00:56:37	12716080A6	06/05/2018	08/29/2016 2:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000792

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	09/27/2016	14:21:47	24515080A1	10/05/2017	10/26/2016 11:16
ST LUCIE COUNTY SO	11/21/2016	15:32:38	24515080A1	10/05/2017	11/21/2016 16:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000794

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	04/28/2016	13:45:03	24515080A1	10/05/2017	05/21/2016 10:18

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000797

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAMILTON COUNTY SO	08/29/2016	01:03:01	14816080A3	07/05/2018	08/29/2016 2:8
HAMILTON COUNTY SO	09/30/2016	02:16:50	06415080A2	04/05/2017	10/31/2016 18:16

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000808

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/13/2016	19:53:20	03415080A2	03/05/2017	03/03/2016 18:24
HILLSBOROUGH CO SO	06/26/2016	23:55:31	18015080A2	08/05/2017	08/10/2016 18:31
HILLSBOROUGH CO SO	06/26/2016	23:56:41	18015080A2	08/05/2017	08/10/2016 18:31
HILLSBOROUGH CO SO	12/28/2016	01:50:19	12716080A7	06/05/2018	01/10/2017 20:9

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000809

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DIXIE COUNTY SO	01/12/2016	12:38:54	09014080A1	05/01/2016	01/12/2016 13:4
DIXIE COUNTY SO	01/27/2016	11:36:54	0901408A1	05/01/2016	02/23/2016 10:23
DIXIE COUNTY SO	04/27/2016	15:29:37	04216080A3	03/05/2018	05/31/2016 11:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000811

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PERRY POLICE DEPT	07/27/2016	16:42:09	390314	04/19/2019	07/27/2016 17:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000812

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY S.O.	07/19/2016	05:43:25	28515080A2	11/05/2017	07/19/2016 8:53
HERNANDO COUNTY S.O.	08/31/2016	23:40:19	12716080A7	06/05/2018	09/14/2016 10:58
HERNANDO COUNTY S.O.	12/21/2016	05:00:43	28515080A2	11/05/2017	12/21/2016 5:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000813

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	12/29/2016	05:14:38	14968	08/06/2018	01/24/2017 13:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000814

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY S.O.	06/17/2016	06:18:35	12716080A7	06/05/2018	06/17/2016 7:50
HERNANDO COUNTY S.O.	08/19/2016	02:52:08	28515080A2	11/05/2017	08/19/2016 5:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000815

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUMTER COUNTY SO	10/22/2016	06:07:00	20016080A3	09/05/2018	10/22/2016 11:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000816

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUMTER COUNTY SO	10/22/2016	06:07:29	20016080A3	09/05/2018	10/22/2016 10:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000822

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY S.O.	06/27/2016	13:48:30	12716080A7	06/05/2018	07/27/2016 7:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000823

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	01/28/2016	22:59:21	1766638	11/05/2017	02/25/2016 10:15
LAKE COUNTY SO	02/25/2016	09:29:45	1766638	11/05/2017	02/25/2016 10:15

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000825

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MOUNT DORA P.D.	02/06/2016	17:17:19	1841081	04/08/2018	02/08/2016 11:1
MOUNT DORA P.D.	02/27/2016	10:32:07	1841081	04/08/2018	03/30/2016 11:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000830

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/27/2016	20:19:38	18015080A2	08/05/2017	03/03/2016 20:11
HILLSBOROUGH CO SO	02/27/2016	20:20:10	18015080A2	08/05/2017	03/03/2016 20:11
HILLSBOROUGH CO SO	09/26/2016	01:11:35	18015080A2	08/05/2017	10/05/2016 17:39
HILLSBOROUGH CO SO	09/26/2016	01:23:21	18015080A2	08/05/2017	10/05/2016 17:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000831

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	02/17/2016	02:59:54	24515080A2	10/05/2017	02/17/2016 3:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000832

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	02/17/2016	04:17:17	31715080A3	12/05/2017	02/17/2016 4:58
MARTIN COUNTY SO	04/28/2016	14:25:04	24515080A2	10/05/2017	04/28/2016 15:12
MARTIN COUNTY SO	05/07/2016	03:21:21	0616080A2	04/05/2018	05/18/2016 13:12
MARTIN COUNTY SO	09/07/2016	11:36:47	20016080A2	09/05/2018	09/07/2016 12:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000833

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	03/03/2016	19:09:04	18015080A2	05/08/2017	03/07/2016 12:1
HILLSBOROUGH CO SO	03/05/2016	00:48:26	18015080A2	08/05/2017	03/07/2016 12:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000836

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UMATILLA PD(LAKE SO)	05/31/2016	15:58:01	1766638	11/05/2017	06/27/2016 13:33
UMATILLA PD(LAKE SO)	11/30/2016	08:10:01	12716080A7	06/05/2018	11/30/2016 9:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000838

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY BEACH PD	08/19/2016	09:57:13	1861309	05/19/2018	09/14/2016 9:32

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000840

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LYNN HAVEN PD	09/30/2016	21:14:51	09216080A2	05/05/2018	09/30/2016 23:2
LYNN HAVEN PD	09/30/2016	21:18:33	09216080A2	05/05/2018	09/30/2016 23:2

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000861

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	06/28/2016	10:47:41	28515080A2	11/05/2017	07/29/2016 10:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000862

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BLOUNTSTOWN PD	10/06/2016	19:20:03	AG515306	06/02/2017	11/11/2016 13:6
BLOUNTSTOWN PD	10/06/2016	19:22:39	AG515306	06/02/2017	11/11/2016 13:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000867

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	09/16/2016	04:10:21	1816818	02/13/2018	09/16/2016 5:13
MONROE COUNTY SO	11/13/2016	07:37:27	279870	02/04/2019	11/13/2016 9:16

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000868

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	01/07/2016	12:57:01	1816818	02/13/2018	01/07/2016 13:23
MONROE COUNTY SO	07/04/2016	07:27:37	279870	02/04/2019	08/14/2016 7:32
MONROE COUNTY SO	09/15/2016	02:04:41	279870	02/04/2019	09/15/2016 2:32

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000869

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	09/15/2016	01:20:09	279870	02/04/2019	09/15/2016 1:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000870

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	02/10/2016	13:30:39	091602	06/05/2017	02/10/2016 14:9
MONROE COUNTY SO	09/15/2016	02:44:06	279870	02/04/2019	09/15/2016 3:9
MONROE COUNTY SO	10/23/2016	07:36:39	14968	08/06/2018	10/23/2016 8:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000871

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CORAL GABLES PD	03/29/2016	11:58:12	AG515306	06/02/2017	04/29/2016 11:44
CORAL GABLES PD	03/29/2016	11:58:38	AG515306	06/02/2017	04/29/2016 11:44
CORAL GABLES PD	12/05/2016	14:13:44	26316080A1	11/05/2018	12/05/2016 14:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000872

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	02/25/2016	16:43:30	1789170	01/14/2018	02/25/2016 18:17

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000873

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	01/28/2016	13:56:06	1789170	01/14/2018	01/28/2016 15:42
MIAMI PD	02/25/2016	16:39:46	1789170	01/14/2018	02/25/2016 18:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000874

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	02/25/2016	16:42:33	1789170	01/14/2018	02/25/2016 18:46
MIAMI PD	09/22/2016	17:25:22	203498	12/10/2018	09/22/2016 17:51
MIAMI PD	09/22/2016	17:52:04	203498	12/10/2018	09/22/2016 17:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000875

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CALHOUN COUNTY SO	02/08/2016	15:11:13	34015080A3	01/05/2018	02/18/2016 9:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000877

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD TRAINING	10/17/2016	14:00:37	1789170	10/14/2018	12/30/2016 15:26
MIAMI PD TRAINING	10/17/2016	14:00:58	1789170	10/14/2018	12/30/2016 15:26
MIAMI PD TRAINING	10/17/2016	14:01:16	1789170	10/14/2018	12/30/2016 15:26
MIAMI PD TRAINING	12/28/2016	15:26:30	AG400604	04/16/2018	12/30/2016 15:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000881

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	08/10/2016	08:36:31	22315080A2	09/05/2017	08/10/2016 10:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000882

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	11/05/2016	00:15:19	22315080A2	09/05/2017	11/09/2016 12:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000883

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	01/21/2016	09:39:13	19014080A3	08/05/2016	01/21/2016 9:37
MIAMI-DADE PD	05/13/2016	09:57:04	19014080A3	08/05/2016	05/13/2016 9:54
MIAMI-DADE PD	05/13/2016	09:57:26	19014080A3	08/05/2016	05/13/2016 9:54
MIAMI-DADE PD	08/03/2016	09:50:00	22315080A2	09/05/2017	08/03/2016 9:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000884

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	08/04/2016	10:25:50	22315080A2	09/05/2017	08/18/2016 10:45
MIAMI-DADE PD	08/04/2016	10:26:05	22315080A2	09/05/2017	08/18/2016 10:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000885

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	08/04/2016	09:59:19	22315080A2	09/05/2017	08/18/2016 10:50
MIAMI-DADE PD	08/04/2016	09:59:28	22315080A2	09/05/2017	08/18/2016 10:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000886

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NORTH MIAMI BEACH PD	08/15/2016	21:39:43	19615080A2	09/05/2017	08/31/2016 1:47
NORTH MIAMI BEACH PD	08/15/2016	21:40:37	19615080A2	09/05/2017	08/31/2016 1:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000888

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/03/2016	01:25:33	AG505803	02/27/2017	01/30/2016 20:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000891

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWC	10/15/2016	11:23:27	507129	08/04/2019	10/15/2016 13:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000901

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC TAMPA	02/18/2016	18:37:38	29614080A2	12/05/2016	02/18/2016 18:36
FFWCC TAMPA	12/12/2016	19:24:21	20016080A1	09/05/2018	12/12/2016 22:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000902

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC TAMPA	07/24/2016	17:47:01	01316080A1	02/05/2018	07/24/2016 19:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000905

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWC	03/04/2016	19:43:26	AG600504	01/05/2018	03/29/2016 19:32

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000907

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	02/26/2016	08:55:22	16014080A2	07/05/2016	02/26/2016 10:21
MANATEE COUNTY SO	07/18/2016	09:30:03	09216080A2	05/05/2018	08/29/2016 9:40
MANATEE COUNTY SO	10/17/2016	11:24:48	203498	12/10/2018	10/17/2016 12:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000909

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINECREST PD	04/06/2016	10:43:14	24515080A3	10/05/2017	04/06/2016 10:43
PINECREST PD	04/06/2016	10:43:20	24515080A3	10/05/2017	04/06/2016 10:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000938

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	10/11/2016	10:02:54	09216080A2	05/05/2018	10/11/2016 11:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000939

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	02/24/2016	08:05:30	24515080A3	10/15/2017	03/09/2016 9:18
LEE COUNTY SO	08/08/2016	07:54:42	09216080A2	05/05/2018	08/12/2016 14:27
LEE COUNTY SO	10/11/2016	10:03:16	24515080A3	10/05/2017	10/11/2016 11:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000940

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	01/22/2016	05:44:38	AG406302	03/04/2016	01/22/2016 7:20
BREVARD COUNTY S.O.	03/14/2016	06:58:34	AG425202	09/09/2016	03/14/2016 7:6
BREVARD COUNTY S.O.	07/21/2016	05:27:18	12716080A5	06/05/2018	07/21/2016 6:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000941

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/09/2016	04:17:59	19615080A4	09/05/2017	02/04/2016 15:40
COLLIER COUNTY SO	02/08/2016	08:12:58	11315080A1	05/05/2017	03/01/2016 9:56
COLLIER COUNTY SO	05/14/2016	05:18:18	14214080A6	07/05/2016	06/06/2016 12:20
COLLIER COUNTY SO	07/11/2016	11:07:13	19615080A4	09/05/2017	08/02/2016 13:25
COLLIER COUNTY SO	08/02/2016	17:13:44	19625080A4	09/05/2017	08/09/2016 13:14
COLLIER COUNTY SO	09/01/2016	10:04:20	34015080A2	01/05/2018	10/03/2016 16:34
COLLIER COUNTY SO	11/01/2016	16:31:04	34015080A2	01/05/2018	12/01/2016 17:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000942

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/12/2016	11:20:54	11315080A1	05/05/2017	02/04/2016 15:46
COLLIER COUNTY SO	02/05/2016	15:15:43	14214080A6	07/05/2016	03/01/2016 16:49
COLLIER COUNTY SO	02/06/2016	01:23:23	14214080A6	07/05/2016	03/01/2016 16:49
COLLIER COUNTY SO	04/05/2016	09:20:04	19615080A4	09/05/2017	05/11/2016 12:17
COLLIER COUNTY SO	06/06/2016	10:56:45	19615080A4	09/05/2017	07/11/2016 12:25
COLLIER COUNTY SO	06/06/2016	10:58:02	19615080A4	09/05/2017	07/11/2016 12:25
COLLIER COUNTY SO	08/02/2016	10:54:13	19615080A4	09/05/2017	08/04/2016 15:42
COLLIER COUNTY SO	09/01/2016	14:47:48	19615080A4	09/05/2017	10/03/2016 12:27
COLLIER COUNTY SO	10/10/2016	14:51:03	34015080A2	01/05/2018	11/01/2016 11:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000943

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	07/11/2016	11:06:15	11315080A1	05/05/2017	08/02/2016 13:39
COLLIER COUNTY SO	07/11/2016	11:06:48	11315080A1	05/05/2017	08/02/2016 13:39
COLLIER COUNTY SO	12/01/2016	11:29:28	34015080A2	01/05/2018	01/04/2017 8:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000944

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	08/02/2016	10:51:42	11315080A1	05/05/2017	08/04/2016 15:39
COLLIER COUNTY SO	10/03/2016	13:32:51	34015080A2	01/05/2018	11/01/2016 11:26
COLLIER COUNTY SO	11/01/2016	13:12:08	34015080A2	01/05/2018	12/01/2016 14:51
COLLIER COUNTY SO	12/01/2016	11:54:28	11315080A1	05/05/2017	12/01/2016 14:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000947

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GLADES COUNTY S.O.	06/09/2016	16:50:40	04216080A3	03/05/2018	07/01/2016 11:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000948

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GLADES COUNTY S.O.	06/09/2016	16:45:49	04216080A3	03/05/2018	07/01/2016 11:35

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000950

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAVANA PD	07/21/2016	11:48:45	34015080A2	01/05/2018	08/18/2016 10:22
HAVANA PD	07/21/2016	11:49:03	34015080A2	01/05/2018	08/18/2016 10:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000954

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JEFFERSON COUNTY SO	07/11/2016	11:25:59	13115080A1	06/05/2017	08/25/2016 11:32

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000955

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEWISTON P.D.	12/11/2016	01:36:51	1737087	09/12/2017	12/28/2016 16:18
CLEWISTON P.D.	12/18/2016	12:22:19	644476	12/01/2019	12/28/2016 16:18

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000956

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JEFFERSON COUNTY SO	07/11/2016	11:24:44	13115080A1	06/05/2017	08/25/2016 11:25
JEFFERSON COUNTY SO	07/11/2016	11:25:02	13115080A1	06/05/2017	08/25/2016 11:25
JEFFERSON COUNTY SO	09/22/2016	10:29:52	13115080A1	06/05/2017	10/24/2016 9:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000958

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	08/11/2016	11:24:10	34015080A2	01/05/2018	09/08/2016 10:48
LEON COUNTY SO	08/11/2016	11:24:42	34015080A2	01/05/2018	09/08/2016 10:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000960

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LIBERTY COUNTY SO	07/07/2016	10:51:17	13115080A1	06/05/2017	08/10/2016 10:27
LIBERTY COUNTY SO	07/07/2016	10:51:39	13115080A1	06/05/2017	08/10/2016 10:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000962

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WAKULLA COUNTY SO	08/12/2016	11:06:53	34015080A2	01/05/2018	09/28/2016 9:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000963

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/12/2016	16:44:05	28214080A1	11/05/2016	01/13/2016 9:59
ORANGE COUNTY S.O.	02/02/2016	13:36:32	05514080A1	04/01/2016	02/11/2016 10:31
ORANGE COUNTY S.O.	03/18/2016	14:05:43	05115080A5	03/05/2017	03/22/2016 10:2
ORANGE COUNTY S.O.	05/10/2016	09:39:53	05115080A5	03/05/2017	05/10/2016 10:15
ORANGE COUNTY S.O.	07/20/2016	11:43:29	05115080A5	03/05/2017	07/20/2016 12:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000964

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	07/19/2016	14:07:08	05115080A5	03/05/2017	07/20/2016 10:8
ORANGE COUNTY SO	09/27/2016	15:44:01	34015080A2	01/05/2018	09/29/2016 8:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000965

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
QUINCY PD	07/12/2016	11:50:41	34015080A2	01/05/2018	08/08/2016 11:51
QUINCY PD	07/12/2016	11:51:00	34015080A2	01/05/2018	08/08/2016 11:51
QUINCY PD	10/22/2016	03:53:27	34015080A2	01/05/2018	10/25/2016 11:38
QUINCY PD	11/29/2016	09:40:21	34015080A2	01/05/2018	12/13/2016 9:15

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000966

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA CORRECTIONS	04/29/2016	22:38:54	163437	10/30/2018	05/05/2016 17:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000968

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA CORRECTIONS	11/18/2016	10:10:34	163437	10/30/2018	12/05/2016 9:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000996

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TITUSVILLE P.D.	06/09/2016	16:26:23	01316080A2	02/05/2018	06/13/2016 16:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000998

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY S.O.	06/04/2016	04:22:37	1789170	01/14/2018	06/11/2016 1:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000999

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY S.O.	04/16/2016	20:00:41	1787697	01/08/2018	05/01/2016 20:53
SEMINOLE COUNTY S.O.	06/04/2016	04:32:53	1787697	01/08/2018	06/11/2016 0:55
SEMINOLE COUNTY S.O.	11/28/2016	20:27:06	282638	02/15/2019	11/28/2016 22:45
SEMINOLE COUNTY S.O.	11/28/2016	20:27:28	282638	02/15/2019	11/28/2016 22:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001003

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/15/2016	23:12:01	AG505803	02/27/2017	02/01/2016 7:4
PINELLAS COUNTY SO	07/28/2016	21:49:31	AG605301	02/22/2018	07/28/2016 22:15
PINELLAS COUNTY SO	11/17/2016	22:46:25	AG622905	08/16/2018	11/17/2016 23:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001004

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	01/11/2016	10:17:33	12014080A1	06/01/2016	01/22/2016 7:22
BREVARD COUNTY S.O.	03/14/2016	06:54:50	AG425202	09/09/2016	03/14/2016 7:2

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001005

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/31/2016	03:36:50	AG505803	02/27/2017	02/01/2016 7:11
PINELLAS COUNTY SO	03/24/2016	22:10:59	AG505803	02/27/2017	03/25/2016 21:28
PINELLAS COUNTY SO	05/08/2016	01:07:29	AG515306	06/02/2017	05/26/2016 2:10
PINELLAS COUNTY SO	11/17/2016	20:46:49	AG622905	08/16/2018	11/17/2016 21:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001006

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIALANTIC P.D.	04/01/2016	04:29:35	01316080A1	02/05/2018	04/01/2016 7:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001007

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAINES CITY PD	05/30/2016	15:48:20	390314	04/19/2019	06/27/2016 6:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001009

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	02/05/2016	21:39:15	32114080A2	12/05/2016	02/22/2016 19:57
PALM BAY P.D.	10/24/2016	16:23:06	24515080A2	10/05/2016	10/24/2016 16:16

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001010

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	07/21/2016	05:29:42	12716080A5	06/05/2018	07/21/2016 6:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001018

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	09/30/2016	06:19:29	01316080A2	02/05/2018	09/30/2016 6:49
JACKSONVILLE SO	12/02/2016	09:19:05	17316080A3	08/05/2018	12/15/2016 11:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001043

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGHLANDS COUNTY SO	07/22/2016	09:49:22	12716080A6	06/05/2018	07/22/2016 10:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001044

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COCONUT CREEK PD	10/24/2016	11:47:24	1694353	06/10/2017	10/24/2016 12:15

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001045

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	03/30/2016	12:57:10	24515080A2	10/05/2017	03/31/2016 12:55
JACKSONVILLE SO	03/31/2016	13:00:32	24515080A2	10/05/2017	03/31/2016 12:55
JACKSONVILLE SO	06/10/2016	06:17:21	24515080A2	10/05/2017	07/01/2016 5:44
JACKSONVILLE SO	07/25/2016	07:22:54	01316080A2	02/05/2018	07/25/2016 9:42
JACKSONVILLE SO	07/25/2016	09:48:52	01316080A2	02/05/2018	08/12/2016 10:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001046

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	06/30/2016	13:58:10	24515080A3	10/05/2017	07/03/2016 13:54
CLAY COUNTY SO	08/24/2016	14:50:26	12716080A5	06/05/2018	08/24/2016 17:12
CLAY COUNTY SO	10/09/2016	08:58:37	12716080A5	06/05/2018	10/09/2016 9:46
CLAY COUNTY SO	10/31/2016	15:31:09	20016080A1	09/05/2018	11/06/2016 12:13
CLAY COUNTY SO	11/10/2016	17:58:21	20016080A1	09/05/2018	12/11/2016 16:53
CLAY COUNTY SO	11/14/2016	08:38:54	2016080A1	09/05/2018	12/11/2016 16:53
CLAY COUNTY SO	12/11/2016	15:03:46	20016080A1	09/05/2018	12/11/2016 16:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001047

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	01/31/2016	02:57:20	1789170	01/14/2018	02/25/2016 17:22
BROWARD COUNTY SO	02/01/2016	21:54:40	1789170	01/14/2018	02/25/2016 17:22
BROWARD COUNTY SO	02/02/2016	16:30:12	1789170	01/14/2018	02/25/2016 17:22
BROWARD COUNTY SO	02/02/2016	16:30:32	1789170	01/14/2018	02/25/2016 17:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001048

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE ALFRED PD	03/09/2016	13:33:20	34015080A2	01/05/2018	03/09/2016 14:42
LAKE ALFRED PD	03/09/2016	13:33:41	34015080A2	01/05/2018	03/09/2016 14:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001049

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	03/19/2016	16:37:31	03415080A1	03/05/2017	04/08/2016 12:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001051

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	05/16/2016	20:24:53	28515080A2	11/05/2017	06/19/2016 16:17
ST PETERSBURG PD	10/12/2016	10:47:17	28515080A2	11/05/2017	11/23/2016 22:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001053

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU CO SO	01/05/2016	04:54:39	22315080A3	09/05/2017	01/27/2016 5:28

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001054

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGHLANDS COUNTY SO	11/12/2016	04:10:17	24515080A3	10/05/2017	11/27/2016 10:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001055

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	05/10/2016	10:22:46	24515080A3	10/05/2017	06/07/2016 12:13
POLK COUNTY SO	07/05/2016	14:09:36	24515080A3	10/05/2017	07/26/2016 19:55
POLK COUNTY SO	08/29/2016	07:51:01	18015080A2	08/05/2017	09/06/2016 12:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001060

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WINTER HAVEN PD	07/13/2016	10:42:43	12716080A7	06/05/2018	07/13/2016 16:51
WINTER HAVEN PD	07/13/2016	10:45:19	12716080A7	06/05/2018	07/13/2016 16:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001061

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULFPORT PD	06/05/2016	16:27:10	13314080A3	06/05/2016	07/01/2016 3:54
GULFPORT PD	06/05/2016	16:30:10	22315080A3	09/05/2017	07/01/2016 3:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001062

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TREASURE ISLAND PD	08/09/2016	11:07:36	12716080A6	06/05/2018	08/09/2016 14:49

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001063

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOLLYWOOD PD	01/11/2016	15:10:54	163437	10/30/2018	01/29/2016 18:36
HOLLYWOOD PD	01/11/2016	15:12:22	163437	10/30/2018	01/29/2016 18:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001064

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NEW PORT RICHEY PD	07/01/2016	19:21:09	29614080A2	12/05/2016	07/01/2016 20:28
NEW PORT RICHEY PD	12/01/2016	21:05:10	20016080A1	09/05/2018	12/01/2016 22:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001066

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	05/28/2016	19:09:24	AG515306	06/02/2017	06/02/2016 21:26
PINELLAS COUNTY SO	05/28/2016	19:10:54	AG515306	06/02/2017	06/02/2016 21:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001067

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	12/06/2016	13:48:40	34015080A3	01/05/2018	12/19/2016 18:5
BROWARD COUNTY SO	12/06/2016	13:49:18	34015080A3	01/05/2018	12/19/2016 18:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001068

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEARWATER PD	07/21/2016	20:20:48	19615080A2	09/05/2017	07/21/2016 20:52
CLEARWATER PD	08/06/2016	17:36:07	19615080A2	09/05/2017	08/07/2016 23:14
CLEARWATER PD	12/15/2016	01:12:33	28515080A2	11/05/2017	01/07/2017 11:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001069

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/25/2016	13:33:35	15615080A2	07/05/2017	02/26/2016 11:52
JACKSONVILLE SO	04/22/2016	14:37:07	24515080A2	10/05/2017	04/28/2016 8:46
JACKSONVILLE SO	09/22/2016	10:17:25	01316080A2	02/05/2018	09/23/2016 8:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001070

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/06/2016	10:12:04	28814080A3	11/05/2016	05/03/2016 15:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001071

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	10/09/2016	08:51:48	12716080A5	06/05/2018	10/09/2016 10:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001073

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DADE CITY PD	03/15/2016	15:10:49	22315080A3	09/05/2017	03/15/2016 17:1
DADE CITY PD	03/15/2016	15:11:09	22315080A3	09/05/2017	03/15/2016 17:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001074

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	04/08/2016	10:54:32	03415080A1	03/05/2017	04/08/2016 11:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001075

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E	10/31/2016	08:54:56	1824329	03/09/2018	12/02/2016 7:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001077

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HARDEE COUNTY SO	08/29/2016	14:50:28	203498	12/10/2018	09/28/2016 23:48
HARDEE COUNTY SO	09/05/2016	01:30:40	203498	12/10/2018	09/28/2016 23:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001078

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	07/14/2016	17:38:21	32114080A2	12/05/2016	08/30/2016 20:25
ST PETERSBURG PD	10/12/2016	10:47:11	32114080A2	12/05/2016	11/23/2016 22:9
ST PETERSBURG PD	11/23/2016	23:01:28	28515080A2	11/05/2017	12/15/2016 22:58
ST PETERSBURG PD	12/15/2016	23:37:32	28515080A2	11/05/2017	01/14/2017 20:14

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001079

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LARGO PD	04/04/2016	06:39:57	28515080A3	11/05/2017	04/14/2016 11:22
LARGO PD	10/17/2016	16:35:35	20016080A3	09/05/2018	11/15/2016 14:15

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001080

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	08/29/2016	09:24:36	24515080A3	10/05/2017	09/06/2016 12:3
POLK COUNTY SO	08/29/2016	09:25:11	24515080A3	10/05/2017	09/06/2016 12:3
POLK COUNTY SO	08/30/2016	09:48:36	24515080A3	10/05/2017	09/06/2016 12:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001081

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	04/08/2016	10:53:55	03415080A1	03/05/2017	04/08/2016 11:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001082

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PLANTATION PD	08/31/2016	14:28:49	14816080A2	07/05/2018	08/31/2016 15:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	08/12/2016	10:57:17	24515080A2	10/05/2017	08/31/2016 12:48
JACKSONVILLE SO	08/19/2016	06:23:15	01316080A2	02/05/2018	08/31/2016 12:48
JACKSONVILLE SO	12/22/2016	06:38:58	17316080A3	08/05/2018	12/29/2016 10:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001109

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/28/2016	18:45:07	16014080A2	07/05/2016	04/28/2016 20:17
FL HIGHWAY PATROL	04/28/2016	18:45:23	16014080A2	07/05/2016	04/28/2016 20:17
FL HIGHWAY PATROL	11/04/2016	23:28:48	09216080A3	05/05/2018	11/29/2016 21:56
FL HIGHWAY PATROL	11/29/2016	20:29:19	09216080A3	05/05/2018	11/29/2016 21:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001110

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E MIAMI	10/31/2016	06:58:07	1824329	03/09/2018	10/31/2016 8:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001111

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	08/25/2016	06:23:44	05115080A5	03/05/2017	08/25/2016 8:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001112

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	08/29/2016	02:50:21	1686121	05/21/2017	08/29/2016 3:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001113

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/28/2016	20:59:00	1878845	06/22/2018	03/28/2016 23:31
FL HIGHWAY PATROL	08/02/2016	20:33:02	477627	06/29/2019	08/02/2016 21:2
FL HIGHWAY PATROL	11/06/2016	18:10:46	477627	06/29/2019	11/29/2016 21:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001114

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DELAND P.D.	06/29/2016	18:34:07	390314	04/19/2019	06/29/2016 19:17
DELAND P.D.	07/31/2016	17:24:39	AG616503	06/13/2018	07/31/2016 18:2

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001115

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	09/26/2016	10:51:52	34015080A3	01/05/2018	10/19/2016 10:20
FL HIGHWAY PATROL	09/26/2016	10:52:08	34015080A3	01/05/2018	10/19/2016 10:20
FL HIGHWAY PATROL	10/19/2016	10:34:29	34015080A3	01/05/2018	11/18/2016 9:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001118

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/06/2016	10:17:55	28814080A3	11/05/2016	05/03/2016 15:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001119

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	12/29/2016	13:39:50	437738	06/08/2019	12/29/2016 15:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001121

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E MIAMI	06/23/2016	07:32:36	163437	10/30/2018	06/23/2016 9:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001122

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	06/23/2016	07:33:05	1878845	06/22/2018	06/23/2016 9:34
FHP MIAMI	10/31/2016	06:59:31	1878845	06/22/2018	10/31/2016 8:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001127

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	11/18/2016	08:27:25	24515080A3	10/05/2017	12/02/2016 11:5
POLK COUNTY SO	12/02/2016	11:16:06	24515080A3	10/05/2017	01/09/2017 10:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001130

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY S.O.	03/03/2016	13:20:00	1757137	10/15/2017	03/15/2016 13:10
VOLUSIA COUNTY S.O.	03/03/2016	13:20:24	1757137	10/15/2017	03/15/2016 13:10
VOLUSIA COUNTY S.O.	03/15/2016	12:12:29	203498	12/10/2018	03/15/2016 13:10
VOLUSIA COUNTY S.O.	03/15/2016	12:12:47	203498	12/10/2018	03/15/2016 13:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001131

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY S.O.	03/16/2016	12:44:42	203498	12/10/2018	03/16/2016 13:15
VOLUSIA COUNTY S.O.	03/16/2016	12:45:01	203498	12/10/2018	03/16/2016 13:16

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001132

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY S.O.	03/16/2016	15:38:59	203498	12/10/2018	03/16/2016 16:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	06/29/2016	13:39:41	366849	03/30/2019	06/29/2016 14:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001135

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH P.D.	02/02/2016	02:06:44	14968	08/06/2018	02/02/2016 2:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001138

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FLAGLER COUNTY SO	07/28/2016	15:34:51	12716080A6	06/05/2018	07/28/2016 17:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001139

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	01/31/2016	02:59:53	1789170	01/14/2018	02/25/2016 17:20
BROWARD COUNTY SO	06/23/2016	18:45:42	34015080A3	01/05/2018	07/26/2016 11:24
BROWARD COUNTY SO	06/23/2016	18:46:07	34015080A3	01/05/2018	07/26/2016 11:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001149

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE HELEN P.D.	06/28/2016	13:17:22	09216080A2	05/05/2018	06/28/2016 15:41

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001150

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	04/22/2016	12:15:17	184081	04/08/2018	05/25/2016 9:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001151

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAINES CITY PD	05/30/2016	15:52:53	390314	04/19/2019	06/27/2016 6:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	07/06/2016	09:57:23	13115080A1	06/05/2017	08/24/2016 10:46
LEON COUNTY SO	07/06/2016	09:57:36	13115080A1	06/05/2017	08/24/2016 10:46
LEON COUNTY SO	11/08/2016	11:01:36	13115080A1	06/05/2017	12/15/2016 9:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001155

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
EGLIN AFB	08/25/2016	14:36:30	36314080A3	02/05/2017	08/25/2016 18:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001156

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORMOND BEACH P.D.	02/16/2016	17:35:36	279870	02/04/2019	03/30/2016 12:36
ORMOND BEACH P.D.	02/16/2016	17:36:41	279870	02/04/2019	03/30/2016 12:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001159

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE CITY P.D.	09/28/2016	08:09:11	17316080A2	08/05/2018	10/19/2016 10:9

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD CO SO	08/24/2016	17:37:50	12716080A5	06/05/2018	08/24/2016 19:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001173

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE TESTING	10/04/2016	08:38:44	15615080A2	07/05/2017	10/04/2016 12:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLERMONT P.D.	02/25/2016	17:35:01	237365	01/04/2019	03/28/2016 16:59
CLERMONT P.D.	07/20/2016	14:36:34	282638	02/15/2019	08/10/2016 18:28
CLERMONT P.D.	11/28/2016	11:13:32	477627	06/29/2019	11/28/2016 13:41

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001178

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	02/25/2016	16:43:25	1789170	01/14/2018	02/25/2016 18:27
MIAMI PD	09/01/2016	19:45:10	203498	12/10/2018	09/22/2016 17:54
MIAMI PD	09/22/2016	17:42:31	203498	12/10/2018	09/22/2016 17:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001179

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	03/07/2016	20:00:39	279870	02/24/2019	03/07/2016 21:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001183

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BOCA RATON PD	03/08/2016	09:58:41	28515080A3	11/05/2017	03/08/2016 11:8
BOCA RATON PD	10/25/2016	10:42:42	20016080A1	09/05/2018	10/25/2016 11:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	03/24/2016	21:39:12	24515080A2	10/05/2017	04/28/2016 14:0
MARTIN COUNTY SO	04/06/2016	02:19:36	31715080A3	12/05/2017	04/28/2016 14:0
MARTIN COUNTY SO	07/25/2016	17:19:59	06616080A2	04/05/2018	08/17/2016 13:28
MARTIN COUNTY SO	10/13/2016	17:42:56	06616080A2	04/05/2018	10/13/2016 18:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001190

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BOYNTON BEACH PD	06/16/2016	08:33:44	390314	04/19/2019	06/16/2016 10:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001201

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	03/01/2016	14:33:17	19615080A4	09/05/2016	03/01/2016 14:30
COLLIER COUNTY SO	03/01/2016	14:33:41	19615080A4	09/05/2017	03/01/2016 14:30
COLLIER COUNTY SO	03/09/2016	15:58:30	12014080A1	06/01/2016	04/05/2016 17:19
COLLIER COUNTY SO	04/05/2016	17:26:06	11315080A1	03/05/2017	05/11/2016 8:51
COLLIER COUNTY SO	05/03/2016	09:08:33	11315080A1	05/05/2017	05/11/2016 8:51
COLLIER COUNTY SO	11/01/2016	10:09:29	34015080A2	01/05/2018	12/01/2016 14:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001202

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/04/2016	11:20:15	14214080A6	07/05/2016	01/13/2016 8:53
COLLIER COUNTY SO	02/06/2016	23:21:32	19615080A4	09/05/2017	03/01/2016 14:28
COLLIER COUNTY SO	03/01/2016	14:36:35	12014080A1	06/01/2016	04/05/2016 15:12
COLLIER COUNTY SO	03/09/2016	15:58:19	19615080A4	09/05/2017	04/05/2016 15:12
COLLIER COUNTY SO	08/08/2016	15:41:58	19615080A4	09/05/2017	09/01/2016 9:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY PD	03/27/2016	22:18:44	1591612	11/11/2016	04/28/2016 16:2
PANAMA CITY PD	03/27/2016	22:25:40	1686772	06/02/2017	04/28/2016 16:2
PANAMA CITY PD	04/28/2016	15:12:28	366849	03/30/2019	06/01/2016 10:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001208

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	08/08/2016	07:53:44	09216080A2	05/05/2018	08/12/2016 9:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001232

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS PENSACOLA PD	04/29/2016	23:30:47	15615080A2	07/05/2017	05/30/2016 0:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001234

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	05/20/2016	15:51:50	279870	02/04/2019	06/17/2016 12:21
PALM BEACH CO SO	05/20/2016	15:52:29	279870	02/04/2019	06/17/2016 12:21
PALM BEACH CO SO	05/20/2016	15:57:27	279870	02/04/2019	06/17/2016 12:21
PALM BEACH CO SO	05/20/2016	15:57:59	279870	02/04/2019	06/17/2016 12:21
PALM BEACH CO SO	06/17/2016	12:48:58	279870	02/04/2019	07/15/2016 14:29
PALM BEACH CO SO	06/17/2016	12:50:22	279870	02/04/2019	07/15/2016 14:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001235

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WEST PALM BEACH PD	08/29/2016	08:34:10	152169	10/30/2018	08/29/2016 9:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	07/05/2016	14:08:43	24515080A3	10/05/2017	08/05/2016 10:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	08/22/2016	04:49:01	1766638	11/05/2017	08/29/2016 10:8
LAKE COUNTY SO	08/22/2016	04:49:24	1766638	11/05/2017	08/29/2016 10:8
LAKE COUNTY SO	08/22/2016	04:49:58	1766638	11/05/2017	08/29/2016 10:8
LAKE COUNTY SO	08/22/2016	04:50:47	1766638	11/05/2017	08/29/2016 10:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH SHORES	05/02/2016	04:17:53	04216080A3	03/05/2018	05/20/2016 0:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001246

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SOUTH DAYTONA P.D.	04/30/2016	18:31:34	1824329	03/09/2018	05/31/2016 15:2
SOUTH DAYTONA P.D.	04/30/2016	18:33:10	1824329	03/09/2018	05/31/2016 15:2

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001247

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	04/25/2016	15:57:35	34015080A3	01/05/2018	04/25/2016 18:13
BROWARD COUNTY SO	04/25/2016	17:14:08	34015080A3	01/05/2018	04/25/2016 18:13
BROWARD COUNTY SO	04/25/2016	17:14:31	34015080A3	01/05/2018	04/25/2016 18:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001248

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	09/17/2016	03:22:56	34015080A3	01/05/2018	09/24/2016 20:56
BROWARD COUNTY SO	09/17/2016	03:23:17	34015080A3	01/05/2018	09/24/2016 20:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001249

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	04/25/2016	15:45:13	34015080A3	01/05/2018	04/25/2016 18:17

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001253

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	07/21/2016	05:28:25	12716080A5	06/05/2018	07/21/2016 6:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001254

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY S.O.	10/14/2016	09:32:08	279870	02/04/2019	11/13/2016 9:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001255

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	02/02/2016	17:10:31	05115080A5	03/05/2017	02/04/2016 13:55
ORANGE COUNTY S.O.	05/25/2016	16:57:24	05115080A5	03/05/2017	06/03/2016 9:26
ORANGE COUNTY S.O.	10/19/2016	11:57:38	34015080A2	01/05/2018	11/16/2016 11:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	02/19/2016	13:58:57	05115080A5	03/05/2017	03/22/2016 12:13
ORANGE COUNTY S.O.	02/19/2016	13:59:11	05115080A5	03/05/2017	03/22/2016 12:13
ORANGE COUNTY S.O.	08/11/2016	11:28:44	05115080A5	03/05/2017	08/16/2016 9:59
ORANGE COUNTY S.O.	12/14/2016	10:13:02	34015080A2	01/05/2018	12/29/2016 15:8
ORANGE COUNTY S.O.	12/14/2016	10:13:19	34015080A2	01/05/2018	12/29/2016 15:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001257

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	03/18/2016	14:15:49	28214080A1	11/05/2016	03/22/2016 11:18
ORANGE COUNTY S.O.	09/29/2016	08:56:22	34015080A2	01/05/2018	10/06/2016 11:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001258

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	02/10/2016	10:34:14	05515080A5	03/05/2017	02/11/2016 10:27
ORANGE COUNTY S.O.	09/13/2016	16:03:37	34015080A2	01/05/2018	09/14/2016 9:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001261

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ROCKLEDGE P.D.	02/10/2016	23:52:37	28214080A1	11/05/2016	02/11/2016 0:25
ROCKLEDGE P.D.	11/16/2016	05:17:28	572920	09/13/2019	11/30/2016 0:24
ROCKLEDGE P.D.	11/16/2016	05:17:55	572920	09/13/2019	11/30/2016 0:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MELBOURNE P.D.	01/18/2016	07:39:20	1841081	04/08/2018	01/29/2016 13:12
MELBOURNE P.D.	04/28/2016	07:58:25	133849	10/12/2018	04/28/2016 8:34
MELBOURNE P.D.	08/31/2016	10:49:29	282638	02/15/2019	08/31/2016 11:21
MELBOURNE P.D.	12/22/2016	11:10:21	539031	08/25/2019	12/22/2016 12:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001263

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN HARBOUR PD	11/06/2016	18:08:42	07515080A4	04/05/2017	11/06/2016 19:49

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	07/21/2016	05:32:34	12716080A5	06/05/2018	07/21/2016 6:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001265

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	01/02/2016	19:37:38	24515080A2	10/05/2017	01/24/2016 16:15
PALM BAY P.D.	02/22/2016	19:57:55	32114080A2	12/05/2016	03/29/2016 17:22
PALM BAY P.D.	12/23/2016	18:23:28	26316080A2	11/05/2018	12/28/2016 12:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	02/22/2016	20:02:21	24515080A2	10/05/2017	03/28/2016 13:30
PALM BAY P.D.	06/27/2016	16:31:31	24515080A2	10/05/2017	07/23/2016 17:23
PALM BAY P.D.	09/25/2016	11:48:00	24515080A2	10/05/2017	10/24/2016 16:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY S.O.	11/06/2016	05:18:19	1787697	01/08/2018	11/28/2016 22:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/28/2016	23:45:58	AG515306	06/02/2017	02/01/2016 7:7
PINELLAS COUNTY SO	07/08/2016	23:27:47	AG505803	02/27/2017	07/28/2016 22:52
PINELLAS COUNTY SO	07/28/2016	21:53:31	AG605301	02/22/2018	07/28/2016 22:52
PINELLAS COUNTY SO	11/03/2016	02:51:27	AG622905	08/16/2018	11/17/2016 22:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/28/2016	23:43:47	AG505803	02/27/2017	02/01/2016 7:16
PINELLAS COUNTY SO	05/25/2016	23:04:51	AG515306	06/02/2017	06/02/2016 20:38
PINELLAS COUNTY SO	07/01/2016	00:28:47	AG515306	06/02/2017	07/28/2016 20:14
PINELLAS COUNTY SO	07/28/2016	19:32:00	AG605301	02/22/2018	07/28/2016 20:14
PINELLAS COUNTY SO	08/26/2016	20:24:58	AG605301	02/22/2018	08/27/2016 20:0
PINELLAS COUNTY SO	10/19/2016	19:13:15	AG605301	02/22/2018	10/27/2016 23:32
PINELLAS COUNTY SO	11/17/2016	01:14:16	AG622905	08/16/2018	11/17/2016 20:12
PINELLAS COUNTY SO	12/14/2016	19:44:37	AG622905	08/16/2018	12/29/2016 19:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001275

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH GARDENS PD	08/07/2016	00:43:39	22315080A2	09/05/2017	08/07/2016 0:38
HIALEAH GARDENS PD	08/07/2016	00:43:44	22315080A2	09/05/2017	08/07/2016 0:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001276

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	08/02/2016	09:59:33	22315080A2	09/05/2017	08/02/2016 9:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001277

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	01/06/2016	09:30:48	19014080A3	08/05/2016	02/03/2016 9:51
MIAMI-DADE PD	01/06/2016	09:31:24	19014080A3	08/05/2016	02/03/2016 9:51
MIAMI-DADE PD	06/16/2016	09:14:21	22315080A2	09/05/2017	06/16/2016 9:52
MIAMI-DADE PD	11/08/2016	09:17:59	22315080A2	09/05/2017	12/14/2016 9:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001278

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	04/08/2016	05:05:44	24515080A2	10/05/2017	04/15/2016 12:35
JACKSONVILLE SO	10/27/2016	13:04:35	01316080A2	02/05/2018	11/15/2016 13:0
JACKSONVILLE SO	11/29/2016	12:26:33	01316080A2	02/05/2018	11/29/2016 13:16
JACKSONVILLE SO	12/30/2016	05:50:12	17316080A3	08/05/2018	01/12/2017 11:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001279

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	03/17/2016	14:11:27	24515080A2	10/05/2017	03/31/2016 12:39
JACKSONVILLE SO	08/12/2016	10:49:19	15615080A2	07/05/2017	08/31/2016 13:1
JACKSONVILLE SO	09/30/2016	07:05:34	01316080A2	02/05/2018	10/14/2016 10:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001280

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	06/30/2016	13:03:48	24515080A2	10/05/2017	07/01/2016 5:46
JACKSONVILLE SO	10/21/2016	06:41:05	01316080A2	02/05/2018	10/28/2016 9:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001281

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU COUNTY SO	01/05/2016	04:56:18	22315080A3	09/05/2017	01/27/2016 5:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001282

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UNIVERSITY OF FL PD	01/21/2016	20:00:14	07014080A2	05/01/2016	01/21/2016 20:50
UNIVERSITY OF FL PD	03/29/2016	13:33:31	24515080A2	10/05/2017	03/29/2016 14:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001283

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGH SPRINGS PD	04/19/2016	06:07:41	05514080A1	04/01/2017	04/19/2016 7:14
HIGH SPRINGS PD	04/19/2016	20:14:35	11315080A1	05/05/2017	04/19/2016 23:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001284

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GILCHRIST COUNTY SO	02/11/2016	10:18:48	1637353	02/13/2017	02/19/2016 10:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001285

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GILCHRIST COUNTY SO	02/11/2016	10:09:40	259585	01/12/2019	02/19/2016 10:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001286

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAKER COUNTY SO	12/29/2016	11:17:23	01316080A1	02/05/2018	12/29/2016 12:41

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001287

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAKER COUNTY SO	03/10/2016	00:34:59	24515080A1	10/05/2017	03/29/2016 5:6
BAKER COUNTY SO	12/29/2016	11:16:47	24515080A	10/05/2017	12/29/2016 12:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001290

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BRADFORD COUNTY SO	07/17/2016	16:55:19	AG425202	09/09/2016	07/17/2016 16:49
BRADFORD COUNTY SO	09/08/2016	18:19:05	AG619605	07/14/2018	10/18/2016 10:10
BRADFORD COUNTY SO	09/08/2016	18:19:21	AG619605	07/14/2018	10/18/2016 10:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001291

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BRADFORD COUNTY SO	01/13/2016	17:07:48	AG425202	09/09/2016	01/13/2016 17:2
BRADFORD COUNTY SO	09/08/2016	18:14:14	AG619605	07/14/2018	10/18/2016 9:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001292

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEVY COUNTY SO	08/28/2016	21:05:11	AG425202	09/09/2016	08/28/2016 21:1
LEVY COUNTY SO	08/28/2016	21:05:37	AG425202	09/09/2016	08/28/2016 21:1
LEVY COUNTY SO	09/08/2016	20:43:57	AG619605	07/14/2018	10/30/2016 18:53
LEVY COUNTY SO	09/08/2016	20:45:44	AG619605	07/14/2018	10/30/2016 18:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001293

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WILLISTON PD	08/28/2016	13:12:54	203498	12/10/2018	09/21/2016 15:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001302

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	06/27/2016	13:52:13	AG608505	03/25/2018	08/03/2016 10:21
SANTA ROSA COUNTY SO	11/30/2016	14:15:41	AG505803	02/27/2017	12/29/2016 0:42
SANTA ROSA COUNTY SO	12/28/2016	23:04:17	AG606103	03/01/2018	12/29/2016 0:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001303

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	09/13/2016	08:20:40	AG431502	11/11/2016	09/27/2016 14:32
SANTA ROSA COUNTY SO	11/28/2016	09:22:19	AG608505	03/25/2018	11/30/2016 15:3
SANTA ROSA COUNTY SO	11/30/2016	14:14:07	AG608505	03/25/2018	12/29/2016 0:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001305

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARIANNA PD	06/28/2016	09:50:38	1650824	03/13/2017	06/28/2016 12:2
MARIANNA PD	08/25/2016	06:41:56	1650824	03/13/2017	08/25/2016 9:18

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001307

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MADISON COUNTY SO	04/19/2016	11:06:19	20314080A4	08/05/2016	05/25/2016 10:16
MADISON COUNTY SO	07/13/2016	11:54:04	34015080A2	01/05/2018	08/17/2016 11:16
MADISON COUNTY SO	07/13/2016	11:54:24	34015080A2	01/05/2018	08/17/2016 11:16
MADISON COUNTY SO	08/17/2016	11:27:27	34015080A2	01/05/2018	09/07/2016 10:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001308

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	02/26/2016	10:15:26	AG507503	03/16/2017	03/28/2016 11:47
BAY COUNTY SO	06/30/2016	11:10:15	AG515306	06/02/2017	07/27/2016 10:36
BAY COUNTY SO	11/30/2016	10:54:16	AG628401	10/10/2018	12/30/2016 11:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001309

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	02/26/2016	10:13:55	AG507503	03/16/2017	03/28/2016 11:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001310

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NICEVILLE PD	03/09/2016	13:33:39	29614080A2	12/05/2016	03/31/2016 4:8
NICEVILLE PD	12/06/2016	12:49:21	507129	08/04/2019	01/04/2017 0:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001311

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	02/08/2016	14:28:40	163437	10/30/2018	02/27/2016 14:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001312

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	10/17/2016	10:17:06	507129	08/04/2019	10/17/2016 12:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001313

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SPRINGFIELD PD	05/29/2016	03:30:39	09216080A2	05/05/2018	05/29/2016 18:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001314

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COMM COLLEGE	03/15/2016	10:08:42	668180	09/28/2016	06/03/2016 13:8
BREVARD COMM COLLEGE	03/15/2016	10:09:23	668180	09/28/2016	06/03/2016 13:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001317

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COMM COLLEGE	04/08/2016	12:22:45	70960II	04/08/2017	06/03/2016 13:4
BREVARD COMM COLLEGE	05/02/2016	16:18:30	80790II	03/21/2017	06/03/2016 13:4
BREVARD COMM COLLEGE	05/02/2016	16:19:59	80790II	03/21/2017	06/03/2016 13:4
BREVARD COMM COLLEGE	05/03/2016	10:21:15	11111080A1	03/21/2017	06/03/2016 13:4
BREVARD COMM COLLEGE	05/03/2016	10:22:21	11111080A1	03/21/2017	06/03/2016 13:4
BREVARD COMM COLLEGE	05/03/2016	10:22:35	11111080A1	03/21/2017	06/03/2016 13:4
BREVARD COMM COLLEGE	05/05/2016	16:39:06	675059	09/25/2017	06/03/2016 13:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001321

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE COUNTY SO	02/12/2016	08:55:48	1686121	05/21/2017	03/14/2016 12:3
OKEECHOBEE COUNTY SO	12/14/2016	13:48:22	507129	08/04/2019	01/09/2017 14:2
OKEECHOBEE COUNTY SO	12/14/2016	13:48:44	507129	08/04/2019	01/09/2017 14:2

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001322

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE PD	05/03/2016	15:56:52	04216080A3	03/05/2018	05/31/2016 11:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001328

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN RIVER CO. SO	02/13/2016	05:35:52	1698962	06/22/2017	03/25/2016 5:17
INDIAN RIVER CO. SO	02/13/2016	05:36:23	237365	01/04/2019	03/25/2016 5:17
INDIAN RIVER CO. SO	12/28/2016	22:40:29	282638	02/15/2019	01/25/2017 5:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001329

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN RIVER CO. SO	02/13/2016	05:37:00	14968	08/06/2018	03/25/2016 5:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001340

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DESOTO COUNTY SO	04/29/2016	16:31:36	01316080A2	02/05/2018	05/31/2016 6:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001341

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DESOTO COUNTY SO	06/25/2016	01:15:39	01316080A2	02/05/2018	06/25/2016 2:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001344

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	03/25/2016	08:21:30	19615080A2	09/05/2017	03/25/2016 9:24
SARASOTA COUNTY SO	04/06/2016	23:41:10	19615080A2	09/05/2017	04/28/2016 9:26
SARASOTA COUNTY SO	04/06/2016	23:42:14	28515080A2	11/05/2017	04/28/2016 9:26
SARASOTA COUNTY SO	04/06/2016	23:42:22	28515080A2	11/05/2017	04/28/2016 9:26
SARASOTA COUNTY SO	04/06/2016	23:43:11	28515080A2	11/05/2017	04/28/2016 9:26
SARASOTA COUNTY SO	04/06/2016	23:43:20	28515080A2	11/05/2017	04/28/2016 9:26
SARASOTA COUNTY SO	04/26/2016	03:52:19	28515080A2	11/05/2017	04/28/2016 9:26
SARASOTA COUNTY SO	04/26/2016	03:52:25	28515080A2	11/05/2017	04/28/2016 9:26
SARASOTA COUNTY SO	05/08/2016	02:26:18	28515080A2	11/05/2017	05/11/2016 11:47
SARASOTA COUNTY SO	07/29/2016	08:17:54	28814080A3	11/05/2016	07/29/2016 9:45
SARASOTA COUNTY SO	08/30/2016	10:14:23	28515080A2	11/05/2017	09/29/2016 7:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001345

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
EUSTIS P.D.	03/14/2016	20:53:26	1787697	01/08/2018	03/14/2016 21:30
EUSTIS P.D.	12/02/2016	09:32:16	203498	12/10/2018	12/02/2016 10:33

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001346

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	02/23/2016	10:11:19	19615080A2	09/05/2017	02/23/2016 10:5
SARASOTA COUNTY SO	06/28/2016	08:48:53	28515080A2	11/05/2017	06/28/2016 9:47
SARASOTA COUNTY SO	08/30/2016	09:43:29	09216080A2	05/05/2018	09/29/2016 8:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001347

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	05/26/2016	09:00:01	19615080A2	09/05/2017	06/28/2016 9:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001348

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	05/11/2016	11:56:22	28515080A2	11/05/2017	05/13/2016 9:25
SARASOTA COUNTY SO	05/26/2016	09:24:51	28814080A3	11/05/2016	06/28/2016 7:29
SARASOTA COUNTY SO	07/29/2016	11:05:05	28515080A2	11/05/2017	08/30/2016 10:2

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001361

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	09/30/2016	21:58:30	539031	08/25/2019	09/30/2016 22:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001363

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	05/09/2016	09:49:05	19615080A2	09/05/2017	05/11/2016 11:43
CHARLOTTE COUNTY SO	05/27/2016	08:28:26	19615080A2	09/05/2017	05/27/2016 10:33
CHARLOTTE COUNTY SO	11/08/2016	12:50:55	12716080A6	06/05/2018	11/08/2016 13:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001364

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GAINESVILLE PD	07/20/2016	22:16:10	13115080A1	06/05/2017	08/17/2016 20:47
GAINESVILLE PD	07/20/2016	22:16:38	13115080A1	06/05/2017	08/17/2016 20:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001367

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/03/2016	01:24:10	AG505803	02/27/2017	02/01/2016 7:14
PINELLAS COUNTY SO	07/28/2016	21:02:45	AG605301	02/22/2018	07/28/2016 21:27
PINELLAS COUNTY SO	11/17/2016	23:24:19	AG622905	08/16/2018	11/17/2016 23:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001368

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS MAYPORT	10/19/2016	07:07:15	01316080A2	02/05/2018	11/30/2016 8:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001416

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	03/18/2016	14:14:01	05115080A5	03/05/2017	03/22/2016 11:14
ORANGE COUNTY S.O.	10/13/2016	10:59:20	34015080A2	01/05/2018	10/19/2016 11:35
ORANGE COUNTY S.O.	11/23/2016	10:39:18	34015080A2	01/05/2018	11/23/2016 10:33
ORANGE COUNTY S.O.	12/01/2016	17:03:17	34015080A2	01/05/2018	12/01/2016 16:56
ORANGE COUNTY S.O.	12/14/2016	10:32:34	05115080A5	03/05/2017	12/14/2016 11:17

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001418

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	03/03/2016	15:57:03	05115080A5	03/05/2017	03/10/2016 16:55
ORANGE COUNTY S.O.	04/20/2016	13:58:41	05115080A5	03/05/2017	04/21/2016 11:26
ORANGE COUNTY S.O.	06/14/2016	14:36:52	05115080A5	03/05/2017	06/15/2016 9:48
ORANGE COUNTY S.O.	09/14/2016	09:54:55	34015080A2	01/05/2018	09/22/2016 15:46

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001420

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	02/19/2016	02:11:06	05115080A5	03/05/2017	02/19/2016 13:43
ORANGE COUNTY S.O.	02/19/2016	02:11:31	05115080A5	03/05/2017	02/19/2016 13:43
ORANGE COUNTY S.O.	02/19/2016	13:47:32	05115080A5	03/05/2017	02/19/2016 13:43
ORANGE COUNTY S.O.	02/19/2016	13:47:44	05115080A5	03/05/2017	02/19/2016 13:43
ORANGE COUNTY S.O.	07/19/2016	14:10:04	05115080A5	03/05/2017	07/20/2016 12:17
ORANGE COUNTY S.O.	08/25/2016	17:28:43	05115080A5	03/05/2017	08/25/2016 17:24
ORANGE COUNTY S.O.	11/03/2016	17:05:47	34015080A2	01/05/2018	11/03/2016 16:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001439

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	10/13/2016	17:32:55	11315080A2	05/05/2017	10/13/2016 18:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001440

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
KENNEDY SPACE CENTER	04/20/2016	18:34:54	01316080A1	02/05/2018	04/20/2016 20:8
KENNEDY SPACE CENTER	04/20/2016	18:35:26	01316080A1	02/05/2018	04/20/2016 20:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001441

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
KENNEDY SPACE CENTER	06/01/2016	00:24:54	01316080A1	02/05/2018	06/01/2016 1:19
KENNEDY SPACE CENTER	11/17/2016	01:06:52	01316080A1	02/05/2018	11/17/2016 1:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001442

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BISCAYNE NAT PARK	08/02/2016	09:58:59	22315080A2	09/05/2017	08/02/2016 9:54
BISCAYNE NAT PARK	08/02/2016	09:59:13	22315080A2	09/05/2017	08/02/2016 9:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001443

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	01/21/2016	19:40:55	24515080A3	10/05/2017	01/21/2016 20:42
CLAY COUNTY SO	02/07/2016	15:58:20	24515080A3	10/05/2017	02/21/2016 18:8
CLAY COUNTY SO	03/15/2016	15:08:06	24515080A3	10/05/2017	03/21/2016 16:57
CLAY COUNTY SO	03/15/2016	15:11:50	24515080A3	10/05/2017	03/21/2016 16:57
CLAY COUNTY SO	03/21/2016	14:49:10	24515080A3	10/05/2017	03/21/2016 16:57
CLAY COUNTY SO	04/26/2016	17:33:42	24515080A3	10/05/2017	04/27/2016 14:21
CLAY COUNTY SO	06/11/2016	13:36:37	24515080A3	10/05/2017	06/11/2016 14:18
CLAY COUNTY SO	07/03/2016	13:57:07	12716080A5	06/05/2018	07/03/2016 15:8
CLAY COUNTY SO	08/24/2016	14:45:47	12716080A5	06/05/2018	08/24/2016 17:15
CLAY COUNTY SO	08/24/2016	14:46:33	12716080A5	06/05/2018	08/24/2016 17:15
CLAY COUNTY SO	11/14/2016	08:26:30	12716080A5	06/05/2018	12/11/2016 16:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001649

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
KENNETH CITY PD	03/23/2016	21:08:03	28515080A3	11/05/2017	03/23/2016 22:7
KENNETH CITY PD	07/25/2016	20:10:40	28515080A3	11/05/2017	07/25/2016 21:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001651

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/04/2016	11:25:02	19615080A4	09/05/2017	01/13/2016 8:47
COLLIER COUNTY SO	02/04/2016	13:33:47	12014080A1	06/01/2016	03/01/2016 17:9
COLLIER COUNTY SO	04/05/2016	09:17:54	12014080A1	06/01/2016	04/05/2016 9:13
COLLIER COUNTY SO	06/06/2016	10:56:23	19615080A4	09/05/2017	07/11/2016 12:30
COLLIER COUNTY SO	07/11/2016	15:37:04	19615080A4	09/05/2017	08/03/2016 10:41
COLLIER COUNTY SO	08/09/2016	16:56:07	19615080A4	09/05/2017	09/01/2016 16:2
COLLIER COUNTY SO	10/03/2016	10:44:22	34015080A2	01/05/2018	11/01/2016 9:2
COLLIER COUNTY SO	10/10/2016	15:58:33	11315080A1	05/05/2017	11/01/2016 9:2
COLLIER COUNTY SO	12/01/2016	11:28:54	34015080A2	01/05/2018	01/04/2017 8:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001653

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	11/23/2016	21:04:56	28515080A2	11/05/2017	11/23/2016 22:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001654

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	02/25/2016	16:37:04	1789170	01/14/2018	02/25/2016 18:32
MIAMI PD	09/22/2016	17:46:41	1789170	01/14/2018	09/22/2016 17:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001655

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	06/29/2016	13:40:25	366849	03/30/2019	06/29/2016 14:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001657

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MICCOSUKEE PD	02/03/2016	10:37:24	22315080A2	09/05/2017	03/11/2016 10:6
MICCOSUKEE PD	08/03/2016	09:59:47	22315080A2	09/05/2017	08/03/2016 9:55
MICCOSUKEE PD	09/09/2016	10:30:54	20016080A2	09/05/2018	10/26/2016 10:2
MICCOSUKEE PD	11/08/2016	09:22:58	20016080A2	09/05/2018	11/08/2016 9:35

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001714

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UNIVERSITY OF FL PD	01/21/2016	20:47:34	24515080A2	10/05/2017	02/18/2016 9:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001715

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY S.O.	01/05/2016	09:21:26	1589901	10/30/2016	01/05/2016 11:0
OSCEOLA COUNTY S.O.	09/08/2016	19:11:24	1589901	10/30/2016	09/29/2016 9:16
OSCEOLA COUNTY S.O.	09/08/2016	19:11:38	1589901	10/30/2016	09/29/2016 9:16
OSCEOLA COUNTY S.O.	10/14/2016	08:12:49	163437	10/30/2018	11/18/2016 8:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001720

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ALACHUA PD	07/30/2016	21:18:57	12716080A6	06/05/2018	07/30/2016 23:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001721

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	11/21/2016	00:48:43	24515080A2	10/05/2017	11/21/2016 0:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001722

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	04/13/2016	08:55:28	24515080A3	10/05/2017	05/17/2016 10:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001732

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS PARK P.D.	03/03/2016	16:45:08	11315080A1	05/05/2017	03/03/2016 17:54
PINELLAS PARK P.D.	05/31/2016	06:39:46	11315080A1	05/05/2017	06/14/2016 17:17

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001739

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	04/28/2016	13:05:09	19615080A2	09/05/2017	05/27/2016 11:9

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001740

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEARWATER PD	02/04/2016	12:01:36	19615080A2	09/05/2017	03/15/2016 19:30
CLEARWATER PD	02/04/2016	12:02:04	19615080A2	09/05/2017	03/15/2016 19:30
CLEARWATER PD	06/08/2016	02:31:18	19615080A2	09/05/2017	08/07/2016 23:10
CLEARWATER PD	08/07/2016	23:16:32	28515080A2	11/05/2017	08/07/2016 23:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001742

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	01/08/2016	16:50:29	1841081	04/08/2018	01/25/2016 10:0
MANATEE COUNTY SO	03/28/2016	09:50:02	203498	12/10/2018	03/28/2016 11:3
MANATEE COUNTY SO	06/21/2016	17:42:45	256835	01/11/2019	06/22/2016 9:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001743

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	06/07/2016	12:05:57	24515080A2	10/05/2017	06/07/2016 12:7
JACKSONVILLE SO	07/25/2016	07:22:11	01316080A2	02/05/2018	07/25/2016 9:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001967

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE CC	03/22/2016	08:37:33	13413080A1	06/01/2016	07/26/2016 11:16

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002096

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE COLLEGE	02/17/2016	15:21:16	AG400604	01/06/2017	03/24/2016 14:7
MIAMI-DADE COLLEGE	12/28/2016	13:08:00	1482986	05/01/2018	12/30/2016 15:35
MIAMI-DADE COLLEGE	12/28/2016	19:02:13	1482986	05/01/2018	12/30/2016 15:35

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002231

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NEW SMYRNA BEACH PD	12/23/2016	13:03:43	20016080A3	09/05/2018	12/23/2016 14:9
NEW SMYRNA BEACH PD	12/23/2016	13:04:31	20016080A3	09/05/2018	12/23/2016 14:9

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002232

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI BEACH PD	03/21/2016	15:33:15	1826916	03/09/2018	04/27/2016 13:15

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002566

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SURFSIDE PD	03/21/2016	15:47:52	1826916	03/09/2018	04/27/2016 13:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002989

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TALLAHASSEE PD	05/27/2016	13:31:12	11315080A1	05/05/2017	05/27/2016 15:20

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003196

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWC	02/09/2016	17:06:03	AG502603	01/26/2017	02/09/2016 18:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003197

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWC	10/15/2016	11:25:28	477627	06/29/2019	10/15/2016 13:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003224

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI BEACH PD	03/21/2016	15:38:22	1826916	03/09/2018	04/27/2016 13:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003347

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	04/08/2016	10:56:07	03415080A1	03/05/2017	04/08/2016 12:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003348

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SWEETWATER PD	01/22/2016	08:19:54	1694353	06/10/2017	01/22/2016 9:56
SWEETWATER PD	02/27/2016	12:03:30	1497755	05/02/2016	03/31/2016 7:32
SWEETWATER PD	04/21/2016	09:42:51	1824329	03/09/2018	05/07/2016 10:24
FHP TROOP E MIAMI	10/31/2016	06:54:43	1878845	06/22/2018	10/31/2016 8:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003387

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	04/10/2016	02:04:56	18015080A2	08/05/2017	05/11/2016 11:42
HILLSBOROUGH CO SO	08/10/2016	00:13:26	18015080A2	08/05/2017	08/10/2016 18:41
HILLSBOROUGH CO SO	10/11/2016	03:19:13	18015080A2	08/05/2017	11/07/2016 20:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003388

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	03/13/2016	18:57:42	18015080A2	08/05/2017	04/06/2016 19:34
HILLSBOROUGH CO SO	08/13/2016	23:29:15	18015080A2	08/05/2017	09/07/2016 18:41
HILLSBOROUGH CO SO	08/13/2016	23:29:43	18015080A2	08/05/2017	09/07/2016 18:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003406

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/08/2016	11:07:03	20314080A4	08/05/2016	04/19/2016 10:41
FL HIGHWAY PATROL	03/22/2016	13:02:36	20314080A4	08/05/2016	04/19/2016 10:41
FL HIGHWAY PATROL	03/22/2016	13:02:45	20314080A4	08/05/2016	04/19/2016 10:41
FL HIGHWAY PATROL	07/22/2016	10:21:47	34015080A2	01/05/2018	08/12/2016 10:47
FL HIGHWAY PATROL	07/22/2016	10:21:57	34015080A2	01/05/2018	08/12/2016 10:47
FL HIGHWAY PATROL	08/25/2016	11:53:25	13115080A1	06/05/2017	09/22/2016 10:10
FL HIGHWAY PATROL	09/26/2016	08:21:44	13115080A1	06/05/2017	10/19/2016 10:13
FL HIGHWAY PATROL	09/26/2016	08:22:14	13115080A1	06/05/2017	10/19/2016 10:13
FL HIGHWAY PATROL	10/25/2016	12:03:44	34015080A2	01/05/2018	11/02/2016 12:12
FL HIGHWAY PATROL	10/25/2016	12:04:07	34015080A2	01/05/2018	11/02/2016 12:12
FL HIGHWAY PATROL	12/07/2016	10:56:59	34015080A2	01/05/2018	01/09/2017 11:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003407

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/06/2016	10:08:59	28814080A3	11/05/2016	05/03/2016 15:41

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003408

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E MIAMI	06/23/2016	07:39:38	1878845	06/22/2018	06/23/2016 9:48
FHP TROOP E MIAMI	10/31/2016	09:03:21	163437	10/30/2018	12/02/2016 7:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003410

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	09/27/2016	00:57:59	437738	06/08/2019	09/27/2016 23:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003411

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	11/09/2016	19:18:05	477627	06/29/2019	11/29/2016 21:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003412

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	06/01/2016	11:43:12	28814080A3	11/05/2016	07/26/2016 15:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003413

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/31/2016	14:26:05	28515080A3	11/05/2017	05/31/2016 16:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003935

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY S.O.	10/14/2016	08:26:42	163437	10/30/2018	10/14/2016 8:25
OSCEOLA COUNTY S.O.	10/14/2016	08:27:25	163437	10/30/2018	10/14/2016 8:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003937

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY S.O.	01/05/2016	09:25:02	1578837	10/16/2016	01/05/2016 11:3
OSCEOLA COUNTY S.O.	01/05/2016	09:26:06	1578837	10/16/2016	01/05/2016 11:3
OSCEOLA COUNTY S.O.	10/14/2016	08:30:11	163437	10/30/2018	10/14/2016 8:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004587

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY S.O.	10/14/2016	08:15:20	163437	10/30/2018	11/18/2016 8:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004770

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HURLBURT FIELD PD	06/02/2016	10:12:40	24515080A2	10/05/2017	06/02/2016 11:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004771

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HURLBURT FIELD PD	02/11/2016	13:11:30	24515080A2	10/05/2017	04/01/2016 16:14

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005057

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	02/16/2016	15:30:15	13115080A2	06/05/2017	02/16/2016 17:9
OKALOOSA COUNTY SO	07/29/2016	06:33:00	13115080A2	06/05/2017	08/11/2016 12:18
OKALOOSA COUNTY SO	08/31/2016	11:02:25	13115080A2	06/05/2017	08/31/2016 12:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005058

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CRESTVIEW PD	02/29/2016	14:10:20	34015080A2	01/05/2018	02/29/2016 16:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005076

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	08/30/2016	08:19:41	19615080A2	09/05/2017	08/30/2016 9:3
SARASOTA COUNTY SO	08/30/2016	09:13:17	28814080A3	11/05/2016	09/29/2016 7:45
SARASOTA COUNTY SO	10/27/2016	09:17:48	09216080A2	05/05/2018	11/15/2016 8:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005113

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	03/03/2016	19:05:53	18015080A2	08/05/2017	04/06/2016 17:10
HILLSBOROUGH CO SO	11/06/2016	07:16:11	12716080A7	06/05/2018	11/07/2016 20:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005146

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PATRICK AFB	04/15/2016	11:25:21	1841081	04/08/2018	04/15/2016 19:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005248

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWC	01/26/2016	18:27:30	1757137	10/15/2017	02/17/2016 12:10
FWC	03/07/2016	20:47:13	1757137	10/15/2017	04/18/2016 14:51
FWC	03/13/2016	12:52:13	1757137	10/15/2017	04/18/2016 14:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005249

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY SO	06/17/2016	06:11:56	12716080A7	06/05/2018	06/17/2016 8:37
HERNANDO COUNTY SO	10/16/2016	07:27:59	12716080A7	06/05/2018	11/23/2016 6:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005290

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	02/27/2016	04:08:48	AG515306	06/02/2017	03/25/2016 20:11
PINELLAS COUNTY SO	06/24/2016	23:56:35	AG505803	02/27/2017	07/28/2016 23:28
PINELLAS COUNTY SO	07/22/2016	01:03:46	AG605301	02/22/2018	07/28/2016 23:28
PINELLAS COUNTY SO	11/30/2016	21:57:24	AG622905	08/16/2018	12/29/2016 21:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005337

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PERRY POLICE DEPT	08/31/2016	14:42:05	AG619605	07/14/2018	08/31/2016 16:28

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005338

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	07/17/2016	00:05:24	32114080A2	12/05/2016	08/30/2016 20:13
ST PETERSBURG PD	10/12/2016	10:45:59	32114080A2	12/05/2016	11/23/2016 22:12
ST PETERSBURG PD	12/09/2016	21:24:34	28515080A2	11/05/2017	12/15/2016 23:14

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005402

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ORANGE PD	11/18/2016	04:15:41	1836890	03/26/2018	11/30/2016 14:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005477

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DADE CITY PD	06/16/2016	16:19:25	12716080A6	06/05/2018	06/16/2016 18:19
DADE CITY PD	06/16/2016	16:21:43	12716080A6	06/05/2018	06/16/2016 18:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005537

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH PD	08/01/2016	14:56:23	14968	08/06/2018	08/01/2016 15:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005538

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FERNANDINA BEACH PD	12/25/2016	07:46:59	17316080A2	08/05/2018	12/25/2016 9:31

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005548

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	08/10/2016	08:34:50	22315080A2	09/05/2017	08/10/2016 10:20

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005549

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	06/22/2016	09:07:03	24515080A3	10/05/2017	06/22/2016 9:7
MIAMI DADE PD	08/02/2016	12:07:23	13115080A2	06/05/2017	08/02/2016 12:2

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005550

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	04/06/2016	09:25:49	19014080A3	08/05/2016	04/06/2016 10:48
MIAMI DADE PD	08/02/2016	12:16:57	32114080A2	12/05/2016	08/02/2016 12:11
MIAMI DADE PD	08/02/2016	12:17:21	32114080A2	12/05/2016	08/02/2016 12:11
MIAMI DADE PD	08/02/2016	12:23:39	22315080A2	09/05/2017	09/01/2016 13:36
MIAMI DADE PD	08/02/2016	12:24:12	22315080A2	09/05/2017	09/01/2016 13:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005551

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	05/05/2016	10:13:47	19014080A3	08/05/2016	05/05/2016 13:11
MIAMI DADE PD	05/05/2016	10:14:01	19014080A3	08/05/2016	05/05/2016 13:11
MIAMI DADE PD	08/04/2016	07:49:53	22315080A2	09/05/2017	08/17/2016 9:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005655

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MEYERS PD	10/11/2016	10:03:34	36314080A3	02/05/2017	10/11/2016 11:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005935

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY SO	01/05/2016	09:00:49	1589901	10/30/2016	01/05/2016 10:45
OSCEOLA COUNTY SO	01/05/2016	09:01:55	163437	10/30/2018	01/05/2016 10:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005936

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	05/26/2016	08:08:11	28515080A2	11/05/2017	05/26/2016 9:8
SARASOTA COUNTY SO	07/29/2016	08:51:04	28814080A3	11/05/2016	07/29/2016 9:43
SARASOTA COUNTY SO	10/27/2016	09:53:27	09216080A2	05/05/2018	11/15/2016 10:16

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006029

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	07/17/2016	18:12:19	279870	02/04/2019	08/05/2016 12:31
PALM BEACH CO SO	07/17/2016	19:47:07	279870	02/04/2019	08/05/2016 12:31
PALM BEACH CO SO	08/05/2016	15:16:44	279870	02/04/2019	09/09/2016 14:20

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006046

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/28/2016	23:22:21	256835	01/11/2019	03/29/2016 0:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006085

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
US COAST GUARD MIAMI	03/21/2016	15:54:03	1826916	03/09/2016	04/27/2016 13:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006168

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	01/27/2016	13:25:21	11315080A2	05/05/2017	01/27/2016 13:58
MARTIN COUNTY SO	02/17/2016	04:15:49	24515080A2	10/05/2017	02/17/2016 4:53
MARTIN COUNTY SO	05/07/2016	03:23:31	06616080A2	04/05/2018	05/18/2016 13:19
MARTIN COUNTY SO	08/17/2016	14:15:04	06616080A2	04/05/2018	08/17/2016 14:50
MARTIN COUNTY SO	10/13/2016	18:54:08	20016080A2	09/05/2018	11/16/2016 13:54
MARTIN COUNTY SO	12/04/2016	22:21:50	11315080A2	05/05/2017	12/28/2016 14:42
MARTIN COUNTY SO	12/04/2016	22:22:02	11315080A2	05/05/2017	12/28/2016 14:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006169

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	06/26/2016	08:22:21	06616080A2	04/05/2018	06/28/2016 0:48
MARTIN COUNTY SO	10/13/2016	17:35:11	06616080A2	04/05/2018	10/13/2016 18:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006170

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	02/17/2016	03:03:51	31715080A3	12/05/2017	02/17/2016 3:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006199

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOMESTEAD PD	04/27/2016	08:23:16	1870563	06/17/2018	04/28/2016 0:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006220

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE TRAINER	10/04/2016	08:37:36	03415080A1	03/05/2017	10/04/2016 12:54
FDLE TRAINER	10/11/2016	14:11:36	15615080A2	07/05/2017	10/11/2016 14:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006221

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE CITY PD	07/26/2016	23:27:43	477627	06/29/2019	08/09/2016 1:14

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006222

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ASTATULA PD	04/30/2016	21:49:43	00816080A1	01/05/2018	05/31/2016 23:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006233

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	01/22/2016	05:42:31	AG425202	09/09/2016	01/22/2016 7:12
BREVARD COUNTY S.O.	07/21/2016	05:28:10	12716080A5	06/05/2018	07/21/2016 6:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006235

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ASTATULA PD	01/01/2016	13:32:02	09014080A1	05/01/2016	01/01/2016 13:56
ASTATULA PD	01/31/2016	09:37:04	00816080A1	01/05/2018	01/31/2016 10:26
ASTATULA PD	01/31/2016	09:37:21	00816080A1	01/05/2018	01/31/2016 10:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006236

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	08/29/2016	08:23:54	203498	12/10/2018	08/29/2016 9:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	05/21/2016	14:51:46	24515080A3	10/05/2017	06/11/2016 14:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	05/18/2016	21:47:08	20314080A4	08/05/2016	05/20/2016 12:33
PALM BEACH CO SO	05/18/2016	21:47:20	20314080A4	08/05/2016	05/20/2016 12:33
PALM BEACH CO SO	05/20/2016	12:45:00	1870563	06/17/2018	06/17/2016 12:1
PALM BEACH CO SO	05/20/2016	12:45:32	1870563	06/17/2018	06/17/2016 12:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006239

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	01/11/2016	12:17:01	1870563	06/17/2018	02/17/2016 12:2
PALM BEACH CO SO	08/05/2016	15:20:14	279870	02/04/2019	09/09/2016 12:8
PALM BEACH CO SO	09/09/2016	14:39:22	279870	02/04/2019	10/14/2016 16:3
PALM BEACH CO SO	09/09/2016	17:53:03	279870	02/04/2019	10/14/2016 16:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006240

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	01/13/2016	18:11:56	203140804A	08/05/2016	02/17/2016 14:55
PALM BEACH CO SO	01/13/2016	18:12:34	1870563	06/17/2018	02/17/2016 14:55
PALM BEACH CO SO	01/13/2016	18:12:46	1870563	06/17/2018	02/17/2016 14:55
PALM BEACH CO SO	06/17/2016	14:31:54	279870	02/04/2019	07/15/2016 12:32
PALM BEACH CO SO	07/17/2016	19:49:11	279870	02/04/2019	08/05/2016 14:50
PALM BEACH CO SO	07/17/2016	19:49:28	279870	02/04/2019	08/05/2016 14:50
PALM BEACH CO SO	12/20/2016	16:50:12	20016080A1	09/05/2018	01/13/2017 12:51
PALM BEACH CO SO	12/20/2016	16:50:42	20016080A1	09/05/2018	01/13/2017 12:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006262

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY S.O.	03/15/2016	13:23:34	203498	12/10/2018	03/15/2016 14:3
VOLUSIA COUNTY S.O.	03/15/2016	13:23:49	203498	12/10/2018	03/15/2016 14:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006385

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	01/03/2016	02:16:34	03415080A2	03/05/2017	01/04/2016 19:20
HILLSBOROUGH CO SO	05/24/2016	03:42:26	18015080A2	08/05/2017	06/07/2016 13:31

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006386

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HENDRY COUNTY SO	09/08/2016	22:59:34	05115080A5	03/05/2017	09/28/2016 15:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006435

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	07/12/2016	07:26:45	05115080A5	03/05/2017	08/23/2016 10:34
ESCAMBIA COUNTY SO	08/23/2016	08:49:02	05115080A5	03/05/2017	08/23/2016 10:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006436

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	07/05/2016	20:26:48	05115080A5	03/05/2017	07/12/2016 8:17
ESCAMBIA COUNTY SO	08/23/2016	08:49:22	05115080A5	03/05/2017	08/23/2016 10:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006456

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	03/06/2016	08:39:02	11315080A1	05/05/2017	03/10/2016 16:34
MIAMI PD	03/06/2016	08:39:09	11315080A1	05/05/2017	03/10/2016 16:34
MIAMI PD	06/23/2016	17:18:17	203498	12/10/2018	06/23/2016 17:41
MIAMI PD	09/22/2016	17:45:08	203498	12/10/2018	09/22/2016 17:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006457

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	02/03/2016	20:49:15	TTTTTTTTTT	11/11/1111	02/25/2016 18:55
MIAMI PD	02/03/2016	20:50:03	11315080A1	05/05/2017	02/25/2016 18:55
MIAMI PD	05/25/2016	19:24:24	203498	12/10/2018	06/23/2016 17:54
MIAMI PD	09/22/2016	17:36:03	203498	12/10/2018	09/22/2016 17:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006471

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	09/16/2016	00:03:24	091602	06/05/2017	09/16/2016 2:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006472

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/08/2016	08:53:32	20314080A4	08/05/2016	01/11/2016 13:52
FL HIGHWAY PATROL	09/29/2016	15:13:14	390314	04/19/2019	09/29/2016 16:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006475

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	09/24/2016	21:59:15	34015080A3	01/05/2018	09/24/2016 22:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006476

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH SO	02/19/2016	05:09:01	1870563	06/17/2018	03/11/2016 11:52
PALM BEACH SO	03/11/2016	12:03:13	15615080A3	07/05/2017	04/15/2016 13:3
PALM BEACH SO	03/11/2016	16:53:10	15615080A3	07/05/2017	04/15/2016 13:3
PALM BEACH SO	03/11/2016	16:53:21	15615080A3	07/05/2017	04/15/2016 13:3
PALM BEACH SO	10/14/2016	16:43:07	279870	02/04/2019	11/18/2016 12:30
PALM BEACH SO	11/18/2016	14:49:01	279870	02/04/2019	12/20/2016 14:59
PALM BEACH SO	11/18/2016	14:49:59	279870	02/04/2019	12/20/2016 14:59

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006477

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	03/11/2016	16:55:20	15615080A3	07/05/2017	04/15/2016 11:42
PALM BEACH CO SO	03/11/2016	16:55:31	15615080A3	07/05/2017	04/15/2016 11:42
PALM BEACH CO SO	04/15/2016	15:19:40	279870	02/04/2019	05/20/2016 14:0
PALM BEACH CO SO	04/15/2016	15:19:58	279870	02/04/2019	05/20/2016 14:0
PALM BEACH CO SO	09/09/2016	14:32:36	279870	02/04/2019	10/14/2016 12:22
PALM BEACH CO SO	09/09/2016	14:33:00	279870	02/04/2019	10/14/2016 12:22
PALM BEACH CO SO	09/09/2016	14:37:20	279870	02/04/2019	10/14/2016 12:22
PALM BEACH CO SO	09/09/2016	17:52:08	279870	02/04/2019	10/14/2016 12:22
PALM BEACH CO SO	10/14/2016	12:46:08	279870	02/04/2019	11/18/2016 16:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	04/15/2016	15:21:39	15615080A3	07/05/2017	05/20/2016 12:21
PALM BEACH CO SO	04/15/2016	15:22:13	15615080A3	07/05/2017	05/20/2016 12:21
PALM BEACH CO SO	05/20/2016	15:55:47	15615080A3	07/05/2017	06/17/2016 14:8
PALM BEACH CO SO	05/20/2016	15:56:11	15615080A3	07/05/2017	06/17/2016 14:8
PALM BEACH CO SO	11/18/2016	16:34:45	1870563	06/17/2018	12/20/2016 12:58
PALM BEACH CO SO	11/18/2016	16:34:56	1870563	06/17/2018	12/20/2016 12:58
PALM BEACH CO SO	12/20/2016	13:22:28	1870563	06/17/2018	01/13/2017 14:42
PALM BEACH CO SO	12/20/2016	13:23:43	1870563	06/17/2018	01/13/2017 14:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006559

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	01/25/2016	08:30:08	203498	12/10/2018	01/25/2016 9:45
MANATEE COUNTY SO	09/26/2016	09:01:56	1841081	04/08/2018	09/26/2016 10:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006565

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	01/25/2016	08:30:04	203498	12/10/2018	01/25/2016 9:41
MANATEE COUNTY SO	09/26/2016	10:17:38	256835	01/11/2019	10/17/2016 12:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006567

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/01/2016	17:39:01	24515080A1	10/05/2017	02/01/2016 19:9
HILLSBOROUGH CO SO	05/22/2016	00:33:33	18015080A2	08/05/2017	06/07/2016 11:45
HILLSBOROUGH CO SO	05/22/2016	00:33:49	18015080A2	08/05/2017	06/07/2016 11:45
HILLSBOROUGH CO SO	09/30/2016	20:36:22	12716080A7	06/05/2018	10/05/2016 17:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006616

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FLAGLER COUNTY SO	03/09/2016	10:10:45	28515080A3	11/05/2017	03/09/2016 13:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006621

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
KENNEDY SPACE CENTER	05/04/2016	21:22:51	01316080A1	02/05/2018	05/04/2016 23:49

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006629

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	07/16/2016	05:18:37	09216080A3	05/05/2018	08/31/2016 22:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006630

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	07/02/2016	00:39:39	06616080A2	04/05/2018	07/12/2016 11:14
FHP	07/02/2016	00:39:51	06616080A2	04/05/2018	07/12/2016 11:14

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006631

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	06/21/2016	17:35:27	256835	01/11/2019	06/22/2016 9:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006632

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	12/28/2016	20:22:12	644476	12/01/2019	12/28/2016 23:41

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006634

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	06/21/2016	17:44:37	256835	01/11/2019	06/22/2016 9:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006636

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	09/11/2016	04:38:08	09216080A3	05/05/2018	09/30/2016 22:8
FHP	09/11/2016	04:38:32	09216080A3	05/05/2018	09/30/2016 22:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006638

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	11/29/2016	20:21:42	12716080A6	06/05/2018	11/29/2016 21:46
FHP	11/29/2016	20:21:56	12716080A6	06/05/2018	11/29/2016 21:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006692

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOLMES BEACH PD	10/17/2016	11:01:32	17316080A2	08/05/2018	11/28/2016 10:35

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006694

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	10/17/2016	11:22:13	256835	01/11/2019	10/17/2016 12:35