

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000206

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	09/16/2019	18:07:55	13518080A5	08/05/2020	09/30/2019 20:53
FDLE	11/27/2019	22:00:45	13518080A5	08/05/2020	01/06/2020 15:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000219

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	03/28/2019	10:04:59	00919080A2	03/05/2021	04/22/2019 13:30
FDLE	03/28/2019	10:05:13	00919080A2	03/05/2021	04/22/2019 13:31
FDLE	11/26/2019	19:43:33	13518080A5	08/05/2020	11/26/2019 23:2
FDLE	11/27/2019	00:09:46	00919080A3	03/05/2021	01/06/2020 15:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000223

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	08/01/2019	16:55:36	1076482	01/15/2022	09/03/2019 10:31
FDLE	11/19/2019	13:05:18	181692	02/05/2021	11/19/2019 15:14

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000227

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	03/28/2019	10:00:04	00919080A2	03/05/2021	04/22/2019 13:37
FDLE	03/28/2019	10:00:22	00919080A2	03/05/2021	04/22/2019 13:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000228

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	09/12/2019	02:57:19	181692	02/05/2021	09/19/2019 20:2

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000229

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	10/03/2019	21:47:23	22419080A2	10/05/2021	10/04/2019 14:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000737

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ALACHUA COUNTY SO	10/23/2019	14:30:27	24818080A2	10/05/2020	10/23/2019 14:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000739

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	06/12/2019	10:24:57	754250	04/03/2020	06/12/2019 15:1
OKALOOSA COUNTY SO	08/08/2019	08:23:21	869968	12/06/2020	09/06/2019 9:53

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000744

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	01/08/2019	15:31:29	792976	06/06/2020	01/25/2019 7:26
ESCAMBIA COUNTY SO	03/21/2019	05:34:13	792976	06/06/2020	03/21/2019 7:29
ESCAMBIA COUNTY SO	05/06/2019	22:00:28	792976	06/06/2020	06/12/2019 22:25
ESCAMBIA COUNTY SO	05/06/2019	22:01:10	792976	06/06/2020	06/12/2019 22:25
ESCAMBIA COUNTY SO	06/27/2019	00:20:45	792976	06/06/2020	07/19/2019 23:58
ESCAMBIA COUNTY SO	06/27/2019	00:27:53	792976	06/06/2020	07/19/2019 23:58
ESCAMBIA COUNTY SO	06/27/2019	00:28:02	792976	06/06/2020	07/19/2019 23:58
ESCAMBIA COUNTY SO	06/27/2019	00:28:06	792976	06/06/2020	07/19/2019 23:58
ESCAMBIA COUNTY SO	06/27/2019	00:28:48	792976	06/06/2020	07/19/2019 23:58
ESCAMBIA COUNTY SO	06/27/2019	00:30:51	792976	06/06/2020	07/19/2019 23:58
ESCAMBIA COUNTY SO	07/19/2019	19:13:24	792976	06/06/2020	07/19/2019 23:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000749

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	07/19/2019	19:18:17	792976	06/06/2020	07/19/2019 21:55
ESCAMBIA COUNTY SO	07/19/2019	20:47:19	792976	06/06/2020	07/19/2019 21:55
ESCAMBIA COUNTY SO	11/15/2019	20:04:51	792976	06/06/2020	11/15/2019 21:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000751

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	07/19/2019	21:22:42	770784	04/27/2020	07/19/2019 23:7
ESCAMBIA COUNTY SO	12/18/2019	22:00:45	770784	04/27/2020	01/09/2020 17:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000759

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/11/2019	20:23:13	770784	04/27/2020	01/11/2019 22:48
FL HIGHWAY PATROL	03/18/2019	13:19:39	770784	04/27/2020	03/18/2019 16:40
FL HIGHWAY PATROL	12/11/2019	09:07:08	1076482	01/15/2022	12/11/2019 15:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000760

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ALACHUA COUNTY SO	04/25/2019	09:11:42	24818080A2	10/05/2020	04/25/2019 9:52
ALACHUA COUNTY SO	10/23/2019	14:20:15	24818080A2	10/05/2020	10/23/2019 14:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000763

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	04/29/2019	14:07:37	754250	04/03/2020	04/29/2019 15:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000768

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUWANNEE CO SO	07/27/2019	00:49:40	17618080A3	08/05/2020	07/31/2019 23:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000772

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	01/21/2019	12:37:27	AG805702	02/26/2020	02/28/2019 17:43
SANTA ROSA COUNTY SO	03/29/2019	18:40:44	AG805702	02/26/2020	04/30/2019 15:23
SANTA ROSA COUNTY SO	05/31/2019	17:03:14	684131	01/23/2020	05/31/2019 19:2
SANTA ROSA COUNTY SO	06/25/2019	12:50:33	1141545	05/11/2022	06/25/2019 14:44
SANTA ROSA COUNTY SO	11/26/2019	20:01:30	1141545	05/11/2022	12/23/2019 19:15

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000777

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLUMBIA COUNTY SO	08/22/2019	16:29:47	1175968	07/30/2022	08/22/2019 17:20

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000778

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS JACKSONVILLE PD	03/11/2019	00:09:43	00919080A3	03/05/2021	03/23/2019 6:56
NAS JACKSONVILLE PD	03/11/2019	00:10:58	00919080A3	03/05/2021	03/23/2019 6:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000779

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MADISON COUNTY SO	11/14/2019	12:01:50	00919080A2	03/05/2021	12/09/2019 12:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000780

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUWANNEE CO SO	09/08/2019	21:22:45	17618080A3	08/05/2020	09/16/2019 11:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000781

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	12/11/2019	09:11:12	1076482	01/15/2022	12/11/2019 16:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000782

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP A	01/11/2019	20:20:14	770784	04/27/2020	02/25/2019 14:23
FHP TROOP A	12/11/2019	09:00:13	770784	04/27/2020	12/11/2019 15:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000784

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/11/2019	20:22:04	461951	06/15/2019	01/11/2019 23:8
FL HIGHWAY PATROL	03/18/2019	13:14:44	461951	06/15/2019	03/18/2019 16:33
FL HIGHWAY PATROL	06/26/2019	15:06:19	712031	02/21/2020	07/26/2019 3:23
FL HIGHWAY PATROL	07/26/2019	00:43:03	712031	02/21/2020	07/26/2019 3:23
FL HIGHWAY PATROL	09/30/2019	23:12:43	712031	02/21/2020	10/01/2019 23:51
FL HIGHWAY PATROL	09/30/2019	23:15:43	770784	04/07/2020	10/01/2019 23:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000785

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	01/11/2019	21:27:18	770784	04/27/2020	01/11/2019 23:12
FHP	03/18/2019	13:24:40	770784	04/27/2020	04/10/2019 12:1
FHP	04/10/2019	09:58:28	770784	04/27/2020	04/10/2019 12:1
FHP	12/11/2019	09:05:26	770784	04/27/2020	12/11/2019 16:14

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000787

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULF BREEZE PD	05/28/2019	14:15:33	1094494	02/19/2022	06/15/2019 10:7
GULF BREEZE PD	05/28/2019	14:15:48	1094494	02/19/2022	06/15/2019 10:7
GULF BREEZE PD	06/19/2019	11:24:04	1094494	02/19/2022	07/14/2019 10:24
GULF BREEZE PD	06/19/2019	11:24:12	1094494	02/19/2022	07/14/2019 10:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000788

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	10/22/2019	13:15:37	03519080A5	04/05/2021	10/22/2019 15:4
ST LUCIE COUNTY SO	12/20/2019	14:14:59	03519080A5	04/05/2021	02/04/2020 6:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000792

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	05/07/2019	13:05:41	17817080A2	08/05/2019	05/22/2019 7:14
ST LUCIE COUNTY SO	05/07/2019	13:11:38	03519080A5	04/05/2021	05/22/2019 7:14
ST LUCIE COUNTY SO	12/20/2019	14:06:41	03519080A5	04/05/2021	02/04/2020 6:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000794

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	03/28/2019	10:49:09	31517080A1	01/05/2020	03/28/2019 11:7
ST LUCIE COUNTY SO	10/08/2019	08:47:51	31517080A1	01/05/2020	10/22/2019 15:12
ST LUCIE COUNTY SO	12/20/2019	14:15:48	03519080A5	04/05/2021	02/04/2020 6:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000795

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULF COUNTY SO	07/27/2019	13:48:17	08819080A	06/05/2021	07/28/2019 12:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000797

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAMILTON COUNTY SO	02/28/2019	16:42:36	00919080A3	03/05/2021	02/28/2019 17:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000808

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	05/02/2019	15:02:06	31517080A1	01/05/2020	05/06/2019 13:59
HILLSBOROUGH CO SO	07/14/2019	06:30:59	28818080A1	12/05/2020	08/06/2019 14:4
HILLSBOROUGH CO SO	07/14/2019	06:31:16	28818080A1	12/05/2020	08/06/2019 14:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000812

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY S.O.	04/14/2019	17:27:03	34917080A3	02/05/2020	04/14/2019 19:8
HERNANDO COUNTY S.O.	06/20/2019	12:44:39	00919080A2	03/05/2021	06/20/2019 15:24
HERNANDO COUNTY S.O.	08/25/2019	16:34:19	13518080A5	08/05/2020	09/15/2019 22:12
HERNANDO COUNTY S.O.	09/15/2019	21:39:42	00919080A2	03/05/2021	09/15/2019 22:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000813

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	07/22/2019	14:13:46	1031121	10/12/2021	08/15/2019 11:25
MARION COUNTY SO	11/19/2019	11:46:34	1031121	10/12/2021	11/19/2019 12:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000814

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY S.O.	01/09/2019	19:19:21	34917080A3	02/05/2020	01/09/2019 21:2
HERNANDO COUNTY S.O.	02/12/2019	02:38:29	34917080A3	02/05/2020	02/12/2019 3:57
HERNANDO COUNTY S.O.	06/20/2019	14:16:41	00919080A2	03/05/2021	06/20/2019 15:20

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000815

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUMTER COUNTY SO	09/02/2019	00:42:22	13518080A5	08/05/2020	09/03/2019 10:43
SUMTER COUNTY SO	10/03/2019	21:47:12	13518080A5	08/05/2020	12/20/2019 14:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000816

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUMTER COUNTY SO	11/19/2019	15:23:54	22419080A2	10/05/2021	11/19/2019 16:9

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000822

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY S.O.	04/10/2019	22:28:03	1099238	03/01/2022	04/10/2019 23:34
LAKE COUNTY S.O.	08/23/2019	13:47:21	970670	06/07/2021	08/23/2019 17:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000823

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	07/06/2019	00:10:57	1099238	03/01/2022	08/23/2019 15:49
LAKE COUNTY SO	09/25/2019	21:00:10	1099238	03/01/2022	09/26/2019 1:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000825

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MOUNT DORA P.D.	03/20/2019	22:15:35	1099238	03/01/2022	05/17/2019 11:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000827

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	04/19/2019	17:21:01	875088	12/12/2020	05/22/2019 16:25
MARION COUNTY SO	08/15/2019	10:31:38	181692	03/05/2021	09/16/2019 18:0
MARION COUNTY SO	10/03/2019	22:44:43	13518080A5	08/05/2020	10/04/2019 14:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000830

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	05/17/2019	04:03:27	28818080A1	12/05/2020	06/11/2019 10:56
HILLSBOROUGH CO SO	05/17/2019	04:03:41	28818080A1	12/05/2020	06/11/2019 10:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000831

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	05/03/2019	04:14:14	05218080A4	05/05/2020	05/27/2019 23:0
MARTIN COUNTY SO	05/03/2019	04:14:28	05218080A4	05/05/2020	05/27/2019 23:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000833

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	04/04/2019	13:22:56	28818080A1	12/05/2020	04/04/2019 15:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000836

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UMATILLA PD(LAKE SO)	02/07/2019	17:47:07	34416080A2	02/05/2019	02/13/2019 20:21
UMATILLA PD(LAKE SO)	02/07/2019	17:47:38	970670	06/07/2021	02/13/2019 20:21
UMATILLA PD(LAKE SO)	06/20/2019	00:46:32	814181	07/24/2020	07/03/2019 21:26
UMATILLA PD(LAKE SO)	10/24/2019	00:14:02	970670	06/07/2021	11/09/2019 1:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000838

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY BEACH PD	03/03/2019	16:39:56	989917	07/25/2021	03/03/2019 20:52
PANAMA CITY BEACH PD	09/01/2019	14:46:20	989917	07/25/2021	09/04/2019 10:26
PANAMA CITY BEACH PD	09/01/2019	16:16:17	989917	07/25/2021	09/04/2019 10:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000840

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LYNN HAVEN PD	03/18/2019	13:18:20	05218080A3	05/05/2020	03/18/2019 16:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000859

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CAPE CORAL PD	06/26/2019	11:56:06	17618080A1	08/05/2020	07/19/2019 10:1
CAPE CORAL PD	12/13/2019	17:28:04	22419080A3	10/05/2021	01/15/2020 8:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000861

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	05/28/2019	08:49:46	19817080A2	09/05/2019	05/28/2019 10:16
SARASOTA COUNTY SO	08/19/2019	17:32:37	17919080A2	08/05/2021	09/25/2019 7:43
SARASOTA COUNTY SO	11/26/2019	08:25:23	17919080A2	08/05/2021	11/26/2019 9:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000862

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BLOUNTSTOWN PD	03/18/2019	13:22:30	770784	04/27/2020	03/18/2019 16:49
BLOUNTSTOWN PD	04/10/2019	10:00:50	770784	04/27/2020	04/10/2019 12:15
BLOUNTSTOWN PD	12/11/2019	09:17:34	770784	04/27/2020	12/11/2019 16:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000869

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	01/30/2019	13:00:06	1012059	09/05/2021	02/06/2019 7:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000871

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CORAL GABLES PD	11/19/2019	10:41:23	32518080AI	02/05/2021	11/19/2019 11:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000872

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	10/30/2019	08:37:22	989917	07/25/2021	11/04/2019 7:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000873

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	10/30/2019	08:30:08	989917	07/25/2021	11/04/2019 7:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000874

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	10/30/2019	08:42:17	989917	07/25/2021	11/04/2019 7:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000875

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CALHOUN COUNTY SO	04/16/2019	09:38:56	29017080A3	12/05/2019	05/06/2019 12:25
CALHOUN COUNTY SO	04/16/2019	09:39:13	29017080A3	12/05/2019	05/06/2019 12:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000876

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	09/26/2019	10:57:11	712031	02/21/2020	09/26/2019 12:7
HIALEAH PD	12/18/2019	11:02:04	712031	02/21/2020	01/29/2020 12:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000878

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOMESTEAD PD	01/27/2019	15:05:34	937240	04/07/2021	02/21/2019 10:29
HOMESTEAD PD	07/30/2019	06:53:02	1114319	03/27/2022	07/30/2019 8:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000879

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI BEACH PD	05/13/2019	09:10:17	814181	07/24/2020	05/29/2019 12:20
MIAMI BEACH PD	05/14/2019	06:06:01	814181	07/24/2020	05/29/2019 12:20

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000880

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	09/03/2019	09:46:47	06419080A2	05/05/2021	09/03/2019 9:53
MIAMI-DADE PD	09/03/2019	09:46:56	06419080A2	05/05/2021	09/03/2019 9:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000881

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	07/03/2019	08:44:57	06419080A2	05/05/2021	08/09/2019 11:15
MIAMI DADE PD	07/03/2019	08:45:11	06419080A2	05/05/2021	08/09/2019 11:15

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000882

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	06/14/2019	11:12:32	06419080A2	05/05/2021	07/10/2019 11:13
MIAMI-DADE PD	06/14/2019	11:12:40	06419080A2	05/05/2021	07/10/2019 11:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000885

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	09/03/2019	09:34:13	06419080A2	05/05/2021	10/31/2019 1:0
MIAMI-DADE PD	09/03/2019	09:34:29	06419080A2	05/05/2021	10/31/2019 1:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000886

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NORTH MIAMI BEACH PD	06/29/2019	15:50:27	34917080A4	02/05/2020	06/29/2019 17:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000892

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWC	06/15/2019	13:21:48	1060911	12/21/2021	07/17/2019 14:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000893

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWC	06/20/2019	10:56:26	00919080A1	03/05/2021	06/28/2019 8:49

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000900

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWC	06/20/2019	11:00:27	00919080A1	03/05/2021	06/28/2019 8:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000901

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC TAMPA	10/04/2019	21:38:12	00919080A1	03/05/2021	10/04/2019 22:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000902

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC TAMPA	10/04/2019	21:55:13	13518080A5	08/05/2020	11/15/2019 19:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000903

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC SOUTH REGION	03/11/2019	13:14:05	840875	09/19/2020	03/25/2019 12:43
FFWCC SOUTH REGION	03/11/2019	13:14:53	840875	09/19/2020	03/25/2019 12:43
FFWCC SOUTH REGION	06/21/2019	16:33:36	840875	09/19/2020	06/24/2019 16:5
FFWCC SOUTH REGION	06/21/2019	17:02:19	181732	03/05/2021	06/24/2019 16:5
FFWCC SOUTH REGION	06/21/2019	17:02:57	181732	03/05/2021	06/24/2019 16:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000905

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWC	11/28/2019	21:04:36	AG928002	10/07/2021	11/28/2019 22:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000908

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ST JOE PD	12/15/2019	18:49:35	17618080A1	08/05/2020	12/15/2019 19:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000914

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MYERS PD	06/01/2019	21:18:42	03519080A5	04/05/2021	06/26/2019 14:46
FORT MYERS PD	12/11/2019	08:22:59	28719080A1	12/05/2021	12/11/2019 12:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000937

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANIBEL ISLAND PD	09/18/2019	10:22:38	28818080A1	12/05/2020	09/18/2019 11:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000938

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	05/08/2019	11:37:46	03519080A5	04/05/2021	06/26/2019 11:44
LEE COUNTY SO	12/11/2019	08:20:07	28719080A1	12/05/2021	12/11/2019 10:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000939

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	03/28/2019	21:05:37	28818080A1	12/05/2020	04/17/2019 10:55
LEE COUNTY SO	04/09/2019	08:28:11	28818080A1	12/05/2020	04/17/2019 10:55
LEE COUNTY SO	05/08/2019	08:17:05	03519080A5	04/05/2021	05/08/2019 11:26
LEE COUNTY SO	07/24/2019	15:31:13	17618080A1	08/05/2020	08/14/2019 9:32
LEE COUNTY SO	09/18/2019	11:17:59	17618080A1	08/05/2020	10/09/2019 8:43
LEE COUNTY SO	10/09/2019	09:21:29	17618080A1	08/05/2020	11/20/2019 10:37
LEE COUNTY SO	10/11/2019	14:50:10	22419080A3	10/05/2021	11/20/2019 10:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000940

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	09/25/2019	19:19:09	22419080A2	10/05/2021	09/25/2019 21:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000941

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	02/04/2019	11:20:13	03417080A2	03/05/2019	03/04/2019 15:46
COLLIER COUNTY SO	05/02/2019	09:26:00	10818080A6	06/05/2020	06/13/2019 11:29
COLLIER COUNTY SO	08/01/2019	17:09:43	31517080A1	01/05/2020	09/04/2019 14:39
COLLIER COUNTY SO	12/03/2019	12:33:03	32518080A1	02/05/2021	01/06/2020 13:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000942

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	02/04/2019	11:20:21	31517080A1	01/05/2020	03/05/2019 12:8
COLLIER COUNTY SO	04/01/2019	11:45:42	31517080A1	01/05/2020	05/02/2019 12:7
COLLIER COUNTY SO	06/10/2019	17:30:02	31517080A1	01/05/2020	07/01/2019 12:9
COLLIER COUNTY SO	07/01/2019	17:13:50	31517080A1	01/05/2020	08/02/2019 13:33

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000943

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/30/2019	11:04:35	31517080A1	01/05/2020	02/05/2019 14:15
COLLIER COUNTY SO	03/04/2019	12:03:48	31517080A1	01/05/2020	04/02/2019 9:23
COLLIER COUNTY SO	10/02/2019	11:48:06	31517080A1	01/05/2020	11/01/2019 15:51
COLLIER COUNTY SO	11/04/2019	13:18:37	31517080A1	01/05/2020	12/06/2019 11:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000946

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	05/31/2019	00:58:46	32518080A2	02/05/2021	05/31/2019 5:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000949

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TALLAHASSEE PD	02/22/2019	09:31:56	32518080A1	02/05/2021	02/22/2019 11:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000950

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAVANA PD	12/03/2019	08:45:39	00919080A2	03/05/2021	12/17/2019 12:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000951

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HENDRY COUNTY S.O.	05/29/2019	01:56:20	1012059	09/05/2021	05/29/2019 18:18
HENDRY COUNTY S.O.	06/27/2019	17:26:53	644476	12/01/2019	08/27/2019 20:33
HENDRY COUNTY S.O.	12/18/2019	16:52:53	1012059	09/05/2021	12/18/2019 20:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000952

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FRANKLIN COUNTY SO	07/10/2019	11:20:20	686331	01/31/2020	08/22/2019 10:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000953

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FRANKLIN COUNTY SO	07/10/2019	12:46:20	686331	01/31/2020	08/22/2019 9:53
FRANKLIN COUNTY SO	07/10/2019	12:46:40	686331	01/31/2020	08/22/2019 9:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000961

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WAKULLA COUNTY SO	03/27/2019	12:14:39	06717080A6	05/05/2019	04/09/2019 11:28
WAKULLA COUNTY SO	03/27/2019	12:14:55	06717080A6	05/05/2019	04/09/2019 11:28
WAKULLA COUNTY SO	05/01/2019	14:58:48	00919080A2	03/05/2021	05/14/2019 10:36
WAKULLA COUNTY SO	05/01/2019	14:59:01	00919080A2	03/05/2021	05/14/2019 10:36
WAKULLA COUNTY SO	08/15/2019	10:33:53	00919080A2	03/05/2021	09/19/2019 10:48
WAKULLA COUNTY SO	08/15/2019	10:34:06	00919080A2	03/05/2021	09/19/2019 10:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000963

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	09:14:53	13917080A3	07/05/2019	01/16/2019 10:29
ORANGE COUNTY S.O.	02/13/2019	09:22:44	13917080A3	07/05/2019	02/13/2019 10:18
ORANGE COUNTY S.O.	02/13/2019	09:22:56	13917080A3	07/05/2019	02/13/2019 10:18
ORANGE COUNTY S.O.	03/25/2019	11:34:06	13917080A3	07/05/2019	03/26/2019 14:27
ORANGE COUNTY S.O.	04/17/2019	09:16:53	13917080A3	07/05/2019	04/18/2019 10:56
ORANGE COUNTY S.O.	04/17/2019	09:19:32	13518080A5	08/05/2020	04/18/2019 10:56
ORANGE COUNTY S.O.	04/17/2019	09:19:41	13518080A5	08/05/2020	04/18/2019 10:56
ORANGE COUNTY S.O.	05/14/2019	09:09:48	13518080A5	08/05/2020	05/14/2019 10:6
ORANGE COUNTY S.O.	05/14/2019	09:10:01	13518080A5	08/05/2020	05/14/2019 10:6
ORANGE COUNTY S.O.	06/19/2019	10:15:13	13518080A5	08/05/2020	06/19/2019 11:16
ORANGE COUNTY S.O.	06/19/2019	10:15:42	13518080A5	08/05/2020	06/19/2019 11:16
ORANGE COUNTY S.O.	07/24/2019	11:33:36	13518080A5	08/05/2020	07/24/2019 13:0
ORANGE COUNTY S.O.	07/24/2019	11:33:52	13518080A5	08/05/2020	07/24/2019 13:0
ORANGE COUNTY S.O.	08/15/2019	12:01:21	13518080A5	08/05/2020	08/15/2019 12:47
ORANGE COUNTY S.O.	08/15/2019	12:01:35	13518080A5	08/05/2020	08/15/2019 12:47
ORANGE COUNTY S.O.	09/11/2019	10:40:43	13518080A5	08/05/2020	09/11/2019 11:41
ORANGE COUNTY S.O.	10/03/2019	15:27:39	13518080A5	08/05/2020	10/03/2019 16:27
ORANGE COUNTY S.O.	10/03/2019	15:28:11	13518080A5	08/05/2020	10/03/2019 16:27
ORANGE COUNTY S.O.	10/24/2019	13:57:15	06419080A1	05/05/2021	10/24/2019 14:42
ORANGE COUNTY S.O.	11/11/2019	12:02:00	06419080A1	05/05/2021	11/11/2019 13:44
ORANGE COUNTY S.O.	11/11/2019	12:02:15	06419080A1	05/05/2021	11/11/2019 13:44
ORANGE COUNTY S.O.	12/10/2019	10:39:23	06419080A1	05/05/2021	12/10/2019 11:56
ORANGE COUNTY S.O.	12/10/2019	10:39:41	06419080A1	05/05/2021	12/10/2019 11:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000964

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	01/16/2019	10:46:28	13917080A3	07/05/2019	01/16/2019 11:37
ORANGE COUNTY SO	01/16/2019	10:46:47	13917080A3	07/05/2019	01/16/2019 11:37
ORANGE COUNTY SO	01/16/2019	10:46:54	13917080A3	07/05/2019	01/16/2019 11:37
ORANGE COUNTY SO	02/13/2019	10:46:58	13917080A3	07/05/2019	02/13/2019 11:38
ORANGE COUNTY SO	03/26/2019	10:41:57	13917080A3	07/05/2019	03/26/2019 11:36
ORANGE COUNTY SO	04/17/2019	10:20:11	13917080A3	07/05/2019	04/18/2019 11:6
ORANGE COUNTY SO	05/14/2019	10:30:45	13518080A5	08/05/2020	05/14/2019 11:42
ORANGE COUNTY SO	05/14/2019	10:31:03	13518080A5	08/05/2020	05/14/2019 11:42
ORANGE COUNTY SO	06/19/2019	09:13:17	13518080A5	08/05/2020	06/19/2019 10:4
ORANGE COUNTY SO	06/19/2019	09:13:32	13518080A5	08/05/2020	06/19/2019 10:4
ORANGE COUNTY SO	07/24/2019	10:26:27	13518080A5	08/05/2020	07/24/2019 11:28
ORANGE COUNTY SO	07/24/2019	10:26:40	13518080A5	08/05/2020	07/24/2019 11:28
ORANGE COUNTY SO	08/15/2019	10:38:15	13518080A5	08/05/2020	08/15/2019 12:0
ORANGE COUNTY SO	08/15/2019	10:38:36	13518080A5	08/05/2020	08/15/2019 12:0
ORANGE COUNTY SO	09/11/2019	09:12:55	13518080A5	08/05/2020	09/11/2019 10:23
ORANGE COUNTY SO	10/03/2019	14:30:06	13518080A5	08/05/2020	10/03/2019 15:26
ORANGE COUNTY SO	10/31/2019	15:15:24	13518080A5	08/05/2020	11/07/2019 15:30
ORANGE COUNTY SO	11/11/2019	12:00:14	13518080A5	08/05/2020	11/11/2019 13:39
ORANGE COUNTY SO	11/11/2019	12:00:28	13518080A5	08/05/2020	11/11/2019 13:39
ORANGE COUNTY SO	12/10/2019	09:21:15	13518080A5	08/05/2020	12/10/2019 10:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000966

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY SO	05/15/2019	12:21:48	646645	12/05/2019	05/15/2019 14:1
OSCEOLA COUNTY SO	11/26/2019	14:32:20	1190213	08/28/2022	12/30/2019 16:26
OSCEOLA COUNTY SO	11/26/2019	14:32:28	1190213	08/28/2022	12/30/2019 16:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000968

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA CORRECTIONS	01/24/2019	20:27:33	1060911	12/11/2021	01/24/2019 23:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000996

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TITUSVILLE P.D.	12/04/2019	18:12:58	30219080A2	12/05/2021	12/30/2019 16:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000998

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY S.O.	02/15/2019	23:23:53	915310	03/07/2021	02/17/2019 20:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000999

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY S.O.	02/22/2019	20:50:59	915310	03/07/2021	03/04/2019 0:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001001

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SATELLITE BEACH P.D.	02/11/2019	04:41:27	1076482	01/15/2022	02/11/2019 5:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001002

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HARDEE COUNTY SO	09/01/2019	13:43:53	1076482	01/15/2022	09/03/2019 9:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001003

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	05/11/2019	01:42:31	AG815602	06/05/2020	05/11/2019 22:40
PINELLAS COUNTY SO	08/29/2019	19:09:16	AG827002	09/27/2020	09/04/2019 23:28
PINELLAS COUNTY SO	11/23/2019	19:54:16	AG827002	09/27/2020	12/21/2019 21:32

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001004

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	09/25/2019	19:18:19	22419080A2	10/05/2021	09/25/2019 21:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001007

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAINES CITY PD	02/16/2019	02:14:33	970670	06/07/2021	02/20/2019 6:53
HAINES CITY PD	02/16/2019	02:15:12	970670	06/07/2021	02/20/2019 6:53
HAINES CITY PD	04/05/2019	11:29:34	906364	02/07/2021	05/30/2019 15:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001009

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	05/22/2019	10:38:09	24818080A2	10/05/2020	06/28/2019 3:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001010

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	09/25/2019	19:21:01	22419080A2	10/05/2021	09/25/2019 21:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001018

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	01/11/2019	15:12:02	17618080A3	08/05/2020	01/22/2019 13:57
JACKSONVILLE SO	08/14/2019	07:58:53	17618080A3	08/05/2020	08/14/2019 9:46
JACKSONVILLE SO	11/01/2019	13:00:12	00919080A3	03/05/2021	12/03/2019 10:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001042

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS PARK PD	01/04/2019	09:50:47	05218080A3	05/05/2020	01/04/2019 9:58
PINELLAS PARK PD	08/22/2019	16:12:24	05218080A3	05/05/2020	08/22/2019 17:16

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001044

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COCONUT CREEK PD	10/31/2019	12:28:51	1094981	02/22/2022	10/31/2019 13:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001045

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/08/2019	11:37:29	17618080A3	08/05/2020	02/08/2019 12:35
JACKSONVILLE SO	04/18/2019	11:36:04	17618080A3	08/05/2020	05/01/2019 12:52
JACKSONVILLE SO	07/30/2019	08:56:34	00919080A3	03/05/2021	07/30/2019 10:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001046

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	08/15/2019	06:02:51	17618080A1	08/05/2020	09/26/2019 16:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001050

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CORAL SPRINGS PD	03/24/2019	03:51:07	29017080A2	12/05/2019	03/26/2019 15:36
CORAL SPRINGS PD	04/29/2019	15:33:56	03519080A4	04/05/2021	04/29/2019 16:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001051

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	02/06/2019	14:58:51	13518080A5	08/05/2020	02/06/2019 15:52
ST PETERSBURG PD	06/29/2019	02:19:14	24818080A3	10/05/2020	07/11/2019 9:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001053

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU CO SO	04/22/2019	05:28:35	32518080A2	02/05/2021	04/22/2019 9:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001054

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGHLANDS COUNTY SO	02/20/2019	01:31:04	13518080A6	08/05/2020	03/10/2019 1:35

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001055

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	04/28/2019	09:57:52	10818080A6	06/05/2020	04/29/2019 17:40
POLK COUNTY SO	08/25/2019	09:50:27	14219080A2	08/05/2021	08/26/2019 15:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001056

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAVIE PD	02/28/2019	12:34:13	AG827002	09/27/2020	03/06/2019 15:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001059

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FERNANDINA BEACH PD	04/08/2019	13:43:41	00919080A3	03/05/2021	04/08/2019 14:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001060

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WINTER HAVEN PD	12/16/2019	10:26:00	34917080A4	02/05/2020	12/20/2019 7:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001061

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULFPORT PD	08/31/2019	16:37:06	AG827002	09/27/2020	09/03/2019 10:49
GULFPORT PD	09/28/2019	00:08:44	22419080A2	10/05/2021	10/01/2019 11:19
GULFPORT PD	09/28/2019	00:09:35	22419080A2	10/05/2021	10/01/2019 11:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001065

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TARPON SPRINGS PD	01/17/2019	14:36:00	32518080A2	02/05/2021	01/28/2019 14:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001066

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	03/15/2019	01:28:33	AG815602	06/05/2020	03/20/2019 23:36
PINELLAS COUNTY SO	05/08/2019	11:37:33	AG815602	06/05/2020	05/11/2019 23:59
PINELLAS COUNTY SO	07/31/2019	11:49:13	AG815602	06/05/2020	08/03/2019 22:8
PINELLAS COUNTY SO	10/02/2019	19:10:22	AG827002	09/27/2020	10/02/2019 20:29
PINELLAS COUNTY SO	12/01/2019	04:52:25	AG831804	11/14/2020	12/21/2019 19:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001067

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	05/05/2019	00:22:08	181692	03/05/2021	05/09/2019 13:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001068

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEARWATER PD	03/13/2019	15:32:48	02618080A2	03/05/2020	05/02/2019 17:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001069

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	01/23/2019	10:08:21	17618080A3	08/05/2020	02/01/2019 14:6
JACKSONVILLE SO	08/29/2019	11:51:35	00919080A3	03/05/2021	08/30/2019 9:37
JACKSONVILLE SO	12/11/2019	16:03:50	17919080A1	08/05/2021	12/20/2019 10:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001071

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	06/25/2019	07:22:28	17618080A1	08/05/2019	06/25/2019 8:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001074

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	06/18/2019	14:55:03	02618080A3	03/05/2020	06/18/2019 15:11
PASCO COUNTY SO	09/01/2019	03:39:30	02618080A3	03/05/2020	09/30/2019 11:28
PASCO COUNTY SO	10/22/2019	13:16:26	22419080A3	10/05/2021	10/22/2019 16:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001075

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E	01/02/2019	09:50:53	712031	02/21/2020	02/27/2019 9:59
FHP TROOP E MIAMI	03/29/2019	06:36:09	712031	02/21/2020	03/29/2019 12:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001076

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ZEPHYRHILLS PD	03/12/2019	12:29:03	00919080A3	03/05/2021	04/01/2019 15:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001077

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HARDEE COUNTY SO	02/24/2019	19:01:12	915310	03/07/2021	02/27/2019 17:6
HARDEE COUNTY SO	02/24/2019	19:15:46	915310	03/07/2021	02/27/2019 17:6
HARDEE COUNTY SO	05/26/2019	07:44:53	1076482	01/15/2022	06/25/2019 15:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001078

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	02/02/2019	00:33:49	13518080A5	08/05/2020	02/06/2019 15:47
ST PETERSBURG PD	08/05/2019	07:22:42	13518080A5	08/05/2020	08/05/2019 10:37
ST PETERSBURG PD	12/23/2019	10:11:29	24818080A3	10/05/2020	01/22/2020 14:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001079

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LARGO PD	03/12/2019	07:42:49	17618080A3	08/05/2020	03/12/2019 8:57
LARGO PD	09/12/2019	11:24:36	17618080A3	08/05/2020	09/18/2019 9:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001080

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	03/23/2019	09:10:58	10818080A6	06/05/2020	03/23/2019 10:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001081

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	03/29/2019	21:26:57	02618080A3	03/05/2020	03/29/2019 22:28
PASCO COUNTY SO	08/09/2019	01:33:03	14219080A2	08/05/2021	08/20/2019 16:5
PASCO COUNTY SO	10/22/2019	13:17:37	22419080A3	10/05/2021	10/22/2019 15:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	03/29/2019	11:35:38	05218080A3	05/05/2020	04/16/2019 15:26
JACKSONVILLE SO	03/29/2019	11:38:23	17618080A3	08/05/2020	04/16/2019 15:26
JACKSONVILLE SO	03/29/2019	11:39:34	17618080A3	08/05/2020	04/16/2019 15:26
JACKSONVILLE SO	06/21/2019	09:21:59	00919080A3	03/05/2021	06/26/2019 13:38
JACKSONVILLE SO	10/25/2019	10:43:42	00919080A3	03/05/2021	10/25/2019 14:9

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001110

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	02/27/2019	06:50:08	712031	02/21/2020	02/27/2019 9:44
FHP MIAMI	03/29/2019	06:36:57	712031	02/21/2020	03/29/2019 12:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001111

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/11/2019	19:51:11	770784	04/27/2020	01/11/2019 23:0
FL HIGHWAY PATROL	03/18/2019	13:27:54	770784	04/27/2020	03/18/2019 17:12
FL HIGHWAY PATROL	04/08/2019	05:40:32	906364	02/07/2021	04/08/2019 8:37
FL HIGHWAY PATROL	09/30/2019	23:10:30	1076482	01/15/2022	10/01/2019 23:49

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001112

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	12/28/2019	19:29:48	1206004	09/20/2022	01/02/2020 10:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001113

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	06/27/2019	13:53:24	1099238	03/01/2022	06/27/2019 16:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001115

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/06/2019	12:25:31	29017080A3	12/05/2019	06/06/2019 9:35
FL HIGHWAY PATROL	05/06/2019	12:25:52	29017080A3	12/05/2019	06/06/2019 9:35
FL HIGHWAY PATROL	06/11/2019	10:50:02	686331	01/31/2020	07/15/2019 12:8
FL HIGHWAY PATROL	06/11/2019	10:50:20	686331	01/31/2020	07/15/2019 12:8
FL HIGHWAY PATROL	07/16/2019	12:35:01	29017080A3	12/05/2019	08/19/2019 12:15
FL HIGHWAY PATROL	07/16/2019	12:35:23	29017080A3	12/05/2019	08/19/2019 12:15
FL HIGHWAY PATROL	08/26/2019	08:56:01	00919080A2	03/05/2021	09/04/2019 14:49
FL HIGHWAY PATROL	08/26/2019	08:56:26	00919080A2	03/05/2021	09/04/2019 14:49

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001117

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	11/20/2019	15:31:21	22419080A3	10/05/2021	11/20/2019 15:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001118

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/30/2019	11:16:54	970670	06/07/2021	01/30/2019 15:4
FL HIGHWAY PATROL	03/18/2019	13:22:51	970670	06/07/2021	03/18/2019 16:37
FL HIGHWAY PATROL	04/08/2019	06:31:36	970670	06/07/2021	05/05/2019 15:22
FL HIGHWAY PATROL	12/11/2019	09:13:13	970670	06/07/2021	12/11/2019 15:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001119

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/28/2019	19:07:51	666491	12/30/2019	06/25/2019 18:57
FL HIGHWAY PATROL	12/28/2019	09:34:21	1185592	08/13/2022	12/30/2019 21:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001120

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	02/27/2019	06:39:18	712031	02/21/2020	02/27/2019 9:52
FHP MIAMI	03/29/2019	06:36:10	712031	02/21/2020	03/29/2019 12:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001121

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E MIAMI	03/29/2019	06:39:12	620051	11/05/2019	03/29/2019 12:26
FHP TROOP E MIAMI	10/21/2019	08:39:14	796576	06/14/2020	10/24/2019 23:57
FHP TROOP E MIAMI	10/21/2019	08:39:27	796576	06/14/2020	10/24/2019 23:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001122

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E MIAMI	03/29/2019	06:35:14	796576	06/14/2020	03/29/2019 13:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001123

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP D ORLANDO	08/27/2019	07:58:22	17618080A3	08/05/2020	08/27/2019 9:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001127

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	03/08/2019	08:10:27	10818080A6	06/05/2020	03/23/2019 10:48
POLK COUNTY SO	05/30/2019	03:33:48	10818080A6	06/05/2020	05/31/2019 5:6
POLK COUNTY SO	11/25/2019	09:49:06	14219080A2	08/05/2021	11/25/2019 13:15

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001129

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PUTNAM COUNTY SO	12/09/2019	16:28:14	30219080A2	12/05/2021	01/02/2020 18:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001130

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY S.O.	12/30/2019	13:02:50	1206004	09/20/2022	12/30/2019 14:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001131

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY S.O.	11/27/2019	15:01:41	1048227	11/15/2021	12/30/2019 14:33

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001132

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY S.O.	10/25/2019	13:49:35	1206004	09/20/2022	12/30/2019 14:28

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001133

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	02/26/2019	13:27:07	640976	11/21/2019	02/26/2019 14:29
ST JOHNS COUNTY SO	11/13/2019	11:17:44	1060911	12/11/2021	12/30/2019 13:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	02/26/2019	13:41:54	1060911	12/11/2021	02/26/2019 14:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001135

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH P.D.	02/23/2019	11:48:27	1031121	10/12/2021	02/23/2019 12:34
DAYTONA BEACH P.D.	08/14/2019	17:58:25	1031121	10/12/2021	09/25/2019 19:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001139

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	03/22/2019	18:57:58	970670	06/07/2021	04/18/2019 17:5
BROWARD COUNTY SO	03/22/2019	18:58:10	970670	06/07/2021	04/18/2019 17:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001150

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	02/25/2019	10:12:01	840875	09/19/2020	02/25/2019 11:9
MANATEE COUNTY SO	06/24/2019	15:59:00	1111579	03/19/2022	06/25/2019 12:15
MANATEE COUNTY SO	08/15/2019	07:35:22	1111579	03/19/2022	08/28/2019 9:34
MANATEE COUNTY SO	08/15/2019	07:35:28	1111579	03/19/2022	08/28/2019 9:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	12/03/2019	10:50:21	00919080A2	03/05/2021	12/04/2019 11:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001154

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY SO	11/27/2019	10:55:37	10818080A5	06/05/2020	12/30/2019 14:41
VOLUSIA COUNTY SO	12/30/2019	13:05:30	1206004	09/20/2022	12/30/2019 14:41

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001156

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORMOND BEACH P.D.	05/29/2019	11:13:36	1114319	03/27/2022	05/29/2019 12:30
ORMOND BEACH P.D.	05/29/2019	11:50:42	1114319	03/27/2022	05/29/2019 12:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001178

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	10/30/2019	08:35:26	989917	07/25/2021	11/04/2019 7:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001179

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	02/27/2019	13:43:05	620051	11/05/2019	02/27/2019 15:23
MIAMI PD	11/26/2019	21:23:08	AG813501	05/15/2020	11/29/2019 21:13
MIAMI PD	11/26/2019	23:48:49	867139	11/15/2020	11/29/2019 21:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY BEACH PD	03/03/2019	16:52:10	754250	04/03/2020	03/03/2019 21:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001201

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/03/2019	14:17:19	03417080A2	03/05/2019	02/04/2019 16:13
COLLIER COUNTY SO	05/02/2019	13:06:22	31517080A1	01/05/2020	06/11/2019 10:44
COLLIER COUNTY SO	07/01/2019	15:17:12	19817080A1	09/05/2019	08/01/2019 12:45
COLLIER COUNTY SO	09/03/2019	14:47:40	10818080A6	06/05/2020	10/03/2019 9:31
COLLIER COUNTY SO	12/03/2019	12:38:25	31517080A1	01/05/2020	01/07/2020 12:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY PD	04/01/2019	06:08:37	1060911	12/11/2021	04/01/2019 11:56
PANAMA CITY PD	04/01/2019	06:14:48	1060911	12/11/2021	04/01/2019 11:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001207

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HENDRY COUNTY S.O.	06/23/2019	20:21:19	1012059	09/05/2021	07/12/2019 3:7
HENDRY COUNTY S.O.	11/29/2019	19:37:21	770784	04/27/2020	12/18/2019 19:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001231

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
AUBURNDALE PD	03/04/2019	10:53:00	32518080A2	02/05/2021	03/24/2019 13:29
AUBURNDALE PD	03/04/2019	10:54:32	32518080A2	02/05/2021	03/24/2019 13:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	09/21/2019	23:42:52	10818080A6	06/05/2020	09/25/2019 6:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	01/01/2019	19:57:39	814181	07/24/2020	01/01/2019 21:9
LAKE COUNTY SO	01/01/2019	20:00:33	970670	06/07/2021	01/01/2019 21:9
LAKE COUNTY SO	02/13/2019	21:08:46	814181	07/24/2020	03/06/2019 20:23
LAKE COUNTY SO	07/03/2019	20:05:30	1099238	03/01/2022	07/03/2019 22:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001244

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PUTNAM COUNTY SO	12/09/2019	16:26:42	30219080A2	12/05/2021	01/02/2020 18:14

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001245

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ORANGE P.D.	09/22/2019	09:02:25	1185592	08/13/2022	09/22/2019 10:28
PORT ORANGE P.D.	09/22/2019	09:10:31	1185592	08/13/2022	09/22/2019 10:28

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001253

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	09/06/2019	19:01:14	22419080A2	10/05/2021	09/25/2019 21:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001254

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY S.O.	06/07/2019	06:57:10	1060911	12/11/2021	06/07/2019 10:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001255

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	14:24:16	13917080A3	07/05/2019	01/16/2019 15:14
ORANGE COUNTY S.O.	02/13/2019	09:23:58	13917080A3	07/05/2019	02/13/2019 10:25
ORANGE COUNTY S.O.	02/13/2019	10:23:40	13917080A3	07/05/2019	02/21/2019 11:58
ORANGE COUNTY S.O.	02/13/2019	10:23:51	13917080A3	07/05/2019	02/21/2019 11:58
ORANGE COUNTY S.O.	03/26/2019	09:26:52	13917080A3	07/05/2019	03/26/2019 10:36
ORANGE COUNTY S.O.	03/26/2019	09:27:04	13917080A3	07/05/2019	03/26/2019 10:36
ORANGE COUNTY S.O.	04/17/2019	11:46:08	13917080A3	07/05/2019	04/18/2019 10:59
ORANGE COUNTY S.O.	04/17/2019	11:46:30	13917080A3	07/05/2019	04/18/2019 10:59
ORANGE COUNTY S.O.	05/14/2019	09:10:45	13917080A3	07/05/2019	05/14/2019 10:7
ORANGE COUNTY S.O.	05/14/2019	09:11:10	13917080A3	07/05/2019	05/14/2019 10:7
ORANGE COUNTY S.O.	06/19/2019	11:52:24	13917080A3	07/05/2019	06/19/2019 13:12
ORANGE COUNTY S.O.	06/27/2019	13:05:09	13518080A5	08/05/2020	06/27/2019 13:12
ORANGE COUNTY S.O.	07/24/2019	09:16:13	13518080A5	08/05/2020	07/24/2019 10:24
ORANGE COUNTY S.O.	07/24/2019	09:16:26	13518080A5	08/05/2020	07/24/2019 10:24
ORANGE COUNTY S.O.	08/15/2019	10:37:05	13518080A5	08/05/2020	08/15/2019 12:18
ORANGE COUNTY S.O.	08/15/2019	10:37:17	13518080A5	08/05/2020	08/15/2019 12:18
ORANGE COUNTY S.O.	09/11/2019	09:11:34	13518080A5	08/05/2020	09/11/2019 10:54
ORANGE COUNTY S.O.	10/03/2019	14:28:47	13518080A5	08/05/2020	10/03/2019 15:23
ORANGE COUNTY S.O.	11/11/2019	09:15:39	13518080A5	08/05/2020	11/11/2019 10:20
ORANGE COUNTY S.O.	12/10/2019	09:20:05	13518080A5	08/05/2020	12/10/2019 10:27

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	14:22:59	13917080A3	07/05/2019	01/16/2019 15:19
ORANGE COUNTY S.O.	02/13/2019	09:24:58	13917080A3	07/05/2019	02/13/2019 10:38
ORANGE COUNTY S.O.	03/26/2019	10:43:29	13917080A3	07/05/2019	03/26/2019 11:41
ORANGE COUNTY S.O.	03/26/2019	10:44:00	13917080A3	07/05/2019	03/26/2019 11:41
ORANGE COUNTY S.O.	04/17/2019	10:22:38	13917080A3	07/05/2019	04/18/2019 10:41
ORANGE COUNTY S.O.	04/17/2019	10:22:57	13917080A3	07/05/2019	04/18/2019 10:41
ORANGE COUNTY S.O.	05/14/2019	10:33:31	13917080A3	07/05/2019	05/14/2019 11:58
ORANGE COUNTY S.O.	05/14/2019	10:33:51	13917080A3	07/05/2019	05/14/2019 11:58
ORANGE COUNTY S.O.	06/19/2019	09:14:11	13917080A3	07/05/2019	06/19/2019 10:11
ORANGE COUNTY S.O.	06/19/2019	09:14:31	13917080A3	07/05/2019	06/19/2019 10:11
ORANGE COUNTY S.O.	06/27/2019	13:06:28	13518080A5	08/05/2020	07/24/2019 10:5
ORANGE COUNTY S.O.	07/24/2019	09:12:44	13518080A5	08/05/2020	07/24/2019 10:5
ORANGE COUNTY S.O.	07/24/2019	09:12:51	13518080A5	08/05/2020	07/24/2019 10:5
ORANGE COUNTY S.O.	08/15/2019	09:12:41	13518080A5	08/05/2020	08/15/2019 10:10
ORANGE COUNTY S.O.	08/15/2019	09:13:01	13518080A5	08/05/2020	08/15/2019 10:10
ORANGE COUNTY S.O.	09/11/2019	10:49:54	13518080A5	08/05/2020	09/11/2019 11:50
ORANGE COUNTY S.O.	09/11/2019	10:50:19	13518080A5	08/05/2020	09/11/2019 11:50
ORANGE COUNTY S.O.	10/03/2019	15:24:54	13518080A5	08/05/2020	10/03/2019 16:22
ORANGE COUNTY S.O.	11/11/2019	09:13:45	13518080A5	08/05/2020	11/11/2019 10:16
ORANGE COUNTY S.O.	11/11/2019	09:14:05	13518080A5	08/05/2020	11/11/2019 10:16
ORANGE COUNTY S.O.	12/10/2019	10:37:42	13518080A5	08/05/2020	12/10/2019 11:49
ORANGE COUNTY S.O.	12/10/2019	10:38:03	13518080A5	08/05/2020	12/10/2019 11:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001257

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	09:17:32	13917080A3	07/05/2019	01/16/2019 10:37
ORANGE COUNTY S.O.	02/13/2019	12:01:37	13917080A3	07/05/2019	02/13/2019 12:58
ORANGE COUNTY S.O.	02/13/2019	12:02:10	13917080A3	07/05/2019	02/13/2019 12:58
ORANGE COUNTY S.O.	03/07/2019	12:14:59	13917080A3	07/05/2019	03/07/2019 12:24
ORANGE COUNTY S.O.	03/26/2019	10:43:22	13917080A3	07/05/2019	03/26/2019 11:39
ORANGE COUNTY S.O.	04/17/2019	11:48:24	13917080A3	07/05/2019	04/18/2019 10:31
ORANGE COUNTY S.O.	04/17/2019	11:48:56	13917080A3	07/05/2019	04/18/2019 10:31
ORANGE COUNTY S.O.	05/14/2019	11:56:42	13917080A3	07/05/2019	05/14/2019 13:18
ORANGE COUNTY S.O.	06/19/2019	13:05:08	13917080A3	07/05/2019	06/28/2019 14:13
ORANGE COUNTY S.O.	07/24/2019	10:25:17	13518080A5	08/05/2020	07/24/2019 11:25
ORANGE COUNTY S.O.	07/24/2019	10:25:50	13518080A5	08/05/2020	07/24/2019 11:25
ORANGE COUNTY S.O.	08/15/2019	10:35:43	13518080A5	08/05/2020	08/15/2019 11:56
ORANGE COUNTY S.O.	08/15/2019	10:36:20	13518080A5	08/05/2020	08/15/2019 11:56
ORANGE COUNTY S.O.	09/11/2019	09:09:34	13518080A5	08/05/2020	09/11/2019 10:18
ORANGE COUNTY S.O.	10/03/2019	14:27:47	13518080A5	08/05/2020	10/03/2019 15:18
ORANGE COUNTY S.O.	11/11/2019	09:17:20	13518080A5	08/05/2020	11/11/2019 10:26
ORANGE COUNTY S.O.	11/11/2019	09:17:53	13518080A5	08/05/2020	11/11/2019 10:26
ORANGE COUNTY S.O.	12/10/2019	11:58:14	13518080A5	08/05/2020	12/10/2019 12:49
ORANGE COUNTY S.O.	12/10/2019	11:58:54	13518080A5	08/05/2020	12/10/2019 12:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001258

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	10:47:02	13917080A3	07/05/2019	01/16/2019 11:42
ORANGE COUNTY S.O.	01/16/2019	10:47:28	13917080A3	07/05/2019	01/16/2019 11:42
ORANGE COUNTY S.O.	02/13/2019	12:02:27	13917080A3	07/05/2019	02/13/2019 13:3
ORANGE COUNTY S.O.	03/25/2019	11:37:55	13917080A3	07/05/2019	03/26/2019 14:29
ORANGE COUNTY S.O.	04/17/2019	09:22:15	13917080A3	07/05/2019	04/18/2019 11:9
ORANGE COUNTY S.O.	05/14/2019	11:57:52	13917080A3	07/05/2019	05/14/2019 13:35
ORANGE COUNTY S.O.	05/14/2019	11:58:15	13917080A3	07/05/2019	05/14/2019 13:35
ORANGE COUNTY S.O.	06/19/2019	10:21:27	13917080A3	07/05/2019	06/19/2019 11:34
ORANGE COUNTY S.O.	06/19/2019	11:34:16	13518080A5	08/05/2020	06/27/2019 13:19
ORANGE COUNTY S.O.	07/24/2019	09:14:13	13518080A5	08/05/2020	07/24/2019 10:9
ORANGE COUNTY S.O.	07/24/2019	09:14:35	13518080A5	08/05/2020	07/24/2019 10:9
ORANGE COUNTY S.O.	08/15/2019	09:15:42	13518080A5	08/05/2020	08/15/2019 10:14
ORANGE COUNTY S.O.	08/15/2019	09:16:04	13518080A5	08/05/2020	08/15/2019 10:14
ORANGE COUNTY S.O.	09/11/2019	10:48:49	13518080A5	08/05/2020	09/11/2019 11:46
ORANGE COUNTY S.O.	09/11/2019	10:49:17	13518080A5	08/05/2020	09/11/2019 11:46
ORANGE COUNTY S.O.	10/03/2019	16:23:10	13518080A5	08/05/2020	10/03/2019 17:9
ORANGE COUNTY S.O.	10/03/2019	16:23:35	13518080A5	08/05/2020	10/03/2019 17:9
ORANGE COUNTY S.O.	11/07/2019	15:20:20	13518080A5	08/05/2020	11/07/2019 15:28
ORANGE COUNTY S.O.	11/11/2019	11:43:41	13518080A5	08/05/2020	11/21/2019 16:22
ORANGE COUNTY S.O.	11/11/2019	11:44:11	13518080A5	08/05/2020	11/21/2019 16:22
ORANGE COUNTY S.O.	12/03/2019	08:32:53	06419080A1	05/05/2021	12/05/2019 10:40
ORANGE COUNTY S.O.	12/03/2019	08:33:20	06419080A1	05/05/2021	12/05/2019 10:40
ORANGE COUNTY S.O.	12/10/2019	09:22:32	06419080A1	05/05/2021	12/10/2019 10:36
ORANGE COUNTY S.O.	12/10/2019	09:23:00	06419080A1	05/05/2021	12/10/2019 10:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001261

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ROCKLEDGE P.D.	09/20/2019	02:12:18	1175968	07/30/2022	09/28/2019 1:13
ROCKLEDGE P.D.	09/20/2019	02:14:53	1175968	07/30/2022	09/28/2019 1:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MELBOURNE P.D.	01/24/2019	07:22:02	906364	02/07/2021	01/24/2019 8:22
MELBOURNE P.D.	05/13/2019	07:22:25	989917	07/25/2021	05/30/2019 8:27
MELBOURNE P.D.	08/26/2019	10:01:45	989917	07/25/2021	08/26/2019 11:53
MELBOURNE P.D.	12/26/2019	12:02:20	1160200	06/20/2022	12/26/2019 13:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001263

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN HARBOUR PD	06/07/2019	18:55:42	03519080A4	04/05/2021	06/29/2019 5:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	05/27/2019	12:33:49	19817080A3	09/05/2019	05/27/2019 15:52
BREVARD COUNTY S.O.	09/06/2019	19:42:12	22419080A2	10/05/2021	09/26/2019 0:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001265

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	11/01/2019	18:31:06	17919080A1	08/05/2021	11/23/2019 5:1
PALM BAY P.D.	12/29/2019	16:44:15	28719080A1	12/05/2021	12/30/2019 13:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	03/28/2019	18:23:07	24818080A2	10/05/2020	04/28/2019 15:44
PALM BAY P.D.	08/03/2019	01:19:05	17919080A1	08/05/2021	09/04/2019 14:41
PALM BAY P.D.	11/21/2019	14:37:24	28719080A1	12/05/2021	11/23/2019 5:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY S.O.	02/22/2019	20:53:08	915310	03/07/2021	03/04/2019 0:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001272

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY S.O.	10/01/2019	15:14:17	915310	03/07/2021	11/02/2019 21:14
SEMINOLE COUNTY S.O.	12/30/2019	23:18:50	915310	03/07/2021	02/03/2020 21:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/18/2019	19:00:36	AG815602	06/05/2020	01/30/2019 20:33
PINELLAS COUNTY SO	05/11/2019	20:45:49	AG815602	06/05/2020	05/11/2019 22:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001276

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	01/31/2019	11:53:35	34917080A4	02/05/2020	02/21/2019 9:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001277

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	10/31/2019	03:53:12	06419080A2	05/05/2021	11/21/2019 6:50
MIAMI-DADE PD	10/31/2019	03:53:28	06419080A2	05/05/2021	11/21/2019 6:50
MIAMI-DADE PD	10/31/2019	03:54:11	06419080A2	05/05/2021	11/21/2019 6:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001278

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	04/18/2019	11:32:51	17618080A3	08/05/2020	05/01/2019 13:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001279

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/15/2019	15:52:09	17618080A3	08/05/2020	03/04/2019 13:27
JACKSONVILLE SO	08/14/2019	07:55:39	00919080A3	03/05/2021	08/14/2019 9:43
JACKSONVILLE SO	10/25/2019	10:44:46	00919080A3	03/05/2021	10/29/2019 13:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001280

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/01/2019	14:39:08	17618080A3	08/05/2020	02/01/2019 15:37
JACKSONVILLE SO	07/24/2019	10:54:39	17817080A3	08/05/2019	07/30/2019 11:11
JACKSONVILLE SO	08/02/2019	13:14:28	00919080A3	03/05/2021	08/14/2019 11:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001281

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU COUNTY SO	04/22/2019	05:26:48	32518080A2	02/05/2021	04/22/2019 9:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001282

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UNIVERSITY OF FL PD	09/30/2019	10:37:45	22419080A2	10/05/2021	09/30/2019 11:31

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001285

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GILCHRIST COUNTY SO	05/09/2019	18:47:01	1048227	11/15/2021	06/02/2019 1:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001286

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAKER COUNTY SO	01/31/2019	21:37:02	24818080A3	10/05/2020	01/31/2019 23:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001290

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BRADFORD COUNTY SO	01/15/2019	06:22:56	AG816701	06/16/2020	01/18/2019 8:31
BRADFORD COUNTY SO	04/29/2019	15:43:25	AG816701	06/16/2020	05/24/2019 12:15
BRADFORD COUNTY SO	05/30/2019	10:30:43	AG816701	06/16/2020	06/21/2019 8:47
BRADFORD COUNTY SO	07/31/2019	19:57:17	AG816701	06/16/2020	09/05/2019 7:7
BRADFORD COUNTY SO	09/08/2019	13:53:49	AG816701	06/16/2020	10/26/2019 18:41
BRADFORD COUNTY SO	10/26/2019	20:51:23	AG816701	06/16/2020	11/25/2019 6:51
BRADFORD COUNTY SO	12/30/2019	20:27:58	AG816701	06/16/2020	01/19/2020 10:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001291

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BRADFORD COUNTY SO	02/10/2019	12:00:15	AG816701	06/16/2020	03/02/2019 13:58
BRADFORD COUNTY SO	05/03/2019	19:00:34	AG816701	06/16/2020	06/20/2019 19:5
BRADFORD COUNTY SO	06/20/2019	22:12:01	AG816701	06/16/2020	08/02/2019 7:34
BRADFORD COUNTY SO	08/28/2019	11:17:25	AG816701	06/16/2020	09/13/2019 7:13
BRADFORD COUNTY SO	10/11/2019	14:29:16	AG816701	06/16/2020	11/24/2019 8:12
BRADFORD COUNTY SO	11/24/2019	08:51:51	AG816701	06/16/2020	12/31/2019 9:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001292

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEVY COUNTY SO	02/10/2019	15:22:49	AG805701	02/26/2020	03/02/2019 17:49
LEVY COUNTY SO	12/15/2019	17:34:47	AG805701	02/26/2020	01/18/2020 17:33

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001293

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WILLISTON PD	11/14/2019	17:02:39	937240	04/07/2021	12/03/2019 13:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001302

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	01/21/2019	12:35:06	AG805702	02/26/2020	02/28/2019 17:29
SANTA ROSA COUNTY SO	03/29/2019	18:28:24	AG805702	02/26/2020	03/29/2019 19:43
SANTA ROSA COUNTY SO	06/25/2019	12:52:12	1141545	05/11/2022	07/30/2019 21:36
SANTA ROSA COUNTY SO	10/24/2019	20:24:13	1141545	05/11/2022	11/26/2019 20:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001303

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	01/21/2019	12:34:53	AG827002	09/27/2020	02/28/2019 17:30
SANTA ROSA COUNTY SO	09/24/2019	19:19:01	1141545	05/11/2022	10/24/2019 21:15
SANTA ROSA COUNTY SO	12/23/2019	18:20:53	1141545	05/11/2020	01/30/2020 10:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001306

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MEXICO BEACH PD	03/18/2019	13:29:30	1076482	01/15/2022	03/18/2019 17:5
MEXICO BEACH PD	04/10/2019	09:59:42	1076482	01/15/2022	04/10/2019 11:50
MEXICO BEACH PD	09/30/2019	23:15:46	9070670	06/07/2021	10/01/2019 23:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001307

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MADISON COUNTY SO	08/19/2019	12:12:46	29017080A3	12/05/2019	09/05/2019 11:26
MADISON COUNTY SO	08/19/2019	12:13:05	29017080A3	12/05/2019	09/05/2019 11:26
MADISON COUNTY SO	11/14/2019	12:01:36	00919080A2	03/05/2021	12/09/2019 12:9

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001308

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	06/28/2019	11:20:05	AG816701	06/16/2020	06/28/2019 13:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001309

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	02/16/2019	18:24:28	AG816701	06/16/2020	02/27/2019 11:43
BAY COUNTY SO	05/30/2019	14:26:17	AG816701	06/16/2020	05/30/2019 16:37
BAY COUNTY SO	09/30/2019	14:34:31	AG816701	06/16/2020	09/30/2019 19:25
BAY COUNTY SO	12/23/2019	08:25:28	AG923908	08/27/2021	12/23/2019 11:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001310

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NICEVILLE PD	01/31/2019	22:54:39	869968	12/06/2020	02/04/2019 23:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001311

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	04/30/2019	07:40:12	980558	07/09/2021	04/30/2019 20:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001312

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	06/24/2019	22:20:58	181733	07/25/2021	06/25/2019 0:34
WALTON COUNTY SO	06/24/2019	22:22:13	989917	07/25/2021	06/25/2019 0:34
WALTON COUNTY SO	06/24/2019	22:22:28	989917	07/25/2021	06/25/2019 0:34
WALTON COUNTY SO	10/07/2019	22:10:30	181692	03/05/2021	10/08/2019 0:44
WALTON COUNTY SO	10/07/2019	22:11:01	181692	03/05/2021	10/08/2019 0:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001320

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE CO SO	04/24/2019	13:26:04	1076482	01/15/2022	04/24/2019 15:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001321

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE COUNTY SO	04/15/2019	12:59:39	1076482	01/15/2022	04/15/2019 15:4
OKEECHOBEE COUNTY SO	04/24/2019	13:34:31	507129	08/04/2019	05/03/2019 10:37
OKEECHOBEE COUNTY SO	07/02/2019	13:56:46	1076482	01/15/2022	08/07/2019 9:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001323

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ST LUCIE PD	04/11/2019	11:14:05	03519080A4	04/05/2021	04/29/2019 18:33
PORT ST LUCIE PD	04/11/2019	11:14:47	03519080A4	04/05/2021	04/29/2019 18:33

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001328

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN RIVER CO. SO	08/23/2019	02:54:10	1167545	07/02/2022	08/23/2019 6:9

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001329

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN RIVER CO. SO	08/10/2019	21:37:25	1167545	07/02/2022	08/23/2019 5:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001340

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DESOTO COUNTY SO	11/26/2019	08:56:04	24119080A1	11/05/2021	11/26/2019 13:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001341

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DESOTO COUNTY SO	11/26/2019	08:52:25	24119080A1	11/05/2021	11/26/2019 13:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001344

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	02/27/2019	08:00:44	19817080A2	09/05/2019	02/27/2019 8:53
SARASOTA COUNTY SO	03/30/2019	20:39:24	10818080A4	06/05/2020	04/16/2019 8:10
SARASOTA COUNTY SO	04/16/2019	09:08:42	10818080A4	06/05/2020	05/28/2019 10:26
SARASOTA COUNTY SO	10/15/2019	09:40:09	17919080A2	08/05/2021	10/15/2019 9:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001345

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
EUSTIS P.D.	08/12/2019	02:44:18	1031121	10/12/2021	08/14/2019 23:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001346

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	04/16/2019	09:11:56	10818080A4	06/05/2020	05/28/2019 10:10
SARASOTA COUNTY SO	11/26/2019	06:54:57	17919080A2	08/05/2021	11/26/2019 8:25
SARASOTA COUNTY SO	11/26/2019	08:21:22	10818080A4	06/05/2020	12/18/2019 11:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001347

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	01/30/2019	07:51:11	10818080A4	06/05/2020	01/30/2019 8:37
SARASOTA COUNTY SO	06/26/2019	10:22:29	10818080A4	06/05/2020	07/30/2019 7:50
SARASOTA COUNTY SO	08/19/2019	17:33:41	17919080A2	08/05/2021	09/25/2019 7:39
SARASOTA COUNTY SO	12/18/2019	11:19:48	17919080A2	08/05/2021	12/18/2019 12:20

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001348

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	08/19/2019	17:31:20	10818080A4	06/05/2020	09/25/2019 7:49
SARASOTA COUNTY SO	10/27/2019	20:15:05	10818080A4	06/05/2020	11/26/2019 10:33

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001361

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	08/22/2019	00:59:00	1175968	07/30/2022	08/23/2019 21:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001363

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	05/03/2019	21:25:57	10818080A5	06/05/2020	06/04/2019 2:47
CHARLOTTE COUNTY SO	06/26/2019	19:29:36	32518080A2	02/05/2021	06/27/2019 0:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001364

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GAINESVILLE PD	01/23/2019	20:07:45	24818080A2	10/05/2020	01/23/2019 21:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001365

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEVY COUNTY SO	10/11/2019	11:36:21	AG805701	02/26/2020	11/24/2019 8:10
LEVY COUNTY SO	11/24/2019	10:21:33	AG805701	02/26/2020	12/16/2019 11:14
LEVY COUNTY SO	11/24/2019	10:21:50	AG805701	02/26/2020	12/16/2019 11:14

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001367

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	12/18/2019	19:03:04	AG831804	11/14/2020	12/21/2019 20:41

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001368

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS MAYPORT	07/19/2019	12:14:32	00919080A3	03/05/2021	08/16/2019 14:32
NAS MAYPORT	09/23/2019	09:05:35	00919080A3	03/05/2021	10/17/2019 13:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001416

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	10:48:17	13917080A3	07/05/2019	01/16/2019 11:46
ORANGE COUNTY S.O.	01/16/2019	10:48:30	13917080A3	07/05/2019	01/16/2019 11:46
ORANGE COUNTY S.O.	01/16/2019	10:48:39	13917080A3	07/05/2019	01/16/2019 11:46
ORANGE COUNTY S.O.	02/13/2019	10:43:56	13917080A3	07/05/2019	02/13/2019 11:56
ORANGE COUNTY S.O.	02/13/2019	10:44:07	13917080A3	07/05/2019	02/13/2019 11:56
ORANGE COUNTY S.O.	03/25/2019	11:31:41	13917080A3	07/05/2019	03/26/2019 14:22
ORANGE COUNTY S.O.	04/17/2019	09:15:54	13917080A3	07/05/2019	04/18/2019 11:14
ORANGE COUNTY S.O.	05/14/2019	11:55:02	13917080A3	07/05/2019	05/14/2019 13:26
ORANGE COUNTY S.O.	05/14/2019	11:55:13	13917080A3	07/05/2019	05/14/2019 13:26
ORANGE COUNTY S.O.	06/19/2019	10:21:26	13917080A3	07/05/2019	06/19/2019 11:19
ORANGE COUNTY S.O.	06/19/2019	11:16:28	13518080A5	08/05/2020	06/27/2019 13:16
ORANGE COUNTY S.O.	07/24/2019	10:23:30	13518080A5	08/05/2020	07/24/2019 11:21
ORANGE COUNTY S.O.	07/24/2019	10:23:40	13518080A5	08/05/2020	07/24/2019 11:21
ORANGE COUNTY S.O.	08/15/2019	09:16:59	13518080A5	08/05/2020	08/15/2019 10:20
ORANGE COUNTY S.O.	08/15/2019	09:17:14	13518080A5	08/05/2020	08/15/2019 10:20
ORANGE COUNTY S.O.	09/25/2019	11:18:33	13518080A5	08/05/2020	09/25/2019 12:42
ORANGE COUNTY S.O.	09/25/2019	11:18:48	13518080A5	08/05/2020	09/25/2019 12:42
ORANGE COUNTY S.O.	10/03/2019	15:26:34	13518080A5	08/05/2020	10/03/2019 16:28
ORANGE COUNTY S.O.	10/03/2019	15:26:46	13518080A5	08/05/2020	10/03/2019 16:28
ORANGE COUNTY S.O.	11/11/2019	10:38:34	13518080A5	08/05/2020	11/11/2019 11:45
ORANGE COUNTY S.O.	12/10/2019	11:56:39	13518080A5	08/05/2020	12/10/2019 13:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001418

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	09:16:45	13917080A3	07/05/2019	01/16/2019 10:31
ORANGE COUNTY S.O.	01/16/2019	09:16:59	13917080A3	07/05/2019	01/16/2019 10:31
ORANGE COUNTY S.O.	01/24/2019	16:26:00	13518080A5	08/05/2020	01/24/2019 16:32
ORANGE COUNTY S.O.	01/24/2019	16:26:47	13518080A5	08/05/2020	01/24/2019 16:32
ORANGE COUNTY S.O.	02/13/2019	12:00:00	13518080A5	08/05/2020	02/13/2019 12:54
ORANGE COUNTY S.O.	02/13/2019	12:00:18	13518080A5	08/05/2020	02/13/2019 12:54
ORANGE COUNTY S.O.	03/26/2019	09:24:13	13518080A5	08/05/2020	03/26/2019 10:19
ORANGE COUNTY S.O.	04/17/2019	10:21:43	13518080A5	08/05/2020	04/18/2019 11:7
ORANGE COUNTY S.O.	04/17/2019	10:21:55	13518080A5	08/05/2020	04/18/2019 11:7
ORANGE COUNTY S.O.	05/14/2019	10:32:45	13518080A5	08/05/2020	05/14/2019 11:44
ORANGE COUNTY S.O.	05/14/2019	10:32:56	13518080A5	08/05/2020	05/14/2019 11:44
ORANGE COUNTY S.O.	05/22/2019	13:45:47	13917080A3	07/05/2019	05/23/2019 15:58
ORANGE COUNTY S.O.	05/22/2019	13:46:08	13917080A3	07/05/2019	05/23/2019 15:58
ORANGE COUNTY S.O.	06/19/2019	09:16:17	13917080A3	07/05/2019	06/19/2019 10:17
ORANGE COUNTY S.O.	06/19/2019	09:16:31	13917080A3	07/05/2019	06/19/2019 10:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001420

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/16/2019	14:05:10	13917080A3	07/05/2019	01/16/2019 14:53
ORANGE COUNTY S.O.	01/16/2019	14:05:45	13917080A3	07/05/2019	01/16/2019 14:53
ORANGE COUNTY S.O.	02/13/2019	10:45:17	13917080A3	07/05/2019	02/13/2019 11:43
ORANGE COUNTY S.O.	03/26/2019	09:25:08	13917080A3	07/05/2019	03/26/2019 10:26
ORANGE COUNTY S.O.	03/26/2019	09:25:43	13917080A3	07/05/2019	03/26/2019 10:26
ORANGE COUNTY S.O.	04/17/2019	11:45:21	13917080A3	07/05/2019	04/18/2019 10:53
ORANGE COUNTY S.O.	04/17/2019	11:46:06	13917080A3	07/05/2019	04/18/2019 10:53
ORANGE COUNTY S.O.	05/14/2019	09:12:37	13917080A3	07/05/2019	05/14/2019 10:17
ORANGE COUNTY S.O.	11/11/2019	10:35:44	06419080A1	05/05/2021	11/11/2019 11:59
ORANGE COUNTY S.O.	11/11/2019	10:35:56	06419080A1	05/05/2021	11/11/2019 11:59
ORANGE COUNTY S.O.	12/10/2019	10:36:40	06419080A1	05/05/2021	12/10/2019 11:47
ORANGE COUNTY S.O.	12/10/2019	10:36:53	06419080A1	05/05/2021	12/10/2019 11:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001443

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	02/22/2019	10:57:42	17618080A1	08/05/2020	02/22/2019 11:40
CLAY COUNTY SO	06/02/2019	17:39:59	17618080A1	08/05/2020	06/25/2019 9:20
CLAY COUNTY SO	06/02/2019	17:46:13	17618080A1	08/05/2020	06/25/2019 9:20
CLAY COUNTY SO	08/26/2019	00:47:26	17618080A1	08/05/2020	08/29/2019 19:54
CLAY COUNTY SO	11/16/2019	07:25:06	08819080A1	06/05/2021	11/16/2019 10:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001646

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TYNDALL AFB	01/11/2019	20:30:28	970670	06/07/2021	01/11/2019 22:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001651

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/02/2019	15:41:31	10818080A6	06/05/2020	02/04/2019 10:24
COLLIER COUNTY SO	03/04/2019	15:07:20	31517080A1	01/05/2020	04/02/2019 11:13
COLLIER COUNTY SO	05/02/2019	09:28:23	31517080A1	01/05/2020	06/13/2019 11:23
COLLIER COUNTY SO	07/01/2019	15:15:37	31517080A1	01/05/2020	08/01/2019 12:29
COLLIER COUNTY SO	07/01/2019	15:16:02	31517080A1	01/05/2020	08/01/2019 12:29
COLLIER COUNTY SO	10/02/2019	11:48:09	32518080A1	02/05/2021	11/01/2019 16:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001653

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	06/10/2019	11:01:56	24818080A3	10/05/2020	06/10/2019 12:30
ST PETERSBURG PD	11/14/2019	14:58:06	24818080A3	10/05/2020	11/14/2019 16:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001654

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	10/30/2019	08:28:53	989917	07/25/2021	11/04/2019 7:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001655

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	02/26/2019	13:26:16	640976	11/21/2019	02/26/2019 14:35
ST JOHNS COUNTY SO	10/30/2019	12:51:18	1060911	12/11/2021	11/13/2019 11:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001656

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NORTH MIAMI PD	01/17/2019	09:51:28	34418080A3	02/05/2021	02/07/2019 12:18

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001714

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UNIVERSITY OF FL PD	09/30/2019	10:36:19	22419080A2	10/05/2021	09/30/2019 11:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001715

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY S.O.	11/26/2019	13:51:39	646645	12/05/2019	12/30/2019 16:54
OSCEOLA COUNTY S.O.	11/26/2019	13:52:17	1190213	08/28/2022	12/30/2019 16:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001721

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	04/24/2019	18:23:44	24818080A2	10/05/2020	04/28/2019 15:30
PALM BAY P.D.	07/29/2019	02:46:59	22817080A4	10/05/2019	08/28/2019 4:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001722

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	10/09/2019	10:44:54	03519080A5	04/05/2021	10/09/2019 11:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001739

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	09/25/2019	06:32:32	32518080A2	06/05/2021	09/27/2019 0:8
CHARLOTTE COUNTY SO	10/04/2019	21:43:40	32518080A2	02/05/2021	11/03/2019 8:28

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001740

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEARWATER PD	08/07/2019	00:30:03	03519080A4	04/05/2021	08/23/2019 19:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001742

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	10/21/2019	07:49:41	1111579	03/19/2022	11/18/2019 13:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001743

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	05/14/2019	10:13:17	00919080A3	03/05/2021	05/29/2019 13:12
JACKSONVILLE SO	09/23/2019	09:02:10	00919080A3	03/05/2021	10/21/2019 9:20

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001962

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ST LUCIE PD	04/29/2019	18:19:12	03519080A4	04/05/2021	04/29/2019 18:27
PORT ST LUCIE PD	06/29/2019	17:29:51	03519080A4	04/05/2021	06/29/2019 17:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002097

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS JACKSONVILLE PD	03/11/2019	00:05:23	00919080A3	03/05/2021	03/23/2019 6:7
NAS JACKSONVILLE PD	03/11/2019	00:06:33	00919080A3	03/05/2021	03/23/2019 6:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002462

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	03/26/2019	09:53:05	712031	02/21/2020	03/26/2019 11:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002463

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	09/26/2019	11:00:19	712031	02/21/2020	09/26/2019 12:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002464

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	03/26/2019	09:53:42	712031	02/21/2020	03/26/2019 11:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002566

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SURFSIDE PD	03/27/2019	09:53:52	814181	07/24/2020	03/27/2019 10:5
SURFSIDE PD	03/27/2019	10:22:03	980558	07/09/2021	06/27/2019 10:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002987

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI GARDENS PD	08/01/2019	09:58:29	1141545	05/11/2022	08/06/2019 16:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002988

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI GARDENS PD	08/01/2019	09:59:25	1141545	05/11/2022	08/06/2019 16:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002989

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TALLAHASSEE PD	02/22/2019	09:36:59	32518080A1	02/05/2021	02/22/2019 11:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003197

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWC	10/17/2019	12:15:55	1060911	12/11/2021	10/17/2019 15:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003224

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI BEACH PD	05/13/2019	09:12:34	814181	07/24/2020	05/29/2019 12:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003348

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	02/27/2019	06:55:00	620051	11/05/2019	02/27/2019 9:56
FHP MIAMI	03/29/2019	06:42:09	620051	11/05/2019	04/03/2019 5:55
FHP MIAMI	10/21/2019	08:52:04	796576	06/14/2020	10/25/2019 0:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003387

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	06/25/2019	19:28:47	28818080A1	12/05/2020	07/10/2019 9:36
HILLSBOROUGH CO SO	06/25/2019	19:29:40	28818080A1	12/05/2020	07/10/2019 9:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003388

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/16/2019	23:51:57	31517080A1	01/05/2020	03/13/2019 18:10
HILLSBOROUGH CO SO	08/27/2019	03:56:01	31517080A1	12/05/2019	09/11/2019 18:21
HILLSBOROUGH CO SO	08/27/2019	03:56:16	31517080A1	12/05/2020	09/11/2019 18:21
HILLSBOROUGH CO SO	08/27/2019	03:57:39	28818080A1	12/05/2020	09/11/2019 18:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003406

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/09/2019	09:19:22	29017080A3	12/05/2019	06/03/2019 11:9
FL HIGHWAY PATROL	05/09/2019	09:19:33	29017080A3	12/05/2019	06/03/2019 11:9
FL HIGHWAY PATROL	06/11/2019	13:34:46	00919080A2	03/05/2021	07/11/2019 10:29
FL HIGHWAY PATROL	06/11/2019	13:34:57	00919080A2	03/05/2021	07/11/2019 10:29
FL HIGHWAY PATROL	09/09/2019	11:59:13	00919080A2	03/05/2021	10/01/2019 14:18
FL HIGHWAY PATROL	12/03/2019	08:10:27	00919080A2	03/05/2021	12/23/2019 13:5
FL HIGHWAY PATROL	12/03/2019	08:11:02	00919080A2	03/05/2021	12/23/2019 13:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003408

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E MIAMI	03/29/2019	06:40:22	620051	11/05/2019	03/29/2019 12:12
FHP TROOP E MIAMI	10/21/2019	08:36:08	796576	06/14/2020	10/24/2019 23:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003410

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/28/2019	19:02:40	666491	12/30/2019	06/25/2019 19:7
FL HIGHWAY PATROL	12/28/2019	09:22:54	1185592	08/13/2022	12/30/2019 21:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003411

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	06/27/2019	18:23:00	1101850	03/02/2022	06/27/2019 18:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003412

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/01/2019	13:29:19	840875	09/19/2020	03/01/2019 17:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003413

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/07/2019	12:49:54	1060911	12/11/2021	04/25/2019 17:29
FL HIGHWAY PATROL	04/07/2019	12:50:17	1060911	12/11/2021	04/25/2019 17:29
FL HIGHWAY PATROL	04/07/2019	12:54:56	1060911	12/11/2021	04/25/2019 17:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003937

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY S.O.	11/26/2019	14:28:42	1190213	08/22/2022	12/30/2019 16:45
OSCEOLA COUNTY S.O.	11/26/2019	14:35:36	1190213	08/28/2022	12/30/2019 16:45
OSCEOLA COUNTY S.O.	11/26/2019	14:35:41	1190213	08/28/2022	12/30/2019 16:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003945

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKELAND PD	08/13/2019	08:45:42	17919080A1	08/05/2021	08/19/2019 12:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004587

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY S.O.	11/26/2019	14:41:21	1190213	08/28/2022	11/26/2019 15:39
OSCEOLA COUNTY S.O.	11/26/2019	14:42:34	1190213	08/28/2022	11/26/2019 15:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005057

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	04/04/2019	06:50:39	754250	04/03/2020	04/04/2019 9:37
OKALOOSA COUNTY SO	04/04/2019	08:28:09	754250	04/03/2020	04/04/2019 9:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005076

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	06/26/2019	09:27:10	19817080A2	09/05/2019	07/30/2019 8:55
SARASOTA COUNTY SO	08/19/2019	17:34:00	17919080A2	08/05/2021	09/25/2019 8:38
SARASOTA COUNTY SO	11/26/2019	16:54:52	10818080A4	06/05/2020	11/26/2019 8:30
SARASOTA COUNTY SO	11/26/2019	18:25:20	10818080A4	06/05/2020	12/18/2019 11:49

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005077

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NORTH MIAMI PD	01/02/2019	10:06:18	34917080A4	02/05/2020	01/14/2019 9:7
NORTH MIAMI PD	01/17/2019	09:59:32	34418080A3	02/05/2021	01/22/2019 10:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005113

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	03/01/2019	04:31:23	31517080A1	01/05/2020	03/13/2019 16:40
HILLSBOROUGH CO SO	03/01/2019	04:31:53	31517080A1	01/05/2020	03/13/2019 16:40
HILLSBOROUGH CO SO	03/01/2019	04:32:03	31517080A1	01/05/2020	03/13/2019 16:40
HILLSBOROUGH CO SO	05/02/2019	15:00:53	31517080A1	01/05/2020	05/02/2019 16:37
HILLSBOROUGH CO SO	09/03/2019	00:01:36	28818080A1	12/05/2020	09/12/2019 8:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005248

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FISH & WILDLIFE CC	02/27/2019	12:19:51	620051	11/05/2019	02/27/2019 13:16
FISH & WILDLIFE CC	11/26/2019	21:21:38	AG813501	05/15/2020	11/29/2019 21:7
FISH & WILDLIFE CC	11/29/2019	19:13:42	867139	11/15/2020	11/29/2019 21:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005249

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY SO	03/11/2019	18:24:01	34917080A3	02/05/2020	03/11/2019 21:1
HERNANDO COUNTY SO	09/15/2019	21:04:06	00919080A2	03/05/2021	09/15/2019 22:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005338

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	06/10/2019	11:02:03	24818080A3	10/05/2020	06/10/2019 12:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005454

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OCALA POLICE DEPT	07/19/2019	21:04:41	24818080A2	10/05/2020	07/27/2019 22:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005468

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MYERS PD	04/09/2019	08:25:35	28818080A1	12/05/2020	04/17/2019 14:44
FORT MYERS PD	09/18/2019	10:23:43	28818080A1	12/05/2020	09/18/2019 11:20

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005477

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DADE CITY PD	12/18/2019	14:47:22	24119080A1	11/05/2021	12/18/2019 16:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005537

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH PD	07/22/2019	16:30:46	1031121	10/12/2021	07/22/2019 17:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005538

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FERNANDINA BEACH PD	04/08/2019	13:44:07	00919080A3	03/05/2021	04/08/2019 14:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005549

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	06/14/2019	11:15:47	06419080A2	05/05/2021	07/10/2019 11:14
MIAMI DADE PD	06/14/2019	11:15:55	06419080A2	05/05/2021	07/10/2019 11:14

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005550

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	02/18/2019	09:06:49	34917080A4	02/05/2020	02/28/2019 9:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005655

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MYERS PD	02/15/2019	08:59:29	28818080A1	12/05/2020	02/15/2019 10:1
FORT MYERS PD	08/14/2019	10:06:01	28818080A1	12/05/2020	08/14/2019 10:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005810

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKELAND PD	08/13/2019	08:31:58	17919080A1	08/05/2021	08/19/2019 12:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005935

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY SO	11/26/2019	16:54:28	1190213	08/28/2022	12/30/2019 15:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005936

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	02/27/2019	09:00:18	19817080A2	09/05/2019	03/27/2019 8:24
SARASOTA COUNTY SO	08/19/2019	17:12:24	10818080A4	06/05/2020	09/25/2019 8:29
SARASOTA COUNTY SO	11/26/2019	07:20:22	10818080A4	06/05/2020	11/26/2019 9:13
SARASOTA COUNTY SO	11/26/2019	08:21:15	10818080A4	06/05/2020	11/26/2019 9:13
SARASOTA COUNTY SO	11/26/2019	08:27:52	10818080A4	06/05/2020	11/26/2019 9:13

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006027

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	05/26/2019	20:07:38	22817080A5	10/05/2019	06/13/2019 13:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006029

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	01/18/2019	13:58:35	13518080A5	08/05/2020	02/08/2019 16:29
PALM BEACH CO SO	01/18/2019	13:59:20	13518080A5	08/05/2020	02/08/2019 16:29
PALM BEACH CO SO	05/03/2019	15:28:15	00919080A3	03/05/2021	06/13/2019 13:37
PALM BEACH CO SO	05/03/2019	15:29:03	00919080A3	03/05/2021	06/13/2019 13:37
PALM BEACH CO SO	06/13/2019	14:23:57	00919080A3	03/05/2021	07/19/2019 16:18
PALM BEACH CO SO	06/13/2019	14:24:44	00919080A3	03/05/2021	07/19/2019 16:18
PALM BEACH CO SO	11/15/2019	13:18:03	17919080A1	08/05/2021	12/06/2019 14:1
PALM BEACH CO SO	11/15/2019	13:18:45	17919080A1	08/05/2021	12/06/2019 14:1
PALM BEACH CO SO	11/15/2019	13:19:06	17919080A1	08/05/2021	12/06/2019 14:1
PALM BEACH CO SO	12/06/2019	17:19:24	17919080A1	08/05/2021	01/17/2020 15:23
PALM BEACH CO SO	12/06/2019	17:20:17	17919080A1	08/05/2021	01/17/2020 15:23
PALM BEACH CO SO	12/06/2019	17:22:05	17919080A1	08/05/2021	01/17/2020 15:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006085

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
US COAST GUARD MIAMI	03/27/2019	09:59:25	814181	07/24/2020	03/27/2019 10:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006169

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	05/23/2019	16:34:53	0521808A4	05/05/2020	05/27/2019 23:10
MARTIN COUNTY SO	05/27/2019	22:07:51	05218080A4	05/05/2020	05/27/2019 23:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006170

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	06/24/2019	21:34:22	05218080A4	05/05/2020	06/24/2019 23:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006199

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOMESTEAD PD	11/22/2019	03:46:30	1114319	03/27/2022	12/31/2019 16:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006222

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	02/13/2019	20:51:15	970670	06/07/2021	03/06/2019 20:20
LAKE COUNTY SO	02/13/2019	20:51:23	970670	06/07/2021	03/06/2019 20:20
LAKE COUNTY SO	04/24/2019	22:22:40	1099238	03/01/2022	04/24/2019 23:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006233

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	09/06/2019	20:20:18	22419080A2	10/05/2021	09/25/2019 22:17

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006234

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HENDRY COUNTY SO	07/04/2019	14:59:46	644476	12/01/2019	07/12/2019 1:6
HENDRY COUNTY SO	07/12/2019	01:52:46	1012059	09/05/2021	08/27/2019 21:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006235

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ASTATULA PD	02/28/2019	18:29:50	970670	06/07/2021	02/28/2019 19:55
ASTATULA PD	03/29/2019	05:05:59	1099238	03/01/2022	04/03/2019 3:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006236

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	07/29/2019	13:11:39	572920	09/13/2019	08/29/2019 15:40
MANATEE COUNTY SO	09/16/2019	09:22:00	1111579	03/19/2020	10/21/2019 7:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	02/22/2019	09:11:49	17618080A1	08/05/2020	02/22/2019 10:10
CLAY COUNTY SO	12/16/2019	01:32:23	08819080A1	06/05/2021	01/27/2020 11:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	05/03/2019	15:24:36	13518080A5	08/05/2020	06/13/2019 15:38
PALM BEACH CO SO	05/03/2019	15:25:11	13518080A5	08/05/2020	06/13/2019 15:38
PALM BEACH CO SO	10/18/2019	14:05:49	17919080A1	08/05/2021	11/15/2019 12:34
PALM BEACH CO SO	10/18/2019	14:06:57	17919080A1	08/05/2021	11/15/2019 12:34
PALM BEACH CO SO	11/15/2019	13:14:39	17919080A1	08/05/2021	12/06/2019 16:56
PALM BEACH CO SO	11/15/2019	13:15:23	17919080A1	08/05/2021	12/06/2019 16:56
PALM BEACH CO SO	11/15/2019	13:15:42	17919080A1	08/05/2021	12/06/2019 16:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006239

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	01/18/2019	17:00:24	13518080A5	08/05/2020	02/08/2019 13:27
PALM BEACH CO SO	01/18/2019	17:00:50	13518080A5	08/05/2020	02/08/2019 13:27
PALM BEACH CO SO	02/08/2019	13:42:20	13518080A5	08/05/2020	03/15/2019 17:29
PALM BEACH CO SO	02/08/2019	13:42:57	13518080A5	08/05/2020	03/15/2019 17:29
PALM BEACH CO SO	06/13/2019	14:27:19	00919080A3	03/05/2021	07/19/2019 12:45
PALM BEACH CO SO	06/13/2019	14:28:00	00919080A3	03/05/2021	07/19/2019 12:45
PALM BEACH CO SO	07/19/2019	13:23:12	00919080A3	03/05/2021	08/16/2019 15:29
PALM BEACH CO SO	07/19/2019	13:24:25	00919080A3	03/05/2021	08/16/2019 15:29
PALM BEACH CO SO	12/06/2019	17:24:21	17919080A1	08/05/2021	01/17/2020 12:33
PALM BEACH CO SO	12/06/2019	17:25:09	17919080A1	08/05/2021	01/17/2020 12:34
PALM BEACH CO SO	12/06/2019	17:25:25	17919080A1	08/05/2021	01/17/2020 12:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006240

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	03/15/2019	15:10:53	00919080A3	03/05/2021	04/19/2019 17:46
PALM BEACH CO SO	03/15/2019	15:11:22	00919080A3	03/05/2021	04/19/2019 17:46
PALM BEACH CO SO	08/16/2019	13:40:30	00919080A3	03/05/2021	09/13/2019 13:30
PALM BEACH CO SO	08/16/2019	13:41:15	00919080A3	03/05/2021	09/13/2019 13:30
PALM BEACH CO SO	09/13/2019	15:28:14	00919080A3	03/05/2021	10/18/2019 16:11
PALM BEACH CO SO	09/13/2019	15:29:11	00919080A3	03/05/2021	10/18/2019 16:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006260

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP F	07/29/2019	09:34:03	1167545	07/02/2022	09/27/2019 13:16

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006262

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY S.O.	05/20/2019	09:54:16	1048227	11/15/2021	05/20/2019 11:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006384

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GAINESVILLE PD	08/19/2019	05:07:27	24818080A2	10/05/2020	08/27/2019 2:18

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006385

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	05/02/2019	15:02:23	31517080A1	01/05/2020	05/06/2019 14:9
HILLSBOROUGH CO SO	05/25/2019	22:56:09	28818080A1	12/05/2020	06/11/2019 8:13
HILLSBOROUGH CO SO	12/18/2019	21:12:17	28818080A1	12/05/2020	01/06/2020 18:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006386

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HENDRY COUNTY SO	07/12/2019	01:10:09	644476	12/01/2019	09/03/2019 13:2
HENDRY COUNTY SO	10/16/2019	06:56:37	1012059	09/05/2021	11/12/2019 22:11
HENDRY COUNTY SO	11/12/2019	17:43:52	770784	04/27/2020	11/12/2019 22:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006435

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	01/30/2019	04:16:32	792976	06/06/2020	02/13/2019 7:33
ESCAMBIA COUNTY SO	03/21/2019	05:37:53	792976	06/06/2020	03/21/2019 7:45
ESCAMBIA COUNTY SO	05/06/2019	21:58:28	792976	06/06/2020	06/12/2019 20:28
ESCAMBIA COUNTY SO	07/19/2019	20:45:33	770784	04/27/2020	07/19/2019 22:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006436

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	01/08/2019	15:26:56	770784	04/27/2020	01/25/2019 7:33
ESCAMBIA COUNTY SO	03/21/2019	05:33:55	770784	04/27/2020	03/21/2019 7:35
ESCAMBIA COUNTY SO	06/27/2019	00:34:55	770784	04/27/2020	07/19/2019 21:3
ESCAMBIA COUNTY SO	06/27/2019	00:35:08	770784	04/27/2020	07/19/2019 21:3
ESCAMBIA COUNTY SO	06/27/2019	00:35:14	770784	04/27/2020	07/19/2019 21:3
ESCAMBIA COUNTY SO	06/27/2019	00:35:40	770784	04/27/2020	07/19/2019 21:3
ESCAMBIA COUNTY SO	06/27/2019	00:36:42	770784	04/27/2020	07/19/2019 21:3
ESCAMBIA COUNTY SO	06/27/2019	00:37:28	770784	04/27/2020	07/19/2019 21:3
ESCAMBIA COUNTY SO	07/19/2019	23:28:05	792976	06/06/2020	08/14/2019 19:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006456

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	12/23/2019	15:45:15	989917	07/25/2021	12/23/2019 19:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006457

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	10/30/2019	09:16:58	989917	07/25/2021	11/04/2019 7:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006471

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY S.O.	05/01/2019	09:04:45	1060911	12/11/2021	05/01/2019 10:13
MONROE COUNTY S.O.	06/08/2019	14:37:47	1060911	12/11/2021	06/12/2019 9:49

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006472

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/25/2019	16:08:00	1060911	12/11/2021	04/25/2019 18:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006475

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	05/18/2019	04:23:21	796576	06/14/2020	06/13/2019 13:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006476

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	04/19/2019	14:36:22	00919080A3	03/05/2021	05/03/2019 17:8
PALM BEACH CO SO	04/19/2019	14:37:13	00919080A3	03/05/2021	05/03/2019 17:8
PALM BEACH CO SO	09/13/2019	15:31:47	17919080A1	08/05/2021	10/18/2019 16:17
PALM BEACH CO SO	09/13/2019	15:32:33	17919080A1	08/05/2021	10/18/2019 16:17
PALM BEACH CO SO	09/13/2019	15:33:03	17919080A1	08/05/2021	10/18/2019 16:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006477

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	04/19/2019	14:41:21	13518080A5	08/05/2020	05/03/2019 13:18
PALM BEACH CO SO	04/19/2019	14:42:04	13518080A5	08/05/2020	05/03/2019 13:18
PALM BEACH CO SO	09/17/2019	18:09:38	17919080A1	08/05/2021	10/18/2019 13:12
PALM BEACH CO SO	09/17/2019	18:10:43	17919080A1	08/05/2021	10/18/2019 13:12
PALM BEACH CO SO	09/17/2019	18:11:06	17919080A1	08/05/2021	10/18/2019 13:12
PALM BEACH CO SO	10/18/2019	14:10:28	17919080A1	08/05/2021	11/15/2019 15:31
PALM BEACH CO SO	10/18/2019	14:11:58	17919080A1	08/05/2021	11/15/2019 15:31
PALM BEACH CO SO	10/18/2019	14:12:10	17919080A1	08/05/2021	11/15/2019 15:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	02/08/2019	13:46:12	13518080A5	08/05/2020	03/15/2019 14:0
PALM BEACH CO SO	02/08/2019	13:46:35	13518080A5	08/05/2020	03/15/2019 14:0
PALM BEACH CO SO	03/15/2019	15:07:36	13518080A5	08/05/2020	04/19/2019 17:42
PALM BEACH CO SO	03/15/2019	15:08:10	13518080A5	08/05/2020	04/19/2019 17:42
PALM BEACH CO SO	07/19/2019	13:28:12	00919080A3	03/05/2021	08/16/2019 12:47
PALM BEACH CO SO	07/19/2019	13:29:00	00919080A3	03/05/2021	08/16/2019 12:47
PALM BEACH CO SO	07/19/2019	13:29:12	00919080A3	03/05/2021	08/16/2019 12:47
PALM BEACH CO SO	08/16/2019	13:44:06	00919080A3	03/05/2021	09/13/2019 16:17
PALM BEACH CO SO	08/16/2019	13:44:54	00919080A3	03/05/2021	09/13/2019 16:18

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006559

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	04/03/2019	19:39:49	840875	09/19/2020	04/23/2019 16:24
MANATEE COUNTY SO	04/03/2019	19:39:57	840875	09/19/2020	04/23/2019 16:24
MANATEE COUNTY SO	05/20/2019	10:22:17	962587	06/04/2021	06/25/2019 10:18
MANATEE COUNTY SO	11/18/2019	11:12:57	1111579	03/19/2022	12/17/2019 9:15

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006565

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	02/04/2019	17:31:01	867139	11/15/2020	02/26/2019 11:53
MANATEE COUNTY SO	10/21/2019	10:42:33	1111579	03/19/2022	11/18/2019 12:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006567

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	08/16/2019	04:50:15	28818080A1	12/05/2020	09/12/2019 14:25
HILLSBOROUGH CO SO	12/30/2019	03:24:42	22419080A2	12/05/2021	01/06/2020 18:22
HILLSBOROUGH CO SO	12/30/2019	03:26:12	22419080A2	10/05/2021	01/06/2020 18:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006622

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BOCA RATON PD	10/09/2019	13:32:14	22419080A3	10/05/2021	10/09/2019 13:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006626

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	02/27/2019	06:53:19	620051	11/05/2019	02/27/2019 9:40
FHP MIAMI	03/29/2019	06:43:06	620051	11/05/2019	03/29/2019 12:10
FHP MIAMI	10/21/2019	08:49:01	796576	06/14/2020	11/01/2019 23:46
FHP MIAMI	10/21/2019	08:49:08	796576	06/14/2020	11/01/2019 23:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006627

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FLORIDA CITY PD	06/30/2019	19:56:59	1114319	03/27/2022	06/30/2019 21:38
FLORIDA CITY PD	11/22/2019	03:35:40	937240	04/07/2021	12/31/2019 16:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006629

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	08/27/2019	08:03:24	1791908A2	08/05/2021	08/27/2019 10:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006630

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	02/27/2019	06:48:42	796576	06/14/2020	02/27/2019 9:53
FHP MIAMI	03/29/2019	06:45:35	796576	06/14/2020	03/29/2019 12:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006631

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	11/22/2019	16:05:23	1111579	03/19/2022	12/17/2019 7:47

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006634

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	03/08/2019	22:08:46	962587	06/04/2021	03/26/2019 9:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006635

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	08/27/2019	08:01:47	17618080A3	08/05/2020	08/27/2019 9:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006636

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/22/2019	22:43:31	666491	12/30/2019	01/23/2019 2:14
FL HIGHWAY PATROL	12/28/2019	19:28:42	1206004	09/20/2022	01/02/2020 10:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006692

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOLMES BEACH PD	02/09/2019	07:03:26	572920	09/13/2019	02/25/2019 9:22
HOLMES BEACH PD	09/02/2019	12:51:40	1175970	08/02/2022	09/16/2019 9:20

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006693

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	06/06/2019	11:57:06	1060911	12/11/2021	06/12/2019 10:3

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006694

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	03/08/2019	22:48:40	962587	06/04/2021	03/26/2019 8:54
MANATEE COUNTY SO	10/21/2019	11:42:07	1111579	03/19/2022	10/22/2019 14:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006758

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/06/2019	18:04:09	840875	09/19/2020	02/25/2019 9:40
FL HIGHWAY PATROL	07/29/2019	09:35:18	1111579	03/19/2022	11/06/2019 8:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006764

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP G	04/24/2019	17:11:31	03519080A4	04/05/2021	04/24/2019 18:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006766

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP F	07/29/2019	09:35:30	1167545	07/02/2022	09/27/2019 12:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006768

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	04/25/2019	15:11:31	1060911	12/11/2021	04/25/2019 18:18

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006895

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE P.D.	05/08/2019	10:54:24	22817080A4	10/05/2019	05/08/2019 11:6
MIAMI DADE P.D.	05/08/2019	10:54:34	22817080A4	10/05/2019	05/08/2019 11:6
MIAMI DADE P.D.	06/12/2019	11:52:14	06419080A2	05/05/2021	06/12/2019 13:24
MIAMI DADE P.D.	06/12/2019	11:52:27	06419080A2	05/05/2021	06/12/2019 13:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006924

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	03/02/2019	00:54:04	970670	06/07/2021	03/22/2019 12:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006925

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	05/19/2019	02:17:19	970670	06/07/2021	06/13/2019 13:17
BROWARD COUNTY SO	05/19/2019	02:17:26	970670	06/07/2021	06/13/2019 13:17

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006926

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TALLAHASSEE PD	08/21/2019	13:38:46	008	02/05/2021	09/28/2019 19:1
TALLAHASSEE PD	08/21/2019	13:39:16	32518080A1	02/05/2021	09/28/2019 19:1
TALLAHASSEE PD	08/21/2019	13:39:25	32518080A1	02/05/2021	09/28/2019 19:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006931

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FT WALTON BEACH PD	01/11/2019	20:38:27	66491	12/30/2019	02/20/2019 20:57
FT WALTON BEACH PD	01/11/2019	21:08:45	666491	12/30/2019	02/20/2019 20:57
FT WALTON BEACH PD	01/31/2019	23:42:21	666491	12/30/2019	02/20/2019 20:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006937

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	07/31/2019	09:57:20	AG816701	06/16/2020	07/31/2019 12:58
BAY COUNTY SO	10/23/2019	16:29:29	AG923908	08/27/2021	10/29/2019 11:26
BAY COUNTY SO	10/29/2019	09:11:11	AG923908	08/27/2021	10/29/2019 11:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007077

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	02/05/2019	08:18:44	31517080A1	01/05/2020	03/04/2019 17:27
COLLIER COUNTY SO	04/01/2019	11:37:47	10818080A6	06/05/2020	05/02/2019 11:42
COLLIER COUNTY SO	06/10/2019	12:37:44	31517080A1	01/05/2020	06/11/2019 14:28
COLLIER COUNTY SO	08/01/2019	11:13:41	19817080A1	09/05/2019	09/03/2019 17:57
COLLIER COUNTY SO	08/28/2019	09:28:08	10818080A6	06/05/2020	09/03/2019 17:57
COLLIER COUNTY SO	11/01/2019	14:19:07	31517080A1	01/05/2020	12/03/2019 15:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007078

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/02/2019	13:09:58	31517080A1	01/05/2020	02/05/2019 5:37
COLLIER COUNTY SO	01/03/2019	14:15:08	31517080A1	01/05/2020	02/05/2019 5:37
COLLIER COUNTY SO	03/04/2019	11:55:12	10818080A6	06/05/2020	04/01/2019 14:46
COLLIER COUNTY SO	04/01/2019	17:27:29	31517080A1	01/05/2020	05/03/2019 15:43
COLLIER COUNTY SO	06/18/2019	03:23:42	19817080A1	09/05/2019	07/02/2019 10:44
COLLIER COUNTY SO	08/01/2019	11:05:24	31517080A1	01/05/2020	09/03/2019 17:48
COLLIER COUNTY SO	09/04/2019	12:04:40	31517080A1	01/05/2020	10/15/2019 13:37
COLLIER COUNTY SO	11/01/2019	14:15:25	32518080A1	02/05/2021	12/03/2019 16:40
COLLIER COUNTY SO	12/04/2019	13:15:04	31517080A1	01/05/2020	01/07/2020 16:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	06/26/2019	21:24:54	32518080A2	02/05/2021	06/27/2019 1:17

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007084

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	01/03/2019	06:57:22	13518080A6	08/05/2020	01/09/2019 13:34
MIAMI-DADE PD	07/19/2019	08:41:40	06419080A2	05/05/2021	07/19/2019 9:53
MIAMI-DADE PD	07/19/2019	08:41:48	06419080A2	05/05/2021	07/19/2019 9:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007108

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	04/19/2019	12:16:54	796576	06/14/2020	05/09/2019 17:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007158

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	06/05/2019	17:04:30	28818080A1	12/05/2020	06/05/2019 18:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007159

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PENSACOLA P.D.	04/30/2019	21:55:42	1060911	12/11/2021	05/01/2019 1:17
PENSACOLA P.D.	05/27/2019	05:44:11	181692	03/05/2021	05/27/2019 7:28
PENSACOLA P.D.	11/16/2019	18:12:46	00919080A1	03/05/2021	12/12/2019 11:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007163

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	07/08/2019	17:10:51	28818080A1	12/05/2020	07/10/2019 9:21
HILLSBOROUGH CO SO	12/26/2019	08:27:47	22419080A2	10/05/2021	01/06/2020 16:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007167

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	06/05/2019	11:11:11	1060911	12/11/2021	06/12/2019 11:17
MONROE COUNTY SO	12/18/2019	13:34:16	181692	03/05/2021	12/18/2019 14:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007169

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWCC	06/21/2019	14:53:04	00919080A1	03/05/2021	06/25/2019 10:45
FWCC	06/21/2019	14:53:30	00919080A1	03/05/2021	06/25/2019 10:45
FWCC	06/28/2019	10:05:58	00919080A1	03/05/2021	07/26/2019 23:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007170

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	06/20/2019	11:49:21	1012059	09/05/2021	07/11/2019 13:10
MONROE COUNTY SO	12/05/2019	13:29:09	1060911	12/11/2021	12/05/2019 14:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007171

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	06/14/2019	12:57:45	1031121	10/12/2021	07/22/2019 15:30
MARION COUNTY SO	10/22/2019	16:47:13	181692	03/05/2021	11/19/2019 12:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007172

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	05/22/2019	15:08:32	875088	12/12/2020	06/14/2019 12:56
MARION COUNTY SO	09/16/2019	17:36:56	1031121	10/12/2021	10/22/2019 16:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007173

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	03/23/2019	11:29:17	980558	07/09/2021	04/05/2019 9:57
WALTON COUNTY SO	04/30/2019	07:38:23	754250	04/03/2020	04/30/2019 20:16
WALTON COUNTY SO	05/30/2019	14:03:33	754250	04/03/2020	05/30/2019 16:34
WALTON COUNTY SO	06/02/2019	16:10:25	754250	04/03/2020	08/05/2019 13:48
WALTON COUNTY SO	09/17/2019	07:30:05	1012059	09/05/2021	09/26/2019 11:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007174

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MICCOSUKEE PD	09/19/2019	09:46:44	00919080A2	03/05/2021	09/19/2019 10:56
MICCOSUKEE PD	09/19/2019	09:47:14	00919080A2	03/05/2021	09/19/2019 10:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007252

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TREASURE ISLAND PD	11/25/2019	17:03:22	02618080A2	03/05/2020	11/26/2019 14:13