

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000206

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	03/06/2020	11:24:21	13518080A5	08/05/2020	03/10/2020 17:5
FDLE	03/06/2020	16:20:44	00919080A3	03/05/2021	03/10/2020 17:5
FDLE	03/10/2020	18:05:47	13518080A5	08/05/2020	04/10/2020 14:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000219

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	03/06/2020	11:26:31	13518080A5	08/05/2020	04/10/2020 14:34
FDLE	03/06/2020	11:27:12	13518080A5	08/05/2020	04/10/2020 14:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000223

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	03/06/2020	01:14:35	181692	02/05/2021	04/05/2020 5:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000224

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	01/10/2020	20:13:12	980558	07/09/2021	01/13/2020 11:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000739

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	01/17/2020	10:18:07	989917	07/25/2021	01/17/2020 12:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000759

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/05/2020	09:04:28	1076482	01/15/2022	03/05/2020 16:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000763

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	02/21/2020	07:13:59	989917	07/25/2021	02/27/2020 11:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000772

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	01/06/2020	10:26:05	1206004	09/20/2022	01/30/2020 10:49

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000773

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAFAYETTE CO SO	02/20/2020	21:02:16	00919080A2	03/05/2021	03/12/2020 13:25
LAFAYETTE CO SO	03/11/2020	11:45:20	00919080A2	03/05/2021	03/12/2020 13:25
LAFAYETTE CO SO	03/12/2020	13:29:42	00919080A2	03/05/2021	04/01/2020 14:5
LAFAYETTE CO SO	03/12/2020	13:30:27	00919080A2	03/05/2021	04/01/2020 14:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000776

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAFAYETTE CO SO	03/11/2020	12:00:39	00919080A2	03/05/2021	03/11/2020 12:16
LAFAYETTE CO SO	03/11/2020	12:00:50	00919080A2	03/05/2021	03/11/2020 12:16

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000780

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUWANNEE CO SO	03/12/2020	00:46:37	04120080A1	03/05/2022	03/18/2020 2:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000781

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	03/05/2020	09:04:02	906364	02/07/2021	03/05/2020 15:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000782

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP A	02/14/2020	18:40:24	970670	06/07/2021	03/05/2020 15:57
FHP TROOP A	03/05/2020	09:04:40	970670	06/07/2021	03/05/2020 15:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000785

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	03/05/2020	09:02:58	770784	04/27/2020	03/05/2020 15:17
FHP	03/05/2020	14:14:05	1206004	09/20/2022	04/06/2020 13:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000808

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	01/25/2020	06:39:49	22419080A2	10/05/2021	02/05/2020 17:32
HILLSBOROUGH CO SO	01/25/2020	06:40:11	22419080A2	10/05/2021	02/05/2020 17:32

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000810

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DIXIE COUNTY SO	03/31/2020	10:12:06	22419080A3	10/05/2021	03/31/2020 12:20
DIXIE COUNTY SO	03/31/2020	10:12:27	22419080A3	10/05/2021	03/31/2020 12:20
DIXIE COUNTY SO	03/31/2020	10:12:31	22419080A3	10/05/2021	03/31/2020 12:20
DIXIE COUNTY SO	03/31/2020	10:14:48	22419080A3	10/05/2021	03/31/2020 12:20
DIXIE COUNTY SO	03/31/2020	10:26:46	22419080A3	10/05/2021	03/31/2020 12:20

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000811

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PERRY POLICE DEPT	03/11/2020	11:00:14	AG815602	06/05/2020	03/12/2020 8:32

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000812

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY S.O.	01/20/2020	09:26:47	34917080A3	02/05/2020	01/20/2020 11:22
HERNANDO COUNTY S.O.	02/17/2020	11:01:38	30219080A3	01/05/2022	02/17/2020 13:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000814

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY S.O.	01/20/2020	09:23:42	00919080A2	03/05/2021	01/20/2020 12:0
HERNANDO COUNTY S.O.	01/27/2020	12:16:09	30219080A3	01/05/2022	02/17/2020 12:49

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000819

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CITRUS COUNTY SO	02/20/2020	13:11:34	00919080A3	03/05/2021	03/10/2020 17:1
CITRUS COUNTY SO	03/06/2020	10:16:53	00919080A3	03/05/2021	03/10/2020 17:1
CITRUS COUNTY SO	03/06/2020	14:40:35	13518080A5	08/05/2020	03/10/2020 17:1
CITRUS COUNTY SO	03/10/2020	18:11:48	00919080A3	03/05/2020	04/10/2020 14:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000824

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEESBURG P.D.	01/28/2020	22:23:30	30219080A3	01/05/2022	02/25/2020 0:17

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000830

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	01/18/2020	22:41:32	22419080A2	10/05/2021	02/05/2020 18:41

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000876

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	01/29/2020	10:17:27	1224982	10/31/2022	01/29/2020 12:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000886

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NORTH MIAMI BEACH PD	02/04/2020	20:59:18	32518080A1	02/05/2021	02/15/2020 16:28
NORTH MIAMI BEACH PD	02/04/2020	20:59:57	32518080A1	02/05/2021	02/15/2020 16:28

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000889

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/31/2020	18:59:30	AG827002	09/27/2020	01/31/2020 22:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000891

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWC	02/20/2020	13:21:48	1060911	12/11/2021	02/21/2020 18:30

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000902

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC TAMPA	03/18/2020	12:37:07	13518080A5	08/05/2020	03/18/2020 13:31

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000904

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC SOUTH REGION	01/11/2020	15:40:17	1217042	10/10/2022	01/24/2020 18:15

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000906

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FISH & WILDLIFE CC	01/10/2020	15:33:55	792976	06/06/2020	02/05/2020 16:5
FISH & WILDLIFE CC	03/31/2020	13:55:23	792976	06/06/2020	03/31/2020 14:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000941

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/06/2020	15:42:07	31517080A1	01/05/2020	02/03/2020 16:22
COLLIER COUNTY SO	01/07/2020	08:59:07	32518080A1	02/05/2021	02/03/2020 16:22
COLLIER COUNTY SO	01/07/2020	09:00:43	32518080A1	02/05/2021	02/03/2020 16:22
COLLIER COUNTY SO	02/05/2020	14:51:46	32518080A1	02/05/2021	03/12/2020 11:19
COLLIER COUNTY SO	03/13/2020	12:46:43	24119080A1	11/05/2021	04/08/2020 11:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000942

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	03/11/2020	14:27:04	32518080A1	02/05/2021	04/13/2020 15:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000946

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	01/28/2020	19:22:41	32518080A2	02/05/2021	01/29/2020 0:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000948

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GLADES COUNTY S.O.	03/21/2020	10:22:23	34917080A2	02/05/2020	03/30/2020 10:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000950

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAVANA PD	02/20/2020	11:17:19	00919080A2	03/05/2021	03/05/2020 12:42
HAVANA PD	03/04/2020	11:35:38	00919080A2	03/05/2021	03/05/2020 12:42
HAVANA PD	03/05/2020	12:34:33	00919080A2	03/05/2021	04/07/2020 10:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000952

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FRANKLIN COUNTY SO	02/24/2020	08:20:47	00919080A2	03/05/2021	04/01/2020 14:42
FRANKLIN COUNTY SO	02/24/2020	08:21:05	00919080A2	03/05/2021	04/01/2020 14:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000953

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FRANKLIN COUNTY SO	02/24/2020	08:22:47	00919080A2	03/05/2021	03/19/2020 13:42
FRANKLIN COUNTY SO	02/24/2020	08:23:39	00919080A2	03/05/2021	03/19/2020 13:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000954

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JEFFERSON COUNTY SO	03/11/2020	10:51:58	17618080A1	08/05/2020	03/12/2020 10:40
JEFFERSON COUNTY SO	03/12/2020	11:17:41	00919080A2	03/05/2021	04/14/2020 12:17

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000955

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEWISTON P.D.	03/15/2020	06:40:24	35019080A3	02/05/2022	03/18/2020 10:49

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000956

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JEFFERSON COUNTY SO	03/23/2020	08:15:19	00919080A2	03/05/2021	04/15/2020 10:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000957

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	02/20/2020	09:51:56	00919080A2	03/05/2021	03/04/2020 10:53
LEON COUNTY SO	02/20/2020	10:06:47	00919080A2	03/05/2021	03/04/2020 10:53
LEON COUNTY SO	03/02/2020	08:22:45	00919080A2	03/05/2021	03/04/2020 10:53
LEON COUNTY SO	03/04/2020	10:46:39	00919080A2	03/05/2021	04/01/2020 11:54
LEON COUNTY SO	03/26/2020	08:58:31	00919080A2	03/05/2021	04/01/2020 11:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000958

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	02/20/2020	09:49:42	00919080A2	03/05/2021	03/04/2020 10:48
LEON COUNTY SO	03/04/2020	10:44:16	00919080A2	03/05/2021	04/01/2020 11:50
LEON COUNTY SO	03/26/2020	08:58:18	00919080A2	03/05/2021	04/01/2020 11:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000960

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LIBERTY COUNTY SO	02/24/2020	13:08:49	00919080A2	03/05/2021	03/17/2020 15:9
LIBERTY COUNTY SO	02/24/2020	13:08:57	00919080A2	03/05/2021	03/17/2020 15:9

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000961

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WAKULLA COUNTY SO	02/20/2020	08:35:04	00919080A2	03/05/2021	02/20/2020 8:42
WAKULLA COUNTY SO	03/19/2020	09:53:50	00919080A2	03/05/2021	04/15/2020 14:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000962

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WAKULLA COUNTY SO	02/20/2020	08:20:16	00919080A2	03/05/2021	02/26/2020 8:53
WAKULLA COUNTY SO	03/19/2020	09:58:31	17618080A1	08/05/2020	04/15/2020 14:30
WAKULLA COUNTY SO	03/19/2020	09:58:43	17618080A1	08/05/2020	04/15/2020 14:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000963

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/07/2020	13:59:53	06419080A1	05/05/2021	01/07/2020 14:58
ORANGE COUNTY S.O.	01/07/2020	14:00:11	06419080A1	05/05/2021	01/07/2020 14:58
ORANGE COUNTY S.O.	02/11/2020	12:27:13	06419080A1	05/05/2021	02/11/2020 15:21
ORANGE COUNTY S.O.	02/11/2020	12:27:29	06419080A1	05/05/2021	02/11/2020 15:21
ORANGE COUNTY S.O.	02/27/2020	08:52:10	06419080A1	05/05/2021	02/27/2020 9:3
ORANGE COUNTY S.O.	03/11/2020	09:07:32	06419080A1	05/05/2021	03/11/2020 10:8
ORANGE COUNTY S.O.	03/11/2020	09:07:50	06419080A1	05/05/2021	03/11/2020 10:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000964

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	01/07/2020	12:17:52	13518080A5	08/05/2020	01/07/2020 13:45
ORANGE COUNTY SO	01/07/2020	12:18:05	13518080A5	08/05/2020	01/07/2020 13:45

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001000

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COCOA PD	03/04/2020	19:48:43	30219080A4	01/05/2022	03/10/2020 20:57

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001003

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	02/15/2020	23:03:05	AG916303	06/12/2021	02/15/2020 23:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001007

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAINES CITY PD	02/24/2020	09:33:52	1111579	03/19/2022	02/24/2020 11:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001018

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	03/12/2020	14:50:17	00919080A3	03/05/2021	03/25/2020 5:52

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001045

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	01/15/2020	11:52:18	17919080A1	08/05/2021	01/15/2020 12:41

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001048

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE ALFRED PD	01/15/2020	14:59:53	30219080A5	01/05/2022	02/04/2020 12:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001050

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CORAL SPRINGS PD	02/07/2020	00:26:16	035119080A	04/05/2021	02/28/2020 9:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001051

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	01/22/2020	14:39:50	30219080A2	12/05/2021	02/05/2020 9:43

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001053

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU CO SO	01/23/2020	11:34:29	30219080A3	01/05/2022	01/23/2020 15:54
NASSAU CO SO	03/21/2020	12:11:45	30219080A3	01/05/2022	03/21/2020 13:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001054

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGHLANDS COUNTY SO	02/10/2020	01:51:35	17919080A1	08/05/2021	02/13/2020 2:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001055

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	02/23/2020	20:04:47	14219080A2	08/05/2021	02/25/2020 8:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001060

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WINTER HAVEN PD	02/05/2020	10:53:28	24119080A1	11/05/2021	02/27/2020 8:25

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001066

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/25/2020	18:50:28	AG831804	11/14/2020	02/05/2020 17:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001068

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEARWATER PD	02/05/2020	22:50:07	03519080A4	04/05/2021	03/24/2020 19:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001074

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	01/15/2020	16:58:38	14219080A2	08/05/2021	02/13/2020 11:12
PASCO COUNTY SO	02/13/2020	11:06:30	22419080A3	10/05/2021	03/22/2020 15:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001075

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E MIAMI	02/29/2020	20:15:04	796576	06/14/2020	02/29/2020 23:41

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001079

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LARGO PD	02/26/2020	20:04:13	17618080A3	08/05/2020	02/27/2020 10:20

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	03/12/2020	09:41:45	17919080A1	08/05/2021	03/12/2020 11:35

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001110

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	02/29/2020	20:36:44	1114319	03/27/2022	02/29/2020 22:36

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001115

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/21/2020	09:06:13	00919080A2	03/05/2021	03/12/2020 10:46

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001117

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	02/13/2020	11:05:52	14219080A2	08/05/2021	03/22/2020 15:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001118

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/05/2020	09:04:19	970670	06/07/2021	03/05/2020 15:35

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001120

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	02/29/2020	20:25:26	796576	06/14/2020	02/29/2020 22:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001135

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH P.D.	03/14/2020	00:00:15	1190213	08/08/2022	03/28/2020 16:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001151

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAINES CITY PD	02/24/2020	09:48:42	1111579	03/19/2022	02/24/2020 11:32

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	03/04/2020	10:44:17	00919080A2	03/05/2021	04/01/2020 12:21
LEON COUNTY SO	03/04/2020	10:46:21	00919080A2	03/05/2021	04/01/2020 12:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLERMONT P.D.	02/27/2020	13:40:45	1149031	05/30/2022	02/27/2020 14:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001190

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BOYNTON BEACH PD	02/27/2020	23:23:32	192543	12/03/2022	02/28/2020 0:34
BOYNTON BEACH PD	03/14/2020	18:06:17	192543	12/13/2022	04/10/2020 15:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001201

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/07/2020	12:45:06	906364	02/07/2021	02/07/2020 11:29
COLLIER COUNTY SO	03/11/2020	14:27:07	32518080A1	02/05/2021	04/13/2020 16:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	02/16/2020	01:20:57	1099238	03/01/2022	02/21/2020 2:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH SHORES	03/23/2020	01:21:42	906364	02/07/2021	03/25/2020 6:16

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001255

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/07/2020	09:52:39	13518080A5	08/05/2020	01/07/2020 12:33
ORANGE COUNTY S.O.	01/16/2020	11:22:07	06419080A1	05/05/2021	01/16/2020 11:34
ORANGE COUNTY S.O.	02/11/2020	10:46:22	06419080A1	05/05/2021	02/11/2020 12:3
ORANGE COUNTY S.O.	02/11/2020	10:46:41	06419080A1	05/05/2021	02/11/2020 12:3
ORANGE COUNTY S.O.	03/11/2020	11:22:13	06419080A1	05/05/2021	03/11/2020 13:7
ORANGE COUNTY S.O.	03/11/2020	11:22:29	06419080A1	05/05/2021	03/11/2020 13:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/02/2020	09:19:56	13518080A5	08/05/2020	01/02/2020 9:29
ORANGE COUNTY S.O.	01/07/2020	14:01:04	13518080A5	08/05/2020	01/07/2020 15:17
ORANGE COUNTY S.O.	01/07/2020	14:01:25	13518080A5	08/05/2020	01/07/2020 15:17
ORANGE COUNTY S.O.	02/11/2020	10:44:33	13518080A5	08/05/2020	02/11/2020 12:2
ORANGE COUNTY S.O.	03/11/2020	09:04:31	13518080A5	08/05/2020	03/11/2020 10:5
ORANGE COUNTY S.O.	03/11/2020	09:04:52	13518080A5	08/05/2020	03/11/2020 10:5

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001257

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/07/2020	12:20:27	13518080A5	08/05/2020	01/07/2020 14:19
ORANGE COUNTY S.O.	02/11/2020	12:24:11	13518080A5	08/05/2020	02/11/2020 15:19
ORANGE COUNTY S.O.	02/11/2020	12:24:44	13518080A5	08/05/2020	02/11/2020 15:19
ORANGE COUNTY S.O.	03/11/2020	10:22:37	13518080A5	08/05/2020	03/11/2020 11:26
ORANGE COUNTY S.O.	03/11/2020	10:23:14	13518080A5	08/05/2020	03/11/2020 11:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001258

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/07/2020	09:54:01	06419080A1	05/05/2021	01/07/2020 12:29
ORANGE COUNTY S.O.	01/07/2020	09:54:27	06419080A1	05/05/2021	01/07/2020 12:29
ORANGE COUNTY S.O.	02/11/2020	13:24:03	06419080A1	05/05/2021	02/11/2020 15:29
ORANGE COUNTY S.O.	03/11/2020	10:19:21	06419080A1	05/05/2021	03/11/2020 11:16
ORANGE COUNTY S.O.	03/11/2020	10:19:46	06419080A1	05/05/2021	03/11/2020 11:16

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001259

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/31/2020	18:59:55	AG831804	11/14/2020	01/31/2020 21:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001260

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COCOA P.D.	03/04/2020	19:32:59	30219080A4	01/05/2022	03/10/2020 20:50

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MELBOURNE P.D.	03/30/2020	10:25:50	1160200	06/20/2022	03/30/2020 11:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001263

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN HARBOUR PD	02/24/2020	05:47:57	287190801	12/05/2021	02/25/2020 9:19

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	02/12/2020	18:57:10	AG831804	11/14/2020	03/06/2020 23:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001278

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	01/15/2020	12:44:05	17919080A1	08/05/2021	01/16/2020 8:4
JACKSONVILLE SO	01/15/2020	12:44:24	17919080A1	08/05/2021	01/16/2020 8:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001279

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/12/2020	09:45:43	22419080A2	10/05/2021	02/12/2020 12:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001280

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	03/12/2020	14:51:56	17919080A1	08/05/2021	03/25/2020 8:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001281

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU COUNTY SO	01/23/2020	11:38:23	30219080A3	01/05/2022	02/04/2020 14:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001290

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BRADFORD COUNTY SO	02/15/2020	10:49:40	AG000606	01/06/2022	03/31/2020 13:32
BRADFORD COUNTY SO	02/15/2020	10:50:05	AG000606	01/06/2022	03/31/2020 13:32

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001292

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEVY COUNTY SO	02/15/2020	18:42:22	AG000606	01/06/2022	03/28/2020 10:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001302

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	02/05/2020	17:11:27	1206004	09/20/2022	02/28/2020 19:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001303

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	01/06/2020	10:28:56	1206004	09/20/2022	01/30/2020 10:45
SANTA ROSA COUNTY SO	03/30/2020	17:38:00	1206004	09/20/2022	04/02/2020 17:32
SANTA ROSA COUNTY SO	03/30/2020	17:38:32	1206004	09/20/2022	04/02/2020 17:32

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001305

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARIANNA PD	01/02/2020	00:17:04	970670	06/07/2021	01/02/2020 1:41
MARIANNA PD	03/05/2020	09:04:40	970670	06/07/2021	03/05/2020 15:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001309

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	01/30/2020	12:37:58	AG923908	08/27/2021	01/30/2020 14:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001311

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	02/18/2020	22:05:07	980558	07/09/2021	02/27/2020 6:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001328

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN RIVER CO. SO	01/03/2020	03:07:01	1167545	07/02/2022	01/03/2020 5:44

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001344

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	01/21/2020	09:45:58	17919080A2	08/05/2021	02/26/2020 6:12

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001360

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
EVERGLADES NAT PARK	01/09/2020	11:22:51	30219080A5	01/05/2022	01/24/2020 9:33

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001367

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	02/15/2020	19:21:18	AG916303	06/12/2021	02/15/2020 21:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001416

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/07/2020	09:51:51	13518080A5	08/05/2020	01/07/2020 12:38

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001418

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/07/2020	13:59:16	06419080A1	05/05/2021	01/07/2020 14:50
ORANGE COUNTY S.O.	01/07/2020	13:59:26	06419080A1	05/05/2021	01/07/2020 14:50
ORANGE COUNTY S.O.	02/11/2020	10:44:20	06419080A1	05/05/2021	02/11/2020 11:59
ORANGE COUNTY S.O.	03/11/2020	09:04:46	06419080A1	05/05/2021	03/11/2020 10:0
ORANGE COUNTY S.O.	03/11/2020	09:04:52	06419080A1	05/05/2021	03/11/2020 10:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001420

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/07/2020	12:18:58	06419080A1	05/05/2021	01/07/2020 13:51
ORANGE COUNTY S.O.	01/07/2020	12:19:09	06419080A1	05/05/2021	01/07/2020 13:51
ORANGE COUNTY S.O.	02/11/2020	12:25:44	06419080A1	05/05/2021	02/11/2020 15:17
ORANGE COUNTY S.O.	02/11/2020	12:25:52	06419080A1	05/05/2021	02/11/2020 15:17
ORANGE COUNTY S.O.	03/11/2020	10:20:53	06419080A1	05/05/2021	03/11/2020 11:22
ORANGE COUNTY S.O.	03/11/2020	10:21:00	06419080A1	05/05/2021	03/11/2020 11:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001442

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BISCAYNE NAT PARK	01/24/2020	09:52:37	17919080A1	08/05/2021	01/24/2020 10:0

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001651

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	01/03/2020	12:14:06	32518080A1	02/05/2021	02/03/2020 16:18

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001657

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MICCOSUKEE PD	02/06/2020	17:27:14	00919080A2	03/05/2021	02/06/2020 18:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001722

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	01/15/2020	14:18:12	28719080A1	12/05/2021	02/05/2020 11:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001737

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SOUTH MIAMI PD	02/20/2020	04:01:45	AG827002	09/27/2020	02/26/2020 13:53
SOUTH MIAMI PD	02/20/2020	04:03:10	AG000606	01/06/2022	02/26/2020 13:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001742

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	02/15/2020	09:50:13	1111579	03/19/2022	03/25/2020 9:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001743

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	01/15/2020	12:43:16	17919080A1	08/05/2021	01/16/2020 7:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002462

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	01/29/2020	10:11:26	1224982	10/31/2022	01/29/2020 12:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002463

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	01/29/2020	10:15:55	1224982	10/31/2022	01/29/2020 12:34

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002464

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	01/29/2020	10:12:28	1224982	10/31/2022	01/29/2020 12:42

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003197

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWC	02/20/2020	13:24:28	962587	06/04/2021	02/21/2020 18:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003388

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/19/2020	08:25:52	22419080A2	10/05/2021	03/09/2020 16:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003406

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/20/2020	11:03:01	00919080A2	03/05/2021	03/18/2020 13:23
FL HIGHWAY PATROL	03/18/2020	13:23:03	00919080A2	03/05/2021	04/07/2020 10:40

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005113

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/16/2020	02:11:59	22419080A2	10/05/2021	03/09/2020 18:29

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005249

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY SO	01/27/2020	12:19:34	30219080A3	01/05/2022	02/17/2020 12:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005290

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	02/14/2020	02:05:36	AG831804	11/14/2020	02/15/2020 20:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005338

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	03/10/2020	13:48:59	24818080A3	10/05/2020	03/10/2020 15:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005402

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ORANGE PD	02/27/2020	04:00:16	1185592	08/13/2022	02/27/2020 5:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005548

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	02/05/2020	23:52:11	06419080A2	05/05/2021	02/26/2020 14:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005551

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	02/06/2020	00:48:30	06419080A2	05/05/2021	02/26/2020 13:24

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005936

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	02/26/2020	06:10:27	17919080A2	08/05/2021	02/26/2020 6:56

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006029

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	03/20/2020	15:08:11	28719080A1	12/05/2021	04/17/2020 14:11
PALM BEACH CO SO	03/20/2020	15:08:43	28719080A1	12/05/2021	04/17/2020 14:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006168

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	02/14/2020	19:12:58	05218080A4	05/05/2020	03/06/2020 18:11
MARTIN COUNTY SO	02/14/2020	19:13:10	05218080A4	05/05/2020	03/06/2020 18:11

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006222

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	03/25/2020	17:32:03	181622	08/05/2021	03/25/2020 19:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	02/14/2020	16:14:13	00919080A3	03/05/2021	03/20/2020 16:55
PALM BEACH CO SO	02/14/2020	16:14:56	00919080A3	03/05/2021	03/20/2020 16:55

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006239

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	01/17/2020	12:55:35	17919080A1	08/05/2021	02/14/2020 15:28
PALM BEACH CO SO	01/17/2020	12:56:21	17919080A1	08/05/2021	02/14/2020 15:28

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006261

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/12/2020	19:20:13	35019080A3	02/05/2022	03/30/2020 11:41

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006386

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HENDRY COUNTY SO	01/14/2020	17:49:37	770784	04/27/2020	01/14/2020 19:27

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006435

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	02/14/2020	21:11:34	792976	06/06/2020	02/14/2020 22:58

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006471

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY S.O.	01/08/2020	15:11:15	181702	03/05/2021	01/16/2020 9:53

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006475

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	03/11/2020	12:24:05	1157961	06/17/2022	03/11/2020 13:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006477

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	02/14/2020	16:16:52	28719080A1	12/05/2021	03/20/2020 13:36
PALM BEACH CO SO	02/14/2020	16:17:35	28719080A1	12/05/2021	03/20/2020 13:36
PALM BEACH CO SO	02/14/2020	16:17:55	28719080A1	12/05/2021	03/20/2020 13:36
PALM BEACH CO SO	03/20/2020	15:05:28	28719080A1	12/05/2021	04/17/2020 17:6
PALM BEACH CO SO	03/20/2020	15:06:05	28719080A1	12/05/2021	04/17/2020 17:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	01/17/2020	12:59:15	13518080A5	08/05/2020	02/14/2020 13:17
PALM BEACH CO SO	01/17/2020	13:00:09	13518080A5	08/05/2020	02/14/2020 13:17

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006565

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	03/20/2020	09:57:26	1111579	03/19/2022	04/21/2020 7:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006621

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
KENNEDY SPACE CENTER	01/12/2020	17:39:30	22419080A3	10/05/2021	02/11/2020 16:8

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006630

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP MIAMI	02/29/2020	20:54:49	796576	06/14/2020	02/29/2020 22:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006694

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	01/29/2020	14:27:32	1111579	03/19/2022	02/15/2020 8:41

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006758

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/29/2020	16:17:34	1111579	03/19/2022	02/28/2020 9:7

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006759

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
KENNEDY SPACE CENTER	01/12/2020	17:18:53	22419080A3	10/05/2021	02/25/2020 9:37

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006764

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP G	02/12/2020	18:12:17	35019080A3	02/05/2022	02/12/2020 18:59

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006765

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP G	02/12/2020	18:44:56	03519080A4	04/05/2021	02/12/2020 19:26

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006924

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	03/11/2020	13:47:19	1157961	06/17/2022	04/09/2020 16:1
BROWARD COUNTY SO	03/11/2020	13:47:35	1157961	06/17/2022	04/09/2020 16:1

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007006

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	02/19/2020	15:48:05	970670	06/07/2021	02/21/2020 21:22

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007077

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	02/03/2020	14:14:33	32518080A1	02/05/2021	02/05/2020 17:29
COLLIER COUNTY SO	02/06/2020	12:49:04	906364	02/07/2021	03/15/2020 13:54

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007078

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	02/03/2020	14:22:58	32518080A1	02/05/2021	02/05/2020 17:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	03/11/2020	02:20:29	32518080A2	02/05/2021	03/29/2020 3:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007107

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY S.O.	03/11/2020	12:46:32	970670	03/11/2020	04/09/2020 15:28

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007158

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	01/06/2020	15:09:08	22419080A2	10/05/2021	01/06/2020 16:43
HILLSBOROUGH CO SO	03/09/2020	14:44:33	28818080A1	12/05/2020	03/09/2020 16:39

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007160

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HARDEE COUNTY SO	01/27/2020	16:37:17	181632	03/05/2021	02/28/2020 18:16

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007169

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FWC TAMPA	03/18/2020	17:32:57	13518080A5	08/05/2020	04/20/2020 14:4

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007171

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	01/18/2020	06:27:21	875088	12/12/2020	01/28/2020 15:19
MARION COUNTY SO	01/28/2020	15:20:54	875088	12/12/2020	02/25/2020 14:23

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007172

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	01/18/2020	06:09:34	875088	12/12/2020	01/28/2020 15:10

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007173

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	02/18/2020	22:04:48	1012059	09/05/2021	02/19/2020 0:48

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007252

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TREASURE ISLAND PD	02/21/2020	08:57:41	14219080A2	08/05/2021	02/21/2020 14:21

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007362

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PENSACOLA PD	02/17/2020	22:06:43	30219080A3	01/05/2022	02/17/2020 23:51

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007364

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	02/18/2020	23:05:04	30219080A3	01/05/2022	02/19/2020 0:6

**Florida Department of Law Enforcement
Alcohol Testing Program**

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007366

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS SO	02/25/2020	13:28:31	1060911	12/11/2021	02/25/2020 14:28