

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000000

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	06/05/2023	07:14:39	13921080A2	07/05/2023	06/13/2023 11:14

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000206

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	06/09/2023	01:54:49	33321080A2	01/05/2024	06/09/2023 8:1
FDLE	06/09/2023	01:55:04	33321080A2	01/05/2024	06/09/2023 8:1
FDLE	07/05/2023	20:51:17	33321080A2	01/05/2024	07/14/2023 1:32
FDLE	07/05/2023	20:51:27	33321080A2	01/05/2024	07/14/2023 1:32
FDLE	07/13/2023	22:52:58	33321080A2	01/05/2024	07/14/2023 1:32
FDLE	07/13/2023	22:53:00	33321080A2	01/05/2024	07/14/2023 1:32
FDLE	08/16/2023	23:04:21	33321080A2	01/05/2024	08/17/2023 2:38
FDLE	08/16/2023	23:04:30	33321080A2	01/05/2024	08/17/2023 2:38
FDLE	10/12/2023	22:26:58	1474747	04/12/2024	10/16/2023 14:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000219

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	07/20/2023	23:19:24	1433248	01/06/2024	07/24/2023 23:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000223

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	12/10/2023	02:58:16	402623828	10/22/2025	12/20/2023 16:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000224

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	05/17/2023	14:07:36	402623828	10/22/2025	05/17/2023 15:26
FDLE	11/18/2023	20:43:45	402623828	10/22/2025	11/18/2023 21:53

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000227

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	08/23/2023	14:17:02	06022080A4	04/05/2024	08/23/2023 15:48
FDLE	11/28/2023	17:41:40	1474747	04/12/2024	11/28/2023 18:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000739

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	11/29/2023	12:44:36	402623828	12/22/2025	11/29/2023 15:32

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000744

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	02/07/2023	09:30:40	1346146	07/07/2023	02/07/2023 11:14
ESCAMBIA COUNTY SO	04/12/2023	11:34:40	28021080A2	12/05/2023	04/12/2023 13:19
ESCAMBIA COUNTY SO	07/05/2023	10:10:33	402690226	03/09/2026	07/05/2023 11:51
ESCAMBIA COUNTY SO	11/21/2023	10:56:12	402690226	03/09/2026	12/18/2023 11:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000749

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	02/07/2023	07:35:18	1346146	07/07/2023	02/07/2023 10:18
ESCAMBIA COUNTY SO	04/12/2023	10:53:49	28021080A2	12/05/2023	04/12/2023 12:41
ESCAMBIA COUNTY SO	07/03/2023	08:03:54	402690226	03/09/2026	07/05/2023 12:28
ESCAMBIA COUNTY SO	07/05/2023	10:50:25	402690226	03/09/2026	07/05/2023 12:28
ESCAMBIA COUNTY SO	11/21/2023	11:09:25	402690226	03/09/2026	11/21/2023 14:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000759

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	06/20/2023	13:23:07	1482048	04/21/2024	06/20/2023 15:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000770

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAMILTON COUNTY SO	04/30/2023	22:44:20	29122080A1	12/05/2024	05/04/2023 21:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000772

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	03/06/2023	07:41:11	402558895	10/03/2025	04/07/2023 8:43
SANTA ROSA COUNTY SO	12/10/2023	21:27:59	402558895	10/03/2025	01/08/2024 5:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000773

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAFAYETTE CO SO	03/27/2023	16:09:02	007	01/05/2024	04/11/2023 12:17
LAFAYETTE CO SO	05/23/2023	13:22:49	33321080A4	01/05/2024	06/13/2023 13:49
LAFAYETTE CO SO	08/28/2023	16:21:03	33321080A4	01/05/2024	09/25/2023 13:7
LAFAYETTE CO SO	12/14/2023	12:17:53	33321080A4	01/05/2025	01/23/2024 11:25
LAFAYETTE CO SO	12/14/2023	12:18:12	33922080A1	01/05/2025	01/23/2024 11:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000776

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAFAYETTE CO SO	01/26/2023	13:24:13	33321080A4	01/05/2024	02/21/2023 15:23
LAFAYETTE CO SO	06/13/2023	15:26:14	33321080A4	01/05/2024	07/04/2023 11:10
LAFAYETTE CO SO	07/04/2023	11:06:25	33321080A4	01/05/2024	08/28/2023 16:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000777

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLUMBIA COUNTY SO	02/23/2023	07:42:10	08622080A3	06/05/2024	02/23/2023 8:33
COLUMBIA COUNTY SO	09/30/2023	19:24:45	08622080A3	06/05/2024	09/30/2023 20:5
COLUMBIA COUNTY SO	10/24/2023	17:47:01	08622080A3	06/05/2024	10/24/2023 19:46

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000778

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS JACKSONVILLE PD	02/02/2023	09:51:10	07622080A3	05/05/2024	02/22/2023 15:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000779

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MADISON COUNTY SO	09/26/2023	14:22:46	33321080A4	01/05/2024	11/14/2023 15:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000780

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUWANNEE CO SO	08/15/2023	19:18:10	402623825	12/25/2025	08/15/2023 20:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000782

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	07/07/2023	07:02:05	402328118	01/20/2025	07/07/2023 9:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000784

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	06/20/2023	13:18:04	402328118	01/20/2025	06/20/2023 15:51
FL HIGHWAY PATROL	11/19/2023	13:27:44	402843437	09/08/2026	11/19/2023 15:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000785

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	08/17/2023	07:23:55	2402328118	01/20/2025	08/17/2023 9:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000787

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULF BREEZE PD	03/02/2023	02:03:13	1356262	08/03/2023	03/02/2023 22:14
GULF BREEZE PD	04/08/2023	04:44:13	402367487	04/28/2025	04/10/2023 10:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000788

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	05/24/2023	12:35:45	22722080A1	10/05/2024	05/30/2023 11:49
ST LUCIE COUNTY SO	05/24/2023	12:36:24	22722080A1	10/05/2024	05/30/2023 11:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000792

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	10/26/2023	09:35:12	08223080A4	06/05/2025	11/29/2023 10:32

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000794

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	02/23/2023	12:30:16	22722080A1	10/05/2024	03/29/2023 11:34
ST LUCIE COUNTY SO	06/28/2023	15:54:27	22722080A1	10/05/2024	07/26/2023 11:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000795

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULF COUNTY SO	02/02/2023	16:27:11	402607186	12/02/2025	02/26/2023 21:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000797

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAMILTON COUNTY SO	05/04/2023	04:58:12	29122080A1	12/05/2024	05/28/2023 18:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000809

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DIXIE COUNTY SO	08/08/2023	10:38:20	08223080A5	06/05/2025	08/08/2023 11:22
DIXIE COUNTY SO	08/08/2023	10:41:44	08223080A5	06/05/2025	08/08/2023 11:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000811

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PERRY POLICE DEPT	02/21/2023	15:24:43	33321080A4	01/05/2024	02/21/2023 15:32
PERRY POLICE DEPT	08/28/2023	17:01:31	33321080A4	01/05/2024	09/27/2023 14:26
PERRY POLICE DEPT	12/14/2023	12:58:18	08223080A2	05/05/2025	01/23/2024 11:36

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000812

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY S.O.	03/01/2023	06:04:10	30822080A1	12/05/2024	03/17/2023 13:59
HERNANDO COUNTY S.O.	08/13/2023	18:06:19	08223080A3	06/05/2025	08/13/2023 19:22
HERNANDO COUNTY S.O.	12/17/2023	14:32:16	08223080A3	06/05/2025	12/29/2023 8:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000813

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	06/03/2023	03:28:56	402607186	12/02/2025	06/27/2023 10:48
MARION COUNTY SO	07/27/2023	08:40:24	33522080A5	01/05/2025	08/23/2023 10:0
MARION COUNTY SO	09/14/2023	18:01:31	402806340	07/26/2026	09/20/2023 15:29
MARION COUNTY SO	10/25/2023	15:28:45	402806340	07/26/2026	11/27/2023 15:44
MARION COUNTY SO	11/17/2023	18:14:52	402806340	07/26/2026	11/27/2023 15:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000814

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY S.O.	03/17/2023	11:58:08	30822080A1	12/05/2024	03/17/2023 14:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000815

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUMTER COUNTY SO	02/27/2023	08:52:58	221303	01/05/2025	03/02/2023 22:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000816

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUMTER CO SO	07/24/2023	18:33:29	221303	01/05/2025	07/24/2023 19:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000817

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CITRUS COUNTY SO	03/31/2023	16:46:33	15421080A1	08/05/2023	05/02/2023 11:0
CITRUS COUNTY SO	03/31/2023	17:54:08	15421080A1	08/05/2023	05/02/2023 11:0
CITRUS COUNTY SO	04/25/2023	10:52:04	15421080A1	08/05/2023	05/02/2023 11:0
CITRUS COUNTY SO	12/18/2023	09:59:58	223083	06/05/2025	12/18/2023 10:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000819

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CITRUS COUNTY SO	07/27/2023	15:17:58	223083	06/05/2025	07/27/2023 16:28
CITRUS COUNTY SO	07/27/2023	15:18:24	223083	06/05/2025	07/27/2023 16:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000822

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY S.O.	08/30/2023	16:34:47	33522080A5	01/05/2025	08/30/2023 17:32
LAKE COUNTY S.O.	09/22/2023	01:47:44	33522080A5	01/05/2025	09/22/2023 6:42
LAKE COUNTY S.O.	10/29/2023	03:11:34	33522080A5	01/05/2025	11/28/2023 9:25
LAKE COUNTY S.O.	11/19/2023	23:27:23	33522080A5	01/05/2025	11/28/2023 9:25
LAKE COUNTY S.O.	11/20/2023	02:46:16	33522080A5	01/05/2025	11/28/2023 9:25
LAKE COUNTY S.O.	12/01/2023	00:01:59	33522080A5	01/05/2025	12/19/2023 9:5

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000823

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	01/01/2023	03:31:49	15922080A3	08/05/2024	01/30/2023 8:46
LAKE COUNTY SO	04/27/2023	09:36:11	15922080A3	08/05/2024	05/08/2023 13:50
LAKE COUNTY SO	06/04/2023	03:06:26	1392108042	07/05/2023	06/21/2023 19:51
LAKE COUNTY SO	06/04/2023	03:07:58	33522080A5	01/05/2025	06/21/2023 19:51
LAKE COUNTY SO	08/21/2023	22:05:43	33522080A5	01/05/2025	08/30/2023 15:37
LAKE COUNTY SO	12/19/2023	08:13:26	33522080A5	01/05/2025	12/19/2023 9:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000824

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEESBURG P.D.	08/23/2023	14:51:07	08223080A5	06/05/2025	09/27/2023 13:56
LEESBURG P.D.	11/14/2023	06:47:48	08223080A5	06/05/2025	11/21/2023 8:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000827

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	02/20/2023	16:03:20	402498227	07/22/2025	03/29/2023 10:32
MARION COUNTY SO	04/26/2023	11:41:50	402370890	05/09/2025	05/24/2023 11:58
MARION COUNTY SO	06/27/2023	11:04:52	402690226	03/09/2026	07/27/2023 1:23

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000830

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/19/2023	05:50:35	35521080A2	03/05/2024	03/02/2023 10:27
HILLSBOROUGH CO SO	02/19/2023	05:51:45	35521080A2	03/05/2024	03/02/2023 10:27
HILLSBOROUGH CO SO	06/05/2023	07:17:28	35521080A2	03/05/2024	06/05/2023 10:6
HILLSBOROUGH CO SO	07/29/2023	04:59:13	29122080A1	12/05/2024	08/01/2023 10:19
HILLSBOROUGH CO SO	07/29/2023	04:59:34	29122080A1	12/05/2024	08/01/2023 10:19
HILLSBOROUGH CO SO	12/01/2023	07:27:20	29122080A1	12/05/2024	12/01/2023 10:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000831

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	07/26/2023	18:43:43	15922080A5	08/05/2024	07/26/2023 21:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000832

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	06/01/2023	16:13:53	15922080A5	08/05/2024	06/01/2023 19:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000836

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UMATILLA PD(LAKE SO)	08/30/2023	14:54:59	15922080A3	08/05/2024	08/30/2023 16:27
UMATILLA PD(LAKE SO)	08/30/2023	15:16:10	33522080A5	01/05/2025	08/30/2023 16:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000838

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY BEACH PD	01/14/2023	05:44:36	402609610	12/09/2025	01/18/2023 18:36
PANAMA CITY BEACH PD	01/16/2023	16:28:09	402609610	12/09/2025	01/18/2023 18:36
PANAMA CITY BEACH PD	03/11/2023	15:13:16	402609610	12/09/2025	04/08/2023 16:2
PANAMA CITY BEACH PD	06/07/2023	06:16:54	402609610	12/09/2025	06/08/2023 13:7
PANAMA CITY BEACH PD	07/07/2023	12:26:39	402754628	05/30/2026	07/07/2023 15:5
PANAMA CITY BEACH PD	09/07/2023	13:14:35	402806079	07/26/2026	09/07/2023 15:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000840

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY PD	02/24/2023	16:46:08	1506449	06/10/2024	10/23/2023 13:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000859

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CAPE CORAL PD	02/14/2023	10:18:44	26422080A1	11/05/2024	03/08/2023 11:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000861

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	04/09/2023	10:12:30	15922080A4	08/05/2024	04/13/2023 7:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000867

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	07/05/2023	15:34:23	1433249	01/08/2024	08/03/2023 8:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000871

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CORAL GABLES PD	02/04/2023	23:33:30	212641	10/05/2024	03/04/2023 17:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000875

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CALHOUN COUNTY SO	06/02/2023	13:09:45	1482048	04/21/2024	06/21/2023 13:22
CALHOUN COUNTY SO	06/02/2023	13:10:07	1482048	04/21/2024	06/21/2023 13:22
CALHOUN COUNTY SO	06/02/2023	13:10:16	1482048	04/21/2024	06/21/2023 13:22
CALHOUN COUNTY SO	06/02/2023	13:10:31	1482048	04/21/2024	06/21/2023 13:22
CALHOUN COUNTY SO	06/02/2023	13:12:31	1482048	04/21/2024	06/21/2023 13:22
CALHOUN COUNTY SO	06/02/2023	13:13:45	1482048	04/21/2024	06/21/2023 13:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000879

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI BEACH PD	09/21/2023	09:18:19	402290677	12/07/2024	09/21/2023 11:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000880

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	06/29/2023	00:53:51	33321080A2	01/05/2024	07/06/2023 2:36
MIAMI-DADE PD	06/29/2023	00:53:58	33321080A2	01/05/2024	07/06/2023 2:36
MIAMI-DADE PD	08/17/2023	02:23:59	33321080A2	01/05/2024	08/17/2023 4:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000881

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	11/03/2023	00:11:16	33321080A2	01/05/2024	11/03/2023 2:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000882

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	08/16/2023	23:05:30	33321080A2	01/05/2024	08/17/2023 2:33
MIAMI-DADE PD	08/16/2023	23:05:37	33321080A2	01/05/2024	08/17/2023 2:33
MIAMI DADE PD	11/03/2023	00:13:11	33321080A2	01/05/2024	11/03/2023 2:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000884

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	08/16/2023	23:13:43	33321080A2	01/05/2024	08/17/2023 2:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000886

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NORTH MIAMI BEACH PD	05/10/2023	07:58:50	06023080A2	04/05/2025	05/12/2023 10:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000887

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP A	03/25/2023	02:18:43	2402328118	01/20/2025	04/11/2023 11:3
FHP TROOP A	06/20/2023	13:30:14	2402328118	01/20/2025	06/20/2023 16:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000888

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	08/16/2023	07:50:34	AG233401	11/30/2024	08/16/2023 9:6
PINELLAS COUNTY SO	12/07/2023	21:37:46	AG233401	11/30/2024	12/20/2023 9:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000889

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	11/08/2023	08:40:16	AG233401	11/30/2024	11/08/2023 10:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000890

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	07/28/2023	00:54:38	AG233401	11/30/2024	08/16/2023 5:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000891

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	05/12/2023	17:14:18	402469736	06/16/2025	05/15/2023 16:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000892

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	01/23/2023	18:24:24	15421080A1	08/05/2023	02/06/2023 15:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000901

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC TAMPA	01/11/2023	15:32:16	15922080A4	08/05/2024	02/13/2023 14:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000902

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC TAMPA	01/28/2023	15:51:57	15421080A1	08/05/2023	02/13/2023 13:47
FFWCC TAMPA	07/28/2023	12:51:40	15922080A4	08/05/2024	07/28/2023 13:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000905

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	05/22/2023	16:41:24	AG310302	04/13/2025	05/22/2023 19:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000906

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FISH & WILDLIFE CC	06/28/2023	11:16:06	402590345	11/04/2025	06/28/2023 13:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000908

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ST JOE PD	05/14/2023	20:28:49	212952	03/05/2024	05/18/2023 2:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000914

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MYERS PD	03/03/2023	15:32:19	33321080A3	01/05/2024	03/29/2023 18:28
FORT MYERS PD	03/28/2023	07:07:18	33321080A3	01/05/2024	03/29/2023 18:28
FORT MYERS PD	09/19/2023	12:47:10	08223080A3	06/05/2025	10/25/2023 10:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000938

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	03/13/2023	08:26:37	35521080A3	03/05/2024	03/13/2023 9:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000939

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	09/18/2023	09:41:01	29122080A2	12/05/2024	09/18/2023 10:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000941

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	03/08/2023	10:23:43	33922080A1	01/05/2025	03/08/2023 11:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000942

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	12/28/2023	06:25:50	33922080A1	01/05/2025	01/10/2024 15:30
COLLIER COUNTY SO	12/28/2023	06:26:29	33922080A1	01/05/2025	01/10/2024 15:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000946

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	08/22/2023	20:47:28	33321080A2	01/05/2024	08/22/2023 22:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000947

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GLADES COUNTY S.O.	08/21/2023	09:56:43	06022080A4	04/05/2024	08/23/2023 12:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000948

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GLADES COUNTY SO	09/20/2023	13:27:34	0602280A4	04/05/2024	09/20/2023 14:48
GLADES COUNTY SO	11/15/2023	12:56:28	0602280A4	04/05/2024	11/15/2023 16:3
GLADES COUNTY SO	11/15/2023	13:44:14	06022080A4	04/05/2024	11/15/2023 16:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000949

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TALLAHASSEE PD	02/02/2023	07:30:38	33922080A2	01/05/2025	02/02/2023 8:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000952

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FRANKLIN COUNTY SO	02/22/2023	11:44:20	33321080A4	01/05/2024	03/22/2023 11:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000954

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JEFFERSON COUNTY SO	02/02/2023	16:21:53	03521080A3	03/05/2023	02/06/2023 13:33
JEFFERSON COUNTY SO	02/06/2023	13:21:20	33922080A1	01/05/2025	02/06/2023 13:33
JEFFERSON COUNTY SO	03/02/2023	15:26:44	33922080A1	01/05/2025	04/26/2023 12:44
JEFFERSON COUNTY SO	05/22/2023	16:26:58	33922080A1	01/05/2025	06/13/2023 11:35
JEFFERSON COUNTY SO	05/22/2023	16:27:24	33922080A1	01/05/2025	06/13/2023 11:35
JEFFERSON COUNTY SO	08/24/2023	14:39:31	33922080A1	01/05/2025	09/26/2023 14:16
JEFFERSON COUNTY SO	12/18/2023	14:32:42	33922080A1	01/05/2025	01/22/2024 13:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000956

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JEFFERSON COUNTY SO	01/11/2023	14:44:07	03521080A3	03/05/2023	02/08/2023 10:29
JEFFERSON COUNTY SO	04/26/2023	14:09:50	33922080A1	01/05/2025	05/22/2023 15:26
JEFFERSON COUNTY SO	07/03/2023	15:37:35	33922080A1	01/05/2025	08/24/2023 13:41
JEFFERSON COUNTY SO	09/26/2023	15:28:51	33922080A1	01/05/2025	10/16/2023 12:22
JEFFERSON COUNTY SO	10/16/2023	14:36:53	33922080A1	01/05/2025	10/17/2023 11:22
JEFFERSON COUNTY SO	11/27/2023	13:43:28	33922080A1	01/05/2025	12/18/2023 12:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000958

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	02/08/2023	11:52:26	33321080A4	01/05/2024	03/03/2023 15:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000959

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GADSDEN COUNTY SO	01/24/2023	15:35:23	33321080A4	01/05/2024	03/20/2023 16:24
GADSDEN COUNTY SO	03/20/2023	17:22:16	33922080A1	01/05/2025	04/24/2023 12:27
GADSDEN COUNTY SO	04/25/2023	14:23:08	33922080A1	01/05/2025	05/16/2023 15:43
GADSDEN COUNTY SO	05/16/2023	15:40:34	33922080A1	01/05/2025	06/08/2023 12:6
GADSDEN COUNTY SO	06/08/2023	13:16:52	33922080A1	01/05/2025	07/06/2023 15:16
GADSDEN COUNTY SO	07/06/2023	15:18:06	33922080A1	01/05/2025	09/05/2023 8:44
GADSDEN COUNTY SO	09/28/2023	09:38:36	33922080A1	01/05/2025	10/11/2023 13:42
GADSDEN COUNTY SO	10/11/2023	15:17:56	33922080A1	01/05/2025	11/21/2023 13:38

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000960

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LIBERTY COUNTY SO	01/24/2023	12:21:16	33321080A4	01/05/2024	02/16/2023 12:54
LIBERTY COUNTY SO	02/16/2023	16:46:43	33922080A1	01/05/2025	03/07/2023 12:1
LIBERTY COUNTY SO	03/07/2023	12:13:06	33922080A1	01/05/2025	04/12/2023 11:40
LIBERTY COUNTY SO	04/12/2023	12:11:22	33922080A1	01/05/2025	05/16/2023 12:9
LIBERTY COUNTY SO	05/16/2023	12:30:07	33922080A1	01/05/2025	06/13/2023 11:39
LIBERTY COUNTY SO	05/16/2023	12:30:12	33922080A1	01/05/2025	06/13/2023 11:39
LIBERTY COUNTY SO	07/06/2023	16:06:12	33922080A1	01/05/2025	08/23/2023 16:14
LIBERTY COUNTY SO	08/23/2023	16:21:28	33922080A1	01/05/2025	09/12/2023 13:23
LIBERTY COUNTY SO	09/12/2023	14:44:16	33922080A1	01/05/2025	10/11/2023 13:39
LIBERTY COUNTY SO	10/11/2023	14:01:10	33922080A1	01/05/2025	11/20/2023 15:27
LIBERTY COUNTY SO	11/20/2023	15:45:06	33922080A1	01/05/2025	01/29/2024 16:14

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000961

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WAKULLA COUNTY SO	01/25/2023	13:56:12	08121080A1	05/05/2023	03/20/2023 16:6
WAKULLA COUNTY SO	03/20/2023	16:04:20	33922080A1	01/05/2025	04/27/2023 15:37
WAKULLA COUNTY SO	03/20/2023	16:19:34	33922080A1	01/05/2025	04/27/2023 15:38
WAKULLA COUNTY SO	04/28/2023	09:09:26	33922080A1	01/05/2025	05/10/2023 12:46
WAKULLA COUNTY SO	05/11/2023	08:36:48	33922080A1	01/05/2025	06/12/2023 15:12
WAKULLA COUNTY SO	06/12/2023	16:36:24	33922080A1	01/05/2025	07/10/2023 12:1
WAKULLA COUNTY SO	07/11/2023	08:16:00	33922080A1	01/05/2025	09/06/2023 13:57
WAKULLA COUNTY SO	08/30/2023	00:09:10	33922080A1	01/05/2025	09/06/2023 13:57
WAKULLA COUNTY SO	09/06/2023	20:01:07	33922080A1	01/05/2025	10/19/2023 12:5
WAKULLA COUNTY SO	10/19/2023	14:49:09	33922080A1	01/05/2025	11/14/2023 12:27
WAKULLA COUNTY SO	11/14/2023	20:02:34	33922080A1	01/05/2025	12/20/2023 11:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000962

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WAKULLA COUNTY SO	12/20/2023	14:51:26	33922080A1	01/05/2025	01/25/2024 12:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000963

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	11/06/2023	11:13:53	14323080A3	09/05/2025	11/08/2023 11:54
ORANGE COUNTY S.O.	11/06/2023	11:14:06	14323080A3	09/05/2025	11/08/2023 12:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000964

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	01/05/2023	11:32:56	07622080A3	05/05/2024	01/20/2023 13:48
ORANGE COUNTY SO	01/05/2023	11:33:25	07622080A3	05/05/2024	01/20/2023 13:48
ORANGE COUNTY SO	06/21/2023	09:13:20	07622080A3	05/05/2024	06/21/2023 10:12
ORANGE COUNTY SO	06/21/2023	09:13:39	07622080A3	05/05/2024	06/21/2023 10:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000965

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
QUINCY PD	02/17/2023	16:45:42	33321080A4	01/05/2024	03/08/2023 15:14
QUINCY PD	03/08/2023	15:53:34	33321080A4	01/05/2025	03/21/2023 9:7
QUINCY PD	03/08/2023	15:53:58	33921080A1	01/05/2025	03/21/2023 9:7
QUINCY PD	03/18/2023	10:10:39	33922080A1	01/05/2025	03/21/2023 9:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000966

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY SO	08/29/2023	09:06:50	402328118	01/20/2025	09/12/2023 18:42
OSCEOLA COUNTY SO	08/29/2023	09:08:19	402328118	01/20/2025	09/12/2023 18:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000967

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT RICHEY PD	08/28/2023	18:53:01	3024023708	05/09/2025	08/28/2023 20:18
PORT RICHEY PD	09/08/2023	11:07:02	402370890	05/09/2025	09/27/2023 18:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000996

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TITUSVILLE PD	04/01/2023	12:22:27	33321080A2	01/05/2024	04/18/2023 8:12
TITUSVILLE PD	05/25/2023	09:11:16	33321080A2	01/05/2024	05/25/2023 11:41
TITUSVILLE PD	06/30/2023	10:30:16	33321080A2	01/05/2024	06/30/2023 10:52
TITUSVILLE PD	07/31/2023	14:53:31	33321080A2	01/05/2024	07/31/2023 16:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001000

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COCOA PD	11/02/2023	10:54:23	14323080A2	06/05/2025	12/06/2023 10:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001001

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SATELLITE BEACH P.D.	10/28/2023	02:44:59	402783528	06/27/2026	10/31/2023 3:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001005

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	02/18/2023	20:13:59	AG205902	02/28/2024	02/19/2023 3:14
PINELLAS COUNTY SO	04/29/2023	01:31:42	AG210103	04/11/2024	05/10/2023 16:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001006

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIALANTIC PD	10/20/2023	13:26:48	14323080A3	09/05/2025	10/20/2023 16:59

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001008

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WEST MELBOURNE P.D.	03/04/2023	07:39:19	33922080A1	01/05/2025	04/06/2023 15:24
WEST MELBOURNE P.D.	03/04/2023	07:39:31	33922080A1	01/05/2025	04/06/2023 15:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001009

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	11/28/2023	13:10:07	29122080A1	12/05/2024	11/28/2023 13:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001010

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	11/15/2023	14:04:09	24923080A3	10/05/2025	11/30/2023 10:31
BREVARD COUNTY S.O.	11/15/2023	14:04:18	24923080A3	10/05/2025	11/30/2023 10:31

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001018

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	03/25/2023	05:57:28	07622080A3	05/05/2024	03/27/2023 14:2
JACKSONVILLE SO	10/25/2023	08:03:17	07622080A3	05/05/2024	10/25/2023 9:33
JACKSONVILLE SO	12/21/2023	10:57:35	08223080A3	06/05/2025	01/28/2024 9:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001042

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS PARK PD	02/20/2023	13:58:34	35521080A2	03/05/2024	02/20/2023 15:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001044

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COCONUT CREEK PD	04/26/2023	12:42:47	402357111	02/10/2025	04/26/2023 14:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001045

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/02/2023	11:23:34	08121080A2	05/05/2023	02/15/2023 11:39
JACKSONVILLE SO	04/24/2023	06:33:47	01923080A4	02/05/2025	05/24/2023 16:34
JACKSONVILLE SO	06/23/2023	09:29:23	01923080A4	02/05/2025	07/20/2023 12:56
JACKSONVILLE SO	10/25/2023	07:59:35	01923080A4	02/05/2025	10/25/2023 9:31
JACKSONVILLE SO	11/24/2023	16:59:37	08223080A3	06/05/2025	12/16/2023 13:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001048

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE ALFRED PD	12/28/2023	19:47:12	28423080A2	11/05/2025	12/28/2023 22:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001049

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	02/07/2023	19:02:31	08622080A2	06/05/2024	02/07/2023 19:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001050

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CORAL SPRINGS PD	04/07/2023	10:48:49	26422080A1	11/05/2024	04/07/2023 11:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001053

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU CO SO	05/29/2023	19:03:00	26422080A1	11/05/2024	06/27/2023 0:6
NASSAU COUNTY SO	12/25/2023	21:27:47	26422080A1	11/05/2024	12/25/2023 23:5

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001056

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAVIE PD	01/23/2023	09:39:48	1497672	05/20/2024	02/16/2023 10:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001057

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKELAND PD	05/30/2023	10:06:19	06723080A5	04/05/2025	05/30/2023 11:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001059

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FERNANDINA BEACH PD	03/13/2023	04:13:10	22722080A1	10/05/2024	03/13/2023 8:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001060

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WINTER HAVEN PD	05/08/2023	12:35:02	07622080A2	05/05/2024	05/08/2023 13:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001065

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TARPON SPRINGS PD	02/15/2023	07:02:16	01923080A3	02/05/2025	02/20/2023 8:42
TARPON SPRINGS PD	08/03/2023	13:28:55	01923080A3	02/05/2025	08/03/2023 14:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001066

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	05/27/2023	19:32:02	AG229803	10/25/2024	06/14/2023 12:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001067

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CITY OF MIRAMAR POL	08/02/2023	10:46:08	402477284	06/27/2025	09/13/2023 11:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001068

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEARWATER PD	01/08/2023	19:37:07	35521080A2	03/05/2024	01/20/2023 1:6
CLEARWATER PD	01/08/2023	19:37:36	07622089A2	05/05/2024	01/20/2023 1:7
CLEARWATER PD	02/28/2023	05:58:44	33922080A1	01/05/2025	02/28/2023 10:54
CLEARWATER PD	06/30/2023	20:28:01	33922080A1	01/05/2025	08/01/2023 2:2
CLEARWATER PD	07/29/2023	21:39:15	08223080A4	06/05/2025	08/01/2023 2:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001069

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	03/31/2023	15:28:19	01923080A4	02/05/2025	04/21/2023 11:1
JACKSONVILLE SO	05/28/2023	12:59:39	07622080A3	05/05/2024	06/14/2023 14:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001071

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	07/22/2023	13:57:25	07622080A2	05/05/2024	07/28/2023 1:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001073

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DADE CITY PD	11/09/2023	14:49:53	14323080A3	09/05/2025	11/28/2023 16:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001074

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	07/06/2023	08:15:04	08622080A2	06/05/2024	07/11/2023 15:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001076

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ZEPHYRHILLS PD	04/27/2023	12:25:55	06023080A2	04/05/2025	04/27/2023 13:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001078

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	06/21/2023	08:16:52	06023080A1	04/05/2025	06/21/2023 9:53
ST PETERSBURG PD	08/18/2023	12:29:52	08622080A1	06/05/2024	09/05/2023 8:30
ST PETERSBURG PD	10/25/2023	10:50:37	06023080A1	04/05/2025	11/30/2023 9:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001079

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LARGO PD	09/18/2023	11:33:59	15922080A4	08/05/2024	09/18/2023 12:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001080

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK CSO	05/17/2023	15:53:13	26422080A1	11/05/2024	05/18/2023 12:1
POLK CSO	08/15/2023	10:04:39	08223080A2	05/05/2025	08/15/2023 10:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001082

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PLANTATION PD	06/01/2023	15:24:22	223083	04/05/2025	07/03/2023 12:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	10/04/2023	10:45:59	08223080A3	06/05/2025	10/25/2023 12:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001109

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/28/2023	13:45:22	1433249	01/08/2024	02/28/2023 15:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001111

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	06/15/2023	19:58:13	1482048	04/21/2024	07/06/2023 21:26
FL HIGHWAY PATROL	08/13/2023	08:30:09	2402328118	01/20/2025	08/13/2023 11:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001113

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/29/2023	04:28:43	02422080A1	02/05/2024	05/29/2023 4:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001115

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/15/2023	18:15:04	33321080A4	01/05/2024	02/22/2023 15:5
FL HIGHWAY PATROL	02/22/2023	15:00:47	33922080A1	01/05/2025	03/24/2023 13:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001116

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
EGLIN AFB	05/23/2023	05:35:49	402635303	01/25/2026	05/23/2023 8:2
EGLIN AFB	05/23/2023	05:36:11	402635303	01/25/2026	05/23/2023 8:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001117

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	05/08/2023	10:34:10	08622080A2	06/05/2024	07/11/2023 15:37
PASCO COUNTY SO	07/11/2023	15:46:55	08622080A2	06/05/2024	08/28/2023 14:5

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001118

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/19/2023	17:45:19	402328118	01/20/2025	01/25/2023 11:26
FL HIGHWAY PATROL	01/19/2023	17:45:25	402328118	01/20/2025	01/25/2023 11:26
FL HIGHWAY PATROL	03/07/2023	11:45:27	2402477284	06/27/2025	03/07/2023 13:50
FL HIGHWAY PATROL	07/05/2023	08:40:34	2402477284	06/27/2025	07/05/2023 11:28
FL HIGHWAY PATROL	11/28/2023	22:34:03	2402843437	09/08/2026	11/29/2023 0:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001119

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	12/28/2023	07:39:50	402372586	10/12/2026	12/28/2023 9:56

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001127

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	03/14/2023	09:19:54	26422080A1	11/05/2024	03/14/2023 10:32
POLK COUNTY SO	11/14/2023	10:22:28	08223080A2	05/05/2025	11/14/2023 10:35
POLK COUNTY SO	11/26/2023	03:23:37	8223080A2	05/05/2025	12/05/2023 10:20
POLK COUNTY SO	11/26/2023	03:24:07	8223080A2	05/05/2025	12/05/2023 10:20
POLK COUNTY SO	11/26/2023	03:24:13	8223080A2	05/05/2025	12/05/2023 10:20
POLK COUNTY SO	11/26/2023	03:24:17	8223080A2	05/05/2025	12/05/2023 10:20
POLK COUNTY SO	11/26/2023	03:24:41	8223080A2	05/05/2025	12/05/2023 10:20
POLK COUNTY SO	11/26/2023	03:25:30	8223080A2	05/05/2025	12/05/2023 10:20
POLK COUNTY SO	11/26/2023	03:31:45	8223080A2	05/05/2025	12/05/2023 10:20
POLK COUNTY SO	11/26/2023	03:31:50	8223080A2	05/05/2025	12/05/2023 10:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001128

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PUTNAM COUNTY SO	11/27/2023	09:21:57	26422080A1	11/05/2024	11/27/2023 10:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001129

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PUTNAM COUNTY SO	04/28/2023	09:45:04	26422080A1	11/05/2024	04/28/2023 10:59

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001132

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY S.O.	05/22/2023	13:36:21	402498227	07/22/2025	05/30/2023 13:32
VOLUSIA COUNTY S.O.	05/22/2023	13:36:29	402498227	07/22/2025	05/30/2023 13:32

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001135

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH P.D.	09/15/2023	12:05:41	402290677	12/07/2024	09/15/2023 13:5

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001138

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FLAGLER COUNTY SO	03/12/2023	04:45:03	33321080A3	01/05/2024	03/16/2023 9:34
FLAGLER COUNTY SO	08/29/2023	08:17:01	06022080A3	04/05/2024	08/29/2023 9:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	02/09/2023	13:27:23	33021080A1	01/05/2025	03/03/2023 15:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001154

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY SO	02/02/2023	12:29:08	402498227	07/22/2025	02/02/2023 12:44
VOLUSIA COUNTY SO	12/05/2023	10:52:26	402397742	03/25/2025	01/30/2024 11:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001155

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
EGLIN AFB	05/23/2023	05:37:18	402648278	01/27/2026	05/23/2023 8:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001158

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PONCE INLET PD	01/13/2023	09:52:12	402558895	10/03/2025	01/23/2023 12:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY SO	11/30/2023	07:27:02	24923080A3	10/05/2025	11/30/2023 8:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLERMONT P.D.	10/27/2023	11:02:40	402357111	02/10/2025	10/27/2023 12:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001177

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GROVELAND PD	09/25/2023	15:25:03	28021080A2	12/05/2023	09/25/2023 16:8
GROVELAND PD	12/04/2023	12:59:08	07622080A2	05/05/2024	12/04/2023 13:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	06/01/2023	21:30:12	15922080A5	08/05/2024	06/02/2023 14:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY BEACH PD	06/13/2023	12:48:55	402357111	02/10/2025	07/24/2023 13:8

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001201

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	06/02/2023	15:20:32	13	01/05/2025	06/05/2023 12:35
COLLIER COUNTY SO	06/02/2023	15:21:26	33922080A1	01/05/2025	06/05/2023 12:35
COLLIER COUNTY SO	12/28/2023	06:28:07	33922080A1	01/05/2025	01/10/2024 14:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001202

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	06/02/2023	15:09:35	33922080A1	01/05/2025	06/05/2023 12:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY PD	02/24/2023	15:30:12	1411958	12/16/2023	02/24/2023 17:25
PANAMA CITY PD	02/24/2023	15:30:27	1411958	12/16/2023	02/24/2023 17:25
PANAMA CITY PD	02/24/2023	15:55:59	1421958	12/16/2023	02/24/2023 17:25
PANAMA CITY PD	03/21/2023	20:31:59	2402678400	02/24/2026	04/10/2023 16:29
PANAMA CITY PD	07/11/2023	20:56:49	2402678400	02/24/2026	08/15/2023 12:33
PANAMA CITY PD	09/15/2023	07:32:15	2402678400	02/24/2026	09/15/2023 9:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001205

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS PENSACOLA PD	12/05/2023	00:33:52	06723080A5	04/05/2025	01/05/2024 11:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001208

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	01/12/2023	07:46:46	35521080A3	03/05/2024	01/12/2023 9:17
LEE COUNTY SO	01/18/2023	08:21:17	29122080A2	12/05/2024	02/21/2023 10:1
LEE COUNTY SO	06/12/2023	09:40:15	35521080A3	03/05/2024	06/12/2023 10:55
LEE COUNTY SO	07/12/2023	10:31:18	35521080A3	03/05/2024	08/21/2023 9:34
LEE COUNTY SO	08/07/2023	10:38:29	22521080A1	10/05/2023	08/21/2023 9:34
LEE COUNTY SO	10/18/2023	03:50:26	29122080A2	12/05/2024	10/18/2023 9:32

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001231

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
AUBURNDALE PD	01/04/2023	10:42:31	33522080A5	01/05/2025	01/16/2023 15:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	08/30/2023	15:44:53	33522080A5	01/05/2025	09/22/2023 6:47
LAKE COUNTY SO	10/25/2023	06:29:59	15922080A3	08/05/2024	10/25/2023 8:47
LAKE COUNTY SO	10/29/2023	03:39:12	15922080A3	08/05/2024	11/28/2023 9:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH SHORES	11/09/2023	17:17:58	402477284	06/27/2025	11/09/2023 18:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001244

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PUTNAM COUNTY SO	05/04/2023	12:51:19	26422080A1	11/05/2024	05/04/2023 13:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001245

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ORANGE P.D.	12/06/2023	15:43:07	402328118	01/25/2025	01/31/2024 14:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001246

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SOUTH DAYTONA P.D.	09/24/2023	06:49:21	402806079	07/26/2026	09/24/2023 7:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001247

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	06/09/2023	02:00:33	33321080A2	01/05/2024	06/09/2023 8:6
FDLE	06/09/2023	02:00:38	33321080A2	01/05/2024	06/09/2023 8:7
FDLE	07/13/2023	22:56:12	33321080A2	01/05/2024	07/14/2023 1:25
FDLE	07/13/2023	22:56:17	33321080A2	01/05/2024	07/14/2023 1:25
FDLE	08/16/2023	23:08:07	33321080A2	01/05/2024	08/17/2023 2:35
FDLE	08/16/2023	23:08:12	33321080A2	01/05/2024	08/17/2023 2:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001253

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	02/27/2023	07:59:52	25721080A2	11/05/2023	02/27/2023 10:54
BREVARD COUNTY S.O.	11/15/2023	14:57:42	24923080A3	10/05/2025	11/30/2023 8:42
BREVARD COUNTY S.O.	11/15/2023	14:57:48	24923080A3	10/05/2025	11/30/2023 8:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001255

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/19/2023	09:01:34	07622080A3	05/05/2024	01/19/2023 10:42
ORANGE COUNTY S.O.	01/19/2023	09:01:47	07622080A3	05/05/2024	01/19/2023 10:42
ORANGE COUNTY S.O.	08/15/2023	09:40:05	06723080A5	04/05/2025	08/16/2023 12:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	06/21/2023	11:30:14	07622080A3	05/05/2024	06/21/2023 12:29
ORANGE COUNTY S.O.	06/21/2023	11:30:21	07622080A3	05/05/2024	06/21/2023 12:29
ORANGE COUNTY S.O.	10/10/2023	10:01:31	06723080A5	04/05/2025	11/08/2023 13:13
ORANGE COUNTY S.O.	10/10/2023	10:01:41	06723080A5	04/05/2025	11/08/2023 13:13
ORANGE COUNTY S.O.	10/10/2023	13:52:26	06723080A5	04/05/2025	11/08/2023 13:13
ORANGE COUNTY S.O.	10/10/2023	13:52:38	06723080A5	04/05/2025	11/08/2023 13:13

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001257

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	02/14/2023	10:39:21	29122080A1	12/05/2024	02/14/2023 11:46
ORANGE COUNTY S.O.	02/14/2023	10:39:44	29122080A1	12/05/2024	02/14/2023 11:46
ORANGE COUNTY S.O.	04/19/2023	10:44:53	33321080A3	01/05/2024	04/19/2023 10:56
ORANGE COUNTY S.O.	04/19/2023	10:45:14	33321080A3	01/05/2024	04/19/2023 10:56
ORANGE COUNTY S.O.	05/04/2023	12:04:05	29122080A1	12/05/2024	06/21/2023 10:7
ORANGE COUNTY S.O.	05/04/2023	12:04:21	29122080A1	12/05/2024	06/21/2023 10:7
ORANGE COUNTY S.O.	06/15/2023	10:53:03	29122080A1	12/05/2024	06/21/2023 10:7
ORANGE COUNTY S.O.	06/15/2023	10:53:14	29122080A1	12/05/2024	06/21/2023 10:7
ORANGE COUNTY S.O.	07/31/2023	08:26:36	06723080A5	04/05/2025	08/16/2023 12:13
ORANGE COUNTY S.O.	07/31/2023	08:26:54	06723080A5	04/05/2025	08/16/2023 12:13
ORANGE COUNTY S.O.	10/09/2023	09:37:19	29122080A1	12/05/2024	10/10/2023 11:28
ORANGE COUNTY S.O.	11/08/2023	10:36:56	14323080A3	09/05/2025	11/08/2023 11:48
ORANGE COUNTY S.O.	11/08/2023	10:37:15	14323080A3	09/05/2025	11/08/2023 11:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001258

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	03/14/2023	11:18:42	29122080A1	12/05/2024	03/14/2023 13:14
ORANGE COUNTY S.O.	03/14/2023	11:18:57	29122080A1	12/05/2024	03/14/2023 13:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001260

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COCOA P.D.	11/02/2023	10:50:29	14323080A2	06/05/2025	12/06/2023 10:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	07/29/2023	11:51:14	29122080A1	12/05/2024	08/28/2023 9:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY S.O.	09/28/2023	02:33:37	402623830	12/28/2025	10/26/2023 1:53

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001272

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY S.O.	09/28/2023	02:32:23	402623830	12/28/2025	11/23/2023 2:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	04/29/2023	04:11:11	AG229803	10/25/2024	05/12/2023 18:59
PINELLAS COUNTY SO	06/28/2023	20:38:54	AG229803	10/25/2024	07/05/2023 14:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001276

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	08/16/2023	23:07:18	33321080A2	01/05/2024	08/17/2023 2:43
MIAMI-DADE PD	08/16/2023	23:07:27	33321080A2	01/05/2024	08/17/2023 2:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001277

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	08/23/2023	23:27:13	33321080A2	01/05/2024	08/24/2023 2:3
MIAMI-DADE PD	11/03/2023	00:08:54	33321080A2	01/05/2024	11/03/2023 2:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001278

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	05/12/2023	13:16:49	01923080A4	02/05/2025	05/23/2023 11:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001279

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	03/24/2023	11:43:15	07622080A3	05/05/2024	03/27/2023 9:54
JACKSONVILLE SO	09/19/2023	09:14:10	29821080A4	12/05/2023	09/19/2023 11:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001280

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	10/25/2023	07:57:53	01923080A4	02/05/2025	10/25/2023 9:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001284

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GILCHRIST COUNTY SO	02/12/2023	13:24:40	22722080A1	10/05/2024	02/12/2023 13:48
GILCHRIST COUNTY SO	10/15/2023	11:49:24	22722080A1	10/05/2024	11/22/2023 17:1
GILCHRIST COUNTY SO	11/22/2023	16:50:31	22722080A1	10/05/2024	11/22/2023 17:1
GILCHRIST COUNTY SO	12/31/2023	09:48:19	33321080A2	01/05/2024	01/11/2024 10:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001285

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GILCHRIST COUNTY SO	01/22/2023	13:16:22	22722080A1	10/05/2024	02/15/2023 14:0
GILCHRIST COUNTY SO	08/02/2023	16:50:28	22722080A1	10/05/2024	08/31/2023 9:20
GILCHRIST COUNTY SO	09/27/2023	16:47:01	22722080A1	10/05/2024	11/18/2023 13:33
GILCHRIST COUNTY SO	11/18/2023	13:27:12	22722080A1	10/05/2024	12/30/2023 10:43
GILCHRIST COUNTY SO	12/30/2023	10:36:12	22722080A1	10/05/2024	01/01/2024 11:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001288

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UNION COUNTY SO	10/18/2023	16:39:18	402498227	07/22/2025	10/30/2023 12:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001289

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UNION COUNTY SO	10/18/2023	16:40:43	402498227	07/22/2025	10/30/2023 11:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001290

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BRADFORD COUNTY SO	06/19/2023	08:14:36	22722080A1	10/05/2024	07/07/2023 14:33
BRADFORD COUNTY SO	07/11/2023	07:03:10	22722080A1	10/05/2024	08/31/2023 9:28
BRADFORD COUNTY SO	08/31/2023	15:50:43	22722080A1	10/05/2024	10/04/2023 12:54
BRADFORD COUNTY SO	10/15/2023	10:11:43	22722080A1	10/05/2024	11/22/2023 16:59
BRADFORD COUNTY SO	11/23/2023	11:15:34	22722080A1	10/05/2024	01/31/2024 12:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001291

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BRADFORD COUNTY SO	06/17/2023	01:09:10	33321080A2	01/05/2024	06/30/2023 7:45
BRADFORD COUNTY SO	06/23/2023	18:47:29	22722080A1	10/05/2024	06/30/2023 7:45
BRADFORD COUNTY SO	07/01/2023	14:54:54	22722080A1	10/05/2024	09/05/2023 11:36
BRADFORD COUNTY SO	09/28/2023	13:41:29	22722080A1	10/05/2024	11/18/2023 13:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001292

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEVY COUNTY SO	02/08/2023	17:15:49	22722080A1	10/05/2024	03/24/2023 10:10
LEVY COUNTY SO	03/24/2023	15:48:25	22722080A1	10/05/2024	05/01/2023 13:13
LEVY COUNTY SO	05/01/2023	17:33:30	22722080A1	10/05/2024	06/27/2023 20:20
LEVY COUNTY SO	06/29/2023	20:16:45	22722080A1	10/05/2024	09/08/2023 15:9
LEVY COUNTY SO	09/27/2023	15:33:53	22722080A1	10/05/2024	09/27/2023 15:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001302

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	05/08/2023	14:57:32	402558895	10/03/2025	05/08/2023 16:22
SANTA ROSA COUNTY SO	12/10/2023	21:30:06	402558895	10/03/2025	01/08/2024 21:12
SANTA ROSA COUNTY SO	12/10/2023	21:30:11	402558895	10/03/2025	01/08/2024 21:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001305

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARIANNA PD	06/05/2023	07:46:21	1346146	07/07/2023	06/30/2023 14:48
MARIANNA PD	06/05/2023	07:47:45	1346146	07/07/2023	06/30/2023 14:48
MARIANNA PD	06/05/2023	07:48:17	1346146	07/07/2023	06/30/2023 14:48
MARIANNA PD	06/05/2023	07:48:31	1346146	07/07/2023	06/30/2023 14:48
MARIANNA PD	06/05/2023	07:48:36	1346146	07/07/2023	06/30/2023 14:48
MARIANNA PD	06/30/2023	13:51:32	1346146	07/07/2023	07/27/2023 14:11
MARIANNA PD	06/30/2023	13:53:44	402697419	03/20/2026	07/27/2023 14:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001306

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULF BREEZE PD	02/02/2023	00:18:48	1356262	08/03/2023	03/07/2023 1:34
GULF BREEZE PD	03/02/2023	01:54:19	402367487	04/28/2025	03/07/2023 1:34
GULF BREEZE PD	03/02/2023	01:54:28	402367487	04/28/2025	03/07/2023 1:34
GULF BREEZE PD	04/04/2023	00:34:10	1356262	08/03/2023	04/10/2023 10:17
GULF BREEZE PD	04/04/2023	00:34:29	1356262	08/03/2023	04/10/2023 10:17
GULF BREEZE PD	04/04/2023	02:05:10	402367487	04/28/2025	04/10/2023 10:17
GULF BREEZE PD	05/01/2023	23:24:58	402697419	03/20/2026	05/02/2023 21:23
GULF BREEZE PD	05/02/2023	20:17:08	402697419	03/20/2026	05/02/2023 21:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001307

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MADISON COUNTY SO	02/02/2023	15:34:19	33321080A4	01/05/2024	03/02/2023 14:16
MADISON COUNTY SO	05/22/2023	15:39:15	33321080A4	01/05/2024	06/13/2023 11:38
MADISON COUNTY SO	08/24/2023	13:51:26	33321080A4	01/05/2024	09/27/2023 14:27
MADISON COUNTY SO	10/16/2023	12:57:53	33321080A4	01/05/2024	10/17/2023 12:24
MADISON COUNTY SO	10/17/2023	12:30:47	33321080A4	01/05/2024	11/27/2023 11:53
MADISON COUNTY SO	12/18/2023	12:56:45	33922080A1	01/05/2025	01/22/2024 13:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001308

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	07/28/2023	11:24:10	AG310901	04/19/2025	07/28/2023 13:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001309

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	04/30/2023	14:03:35	AG121002	07/29/2023	05/01/2023 11:36
BAY COUNTY SO	07/28/2023	11:17:18	AG310901	04/19/2025	07/28/2023 13:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001310

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NICEVILLE PD	02/10/2023	01:52:52	213073	06/05/2024	02/10/2023 7:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001311

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	08/31/2023	12:09:55	WO32302427	09/11/2024	08/31/2023 14:11
WALTON COUNTY SO	12/06/2023	11:50:09	WO32302427	09/11/2024	12/30/2023 23:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001320

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE CO SO	02/23/2023	14:57:49	402335621	02/14/2025	03/09/2023 10:25
OKEECHOBEE CO SO	02/27/2023	06:46:01	402335621	02/14/2025	03/09/2023 10:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001322

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE PD	12/31/2023	09:42:52	1474747	04/12/2024	12/31/2023 10:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001323

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ST LUCIE PD	10/31/2023	20:12:38	24923080A2	10/05/2025	10/31/2023 21:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001328

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN RIVER CO. SO	02/26/2023	13:32:38	402635303	01/25/2026	03/01/2023 7:43
INDIAN RIVER CO. SO	06/03/2023	15:57:25	402635303	01/25/2026	06/06/2023 11:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001329

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN RIVER CO. SO	01/28/2023	16:45:25	402477284	06/27/2025	02/01/2023 10:0
INDIAN RIVER CO. SO	08/03/2023	14:15:09	402635303	01/25/2026	08/03/2023 15:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001344

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	02/24/2023	20:50:58	15421080A1	08/05/2023	03/01/2023 15:44
SARASOTA COUNTY SO	02/25/2023	18:44:53	15421080A1	08/05/2023	03/01/2023 15:44
SARASOTA COUNTY SO	02/25/2023	18:50:28	15922080A4	08/05/2024	03/01/2023 15:44
SARASOTA COUNTY SO	05/12/2023	09:29:29	15922080A4	08/05/2024	05/15/2023 15:58
SARASOTA COUNTY SO	10/16/2023	20:15:30	08223080A2	05/05/2025	10/18/2023 10:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001345

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
EUSTIS P.D.	07/30/2023	06:43:41	402328118	01/20/2025	07/30/2023 7:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001346

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	03/01/2023	14:21:50	15022080A4	08/05/2024	04/04/2023 9:24
SARASOTA COUNTY SO	04/13/2023	07:42:13	15922080A4	08/05/2024	05/16/2023 18:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001347

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	04/09/2023	04:27:28	15922080A4	08/05/2024	04/13/2023 7:25
SARASOTA COUNTY SO	10/18/2023	10:10:11	08223080A2	05/05/2025	10/18/2023 11:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001348

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	04/09/2023	09:51:10	15922080A4	08/05/2024	05/03/2023 14:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001363

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	01/29/2023	18:51:19	08622080A1	06/05/2024	01/30/2023 9:20
CHARLOTTE COUNTY SO	09/24/2023	18:52:11	08622080A1	06/05/2024	09/24/2023 19:57
CHARLOTTE COUNTY SO	09/24/2023	18:52:47	08622080A1	06/05/2024	09/24/2023 19:57
CHARLOTTE COUNTY SO	09/24/2023	18:53:07	08622080A1	06/05/2024	09/24/2023 19:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001365

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEVY COUNTY SO	01/16/2023	09:46:13	22722080A1	10/05/2024	02/09/2023 8:36
LEVY COUNTY SO	02/28/2023	14:04:59	22722080A1	10/05/2024	03/28/2023 12:38
LEVY COUNTY SO	04/25/2023	14:53:15	22722080A1	10/05/2024	05/02/2023 11:53
LEVY COUNTY SO	06/04/2023	10:36:33	22722080A1	10/05/2024	11/22/2023 15:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001367

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	03/11/2023	20:30:30	AG115904	06/08/2023	03/22/2023 14:22
PINELLAS COUNTY SO	04/27/2023	19:08:09	AG210103	04/11/2024	05/10/2023 13:37
PINELLAS COUNTY SO	04/27/2023	19:08:56	AG210103	04/11/2024	05/10/2023 13:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001368

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS MAYPORT	05/16/2023	10:40:17	01923080A4	02/05/2025	05/16/2023 13:3

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001418

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	03/06/2023	13:18:02	07622080A3	05/05/2024	03/14/2023 13:5
ORANGE COUNTY S.O.	03/06/2023	13:18:28	07622080A3	05/05/2024	03/14/2023 13:5
ORANGE COUNTY S.O.	04/19/2023	12:04:00	29122080A1	12/05/2024	04/19/2023 12:25
ORANGE COUNTY S.O.	04/19/2023	12:04:13	29122080A1	12/05/2024	04/19/2023 12:25
ORANGE COUNTY S.O.	04/19/2023	12:04:20	29122080A1	12/05/2024	04/19/2023 12:25
ORANGE COUNTY S.O.	10/09/2023	09:39:10	06723080A5	04/05/2025	10/10/2023 11:25
ORANGE COUNTY S.O.	10/09/2023	09:39:42	06723080A5	04/05/2025	10/10/2023 11:25
ORANGE COUNTY S.O.	10/10/2023	11:24:08	07622080A3	05/05/2024	11/08/2023 11:35
ORANGE COUNTY S.O.	10/10/2023	11:24:19	07622080A3	05/05/2024	11/08/2023 11:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001420

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	02/14/2023	09:12:28	33321080A3	01/05/2024	02/14/2023 10:30
ORANGE COUNTY S.O.	02/14/2023	09:12:39	33321080A3	01/05/2024	02/14/2023 10:30
ORANGE COUNTY S.O.	07/23/2023	05:55:20	07622080A3	05/05/2024	08/16/2023 13:32
ORANGE COUNTY S.O.	07/23/2023	05:55:35	07622080A3	05/05/2024	08/16/2023 13:32
ORANGE COUNTY S.O.	08/04/2023	08:52:35	06723080A5	04/05/2025	08/16/2023 13:32

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001439

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	06/01/2023	21:21:12	15922080A5	08/05/2024	06/02/2023 14:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001443

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	02/23/2023	07:28:53	07622080A2	05/05/2024	02/23/2023 8:32

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001471

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUMTER CSO	06/29/2023	03:54:27	221303	01/05/2025	06/29/2023 5:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001647

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CAPE CORAL PD	01/21/2023	04:03:28	26422080A1	11/05/2024	02/14/2023 10:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001648

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PUTNAM COUNTY SO	10/30/2023	11:05:16	26422080A1	11/05/2024	10/30/2023 12:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001649

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TITUSVILLE PD	05/25/2023	13:13:51	33321080A2	01/05/2024	05/25/2023 14:20
TITUSVILLE PD	06/30/2023	08:11:21	33321080A2	01/05/2024	06/30/2023 9:59

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001653

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	03/29/2023	09:42:06	08121080A1	05/05/2023	05/02/2023 8:56
ST PETERSBURG PD	05/30/2023	09:38:18	06023080A1	04/05/2025	05/30/2023 13:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001654

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	07/31/2023	13:09:51	1497672	06/20/2024	07/31/2023 13:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001655

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	03/12/2023	00:30:46	221264	10/03/2025	03/31/2023 12:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001656

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NORTH MIAMI PD	05/10/2023	20:58:37	29122080A1	12/05/2024	06/03/2023 14:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001715

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY S.O.	01/18/2023	09:36:59	402328118	01/20/2025	01/18/2023 12:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001722

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	09/26/2023	21:01:02	29122080A2	12/05/2024	10/18/2023 11:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001732

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS PARK P.D.	04/18/2023	21:27:06	06023080A1	04/05/2025	04/20/2023 20:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001739

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	05/20/2023	19:27:28	08622080A1	06/05/2024	05/22/2023 8:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001740

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEARWATER PD	03/27/2023	06:39:38	33922080A1	01/05/2025	04/01/2023 7:12
CLEARWATER PD	06/25/2023	06:05:32	33922080A1	01/05/2025	06/30/2023 20:4
CLEARWATER PD	11/17/2023	20:49:14	08223080A4	06/05/2025	11/29/2023 12:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001741

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	02/03/2023	16:15:31	15922080A3	08/05/2024	02/10/2023 15:32
PALM BEACH CO SO	02/03/2023	16:16:29	15922080A3	08/05/2024	02/10/2023 15:32

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001742

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	02/06/2023	10:44:36	402558895	10/03/2025	02/17/2023 16:11
MANATEE COUNTY SO	06/12/2023	10:10:33	402697419	03/20/2026	07/20/2023 16:21
MANATEE COUNTY SO	10/09/2023	09:43:20	402806079	07/26/2026	11/06/2023 14:2
MANATEE COUNTY SO	12/04/2023	09:59:05	402806079	07/26/2026	01/15/2024 14:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001743

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	04/07/2023	10:20:20	01923080A4	02/05/2025	04/20/2023 13:33
JACKSONVILLE SO	04/07/2023	10:20:42	01923080A4	02/05/2025	04/20/2023 13:33
JACKSONVILLE SO	06/14/2023	09:52:37	29821080A4	12/05/2023	06/14/2023 10:53
JACKSONVILLE SO	09/15/2023	09:16:44	01923080A4	02/05/2025	09/20/2023 12:10
JACKSONVILLE SO	09/15/2023	09:17:11	01923080A4	02/05/2025	09/20/2023 12:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001865

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKELAND PD	05/30/2023	10:18:08	06723080A5	04/05/2025	05/30/2023 11:31
LAKELAND PD	10/30/2023	07:49:16	14323080A3	09/05/2025	10/30/2023 10:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002097

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS JACKSONVILLE PD	02/02/2023	09:51:32	07622080A3	05/05/2024	02/23/2023 16:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002232

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI BEACH PD	12/27/2023	10:56:47	402477284	06/27/2025	01/03/2024 9:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002989

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TALLAHASSEE PD	02/03/2023	07:20:32	33922080A2	01/05/2025	02/03/2023 10:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003196

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	05/22/2023	16:40:38	AG310302	04/13/2025	05/22/2023 19:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003197

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	01/23/2023	18:58:03	1349789	07/15/2023	02/03/2023 16:14
FFWCC	08/15/2023	14:47:20	402635303	01/25/2026	08/15/2023 17:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003224

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI BEACH PD	07/20/2023	10:25:21	402290677	12/07/2024	07/20/2023 14:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003347

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	02/07/2023	18:55:39	11821080A2	06/05/2023	02/07/2023 19:2
PASCO COUNTY SO	06/09/2023	09:37:30	08622080A2	06/05/2024	06/30/2023 18:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003387

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	08/22/2023	11:48:24	08223080A4	06/05/2025	09/05/2023 9:30
HILLSBOROUGH CO SO	12/01/2023	10:36:56	35521080A2	03/05/2024	12/01/2023 11:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003388

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	09/22/2023	07:13:00	08223080A4	06/05/2025	09/22/2023 8:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003405

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP K	09/08/2023	19:50:52	15922080A5	08/05/2024	09/08/2023 22:4
FHP TROOP K	10/19/2023	21:21:17	14323080A2	06/05/2025	10/19/2023 22:52
FHP TROOP K	10/19/2023	21:21:32	14323080A2	06/05/2025	10/19/2023 22:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003406

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/12/2023	15:54:33	33922080A1	01/05/2025	06/08/2023 12:4
FL HIGHWAY PATROL	06/08/2023	15:31:36	33922080A1	01/05/2025	07/10/2023 12:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003410

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	12/28/2023	07:37:05	02422080A1	02/05/2024	12/28/2023 9:40
FL HIGHWAY PATROL	12/28/2023	08:47:23	402872586	10/12/2026	12/28/2023 9:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003411

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/28/2023	13:22:06	1433249	01/08/2024	02/28/2023 14:39
FL HIGHWAY PATROL	05/29/2023	03:46:01	1433249	01/08/2024	05/29/2023 3:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003412

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	12/21/2023	11:38:37	402816921	08/09/2026	01/09/2024 11:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003935

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY S.O.	01/27/2023	11:40:29	1472328	04/02/2024	01/27/2023 14:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003945

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKELAND PD	08/21/2023	08:41:10	06723080A5	04/05/2025	08/21/2023 10:15
LAKELAND PD	10/30/2023	09:59:43	14323080A3	09/05/2025	10/30/2023 11:10
LAKELAND PD	10/30/2023	10:00:24	14323080A3	09/05/2025	10/30/2023 11:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004587

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY S.O.	01/18/2023	09:41:33	407397742	03/25/2025	01/18/2023 12:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004770

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT WALTON BEACH PD	05/30/2023	05:41:56	211122	12/05/2023	05/30/2023 8:23
FORT WALTON BEACH PD	11/30/2023	06:46:15	231294	10/05/2025	11/30/2023 8:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004771

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULF BREEZE PD	05/02/2023	20:09:45	402697419	03/20/2026	05/02/2023 21:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005057

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	04/12/2023	04:42:50	O325341-4	11/18/2024	04/28/2023 16:19
OKALOOSA COUNTY SO	04/12/2023	04:46:41	O325341-4	11/18/2024	04/28/2023 16:19
OKALOOSA COUNTY SO	10/15/2023	05:22:43	402623828	12/22/2025	10/30/2023 12:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005058

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CRESTVIEW PD	01/17/2023	16:37:26	402590345	11/04/2025	01/17/2023 18:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005077

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NORTH MIAMI PD	03/01/2023	19:11:20	29122080A1	12/05/2024	03/01/2023 20:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005113

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	01/18/2023	05:05:38	35521080A2	03/05/2024	02/07/2023 13:21
HILLSBOROUGH CO SO	01/18/2023	05:06:02	35521080A2	03/05/2024	02/07/2023 13:21
HILLSBOROUGH CO SO	04/10/2023	09:57:35	35521080A2	03/05/2024	04/10/2023 13:38
HILLSBOROUGH CO SO	05/04/2023	06:04:55	35521080A2	03/05/2024	06/05/2023 11:49
HILLSBOROUGH CO SO	05/04/2023	06:07:30	35521080A2	03/05/2024	06/05/2023 11:49
HILLSBOROUGH CO SO	06/24/2023	03:51:30	29122080A1	12/05/2024	07/05/2023 10:1
HILLSBOROUGH CO SO	09/22/2023	07:07:57	29122080A1	12/05/2024	09/22/2023 8:50
HILLSBOROUGH CO SO	09/28/2023	02:15:37	08223080A4	06/05/2025	10/02/2023 13:16
HILLSBOROUGH CO SO	09/28/2023	02:16:01	08223080A4	06/05/2025	10/02/2023 13:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005248

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	08/29/2023	14:50:52	402477284	06/27/2025	08/31/2023 14:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005249

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY SO	07/19/2023	17:58:33	08223080A3	06/05/2025	07/19/2023 18:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005290

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	05/25/2023	23:23:04	AG229803	10/25/2024	06/14/2023 10:16
PINELLAS COUNTY SO	11/29/2023	19:00:07	AG229803	10/25/2024	11/29/2023 20:27

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005337

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PERRY POLICE DEPT	03/23/2023	14:44:19	33922080A1	01/05/2025	04/11/2023 12:27
PERRY POLICE DEPT	04/11/2023	13:42:37	33922080A1	01/05/2025	05/23/2023 13:22
PERRY POLICE DEPT	05/23/2023	14:00:59	33922080A1	01/05/2025	06/13/2023 13:36
PERRY POLICE DEPT	06/13/2023	16:02:52	33922080A1	01/05/2025	07/04/2023 11:3
PERRY POLICE DEPT	07/04/2023	11:48:24	33921080A1	01/05/2025	08/28/2023 16:17
PERRY POLICE DEPT	10/18/2023	12:04:43	33321080A4	01/05/2024	11/28/2023 13:3
PERRY POLICE DEPT	11/28/2023	13:39:34	33321080A4	01/05/2024	12/14/2023 12:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005338

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	02/15/2023	13:27:37	08622080A1	06/05/2024	02/23/2023 10:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005454

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OCALA POLICE DEPT	08/19/2023	12:24:11	33522080A5	01/05/2025	09/08/2023 13:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005468

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MYERS PD	03/28/2023	12:39:28	33321080A3	01/05/2024	03/29/2023 10:39
FORT MYERS PD	06/21/2023	13:28:24	33321080A3	01/05/2024	07/12/2023 8:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005477

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DADE CITY PD	11/30/2023	14:58:33	24923080A3	10/05/2025	11/30/2023 16:21
DADE CITY PD	11/30/2023	14:58:51	24923080A3	10/05/2025	11/30/2023 16:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005537

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH PD	02/05/2023	19:32:41	1475154	03/17/2024	05/17/2023 11:50
DAYTONA BEACH PD	11/13/2023	12:05:04	402290677	12/07/2024	11/13/2023 14:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005548

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	08/23/2023	22:56:09	33321080A2	01/05/2024	08/24/2023 2:1
MIAMI DADE PD	11/03/2023	05:18:32	33321080A2	01/05/2024	11/03/2023 5:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005549

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	01/11/2023	13:21:43	33321080A2	01/05/2024	01/11/2023 13:25
MIAMI DADE PD	08/17/2023	02:22:30	33321080A2	01/05/2024	08/17/2023 4:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005550

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	08/17/2023	02:21:20	33321080A2	01/05/2024	08/17/2023 4:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005551

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	11/03/2023	00:09:13	33321080A2	01/05/2024	11/03/2023 2:25

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005655

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MYERS PD	02/14/2023	10:54:44	33321080A3	01/05/2024	03/29/2023 11:9
FORT MYERS PD	07/12/2023	10:45:16	08223080A3	06/05/2025	08/18/2023 11:6
FORT MYERS PD	12/21/2023	08:32:48	33321080A3	01/05/2024	12/21/2023 10:11
FORT MYERS PD	12/21/2023	09:20:09	08223080A3	06/05/2025	12/21/2023 10:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005936

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	01/29/2023	13:30:44	15922080A4	08/05/2024	02/28/2023 17:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006027

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	03/25/2023	04:12:40	15922080A3	08/05/2024	04/14/2023 16:2
PALM BEACH CO SO	03/25/2023	04:14:37	15922080A3	08/05/2024	04/14/2023 16:2
PALM BEACH CO SO	03/25/2023	04:17:01	15922080A3	08/05/2024	04/14/2023 16:2
PALM BEACH CO SO	03/25/2023	16:20:28	15922080A3	08/05/2024	04/14/2023 16:2

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006029

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	02/10/2023	14:14:38	29122080A1	12/05/2024	03/10/2023 14:16
PALM BEACH CO SO	02/10/2023	14:15:43	29122080A1	12/05/2024	03/10/2023 14:16
PALM BEACH CO SO	02/10/2023	14:15:58	29122080A1	12/05/2024	03/10/2023 14:16
PALM BEACH CO SO	03/10/2023	18:50:01	15922080A3	08/05/2024	03/27/2023 14:41
PALM BEACH CO SO	03/10/2023	18:51:31	15922080A3	08/05/2024	03/27/2023 14:41
PALM BEACH CO SO	08/11/2023	16:03:23	15922080A3	08/05/2024	09/15/2023 13:6
PALM BEACH CO SO	08/11/2023	16:04:07	15922080A3	08/05/2024	09/15/2023 13:6
PALM BEACH CO SO	09/15/2023	16:27:34	06723080A5	04/05/2025	10/20/2023 17:14
PALM BEACH CO SO	09/15/2023	16:28:21	06723080A5	04/05/2025	10/20/2023 17:14
PALM BEACH CO SO	09/15/2023	16:28:56	06723080A5	04/05/2025	10/20/2023 17:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006046

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP C	02/28/2023	13:30:17	2402498227	07/22/2025	02/28/2023 15:18
FHP TROOP C	05/29/2023	04:08:01	2402498227	07/22/2025	05/29/2023 4:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006085

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
US COAST GUARD MIAMI	07/20/2023	10:13:07	02422080A1	02/05/2024	07/20/2023 14:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006168

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	06/01/2023	16:24:21	15922080A5	08/05/2024	06/02/2023 14:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006169

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	06/01/2023	16:20:34	15922080A5	08/05/2024	06/02/2023 14:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006170

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	06/01/2023	15:10:15	15922080A5	08/05/2024	06/01/2023 18:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006214

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OCALA POLICE DEPT	08/19/2023	12:23:26	33522080A5	01/05/2025	09/08/2023 13:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006222

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	08/30/2023	15:12:54	15922080A3	08/05/2024	08/30/2023 16:30
LAKE COUNTY SO	09/22/2023	05:50:06	33522080A5	01/05/2025	09/22/2023 7:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006233

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	11/15/2023	14:33:17	24923080A3	10/05/2025	11/30/2023 8:38
BREVARD COUNTY S.O.	11/15/2023	14:33:48	24923080A3	10/05/2025	11/30/2023 8:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006234

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HENDRY COUNTY SO	12/17/2023	11:52:39	402872586	10/12/2026	12/19/2023 14:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	11/26/2023	11:33:35	07622080A2	05/05/2024	11/26/2023 12:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	04/14/2023	14:39:50	29122080A1	12/05/2024	05/19/2023 12:49
PALM BEACH CO SO	04/14/2023	14:41:04	29122080A1	12/05/2024	05/19/2023 12:49
PALM BEACH CO SO	04/14/2023	14:41:52	29122080A1	12/05/2024	05/19/2023 12:49
PALM BEACH CO SO	05/19/2023	13:51:47	29122080A1	12/05/2024	06/23/2023 16:25
PALM BEACH CO SO	05/19/2023	13:52:59	29122080A1	12/05/2024	06/23/2023 16:25
PALM BEACH CO SO	10/20/2023	15:32:45	29122080A1	12/05/2024	11/17/2023 12:50
PALM BEACH CO SO	10/20/2023	15:33:42	29122080A1	12/05/2024	11/17/2023 12:50
PALM BEACH CO SO	11/17/2023	13:53:53	29122080A1	12/05/2024	12/08/2023 17:5
PALM BEACH CO SO	11/17/2023	13:54:44	29122080A1	12/05/2024	12/08/2023 17:5

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006239

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	05/19/2023	13:47:31	08622080A1	06/05/2024	06/23/2023 13:27
PALM BEACH CO SO	05/19/2023	13:48:46	08622080A1	06/05/2024	06/23/2023 13:27
PALM BEACH CO SO	06/23/2023	16:37:53	29122080A1	12/05/2024	07/14/2023 16:39
PALM BEACH CO SO	06/23/2023	16:39:21	29122080A1	12/05/2024	07/14/2023 16:39
PALM BEACH CO SO	11/17/2023	13:47:41	06723080A5	04/05/2025	12/08/2023 15:7
PALM BEACH CO SO	11/17/2023	13:48:36	06723080A5	04/05/2025	12/08/2023 15:7
PALM BEACH CO SO	12/08/2023	15:57:57	06723080A5	04/05/2025	01/12/2024 16:36
PALM BEACH CO SO	12/08/2023	15:58:43	06723080A5	04/05/2025	01/12/2024 16:36

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006240

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	03/10/2023	15:50:22	08622080A1	06/05/2024	04/14/2023 13:26
PALM BEACH CO SO	03/10/2023	15:51:28	08622080A1	06/05/2024	04/14/2023 13:26
PALM BEACH CO SO	04/14/2023	14:37:11	08622080A1	06/05/2024	05/19/2023 15:41
PALM BEACH CO SO	04/14/2023	14:38:09	08622080A1	06/05/2024	05/19/2023 15:41
PALM BEACH CO SO	09/15/2023	16:23:44	15922080A5	08/05/2024	10/20/2023 14:16
PALM BEACH CO SO	09/15/2023	16:24:49	15922080A5	08/05/2024	10/20/2023 14:16
PALM BEACH CO SO	10/20/2023	15:36:16	15922080A5	08/05/2024	11/17/2023 15:54
PALM BEACH CO SO	10/20/2023	15:37:02	15922080A5	08/05/2024	11/17/2023 15:54
PALM BEACH CO SO	12/22/2023	18:07:27	06723080A5	04/05/2025	01/12/2024 16:27
PALM BEACH CO SO	12/22/2023	18:07:54	06723080A5	04/05/2025	01/12/2024 16:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006260

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP F	09/26/2023	13:04:45	3024023571	02/10/2025	10/11/2023 13:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006261

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/25/2023	16:17:46	402623828	10/22/2025	01/25/2023 18:58
FL HIGHWAY PATROL	06/01/2023	12:53:30	402357111	02/10/2025	06/01/2023 15:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006384

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GAINESVILLE PD	06/28/2023	20:54:45	29821080A3	12/05/2023	06/28/2023 21:22
GAINESVILLE PD	12/03/2023	23:06:06	24923080A3	10/05/2025	12/28/2023 21:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006385

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	04/10/2023	07:18:29	35521080A2	03/05/2024	04/10/2023 9:28
HILLSBOROUGH CO SO	07/07/2023	13:32:18	35521080A2	03/05/2024	08/15/2023 11:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006386

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HENDRY COUNTY SO	03/31/2023	10:50:09	1474747	04/12/2024	04/04/2023 11:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006435

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	03/20/2023	11:46:24	1346146	07/07/2023	03/20/2023 13:26
ESCAMBIA COUNTY SO	08/15/2023	10:46:25	402690226	03/09/2026	08/15/2023 12:25
ESCAMBIA COUNTY SO	11/21/2023	12:06:34	402690226	03/09/2026	11/21/2023 14:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006436

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	03/20/2023	09:52:53	1346146	07/07/2023	03/20/2023 11:43
ESCAMBIA COUNTY SO	07/03/2023	07:57:11	402690226	03/09/2026	07/05/2023 11:6
ESCAMBIA COUNTY SO	07/05/2023	09:26:04	402690226	03/09/2026	07/05/2023 11:6
ESCAMBIA COUNTY SO	10/11/2023	10:38:42	402690226	03/09/2026	10/11/2023 12:21
ESCAMBIA COUNTY SO	12/18/2023	10:57:24	402690226	03/09/2026	12/18/2023 12:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006456

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	05/29/2023	10:35:04	402367487	04/28/2025	05/31/2023 11:25
MIAMI PD	05/29/2023	10:42:18	1506449	06/10/2024	05/31/2023 11:25
MIAMI PD	06/19/2023	12:55:37	1506449	06/10/2024	07/31/2023 13:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006471

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY S.O.	09/11/2023	08:09:36	402357111	02/10/2025	09/13/2023 14:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006476

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	02/03/2023	16:21:51	08622080A1	06/05/2024	02/10/2023 12:53

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006477

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	01/13/2023	16:36:43	08622080A1	06/05/2024	02/08/2023 14:31
PALM BEACH CO SO	01/13/2023	16:38:01	08622080A1	06/05/2024	02/08/2023 14:31
PALM BEACH CO SO	06/23/2023	16:32:00	15922080A3	08/05/2024	07/14/2023 14:2
PALM BEACH CO SO	06/23/2023	16:33:08	15922080A3	08/05/2024	07/14/2023 14:2
PALM BEACH CO SO	06/23/2023	16:33:24	15922080A3	08/05/2024	07/14/2023 14:2
PALM BEACH CO SO	07/14/2023	14:55:59	15922080A3	08/05/2024	08/11/2023 15:28
PALM BEACH CO SO	07/14/2023	14:57:10	15922080A3	08/05/2024	08/11/2023 15:28
PALM BEACH CO SO	12/08/2023	15:52:29	06723080A5	04/05/2025	01/12/2024 13:41
PALM BEACH CO SO	12/08/2023	15:53:18	06723080A5	04/05/2025	01/12/2024 13:41

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	01/13/2023	16:33:17	15922080A3	08/05/2024	02/07/2023 13:51
PALM BEACH CO SO	01/13/2023	16:34:02	15922080A3	08/05/2024	02/07/2023 13:51
PALM BEACH CO SO	02/10/2023	14:19:46	08622080A1	06/05/2024	03/10/2023 17:3
PALM BEACH CO SO	02/10/2023	14:20:45	08622080A1	06/05/2024	03/10/2023 17:3
PALM BEACH CO SO	02/10/2023	14:21:07	08622080A1	06/05/2024	03/10/2023 17:3
PALM BEACH CO SO	07/14/2023	14:51:09	08622080A1	06/05/2024	08/11/2023 12:57
PALM BEACH CO SO	07/14/2023	14:52:17	08622080A1	06/05/2024	08/11/2023 12:57
PALM BEACH CO SO	08/11/2023	16:07:33	08622080A1	06/05/2024	09/15/2023 15:56
PALM BEACH CO SO	08/11/2023	16:08:56	08622080A1	06/05/2024	09/15/2023 15:56
PALM BEACH CO SO	08/11/2023	16:09:17	08622080A1	06/05/2024	09/15/2023 15:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006565

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	02/03/2023	15:26:45	402558895	10/03/2025	02/06/2023 10:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006567

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CSO	12/01/2023	11:52:49	35521080A2	03/05/2024	12/01/2023 14:22
HILLSBOROUGH CSO	12/08/2023	14:51:24	08223080A4	06/05/2025	01/03/2024 11:7
HILLSBOROUGH CSO	12/08/2023	14:52:35	08223080A4	06/05/2025	01/03/2024 11:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006616

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FLAGLER COUNTY SO	03/16/2023	09:13:39	33321080A3	01/05/2024	03/16/2023 10:11
FLAGLER COUNTY SO	11/01/2023	14:27:55	24923080A2	10/05/2025	11/28/2023 11:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006621

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
KENNEDY SPACE CENTER	09/12/2023	12:19:56	14323080A2	06/05/2025	10/31/2023 12:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006622

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BOCA RATON PD	04/24/2023	15:33:06	29122080A2	12/05/2024	04/25/2023 10:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006626

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E MIAMI	03/27/2023	14:37:09	402310313	01/15/2025	04/06/2023 4:39
FHP TROOP E MIAMI	05/31/2023	23:51:44	402678400	02/24/2026	07/01/2023 0:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006629

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/15/2023	11:13:23	402397742	03/25/2025	03/24/2023 11:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006631

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	01/09/2023	13:42:38	40258895	10/03/2025	02/06/2023 9:43
MANATEE COUNTY SO	11/04/2023	23:17:27	40258895	10/03/2025	11/06/2023 13:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006632

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/28/2023	13:38:31	1506449	06/10/2024	02/28/2023 15:22
FL HIGHWAY PATROL	05/29/2023	04:21:07	1506449	06/10/2024	05/29/2023 4:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006633

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	02/28/2023	13:15:23	1506449	06/10/2024	02/28/2023 14:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006634

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	11/06/2023	10:00:19	402806079	07/26/2025	12/04/2023 13:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006637

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/29/2023	03:34:23	402498227	07/22/2025	05/29/2023 3:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006638

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP C	02/28/2023	13:31:33	24229080A1	02/05/2024	02/28/2023 14:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006693

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	05/03/2023	14:35:16	402477284	06/27/2025	06/08/2023 9:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006760

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/10/2023	12:27:01	2402477284	06/27/2025	05/10/2023 14:39
FL HIGHWAY PATROL	11/19/2023	14:25:10	402477284	06/27/2025	12/11/2023 16:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006761

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	07/20/2023	08:51:48	402357111	02/10/2025	07/20/2023 12:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006764

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP G	04/26/2023	11:42:17	33321080A3	01/05/2024	05/05/2023 9:22
FHP TROOP G	10/19/2023	19:59:59	402623828	10/22/2025	10/19/2023 21:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006765

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP G	01/25/2023	19:06:03	402623828	10/22/2025	01/27/2023 8:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006766

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP F	09/26/2023	13:06:21	1408275	11/19/2023	10/11/2023 13:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006767

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	07/20/2023	08:48:57	402357111	02/10/2025	07/20/2023 11:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006768

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	06/14/2023	08:14:28	3024023571	02/10/2025	06/14/2023 13:33
FHP	07/19/2023	09:11:17	3024023571	02/10/2025	07/19/2023 15:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006770

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP F	09/26/2023	13:04:12	3024023571	02/10/2025	10/11/2023 13:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006895

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	08/17/2023	02:22:47	33321080A2	01/05/2024	08/17/2023 4:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006926

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TALLAHASSEE PD	02/02/2023	07:25:52	33922080A1	01/05/2025	02/02/2023 8:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007008

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	01/02/2023	19:39:49	402477283	06/24/2025	01/04/2023 14:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007077

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	06/01/2023	15:18:47	33922080A1	01/05/2025	06/02/2023 9:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007078

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	03/07/2023	11:28:38	33922080A1	01/05/2025	03/07/2023 11:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	01/29/2023	19:08:05	08622080A1	06/05/2024	01/30/2023 9:24
CHARLOTTE COUNTY SO	05/20/2023	19:27:11	08622080A1	06/05/2024	05/22/2023 8:57
CHARLOTTE COUNTY SO	08/22/2023	20:48:42	08622080A1	06/05/2024	08/22/2023 23:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007084

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	07/13/2023	22:56:41	33321080A2	01/05/2024	07/14/2023 1:28
MIAMI-DADE PD	07/13/2023	22:56:46	33321080A2	01/05/2024	07/14/2023 1:28
MIAMI-DADE PD	08/16/2023	23:06:00	33321080A2	01/05/2024	08/17/2023 2:31
MIAMI-DADE PD	08/16/2023	23:06:05	33321080A2	01/05/2024	08/17/2023 2:31
MIAMI-DADE PD	09/11/2023	18:35:55	33321080A2	01/05/2024	10/05/2023 1:35
MIAMI-DADE PD	09/11/2023	18:36:11	33321080A2	01/05/2024	10/05/2023 1:35
MIAMI-DADE PD	11/03/2023	00:06:32	33321080A2	01/05/2024	11/03/2023 2:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007107

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY S.O.	06/09/2023	23:17:26	402477283	06/24/2025	07/05/2023 11:19

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007158

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	03/16/2023	23:44:44	35521080A2	03/05/2024	04/10/2023 14:42
HILLSBOROUGH CO SO	05/04/2023	06:00:34	35521080A2	03/05/2024	06/05/2023 12:27
HILLSBOROUGH CO SO	06/26/2023	19:50:23	29122080A1	12/05/2024	07/05/2023 12:17
HILLSBOROUGH CO SO	06/26/2023	19:50:57	29122080A1	12/05/2024	07/05/2023 12:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007159

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PENSACOLA P.D.	03/09/2023	11:02:24	1408275	11/19/2023	04/25/2023 9:34
PENSACOLA P.D.	09/27/2023	15:04:29	402648278	01/27/2026	09/27/2023 16:44
PENSACOLA P.D.	09/27/2023	15:36:42	222152	01/27/2026	09/27/2023 16:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007163

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	06/05/2023	07:18:18	35521080A2	03/05/2024	06/05/2023 10:1
HILLSBOROUGH CO SO	06/11/2023	03:48:15	35521080A2	03/05/2024	07/05/2023 12:32
HILLSBOROUGH CO SO	06/11/2023	03:48:47	35521080A2	03/05/2024	07/05/2023 12:32
HILLSBOROUGH CO SO	08/19/2023	05:53:16	29122080A1	12/05/2024	09/05/2023 11:15
HILLSBOROUGH CO SO	08/19/2023	05:53:45	29122080A1	12/05/2024	09/05/2023 11:15
HILLSBOROUGH CO SO	11/11/2023	23:47:12	08223080A4	06/05/2025	12/01/2023 14:35
HILLSBOROUGH CO SO	11/11/2023	23:47:41	08223080A4	06/05/2025	12/01/2023 14:35
HILLSBOROUGH CO SO	11/11/2023	23:48:42	08223080A4	06/05/2025	12/01/2023 14:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007167

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	04/04/2023	12:08:11	402477284	06/27/2025	04/04/2023 13:6
MONROE COUNTY SO	06/07/2023	15:54:02	402357111	02/10/2025	06/08/2023 12:37
MONROE COUNTY SO	08/02/2023	10:27:26	402477284	06/27/2025	09/14/2023 11:52
MONROE COUNTY SO	11/08/2023	09:36:32	402558895	10/03/2025	11/08/2023 11:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007168

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FISH & WILDLIFE CC	11/27/2023	14:58:12	402590345	11/04/2025	11/27/2023 16:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007170

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	04/05/2023	10:30:43	1433249	01/08/2024	04/05/2023 11:19
MONROE COUNTY SO	08/03/2023	07:59:11	1433249	01/08/2024	09/13/2023 11:22
MONROE COUNTY SO	12/21/2023	11:38:42	402357111	02/10/2025	01/03/2024 11:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007171

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	05/14/2023	14:46:26	402370890	05/09/2025	05/24/2023 11:45
MARION COUNTY SO	08/05/2023	00:31:38	402806340	07/26/2028	08/23/2023 9:56
MARION COUNTY SO	11/27/2023	15:43:08	402690226	03/09/2026	12/20/2023 13:49
MARION COUNTY SO	11/27/2023	16:03:42	402872586	10/12/2026	12/20/2023 13:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007172

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	10/04/2023	01:17:54	402806340	07/26/2028	10/25/2023 15:30
MARION COUNTY SO	10/19/2023	21:35:36	402806340	07/26/2026	10/25/2023 15:30
MARION COUNTY SO	10/25/2023	15:26:19	402806340	07/26/2026	11/27/2023 15:53

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007173

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	01/31/2023	10:57:05	402367487	04/28/2025	01/31/2023 13:38
WALTON COUNTY SO	07/27/2023	13:50:38	WO32302415	09/11/2024	07/27/2023 15:37
WALTON COUNTY SO	10/30/2023	19:18:59	402370891	02/23/2025	10/30/2023 21:5

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007252

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GROVELAND PD	08/28/2023	12:22:36	28021080A2	12/05/2023	08/28/2023 13:51
GROVELAND PD	12/04/2023	13:58:03	07622080A2	05/05/2024	12/04/2023 14:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007362

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PENSACOLA PD	03/09/2023	11:03:08	1408275	11/19/2023	04/25/2023 9:24
PENSACOLA PD	09/27/2023	15:37:21	222152	01/27/2026	09/27/2023 16:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007364

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	01/31/2023	10:56:26	402370891	02/23/2025	01/31/2023 13:34

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007366

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS SO	03/10/2023	21:40:25	211543	01/05/2024	03/31/2023 12:42
ST JOHNS SO	05/06/2023	21:06:08	211543	01/05/2024	06/01/2023 16:10
ST JOHNS SO	05/06/2023	21:06:39	211543	01/05/2024	06/01/2023 16:10
ST JOHNS SO	11/28/2023	23:48:27	402816921	08/09/2026	12/06/2023 0:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007373

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	01/02/2023	19:21:35	402477283	06/24/2025	01/04/2023 10:50
BROWARD COUNTY SO	11/20/2023	20:55:49	402623828	12/22/2025	12/13/2023 12:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007434

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	01/02/2023	19:23:23	402477283	06/24/2025	01/04/2023 13:6
BROWARD COUNTY SO	05/01/2023	20:15:45	402623828	12/22/2025	05/03/2023 11:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007439

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAKER COUNTY SO	04/30/2023	11:42:23	35521080A2	03/05/2024	04/30/2023 12:33

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007440

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	03/30/2023	18:40:32	402649340	01/27/2026	03/31/2023 14:59
FHP	05/29/2023	04:49:46	402649340	01/27/2026	05/29/2023 5:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007441

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	02/17/2023	08:42:44	402477284	06/27/2025	02/20/2023 14:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007442

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TRP B LAKE CITY	04/11/2023	19:30:46	402678400	02/24/2026	04/11/2023 20:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007444

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	02/28/2023	12:53:27	03521080A3	09/09/2023	02/28/2023 14:23
FHP	02/28/2023	12:54:14	2402498227	07/22/2025	02/28/2023 14:23
FHP	05/29/2023	04:05:02	2402498227	07/22/2025	05/29/2023 4:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007455

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	01/25/2023	19:05:08	402623828	10/22/2025	01/27/2023 8:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007456

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	01/25/2023	16:12:47	402623828	10/22/2025	01/27/2023 8:46
FHP	06/12/2023	11:59:09	402623828	10/22/2025	07/10/2023 12:10
FHP	08/21/2023	15:52:01	402623828	10/22/2025	09/12/2023 13:19
FHP	09/12/2023	15:37:25	402623828	10/22/2025	10/11/2023 13:22
FHP	11/20/2023	16:44:27	402623828	10/22/2025	12/19/2023 15:0
FHP	12/19/2023	16:30:59	402623828	10/22/2025	01/18/2024 13:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007457

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	12/21/2023	11:38:25	402816921	08/09/2026	01/09/2024 11:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007459

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	03/15/2023	11:11:38	402231696	10/07/2024	03/16/2023 7:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007478

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	02/27/2023	11:04:29	AG121002	07/29/2023	02/27/2023 13:45
BAY COUNTY SO	09/12/2023	13:45:04	402754628	05/30/2026	09/13/2023 11:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007479

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	07/05/2023	07:26:23	29122080A1	12/05/2024	07/05/2023 9:54
HILLSBOROUGH CO SO	11/07/2023	13:31:18	29122080A1	12/05/2024	11/08/2023 9:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007480

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	07/05/2023	07:27:15	29122080A1	12/05/2024	07/05/2023 9:58
HILLSBOROUGH CO SO	09/22/2023	07:14:14	29122080A1	12/05/2024	09/22/2023 8:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007481

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	03/02/2023	07:59:48	13921080A2	07/05/2023	03/02/2023 8:50
HILLSBOROUGH CO SO	07/05/2023	11:08:37	29122080A1	12/05/2024	07/05/2023 12:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007482

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	08/22/2023	11:42:56	08223080A4	06/05/2025	09/05/2023 9:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007483

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	07/26/2023	11:32:13	29122080A1	12/05/2024	08/01/2023 9:53

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007484

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	04/07/2023	09:59:03	13921080A2	07/05/2023	04/10/2023 9:32
HILLSBOROUGH CO SO	11/07/2023	13:32:39	29122080A1	12/05/2024	11/08/2023 9:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007491

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE CITY P.D.	06/15/2023	04:46:26	08223080A3	06/05/2025	07/28/2023 5:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007492

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	05/23/2023	15:40:00	15922080A4	08/05/2024	06/20/2023 13:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007495

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	05/22/2023	16:40:28	AG310302	04/13/2025	05/22/2023 19:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007496

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	05/16/2023	09:44:18	AG222203	08/10/2024	05/16/2023 12:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007498

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	01/23/2023	18:39:17	15421080A1	08/05/2023	02/06/2023 15:48
FFWCC	08/08/2023	13:33:42	402648278	01/27/2026	08/15/2023 17:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007499

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	01/23/2023	18:22:14	402469736	06/16/2025	02/06/2023 15:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007502

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FISH & WILDLIFE CC	07/21/2023	14:27:41	402590345	11/04/2025	08/29/2023 14:43
FISH & WILDLIFE CC	09/25/2023	13:14:28	402558895	10/03/2025	09/25/2023 14:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007505

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGHLANDS COUNTY SO	09/22/2023	05:52:53	29122080A1	12/05/2024	09/22/2023 7:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007507

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGHLANDS COUNTY SO	09/22/2023	05:32:18	06023080A2	04/05/2025	09/22/2023 7:22
HIGHLANDS COUNTY SO	12/23/2023	02:40:50	06023080A2	04/05/2025	01/17/2024 20:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007508

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DESOTO COUNTY S.O.	02/18/2023	00:02:10	19021080A2	09/05/2023	03/30/2023 10:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007515

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	07/26/2023	20:03:52	211543	01/05/2024	07/26/2023 21:13
ST JOHNS COUNTY SO	07/26/2023	20:07:46	212654	01/05/2024	07/26/2023 21:13
ST JOHNS COUNTY SO	08/23/2023	21:23:07	221783	10/22/2025	08/23/2023 22:6