

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000219

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	01/11/2024	01:32:26	402623830	12/28/2025	01/11/2024 5:8
FDLE	06/23/2024	09:42:06	26422080A1	11/05/2024	07/09/2024 11:25
FDLE	07/09/2024	14:45:53	26422080A1	11/05/2024	09/03/2024 9:23
FDLE	11/11/2024	10:25:02	01524080A4	03/05/2026	01/03/2025 13:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000223

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	06/17/2024	06:14:11	402783528	06/27/2026	06/17/2024 7:20
FDLE	06/20/2024	18:01:54	402783528	06/27/2026	07/05/2024 4:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000224

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	11/18/2024	15:28:34	08223080A5	06/05/2025	11/19/2024 15:12
FDLE	12/12/2024	09:51:59	28423080A4	11/05/2025	12/12/2024 12:59

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000227

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	09/03/2024	12:57:29	231603	06/05/2026	09/03/2024 13:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000229

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FDLE	09/09/2024	12:09:32	24923080A3	10/05/2025	09/09/2024 13:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000737

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ALACHUA COUNTY SO	10/21/2024	10:57:21	01524080A4	03/05/2026	11/12/2024 11:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000744

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	09/30/2024	10:21:27	402690226	03/09/2026	09/30/2024 13:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000749

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	01/16/2024	12:03:03	402690226	03/09/2026	01/16/2024 13:43
ESCAMBIA COUNTY SO	03/12/2024	11:15:25	402690226	03/09/2026	03/12/2024 13:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000759

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/25/2024	12:49:15	402843437	09/08/2026	04/25/2024 15:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000760

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ALACHUA COUNTY SO	10/21/2024	10:58:41	01524080A4	03/05/2026	11/12/2024 10:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000763

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	04/23/2024	10:04:34	402623828	12/22/2025	04/23/2024 12:3
OKALOOSA COUNTY SO	11/22/2024	14:20:56	402783527	06/27/2026	12/10/2024 12:43
OKALOOSA COUNTY SO	11/22/2024	14:26:56	402783527	06/27/2026	12/10/2024 12:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000768

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUWANNEE CO SO	03/26/2024	02:37:08	14323080A3	09/05/2025	03/29/2024 23:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000770

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAMILTON COUNTY SO	06/04/2024	21:51:07	10124060A2	06/05/2026	06/27/2024 17:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000772

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	09/05/2024	23:31:36	402558895	10/03/2025	09/06/2024 1:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000773

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAFAYETTE CO SO	01/23/2024	11:33:41	33922080A1	01/05/2025	02/21/2024 14:33
LAFAYETTE CO SO	03/27/2024	11:26:37	33922080A1	01/05/2025	04/15/2024 13:33
LAFAYETTE CO SO	06/10/2024	13:14:02	33922080A1	01/05/2025	08/06/2024 10:24
LAFAYETTE CO SO	08/27/2024	14:30:32	33922080A1	01/05/2025	10/23/2024 9:21
LAFAYETTE CO SO	10/23/2024	14:26:15	33922080A1	01/05/2025	11/13/2024 15:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000775

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLUMBIA COUNTY SO	04/04/2024	01:24:04	08622080A3	06/05/2024	04/04/2024 2:20
COLUMBIA COUNTY SO	06/03/2024	10:14:04	04924080A5	03/05/2026	06/03/2024 11:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000776

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAFAYETTE COUNTY SO	05/28/2024	13:21:53	3922080A1	01/05/2025	06/11/2024 9:16
LAFAYETTE COUNTY SO	07/30/2024	08:59:04	33922080A1	01/05/2025	09/23/2024 9:36
LAFAYETTE COUNTY SO	09/23/2024	12:11:22	10124080A3	06/05/2026	10/30/2024 11:16
LAFAYETTE COUNTY SO	11/06/2024	10:14:26	10124080A3	06/05/2026	12/30/2024 14:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000777

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLUMBIA COUNTY SO	08/26/2024	03:17:01	04924080A5	03/05/2026	08/26/2024 16:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000778

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS JACKSONVILLE PD	01/26/2024	10:47:06	08223080A3	06/05/2025	02/06/2024 12:20
NAS JACKSONVILLE PD	02/22/2024	11:14:21	08223080A3	06/05/2025	02/22/2024 12:32

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000779

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MADISON COUNTY SO	01/22/2024	13:28:07	33922080A1	01/05/2025	02/20/2024 13:20
MADISON COUNTY SO	02/20/2024	13:19:53	33922080A1	01/05/2025	03/26/2024 13:38
MADISON COUNTY SO	03/26/2024	13:39:58	33922080A1	01/05/2025	04/15/2024 13:31
MADISON COUNTY SO	09/23/2024	11:09:19	08223080A2	05/05/2025	10/30/2024 13:3
MADISON COUNTY SO	11/06/2024	12:10:33	08223080A2	05/05/2025	12/30/2024 14:1
MADISON COUNTY SO	11/06/2024	12:10:59	08223080A2	05/05/2025	12/30/2024 14:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000780

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUWANNEE COUNTY SO	11/09/2024	19:54:32	14323080	09/05/2025	12/27/2024 16:8

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000781

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/25/2024	12:16:52	402946336	01/17/2027	04/25/2024 14:45
FL HIGHWAY PATROL	05/21/2024	08:09:51	402946336	01/17/2027	05/21/2024 11:16
FL HIGHWAY PATROL	06/05/2024	08:32:01	402946336	01/17/2027	06/19/2024 9:53

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000782

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	08/21/2024	14:56:09	402477284	06/27/2025	08/21/2024 15:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000784

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	08/21/2024	14:17:23	403056709	05/28/2024	08/21/2024 16:29
FL HIGHWAY PATROL	09/21/2024	12:43:00	403056709	05/28/2027	10/02/2024 14:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000785

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/21/2024	08:38:49	402328118	01/20/2025	05/21/2024 11:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000787

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULF BREEZE PD	11/09/2024	05:56:57	402367487	04/28/2025	11/19/2024 16:57
GULF BREEZE PD	11/19/2024	14:36:49	402367487	04/28/2025	11/19/2024 16:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000788

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	10/11/2024	20:10:54	04924080A5	03/05/2026	10/29/2024 16:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000791

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LARGO PD	03/14/2024	10:59:51	15922080A4	08/05/2024	04/04/2024 14:42
LARGO PD	06/09/2024	17:38:06	15922080A3	08/05/2024	06/26/2024 14:51
LARGO PD	08/07/2024	12:52:22	10124080A3	06/05/2026	09/19/2024 16:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000794

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST LUCIE COUNTY SO	01/21/2024	00:48:15	22722080A1	10/05/2024	01/25/2024 16:17
ST LUCIE COUNTY SO	01/21/2024	00:49:15	08223080A4	06/05/2025	01/25/2024 16:17
ST LUCIE COUNTY SO	06/25/2024	15:53:37	08223080A4	06/05/2025	07/18/2024 16:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000796

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HAINES CITY PD	06/17/2024	06:15:31	402623828	12/22/2025	06/17/2024 7:28
HAINES CITY PD	12/15/2024	03:39:08	403056709	05/28/2027	01/02/2025 6:3
HAINES CITY PD	12/28/2024	00:03:16	403056709	05/28/2027	01/02/2025 6:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000811

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PERRY PD	05/28/2024	14:04:38	3392208A1	01/05/2025	06/10/2024 12:21
PERRY PD	05/28/2024	14:04:56	33922080A1	01/05/2025	06/10/2024 12:21
PERRY PD	06/10/2024	13:46:32	33922080A1	01/05/2025	08/08/2024 12:28
PERRY PD	09/23/2024	12:56:42	33922-0-A1	01/05/2025	10/30/2024 12:43
PERRY PD	11/06/2024	09:31:14	10124080A3	06/05/2026	12/23/2024 14:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000812

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY S.O.	01/23/2024	18:54:35	15922080A5	08/05/2024	01/26/2024 19:12
HERNANDO COUNTY S.O.	02/10/2024	18:10:20	28423080A3	11/05/2025	02/28/2024 19:46
HERNANDO COUNTY SO	06/25/2024	21:05:39	28423080A3	11/05/2025	06/28/2024 22:26
HERNANDO COUNTY SO	06/28/2024	19:49:55	28423080A3	11/05/2025	06/28/2024 22:26
HERNANDO COUNTY SO	07/23/2024	08:38:29	28423080A3	11/05/2025	07/23/2024 11:55
HERNANDO COUNTY SO	09/22/2024	09:57:45	08223080A3	06/05/2025	09/22/2024 14:0
HERNANDO COUNTY SO	11/26/2024	11:33:52	23324080A2	10/05/2026	11/26/2024 12:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000813

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	03/22/2024	16:49:33	402872586	10/12/2026	04/26/2024 7:21
MARION COUNTY SO	10/30/2024	05:30:40	403008479	03/28/2027	11/29/2024 15:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000814

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY S.O.	01/23/2024	00:42:50	08223080A3	06/05/2025	01/26/2024 19:56
HERNANDO COUNTY S.O.	01/23/2024	00:47:26	15922080A5	08/05/2024	01/26/2024 19:56
HERNANDO COUNTY S.O.	01/23/2024	18:54:32	08223080A3	06/05/2025	01/26/2024 19:56
HERNANDO COUNTY S.O.	06/25/2024	19:42:46	08223080A3	06/05/2025	06/25/2024 22:4
HERNANDO COUNTY S.O.	06/25/2024	19:43:16	28423080A3	11/05/2025	06/25/2024 22:4
HERNANDO COUNTY SO	09/27/2024	09:41:30	23324080A2	10/05/2026	10/19/2024 10:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000815

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUMTER COUNTY SO	10/29/2024	08:58:09	231603	06/05/2026	10/29/2024 9:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000817

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CITRUS COUNTY SO	04/23/2024	16:51:27	231043	06/05/2025	04/25/2024 9:25
CITRUS COUNTY SO	04/23/2024	16:52:54	231043	06/05/2025	04/25/2024 9:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000819

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CITRUS COUNTY SO	08/29/2024	05:21:04	231043	06/05/2025	08/29/2024 6:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000822

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY S.O.	03/12/2024	17:48:07	33522080A5	01/05/2025	03/22/2024 10:46

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000824

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEESBURG PD	12/12/2024	11:28:55	28423080A4	11/05/2025	12/12/2024 13:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000825

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MOUNT DORA P.D.	08/02/2024	10:15:07	33522080A5	01/05/2025	09/13/2024 10:3
LAKE COUNTY SO	11/19/2024	09:46:34	28423080A4	11/05/2025	11/19/2024 10:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000827

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	04/24/2024	18:32:05	402872586	10/12/2026	04/26/2024 7:16
MARION COUNTY SO	08/25/2024	16:37:21	403008479	03/28/2027	09/20/2024 16:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000830

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/06/2024	13:30:02	29122080A1	12/05/2024	03/06/2024 10:40
HILLSBOROUGH CO SO	02/06/2024	13:30:15	29122080A1	12/05/2024	03/06/2024 10:40
HILLSBOROUGH CO SO	03/09/2024	20:15:48	28423080A2	11/05/2025	04/10/2024 13:36
HILLSBOROUGH CO SO	05/14/2024	01:04:42	28423080A2	11/05/2025	06/05/2024 16:20
HILLSBOROUGH CO SO	05/14/2024	01:04:54	28423080A2	11/05/2025	06/05/2024 16:20
HILLSBOROUGH CO SO	08/11/2024	00:07:27	28423080A2	11/05/2025	09/05/2024 14:59
HILLSBOROUGH CO SO	09/10/2024	19:45:41	28423080A2	11/05/2025	10/17/2024 12:41
HILLSBOROUGH CO SO	09/10/2024	19:45:54	28423080A2	11/05/2025	10/17/2024 12:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000831

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	07/17/2024	16:17:47	08223080A5	06/05/2025	07/17/2024 19:31
MARTIN COUNTY SO	07/17/2024	16:18:08	08223080A5	06/05/2025	07/17/2024 19:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000832

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	07/17/2024	16:19:58	08223080A5	06/05/2025	07/17/2024 19:21

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000834

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULF COAST STATE COL	03/25/2024	15:29:32	1060911	12/11/2025	10/16/2024 15:12
GULF COAST STATE COL	05/06/2024	12:49:33	00919080A2	03/05/2025	10/16/2024 15:12
GULF COAST STATE COL	05/08/2024	09:09:26	00919080A2	03/05/2025	10/16/2024 15:12
GULF COAST STATE COL	05/28/2024	14:55:23	00919080A2	03/05/2025	10/16/2024 15:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000836

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
UMATILLA PD(LAKE SO)	02/09/2024	03:06:42	15922080A3	08/05/2024	09/03/2024 14:29
UMATILLA PD(LAKE SO)	02/09/2024	03:46:08	15922080A3	08/05/2024	09/03/2024 14:29
UMATILLA PD(LAKE SO)	09/13/2024	09:21:00	28423080A4	11/05/2025	09/13/2024 10:8
UMATILLA PD(LAKE SO)	09/13/2024	10:10:18	33522080A5	01/05/2025	10/03/2024 10:57

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000840

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY PD	03/31/2024	22:32:17	1506449	06/10/2024	04/01/2024 0:42
PANAMA CITY PD	03/31/2024	23:46:20	2402946336	01/17/2027	04/27/2024 6:10
PANAMA CITY PD	04/22/2024	01:58:15	2402946336	01/17/2027	04/27/2024 6:10
PANAMA CITY PD	04/22/2024	01:58:20	\	01/17/2027	04/27/2024 6:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000859

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CAPE CORAL PD	10/07/2024	23:46:11	28423080A4	11/05/2025	10/07/2024 23:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000860

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	02/22/2024	12:53:00	33522080A5	01/05/2025	03/05/2024 12:11
POLK COUNTY SO	12/10/2024	08:52:09	08223080A2	05/05/2025	12/10/2024 9:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000861

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	04/30/2024	11:43:52	15922080A4	08/05/2024	04/30/2024 12:56
SARASOTA COUNTY SO	07/26/2024	07:58:16	10124080A2	06/05/2026	07/26/2024 8:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000862

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BLOUNTSTOWN PD	04/25/2024	12:22:58	402956578	01/29/2027	04/25/2024 15:11
BLOUNTSTOWN PD	04/25/2024	12:49:36	402956578	01/29/2027	04/25/2024 15:11
BLOUNTSTOWN PD	06/05/2024	08:35:51	402956578	01/29/2027	06/05/2024 11:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000867

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	03/12/2024	16:24:27	402357111	02/10/2025	03/14/2024 6:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000871

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CORAL GABLES PD	10/04/2024	15:32:14	232011	10/05/2026	10/17/2024 15:8
CORAL GABLES PD	11/16/2024	18:24:16	25024080A3	10/05/2026	12/13/2024 12:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000872

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	05/29/2024	09:44:31	402367487	04/28/2025	05/29/2024 10:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000873

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	08/30/2024	07:40:48	402367487	04/28/2025	08/30/2024 10:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000875

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CALHOUN COUNTY SO	04/25/2024	12:40:12	402956578	01/29/2027	04/25/2024 15:27
CALHOUN COUNTY SO	12/01/2024	14:17:12	402956578	01/29/2027	12/01/2024 16:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000879

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI BEACH PD	11/14/2024	14:28:26	402648278	01/27/2026	11/15/2024 13:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000880

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	01/04/2024	00:04:31	14323080A2	06/05/2025	01/11/2024 3:31
MIAMI-DADE PD	01/04/2024	00:04:38	14323080A2	06/05/2025	01/11/2024 3:31
MIAMI-DADE PD	01/04/2024	00:05:22	14323080A2	06/05/2025	01/11/2024 3:31
MIAMI DADE PD	07/06/2024	02:46:55	14323080A2	06/05/2025	08/07/2024 4:23
MIAMI DADE PD	08/07/2024	04:26:04	14323080A2	06/05/2025	09/05/2024 3:31

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000881

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	01/04/2024	01:46:02	14323080A2	06/05/2025	01/04/2024 4:33
MIAMI DADE PD	01/04/2024	01:46:07	14323080A2	06/05/2025	01/04/2024 4:33
MIAMI DADE PD	01/04/2024	01:46:20	14323080A2	06/05/2025	01/04/2024 4:33
MIAMI DADE PD	07/05/2024	11:00:57	14323080A2	06/05/2025	08/07/2024 3:2
MIAMI DADE PD	07/05/2024	11:01:04	14323080A2	06/05/2025	08/07/2024 3:2
MIAMI DADE PD	07/05/2024	11:02:59	14323080A2	06/05/2025	08/07/2024 3:2
MIAMI DADE PD	08/07/2024	00:32:28	14323080A2	06/05/2025	08/07/2024 3:2
MIAMI DADE PD	08/07/2024	00:32:33	14323080A2	06/05/2025	08/07/2024 3:2
MIAMI DADE PD	09/04/2024	22:04:42	14323080A2	06/05/2025	09/11/2024 23:48
MIAMI DADE PD	09/11/2024	21:37:44	14323080A2	06/05/2025	09/11/2024 23:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000882

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	07/05/2024	11:03:37	14323080A2	06/05/2025	08/07/2024 4:14
MIAMI DADE PD	08/07/2024	04:16:56	14323080A2	06/05/2025	09/05/2024 3:34
MIAMI DADE PD	08/07/2024	04:17:05	14323080A2	06/05/2025	09/05/2024 3:34

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000883

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	03/01/2024	01:37:54	14323080A2	06/05/2025	03/01/2024 5:54
MIAMI DADE PD	03/01/2024	01:37:58	14323080A2	06/05/2025	03/01/2024 5:54
MIAMI DADE PD	08/14/2024	23:49:33	14323080A2	06/05/2025	08/14/2024 23:49
MIAMI DADE PD	08/14/2024	23:49:39	14323080A2	06/05/2025	08/14/2024 23:49
MIAMI DADE PD	09/04/2024	23:13:59	14323080A2	06/05/2025	09/05/2024 1:38
MIAMI DADE PD	09/04/2024	23:14:20	14323080A2	06/05/2025	09/05/2024 1:38
MIAMI DADE PD	10/11/2024	00:38:27	14323080A2	06/05/2025	10/11/2024 2:19
MIAMI DADE PD	11/01/2024	01:16:38	14323080A2	06/05/2025	11/01/2024 3:28
MIAMI DADE PD	12/04/2024	21:39:33	14323080A2	06/05/2025	12/05/2024 0:19

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000884

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	09/04/2024	23:12:30	14323080A2	06/05/2025	09/05/2024 1:28
MIAMI DADE PD	09/04/2024	23:12:34	14323080A2	06/05/2025	09/05/2024 1:28
MIAMI DADE PD	11/01/2024	01:18:47	14323080A2	06/05/2025	11/01/2024 3:25
MIAMI DADE PD	12/04/2024	21:57:08	14323080A2	06/05/2025	12/05/2024 0:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000885

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	01/04/2024	04:10:30	14323080A2	06/05/2025	01/04/2024 5:56
MIAMI DADE PD	01/04/2024	04:10:34	14323080A2	06/05/2025	01/04/2024 5:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000887

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/25/2024	12:42:57	2402328118	01/20/2025	04/25/2024 15:16
FL HIGHWAY PATROL	06/05/2024	08:33:45	2402328118	01/20/2025	06/05/2024 10:35
FL HIGHWAY PATROL	10/20/2024	13:30:59	2403056709	05/28/2027	11/06/2024 16:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000888

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	02/16/2024	18:49:20	AG329101	10/18/2025	02/21/2024 10:15
PINELLAS COUNTY SO	03/13/2024	18:59:46	AG329101	10/18/2025	03/14/2024 12:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000889

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	07/17/2024	09:34:00	AG233401	11/30/2024	07/17/2024 10:12
PINELLAS COUNTY SO	11/20/2024	19:22:22	AG310901	04/19/2025	12/11/2024 10:16

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000890

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	03/13/2024	19:05:01	AG233401	11/30/2024	03/14/2024 13:22
PINELLAS COUNTY SO	05/10/2024	19:06:12	AG329101	10/18/2025	05/15/2024 9:37
PINELLAS COUNTY SO	08/29/2024	00:56:29	AG329101	10/18/2025	09/19/2024 15:45
PINELLAS COUNTY SO	12/11/2024	08:12:18	AG409204	04/01/2026	12/11/2024 9:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000892

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	03/25/2024	11:26:54	402783528	06/27/2026	03/25/2024 13:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000901

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC TAMPA	05/08/2024	15:32:01	24923080A3	10/05/2025	05/09/2024 10:53

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000902

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC TAMPA	06/26/2024	20:35:57	24923080A3	10/05/2025	06/27/2024 10:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000908

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ST JOE PD	03/09/2024	01:52:10	28423080A3	11/05/2025	03/20/2024 16:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000914

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MYERS PD	10/18/2024	12:23:10	25024080A3	10/05/2026	10/18/2024 12:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000937

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	07/03/2024	07:32:40	403056709	05/28/2027	07/03/2024 14:48
FL HIGHWAY PATROL	09/13/2024	16:44:57	40305679	05/28/2027	09/13/2024 18:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000938

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	05/29/2024	09:49:04	01524080A2	03/05/2026	05/29/2024 10:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000939

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	05/29/2024	08:47:52	01524080A2	03/05/2026	05/29/2024 9:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000940

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY SO	03/09/2024	23:04:24	24923080A3	10/05/2025	03/20/2024 11:35
BREVARD COUNTY SO	03/09/2024	23:04:36	24923080A3	10/05/2025	03/20/2024 11:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000941

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	03/07/2024	11:19:36	24923080A2	10/05/2025	03/07/2024 15:16
COLLIER COUNTY SO	03/07/2024	11:30:09	24923080A2	10/05/2025	03/07/2024 15:16
COLLIER COUNTY SO	04/09/2024	12:13:06	33922080A1	01/05/2025	04/09/2024 13:58
COLLIER COUNTY SO	06/12/2024	14:26:59	33922080A1	01/05/2025	06/12/2024 17:24
COLLIER COUNTY SO	12/25/2024	11:54:24	24923080A2	10/05/2025	12/25/2024 11:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000942

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	04/09/2024	07:39:50	24923080A2	10/05/2025	05/09/2024 12:56
COLLIER COUNTY SO	06/12/2024	14:25:13	24923080A2	10/05/2025	06/12/2024 17:18
COLLIER COUNTY SO	08/12/2024	09:52:53	24923080A2	10/05/2025	08/12/2024 10:43
COLLIER COUNTY SO	12/25/2024	12:01:53	24923080A2	10/05/2025	12/25/2024 12:1

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000943

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	04/23/2024	08:25:23	24923080A2	10/05/2025	05/08/2024 15:34
COLLIER COUNTY SO	06/13/2024	12:35:03	24923080A2	10/05/2025	06/13/2024 14:29
COLLIER COUNTY SO	12/25/2024	09:00:19	24923080A2	10/05/2025	12/25/2024 9:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000945

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	01/18/2024	23:33:44	06723080A5	04/05/2025	01/19/2024 0:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000946

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	02/20/2024	06:56:16	06723080A5	04/05/2025	03/24/2024 23:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000947

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GLADES COUNTY SO	04/05/2024	15:43:49	01524080A1	03/05/2026	04/05/2024 17:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000948

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GLADES COUNTY SO	04/05/2024	14:02:29	01524080A1	03/05/2026	04/05/2024 15:40
GLADES COUNTY SO	10/16/2024	14:19:57	1524080A1	03/05/2026	10/16/2024 16:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000951

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HENDRY COUNTY SO	03/31/2024	11:45:30	402872586	10/12/2026	04/02/2024 12:17

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000952

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FRANKLIN COUNTY SO	07/11/2024	10:21:03	14323080A3	09/05/2025	08/29/2024 11:48
FRANKLIN COUNTY SO	09/24/2024	12:13:43	14323080A3	09/05/2025	10/29/2024 15:59
FRANKLIN COUNTY SO	10/29/2024	16:02:14	14323080A3	09/05/2025	11/14/2024 12:6
FRANKLIN COUNTY SO	11/14/2024	12:25:54	14323080A3	09/05/2025	12/24/2024 11:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000953

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FRANKLIN COUNTY SO	09/24/2024	12:16:20	33922080A1	01/05/2025	10/29/2024 16:1
FRANKLIN COUNTY SO	10/29/2024	16:05:34	33922080A1	01/05/2025	11/14/2024 12:18
FRANKLIN COUNTY SO	11/14/2024	12:29:09	33922080A1	01/05/2025	12/24/2024 11:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000954

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JEFFERSON COUNTY SO	01/22/2024	15:00:00	33922080A1	01/05/2025	02/20/2024 13:17
JEFFERSON COUNTY SO	02/20/2024	15:07:24	33922080A1	01/05/2025	04/15/2024 13:43
JEFFERSON COUNTY SO	05/08/2024	14:57:24	33922080A1	01/05/2025	06/11/2024 14:48
JEFFERSON COUNTY SO	06/11/2024	16:27:23	33922080A1	01/05/2025	06/17/2024 10:17
JEFFERSON COUNTY SO	06/17/2024	11:05:46	33922080A1	01/05/2025	08/06/2024 10:48
JEFFERSON COUNTY SO	09/23/2024	10:25:26	10124080A3	06/05/2026	10/30/2024 11:8
JEFFERSON COUNTY SO	11/06/2024	13:54:48	10124080A3	06/05/2026	12/23/2024 13:48

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000956

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JEFFERSON COUNTY SO	03/26/2024	14:31:08	14323080A3	09/05/2025	04/15/2024 13:45
JEFFERSON COUNTY SO	07/30/2024	10:32:15	33922080A1	01/05/2025	08/14/2024 15:2
JEFFERSON COUNTY SO	07/30/2024	11:30:28	33922080A1	01/05/2025	08/14/2024 15:2
JEFFERSON COUNTY SO	08/14/2024	16:34:01	33922080A1	01/05/2025	10/23/2024 8:59
JEFFERSON COUNTY SO	10/23/2024	12:27:35	33922080A1	01/05/2025	11/13/2024 15:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000958

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	11/04/2024	16:23:52	33922080A1	01/05/2025	12/18/2024 15:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000959

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GADSDEN COUNTY SO	04/10/2024	14:14:28	14323080A3	09/05/2025	05/16/2024 10:6
GADSDEN COUNTY SO	05/13/2024	11:20:57	14323080A3	09/05/2025	05/16/2024 10:6
GADSDEN COUNTY SO	05/16/2024	09:58:46	14323080A3	09/05/2025	06/26/2024 10:52
GADSDEN COUNTY SO	06/26/2024	10:51:58	14323080A3	09/05/2025	07/31/2024 11:53
GADSDEN COUNTY SO	09/19/2024	09:29:58	14323080A3	09/05/2025	10/30/2024 11:20
GADSDEN COUNTY SO	11/13/2024	11:34:44	14323080A3	09/05/2025	12/23/2024 15:15

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000960

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LIBERTY COUNTY SO	07/10/2024	12:38:37	14323080A3	09/05/2025	08/21/2024 14:34
LIBERTY COUNTY SO	07/10/2024	12:38:51	14323080A3	09/05/2025	08/21/2024 14:34
LIBERTY COUNTY SO	08/21/2024	14:48:22	14323080A3	09/05/2025	10/23/2024 9:18
LIBERTY COUNTY SO	10/29/2024	10:27:21	14323080A3	09/05/2025	11/13/2024 16:4

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000961

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WAKULLA COUNTY SO	01/24/2024	17:40:07	33922080A1	01/05/2025	02/19/2024 12:43
WAKULLA COUNTY SO	02/19/2024	16:26:25	33922080A1	01/05/2025	03/13/2024 12:43
WAKULLA COUNTY SO	03/13/2024	12:42:36	33922080A1	01/05/2025	04/15/2024 13:36
WAKULLA COUNTY SO	03/13/2024	12:43:27	33922080A1	01/05/2025	04/15/2024 13:36
WAKULLA COUNTY SO	04/15/2024	15:02:01	33922080A1	01/05/2025	05/15/2024 11:47
WAKULLA COUNTY SO	05/15/2024	15:31:57	33922080A1	01/05/2025	06/26/2024 12:36
WAKULLA COUNTY SO	06/24/2024	19:21:30	33922080A1	01/05/2025	06/26/2024 12:36
WAKULLA COUNTY SO	08/28/2024	12:38:17	14323080A3	09/05/2025	10/23/2024 9:25
WAKULLA COUNTY SO	10/29/2024	12:39:15	14323080A3	09/05/2025	11/14/2024 12:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000962

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WAKULLA COUNTY SO	03/13/2024	15:54:45	33922080A1	01/05/2025	04/15/2024 13:39
WAKULLA COUNTY SO	05/15/2024	12:25:54	33922080A1	01/05/2025	06/26/2024 12:39
WAKULLA COUNTY SO	07/08/2024	16:54:05	33922080A1	01/05/2025	07/08/2024 16:47
WAKULLA COUNTY SO	09/19/2024	11:33:20	33922080A1	01/05/2025	10/30/2024 12:34
WAKULLA COUNTY SO	11/14/2024	07:43:37	10124080A3	06/05/2026	12/24/2024 11:53

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000963

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	06/03/2024	08:31:00	24923080A2	10/05/2025	06/20/2024 13:22
ORANGE COUNTY S.O.	06/03/2024	08:34:51	28423080A4	11/05/2025	06/20/2024 13:22
ORANGE COUNTY S.O.	06/03/2024	08:35:00	28423080A4	11/05/2025	06/20/2024 13:22
ORANGE COUNTY S.O.	08/01/2024	11:19:29	28423080A4	11/05/2025	08/14/2024 12:55
ORANGE COUNTY S.O.	10/16/2024	12:56:07	28423080A4	11/05/2025	10/16/2024 13:41
ORANGE COUNTY S.O.	10/16/2024	12:56:23	28423080A4	11/05/2025	10/16/2024 13:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000964

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	01/04/2024	09:25:42	14323080A3	09/05/2025	01/15/2024 11:28
ORANGE COUNTY SO	01/04/2024	09:26:03	14323080A3	09/05/2025	01/15/2024 11:28
ORANGE COUNTY SO	08/14/2024	11:43:42	28423080A4	11/05/2025	08/14/2024 13:0
ORANGE COUNTY SO	08/14/2024	11:44:00	28423080A4	11/05/2025	08/14/2024 13:0

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000965

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
QUINCY PD	07/10/2024	09:23:13	14323080A3	09/05/2025	08/15/2024 11:20
QUINCY PD	07/10/2024	09:23:28	14323080A3	09/05/2025	08/15/2024 11:20
QUINCY PD	08/15/2024	11:20:52	14323080A3	09/05/2025	10/23/2024 9:6
QUINCY PD	10/29/2024	09:07:28	14323080A3	09/05/2025	11/13/2024 17:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000966

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY SO	02/23/2024	09:02:00	402330433	01/24/2025	02/23/2024 12:28
OSCEOLA COUNTY SO	06/17/2024	12:17:20	402330433	01/24/2025	07/19/2024 12:46
OSCEOLA COUNTY SO	11/20/2024	13:50:48	402330433	01/24/2025	12/01/2024 14:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000968

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA CORRECTIONS	02/23/2024	09:08:40	402328118	01/20/2025	02/23/2024 11:39
OSCEOLA CORRECTIONS	04/19/2024	14:22:27	402397742	03/25/2025	05/17/2024 11:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000995

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COCOA BEACH PD	04/10/2024	15:58:53	403008479	03/29/2027	05/03/2024 5:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000996

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TITUSVILLE PD	02/05/2024	10:28:41	231592	11/15/2025	02/05/2024 12:28
TITUSVILLE PD	03/06/2024	09:15:02	231592	11/15/2025	03/06/2024 11:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-000998

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SEMINOLE COUNTY SO	02/21/2024	15:09:06	221873	12/28/2025	02/22/2024 4:43
SEMINOLE COUNTY SO	02/21/2024	23:22:28	402623830	12/28/2025	02/22/2024 4:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001003

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/31/2024	11:19:09	AG310901	04/19/2025	01/31/2024 11:57
PINELLAS COUNTY SO	11/20/2024	19:35:35	AG304401	02/13/2025	11/20/2024 22:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001004

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BREVARD COUNTY S.O.	03/24/2024	00:07:33	24923080A3	10/05/2025	04/10/2024 13:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001005

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	02/11/2024	04:23:17	AG329101	10/18/2025	02/26/2024 10:49
PINELLAS COUNTY SO	04/03/2024	18:59:47	AG329101	10/18/2025	04/19/2024 14:0

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001006

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIALANTIC PD	12/04/2024	12:06:38	31124080A1	12/05/2026	12/04/2024 13:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001008

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WEST MELBOURNE PD	07/16/2024	16:36:42	231603	06/05/2026	07/31/2024 23:31
WEST MELBOURNE PD	07/31/2024	20:23:23	10124080A3	06/05/2026	07/31/2024 23:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001009

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	06/21/2024	12:33:02	24923080A4	10/05/2025	07/30/2024 9:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001018

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/16/2024	14:15:45	07622080A3	05/05/2024	02/23/2024 10:45
JACKSONVILLE SO	03/25/2024	14:03:31	01923080A4	02/05/2025	04/10/2024 10:10
JACKSONVILLE SO	04/26/2024	12:27:33	08223080A3	06/05/2025	05/29/2024 8:46
JACKSONVILLE SO	08/22/2024	11:06:24	15924080A2	07/05/2026	08/22/2024 13:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001042

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS PARK PD	01/01/2024	03:37:10	06023080A1	04/05/2025	01/18/2024 12:47
PINELLAS PARK PD	06/25/2024	18:26:33	28423080A4	11/05/2025	07/18/2024 19:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001045

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	07/19/2024	04:33:36	15924080A2	07/05/2026	07/19/2024 10:49
JACKSONVILLE SO	11/19/2024	15:41:50	15924080A2	07/05/2026	11/26/2024 8:19

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001046

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	10/19/2024	12:52:37	01524080A1	03/05/2026	10/26/2024 14:47
CLAY COUNTY SO	10/25/2024	06:12:50	01524080A1	03/05/2026	10/26/2024 14:47
CLAY COUNTY SO	10/26/2024	14:11:46	01524080A1	03/05/2026	10/26/2024 14:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001049

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	05/30/2024	09:55:39	24923080A2	10/05/2025	05/30/2024 10:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001050

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CORAL SPRINGS PD	06/01/2024	02:57:26	26422080A1	11/05/2024	06/05/2024 11:39
CORAL SPRINGS PD	06/01/2024	02:57:44	26422080A1	11/05/2024	06/05/2024 11:39
CORAL SPRINGS PD	06/01/2024	02:58:18	26422080A1	11/05/2024	06/05/2024 11:39
CORAL SPRINGS PD	11/01/2024	15:30:07	26824080A1	11/05/2026	11/22/2024 13:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001053

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU COUNTY SO	07/24/2024	21:25:04	04924080A4	03/05/2026	07/25/2024 0:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001055

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	02/22/2024	12:24:31	33522080A5	01/05/2025	03/05/2024 12:15
POLK COUNTY SO	08/13/2024	13:50:57	01524080A2	03/05/2026	08/13/2024 15:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001056

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAVIE PD	04/06/2024	08:06:23	402649340	01/27/2026	04/23/2024 12:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001058

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK CSO	02/13/2024	12:52:23	08223080A2	05/05/2025	02/13/2024 14:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001059

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FERNANDINA BEACH PD	10/03/2024	16:18:46	25024080A3	10/05/2026	10/22/2024 16:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001060

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WINTER HAVEN PD	05/03/2024	08:21:14	24923080A3	10/05/2025	05/29/2024 9:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001061

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULFPORT PD	01/02/2024	05:05:12	231043	06/05/2025	01/30/2024 1:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001063

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOLLYWOOD PD	12/05/2024	04:06:12	403141809	09/10/2027	12/11/2024 11:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001064

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NEW PORT RICHEY PD	03/15/2024	09:18:44	28423080A4	11/05/2025	06/05/2024 12:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001066

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	03/13/2024	19:12:18	AG229803	10/25/2024	03/14/2024 22:26
PINELLAS COUNTY SO	10/24/2024	19:01:40	AG409204	04/01/2026	10/24/2024 20:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001069

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	09/15/2024	01:08:36	15924080A2	07/05/2026	09/16/2024 16:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001071

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	04/29/2024	16:43:11	07622080A2	05/05/2024	05/19/2024 13:39
CLAY COUNTY SO	05/19/2024	12:23:54	1524080A1	03/05/2026	05/19/2024 13:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001072

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SWF PSA TRAINING	02/27/2024	15:31:17	1234567A	02/24/2025	07/15/2024 8:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001078

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	01/16/2024	14:20:49	06023080A1	04/05/2025	01/26/2024 8:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001079

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LARGO PD	09/18/2024	16:50:46	10124080A3	06/05/2026	09/19/2024 15:44

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001080

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	02/13/2024	10:40:21	26422080A1	11/05/2024	02/13/2024 10:50
POLK COUNTY SO	04/05/2024	13:23:15	24923080A3	10/05/2025	04/17/2024 14:53
POLK COUNTY SO	06/11/2024	09:38:50	04924080A5	03/05/2026	06/11/2024 12:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001081

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	07/21/2024	04:05:05	24923080A2	10/05/2025	08/02/2024 12:5
PASCO COUNTY SO	07/21/2024	04:05:47	24923080A2	10/05/2025	08/02/2024 12:5

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001082

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PLANTATION PD	02/27/2024	15:00:57	231603	03/05/2026	02/27/2024 16:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	01/28/2024	06:35:02	07622080A3	05/05/2024	01/28/2024 8:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001113

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	02/01/2024	05:34:44	2402498227	07/22/2025	03/27/2024 18:46

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001115

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	11/13/2024	12:54:31	10124080A3	06/05/2026	12/23/2024 15:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001117

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	03/29/2024	09:40:04	24923080A2	10/05/2025	04/24/2024 23:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001118

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	10/02/2024	14:31:27	2402326118	01/20/2025	10/04/2024 6:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001127

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	03/05/2024	09:13:26	24923080A3	10/05/2025	03/05/2024 10:50
POLK COUNTY SO	06/11/2024	09:35:30	04924080A5	03/05/2026	06/11/2024 12:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001128

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PUTNAM COUNTY SO	11/27/2024	17:34:26	28423080A2	11/05/2025	11/29/2024 12:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001130

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY S.O.	07/27/2024	16:06:30	4022872586	10/12/2026	07/27/2024 18:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001131

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY SO	10/11/2024	14:04:41	403135737	08/30/2027	10/11/2024 15:17

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001132

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY S.O.	01/30/2024	09:44:09	402872586	10/12/2026	01/30/2024 11:28
VOLUSIA COUNTY SO	02/23/2024	15:17:13	402872586	10/12/2026	02/23/2024 17:46
VOLUSIA COUNTY SO	10/11/2024	14:02:43	402419647	04/14/2025	10/11/2024 15:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	10/19/2024	02:40:37	402816921	08/09/2026	11/14/2024 19:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001135

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH P.D.	02/10/2024	18:54:56	402290677	12/07/2024	02/10/2024 20:49
DAYTONA BEACH P.D.	06/14/2024	15:08:57	402290677	12/07/2024	09/12/2024 8:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001136

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DELAND PD	01/31/2024	15:33:17	402872586	10/12/2026	01/31/2024 16:57

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001138

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FLAGLER COUNTY SO	04/25/2024	09:57:24	24923080A2	10/05/2025	04/25/2024 11:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001139

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	01/18/2024	08:45:50	402623828	12/22/2025	02/13/2024 9:33
BROWARD COUNTY SO	03/11/2024	01:32:28	402623828	12/22/2025	04/10/2024 10:58
BROWARD COUNTY SO	03/11/2024	01:32:41	402623828	12/22/2025	04/10/2024 10:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001150

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	06/10/2024	10:38:58	402806079	07/26/2025	07/08/2024 14:33
MANATEE COUNTY SO	11/22/2024	13:42:16	403141809	09/10/2027	12/13/2024 14:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001151

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST. PETERSBURG PD	04/04/2024	10:46:02	08622080A1	06/05/2024	05/23/2024 12:46
ST. PETERSBURG PD	04/19/2024	20:06:50	06023080A1	04/05/2025	05/23/2024 12:46
ST. PETERSBURG PD	07/10/2024	17:56:52	06023080A1	04/05/2025	08/21/2024 14:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001152

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NEW SMYRNA BEACH PD	01/26/2024	17:54:48	24923080A4	10/05/2025	02/24/2024 9:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEON COUNTY SO	07/01/2024	08:43:11	33922080A1	01/05/2025	07/01/2024 9:14
LEON COUNTY SO	07/01/2024	08:45:36	33922080A1	01/05/2025	07/01/2024 9:14
LEON COUNTY SO	07/08/2024	17:31:10	33922080A1	01/05/2025	07/29/2024 13:2
LEON COUNTY SO	07/29/2024	10:10:22	08223080A2	05/05/2025	07/29/2024 13:3
LEON COUNTY SO	09/18/2024	15:39:41	10124080A3	06/05/2026	10/30/2024 11:5
LEON COUNTY SO	09/18/2024	15:39:59	10124080A3	06/05/2026	10/30/2024 11:5
LEON COUNTY SO	11/04/2024	16:21:50	10124080A3	06/05/2026	12/18/2024 15:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001154

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY SO	06/21/2024	15:07:42	402498227	07/22/2025	06/21/2024 19:9
VOLUSIA COUNTY SO	07/01/2024	10:24:16	402498227	07/22/2025	07/27/2024 18:35
VOLUSIA COUNTY SO	11/26/2024	18:18:41	403135737	08/30/2027	11/26/2024 19:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001177

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GROVELAND PD	05/13/2024	13:42:33	01923080A3	02/05/2025	05/13/2024 14:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001178

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	05/29/2024	10:45:42	402367487	04/28/2025	07/31/2024 16:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001179

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	05/29/2024	10:16:59	402367487	04/28/2025	05/29/2024 10:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	07/17/2024	16:14:47	08223080A5	06/05/2025	07/17/2024 19:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001191

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SWF PSA TRAINING	02/27/2024	15:44:15	1234567A	02/24/2025	07/15/2024 8:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY BEACH PD	02/05/2024	17:17:18	402806079	07/26/2026	02/05/2024 19:26
PANAMA CITY BEACH PD	07/12/2024	18:12:59	403005538	03/25/2027	07/12/2024 19:10

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001201

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	06/13/2024	13:09:48	33922080A1	01/05/2025	06/13/2024 14:26
COLLIER COUNTY SO	07/09/2024	12:55:39	33922080A1	01/05/2025	08/12/2024 15:38
COLLIER COUNTY SO	07/09/2024	12:56:36	33922080A1	01/05/2025	08/12/2024 15:38
COLLIER COUNTY SO	12/26/2024	15:18:20	20524080A2	09/05/2026	12/26/2024 15:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001202

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	06/12/2024	12:31:01	33922080A1	01/05/2025	06/12/2024 17:20
COLLIER COUNTY SO	07/09/2024	19:07:26	33922080A1	01/05/2025	08/13/2024 14:49
COLLIER COUNTY SO	12/26/2024	15:14:44	20524080A2	09/05/2026	12/26/2024 15:14

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PANAMA CITY PD	05/26/2024	21:14:05	2402946336	01/17/2027	05/26/2024 23:37
PANAMA CITY PD	05/26/2024	22:40:10	1506449	06/10/2024	06/30/2024 23:22
PANAMA CITY PD	06/30/2024	21:04:21	3024030567	05/28/2027	06/30/2024 23:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001208

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	02/12/2024	13:16:00	29122080A2	12/05/2024	02/27/2024 9:46
LEE COUNTY SO	05/25/2024	02:18:13	22521080A1	10/05/2025	05/29/2024 11:18
LEE COUNTY SO	05/25/2024	02:19:03	24923080A3	10/05/2025	05/29/2024 11:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001235

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WEST PALM BEACH PD	02/26/2024	14:55:21	402872586	10/12/2026	03/20/2024 19:6
WEST PALM BEACH PD	02/26/2024	14:55:39	402872586	10/12/2026	03/20/2024 19:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	09/13/2024	09:21:03	28423080A4	11/05/2025	10/17/2024 9:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001243

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
EDGEWATER PD	02/05/2024	10:47:46	402477282	06/24/2025	02/05/2024 11:37
EDGEWATER PD	10/18/2024	18:26:28	4028433437	09/08/2026	10/31/2024 9:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001244

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PUTNAM COUNTY SO	11/27/2024	15:42:42	28423080A2	11/05/2025	11/27/2024 17:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001245

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ORANGE P.D.	03/29/2024	11:06:02	402328118	01/25/2025	04/30/2024 15:34
PORT ORANGE P.D.	04/30/2024	14:16:09	403008479	03/28/2027	04/30/2024 15:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001246

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SOUTH DAYTONA P.D.	08/02/2024	03:15:10	403096062	07/15/2027	08/26/2024 1:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001247

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/27/2024	09:21:24	402678400	02/24/2026	03/27/2024 10:8
FL HIGHWAY PATROL	06/27/2024	07:03:52	403056709	05/28/2027	07/03/2024 15:9
FL HIGHWAY PATROL	08/11/2024	19:43:24	403056709	05/28/2027	08/16/2024 15:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001248

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT LAUDERDALE PD	04/30/2024	22:11:00	402886996	11/01/2026	06/02/2024 17:36
FORT LAUDERDALE PD	11/03/2024	18:21:16	402886996	11/01/2026	12/05/2024 2:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001254

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	03/12/2024	13:15:24	402357111	02/10/2025	03/14/2024 11:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001255

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	02/15/2024	16:04:36	06723080A5	04/05/2025	03/26/2024 12:19
ORANGE COUNTY S.O.	02/15/2024	16:04:49	06723080A5	04/05/2025	03/26/2024 12:20
ORANGE COUNTY S.O.	03/06/2024	06:12:34	24923080A2	10/05/2025	03/26/2024 12:20
ORANGE COUNTY S.O.	08/14/2024	10:39:22	28423080A4	11/05/2025	08/14/2024 11:29
ORANGE COUNTY S.O.	08/14/2024	10:39:35	28423080A4	11/05/2025	08/14/2024 11:29
ORANGE COUNTY SO	09/11/2024	12:24:56	28423080A4	11/05/2025	09/11/2024 13:19
ORANGE COUNTY SO	09/11/2024	12:25:13	28423080A4	11/05/2025	09/11/2024 13:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	03/13/2024	13:26:59	06723080A5	04/05/2025	03/26/2024 11:17
ORANGE COUNTY SO	03/13/2024	13:27:11	06723080A5	04/05/2025	03/26/2024 11:17
ORANGE COUNTY SO	04/02/2024	10:37:02	06723080A5	04/05/2025	04/02/2024 12:9
ORANGE COUNTY SO	07/04/2024	10:00:45	28423080A4	11/05/2025	08/14/2024 11:33
ORANGE COUNTY SO	07/04/2024	10:00:58	28423080A4	11/05/2025	08/14/2024 11:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001257

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	01/15/2024	10:35:55	07622080A3	05/05/2024	01/15/2024 11:35
ORANGE COUNTY S.O.	01/15/2024	10:36:15	07622080A3	05/05/2024	01/15/2024 11:35
ORANGE COUNTY S.O.	02/06/2024	09:34:35	06723080A5	04/05/2025	02/06/2024 10:32
ORANGE COUNTY S.O.	02/06/2024	09:34:51	06723080A5	04/05/2025	02/06/2024 10:32
ORANGE COUNTY SO	05/02/2024	15:55:54	28423080A4	11/05/2025	05/07/2024 14:58
ORANGE COUNTY SO	05/02/2024	15:56:14	28423080A4	11/05/2025	05/07/2024 14:58
ORANGE COUNTY SO	11/28/2024	09:54:03	28423080A4	11/05/2025	12/04/2024 12:59

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001258

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	06/20/2024	12:00:35	06723080A5	04/05/2025	06/20/2024 13:30
ORANGE COUNTY S.O.	06/20/2024	12:00:46	06723080A5	04/05/2025	06/20/2024 13:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001259

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/31/2024	10:27:25	AG304401	02/13/2025	01/31/2024 11:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MELBOURNE PD	03/27/2024	13:50:19	402477284	06/27/2025	04/29/2024 11:55
MELBOURNE PD	07/31/2024	10:15:36	402886996	11/01/2026	07/31/2024 11:53
MELBOURNE PD	11/20/2024	16:11:50	402886996	11/01/2026	11/20/2024 17:1

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001263

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN HARBOUR PD	01/19/2024	20:14:54	14323080A3	09/05/2025	02/24/2024 8:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001265

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	04/16/2024	20:25:34	29122080A1	12/05/2024	05/01/2024 13:28
PALM BAY PD	10/29/2024	10:03:54	24923080A4	10/05/2025	11/28/2024 10:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	02/21/2024	12:23:00	AG329101	10/18/2025	03/14/2024 10:11
PINELLAS COUNTY SO	05/22/2024	23:12:42	AG329101	10/18/2025	05/29/2024 12:3
PINELLAS COUNTY SO	08/30/2024	22:26:55	AG326805	09/25/2025	09/19/2024 16:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/31/2024	09:57:08	AG229803	10/25/2024	01/31/2024 10:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001275

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH GARDENS PD	05/01/2024	20:09:39	04924080A5	03/05/2026	05/02/2024 0:4

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001276

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	01/04/2024	00:45:07	14323080A2	06/05/2025	01/11/2024 3:34
MIAMI-DADE PD	01/04/2024	00:45:18	14323080A2	06/05/2025	01/11/2024 3:34
MIAMI-DADE PD	01/04/2024	00:45:34	14323080A2	06/05/2025	01/11/2024 3:34
MIAMI DADE PD	09/05/2024	02:20:37	14323080A2	06/05/2025	09/05/2024 3:41
MIAMI DADE PD	10/11/2024	00:34:39	14323080A2	06/05/2025	10/11/2024 2:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001277

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	01/04/2024	04:14:34	14323080A2	06/05/2025	01/04/2024 5:58
MIAMI-DADE PD	01/04/2024	04:14:48	14323080A2	06/05/2025	01/04/2024 5:58
MIAMI DADE PD	09/04/2024	23:16:21	14323080A2	06/05/2025	09/05/2024 1:33
MIAMI DADE PD	09/04/2024	23:16:36	14323080A2	06/05/2025	09/05/2024 1:33
MIAMI DADE PD	12/04/2024	21:13:21	14323080A2	06/05/2025	12/05/2024 0:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001278

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	04/07/2024	07:02:04	08223080A3	06/05/2025	04/10/2024 14:31
JACKSONVILLE SO	08/02/2024	12:37:07	15924080A2	07/05/2026	08/22/2024 13:41
JACKSONVILLE SO	08/02/2024	12:43:49	15924080A2	07/05/2026	08/22/2024 13:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001279

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	02/21/2024	09:34:54	08223080A3	06/05/2025	02/28/2024 13:51
JACKSONVILLE SO	04/07/2024	01:45:32	01923080A4	02/05/2025	04/12/2024 9:44
JACKSONVILLE SO	05/24/2024	10:26:30	01923080A4	02/05/2025	05/28/2024 15:39
JACKSONVILLE SO	06/25/2024	13:02:36	08223080A3	06/05/2025	06/26/2024 7:37
JACKSONVILLE SO	11/27/2024	07:29:42	28424080A3	11/05/2026	12/06/2024 9:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001280

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	03/08/2024	09:34:35	08223080A3	06/05/2025	03/26/2024 10:26
JACKSONVILLE SO	05/24/2024	10:18:59	08223080A3	06/05/2025	05/28/2024 15:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001281

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NASSAU COUNTY SO	01/04/2024	19:47:11	26422080A1	11/05/2024	01/30/2024 22:23
NASSAU COUNTY SO	07/24/2024	23:17:31	04924080A4	03/05/2026	09/12/2024 10:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001283

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGH SPRINGS PD	11/24/2024	10:24:19	10124080A2	06/05/2026	12/27/2024 6:54
HIGH SPRINGS PD	12/24/2024	08:49:18	10124080A2	06/05/2026	12/27/2024 6:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001284

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GILCHRIST COUNTY SO	01/14/2024	08:47:29	22722080A1	10/05/2024	02/08/2024 16:9
GILCHRIST COUNTY SO	01/14/2024	08:55:30	26422080A1	11/05/2024	02/08/2024 16:9
GILCHRIST COUNTY SO	02/27/2024	20:00:23	22722080A1	10/05/2024	04/05/2024 11:7
GILCHRIST COUNTY SO	03/30/2024	14:42:14	22722080A1	10/05/2024	04/05/2024 11:7
GILCHRIST COUNTY SO	07/08/2024	13:13:18	26422080A1	11/05/2024	09/16/2024 11:21
GILCHRIST COUNTY SO	07/13/2024	07:59:11	22722080A1	10/05/2024	09/16/2024 11:21
GILCHRIST COUNTY SO	08/27/2024	12:52:45	22022780A1	10/04/2024	09/16/2024 11:21
GILCHRIST COUNTY SO	08/30/2024	10:36:43	10124080A2	06/05/2026	09/16/2024 11:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001285

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GILCHRIST COUNTY SO	03/03/2024	14:15:09	26422080A1	11/05/2024	03/22/2024 12:28
GILCHRIST COUNTY SO	03/28/2024	18:00:32	22722080A1	10/05/2024	04/21/2024 16:0
GILCHRIST COUNTY SO	08/09/2024	18:15:53	22722080A1	10/05/2024	09/04/2024 18:29
GILCHRIST COUNTY SO	08/13/2024	17:22:03	22722080A1	10/05/2024	09/04/2024 18:29
GILCHRIST COUNTY SO	10/18/2024	10:59:56	10124080A2	06/05/2026	10/18/2024 12:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001287

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAKER COUNTY SO	03/29/2024	16:05:47	01524080A2	03/05/2026	05/30/2024 9:0
BAKER COUNTY SO	06/01/2024	09:10:34	01524080A2	03/05/2026	06/01/2024 10:27
BAKER COUNTY SO	07/22/2024	14:02:40	10124080A2	06/05/2026	07/22/2024 15:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001290

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BRADFORD COUNTY SO	01/10/2024	18:46:39	22722080A1	10/05/2024	01/31/2024 12:13
BRADFORD COUNTY SO	02/04/2024	07:51:59	26422080A1	11/05/2024	03/08/2024 9:42
BRADFORD COUNTY SO	03/21/2024	14:33:49	26422080A1	11/05/2024	06/11/2024 12:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001293

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WILLISTON PD	10/25/2024	13:28:04	3024026353	01/25/2026	11/01/2024 11:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001302

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	04/05/2024	17:31:48	402956578	01/29/2027	05/05/2024 20:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001303

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SANTA ROSA COUNTY SO	07/05/2024	17:25:44	402956578	01/29/2027	07/05/2024 19:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001306

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULF BREEZE PD	11/19/2024	15:01:41	402697419	03/20/2026	11/19/2024 17:1

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001307

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MADISON COUNTY SO	07/30/2024	10:39:29	33922080A1	01/05/2025	08/14/2024 15:41
MADISON COUNTY SO	07/30/2024	10:39:48	33922080A1	01/05/2025	08/14/2024 15:41
MADISON COUNTY SO	08/14/2024	15:46:29	33922080A1	01/05/2025	10/23/2024 9:28
MADISON COUNTY SO	10/23/2024	13:30:26	33922080A1	01/05/2025	11/13/2024 17:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001308

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	02/08/2024	16:27:24	402886996	11/01/2026	02/09/2024 13:40
BAY COUNTY SO	08/26/2024	14:01:41	402872586	10/12/2026	08/26/2024 15:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001309

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAY COUNTY SO	01/17/2024	13:53:35	402872586	10/12/2025	01/29/2024 12:48
BAY COUNTY SO	01/18/2024	11:43:05	402872586	10/12/2026	01/29/2024 12:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001310

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NICEVILLE PD	06/05/2024	03:15:52	402783527	06/27/2026	06/05/2024 8:45
NICEVILLE PD	06/05/2024	03:49:34	402783527	06/27/2026	06/05/2024 8:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001311

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	10/25/2024	12:12:05	402697419	03/20/2026	12/30/2024 17:26
WALTON COUNTY SO	12/30/2024	15:08:29	403135737	08/30/2027	12/30/2024 17:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001312

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	04/30/2024	20:19:26	402367487	04/28/2025	04/30/2024 22:28
WALTON COUNTY SO	07/30/2024	14:25:25	402697419	03/20/2026	07/30/2024 16:7
WALTON COUNTY SO	11/30/2024	20:22:21	403141809	09/10/2027	11/30/2024 22:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001320

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE CSO	05/28/2024	12:51:14	402872586	10/12/2026	05/28/2024 14:49

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001321

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE COUNTY SO	02/23/2024	07:47:45	402335621	02/14/2025	03/05/2024 11:29
OKEECHOBEE COUNTY SO	03/27/2024	08:25:23	402335621	02/14/2025	03/27/2024 9:43
OKEECHOBEE COUNTY SO	04/30/2024	10:21:05	402886996	11/01/2026	04/30/2024 12:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001322

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKEECHOBEE PD	04/30/2024	10:15:50	402872586	10/12/2026	04/30/2024 12:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001323

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ST LUCIE PD	04/22/2024	13:47:31	24923080A2	10/05/2025	05/29/2024 11:35
PORT ST LUCIE PD	09/10/2024	12:30:04	24923080A2	10/05/2025	09/10/2024 13:38

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001328

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN RIVER CSO	03/28/2024	15:14:42	402806340	07/26/2026	03/28/2024 16:31
INDIAN RIVER CSO	08/25/2024	12:51:23	402265303	01/25/2026	08/25/2024 13:58
INDIAN RIVER CSO	11/06/2024	09:38:18	402806340	07/26/2026	11/17/2024 15:19

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001329

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
INDIAN RIVER CO. SO	03/10/2024	11:38:17	402806340	07/26/2026	03/10/2024 12:56
INDIAN RIVER CO. SO	03/24/2024	14:22:01	402635303	01/25/2026	05/03/2024 14:50
INDIAN RIVER CO. SO	03/24/2024	14:26:05	402806340	07/26/2026	05/03/2024 14:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001344

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	03/29/2024	08:07:17	15922080A4	08/05/2024	03/29/2024 9:16
SARASOTA COUNTY SO	04/30/2024	11:44:39	08223080A2	05/05/2025	04/30/2024 13:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001345

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKELAND PD	11/07/2024	13:43:40	26824080A1	11/05/2026	11/25/2024 13:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001346

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	03/29/2024	08:09:01	08223080A2	05/05/2025	03/29/2024 9:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001347

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	03/29/2024	08:12:21	08223080A2	05/05/2025	03/29/2024 9:25
SARASOTA COUNTY SO	08/29/2024	00:41:31	08223080A2	05/05/2025	09/06/2024 9:31
SARASOTA COUNTY SO	09/06/2024	08:04:01	10124080A2	06/05/2026	09/06/2024 9:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001348

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	04/30/2024	13:17:45	15922080A4	08/05/2024	04/30/2024 15:1
SARASOTA COUNTY SO	07/26/2024	08:01:21	10124080A2	06/05/2026	08/10/2024 7:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001350

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BARTOW PD	09/20/2024	10:12:56	231603	07/05/2026	09/20/2024 14:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001360

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
EVERGLADES NAT PARK	01/28/2024	16:12:50	231603	11/05/2025	03/13/2024 12:53

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001363

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	09/29/2024	02:32:38	06723080A5	04/05/2025	10/22/2024 12:28

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001365

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEVY COUNTY SO	06/27/2024	19:59:41	22722080A1	10/05/2024	06/30/2024 20:2
LEVY COUNTY SO	08/13/2024	17:00:16	22722080A1	10/05/2024	08/13/2024 17:3
LEVY COUNTY SO	11/05/2024	02:50:46	1012408082	06/05/2026	11/08/2024 12:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001367

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	04/03/2024	20:13:32	AG329101	10/18/2025	04/23/2024 10:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001368

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS MAYPORT	03/21/2024	11:50:31	08223080A3	06/05/2025	03/22/2024 12:40
NAS MAYPORT	07/31/2024	07:34:39	15924080A2	07/05/2026	07/31/2024 10:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001415

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	01/31/2024	11:59:56	AG233401	11/30/2024	01/31/2024 12:43
PINELLAS COUNTY SO	02/21/2024	16:51:33	AG329101	10/18/2025	02/22/2024 12:52
PINELLAS COUNTY SO	04/12/2024	18:58:15	AG329101	10/18/2025	04/19/2024 13:38
PINELLAS COUNTY SO	04/27/2024	01:15:28	AG329101	10/18/2025	05/15/2024 12:44
PINELLAS COUNTY SO	05/15/2024	10:55:07	AG329101	10/18/2025	05/15/2024 12:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001416

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY SO	05/02/2024	16:07:41	28423080A4	11/05/2025	05/07/2024 12:49
ORANGE COUNTY SO	05/02/2024	16:07:54	28423080A4	11/05/2025	05/07/2024 12:49

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001418

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	04/02/2024	10:16:29	24923080A2	10/05/2025	05/07/2024 13:55
ORANGE COUNTY S.O.	04/02/2024	10:16:40	24923080A2	10/05/2025	05/07/2024 13:55
ORANGE COUNTY SO	09/11/2024	09:55:45	24923080A2	10/05/2025	09/11/2024 11:42
ORANGE COUNTY SO	09/11/2024	09:55:57	24923080A2	10/05/2025	09/11/2024 11:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001420

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ORANGE COUNTY S.O.	03/28/2024	18:01:16	06723080A5	04/05/2025	04/02/2024 13:34
ORANGE COUNTY SO	06/20/2024	11:58:11	29122080A1	12/05/2024	06/20/2024 13:32
ORANGE COUNTY SO	06/20/2024	11:58:23	29122080A1	12/05/2024	06/20/2024 13:32
ORANGE COUNTY SO	10/29/2024	09:33:06	15924080A2	07/05/2026	11/19/2024 12:36
ORANGE COUNTY SO	10/29/2024	09:33:22	15924080A2	07/05/2026	11/19/2024 12:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001439

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	07/17/2024	20:19:07	08223080A5	06/02/2025	07/17/2024 23:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001442

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BISCAYNE NAT PARK	04/23/2024	09:27:03	402987895	03/05/2027	04/23/2024 10:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001471

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SUMTER COUNTY SO	09/24/2024	09:52:30	231603	06/05/2026	09/30/2024 12:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001647

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CAPE CORAL PD	02/01/2024	01:09:55	26422080A1	11/05/2024	02/21/2024 23:42
CAPE CORAL PD	10/07/2024	23:50:53	28423080A4	11/05/2025	10/07/2024 23:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001649

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
TITUSVILLE PD	06/11/2024	10:56:16	231592	11/05/2025	07/02/2024 17:16
TITUSVILLE PD	07/02/2024	15:21:06	231592	11/05/2025	07/02/2024 17:16
TITUSVILLE PD	08/06/2024	08:40:28	231592	11/05/2025	08/06/2024 9:28
TITUSVILLE PD	09/17/2024	12:14:26	231592	11/05/2025	09/17/2024 13:57
TITUSVILLE PD	10/29/2024	20:20:59	231592	11/05/2025	10/29/2024 21:15
TITUSVILLE PD	11/29/2024	09:57:31	231592	11/05/2025	11/29/2024 11:3
TITUSVILLE PD	12/30/2024	09:54:46	231592	11/05/2025	12/30/2024 10:39

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001651

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	07/09/2024	19:12:48	24923080A2	10/05/2025	08/13/2024 14:46
COLLIER COUNTY SO	09/03/2024	08:43:56	24923080A2	10/05/2025	09/03/2024 10:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001653

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	03/06/2024	22:35:59	08622080A1	06/05/2024	04/04/2024 10:33
ST PETERSBURG PD	03/07/2024	08:02:17	06023080A1	04/05/2025	04/04/2024 10:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001654

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	05/29/2024	10:30:40	402367487	04/28/2025	06/30/2024 20:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001655

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	12/30/2024	19:39:22	402816921	08/09/2026	12/30/2024 20:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001720

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ALACHUA PD	09/17/2024	13:25:07	10124080A2	06/05/2026	10/21/2024 13:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001721

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BAY P.D.	03/17/2024	16:04:44	24923080A4	10/05/2025	03/28/2024 10:24
PALM BAY PD	10/29/2024	10:13:59	29122080A1	12/05/2024	11/28/2024 10:4
PALM BAY PD	11/28/2024	10:11:06	24923080A4	10/05/2025	12/25/2024 10:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001722

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LEE COUNTY SO	02/27/2024	09:47:04	24923080A3	10/05/2025	02/27/2024 10:56
LEE COUNTY SO	03/20/2024	08:57:41	24923080A3	10/05/2025	03/20/2024 9:50
LEE COUNTY SO	10/23/2024	11:28:17	01524080A2	03/05/2026	10/23/2024 11:29
LEE COUNTY SO	12/26/2024	11:04:33	31124080A2	12/05/2026	12/26/2024 11:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001723

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VENICE PD	09/06/2024	09:40:00	10124080A2	06/05/2026	09/06/2024 10:23
VENICE PD	10/02/2024	18:09:58	23324080A2	10/05/2026	10/28/2024 11:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001732

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS PARK P.D.	01/18/2024	12:39:44	06023080A1	04/05/2025	02/20/2024 15:28
PINELLAS PARK P.D.	03/18/2024	13:44:42	06023080A1	04/05/2025	04/11/2024 10:47
PINELLAS PARK PD	08/15/2024	19:22:19	06023080A1	04/05/2025	08/17/2024 18:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001739

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	01/08/2024	18:44:12	06723080A5	04/05/2025	01/18/2024 22:15
CHARLOTTE COUNTY SO	11/21/2024	21:25:02	06723080A5	04/05/2025	11/21/2024 21:57

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001740

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLEARWATER PD	02/29/2024	18:32:02	14323080A3	09/05/2025	03/29/2024 17:30
CLEARWATER PD	05/30/2024	17:32:31	14323080A3	09/05/2025	05/30/2024 22:53
CLEARWATER PD	05/31/2024	16:07:54	14323080A3	09/05/2025	05/31/2024 17:20
CLEARWATER PD	07/13/2024	22:21:15	01524080A2	03/05/2026	08/20/2024 18:41
CLEARWATER PD	10/29/2024	15:27:11	01524080A2	03/05/2026	11/29/2024 21:34
CLEARWATER PD	12/15/2024	01:35:28	231243	09/05/2025	12/27/2024 19:10
CLEARWATER PD	12/15/2024	01:36:06	231243	09/05/2025	12/27/2024 19:10

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001741

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CSO	02/16/2024	14:49:27	06723080A5	04/05/2025	03/08/2024 16:35
PALM BEACH CSO	02/16/2024	14:50:11	06723080A5	04/05/2025	03/08/2024 16:51
PALM BEACH CSO	02/16/2024	14:50:35	06723080A5	04/05/2025	03/08/2024 16:51
PALM BEACH CSO	03/08/2024	17:15:25	06723080A5	04/05/2025	04/19/2024 14:33
PALM BEACH CSO	03/08/2024	17:16:02	06723080A5	04/05/2025	04/19/2024 14:33
PALM BEACH CSO	07/02/2024	06:02:20	14323080A3	09/05/2025	07/26/2024 16:25
PALM BEACH CSO	07/02/2024	06:04:33	14323080A3	09/05/2025	07/26/2024 16:25
PALM BEACH CSO	07/02/2024	06:10:01	14323080A3	09/05/2025	07/26/2024 16:25
PALM BEACH CSO	07/02/2024	15:47:10	14323080A3	09/05/2025	07/26/2024 16:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001742

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	06/10/2024	13:03:33	402558895	10/03/2025	06/10/2024 13:45
MANATEE COUNTY SO	10/20/2024	23:27:56	403056709	05/28/2027	11/22/2024 9:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001743

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
JACKSONVILLE SO	08/21/2024	10:25:36	15924080A2	07/05/2026	08/22/2024 7:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001962

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ST LUCIE PD	05/29/2024	10:58:44	403008479	03/28/2027	05/29/2024 11:46
PORT ST LUCIE PD	08/18/2024	08:40:47	403008479	03/28/2027	08/18/2024 9:24
PORT ST LUCIE PD	08/18/2024	08:42:02	403008479	03/28/2027	08/18/2024 9:24
PORT ST LUCIE PD	08/18/2024	08:42:51	403008479	03/28/2027	08/18/2024 9:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002097

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NAS JACKSONVILLE PD	04/26/2024	12:26:25	01923080A4	02/05/2025	04/29/2024 14:31

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002231

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
NEW SMYRNA BEACH PD	01/26/2024	17:48:36	24923080A4	10/05/2025	02/24/2024 9:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002463

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIALEAH PD	04/26/2024	09:15:57	402370890	05/09/2025	05/14/2024 11:42

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002987

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI GARDENS PD	04/10/2024	10:29:45	403005538	03/25/2027	04/29/2024 12:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-002988

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI GARDENS PD	04/10/2024	10:25:50	403005538	03/25/2027	04/29/2024 12:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003195

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	03/18/2024	01:45:39	AG310302	04/13/2025	03/22/2024 12:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003224

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI BEACH PD	06/20/2024	10:06:47	402648278	01/27/2026	06/20/2024 13:43

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003347

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PASCO COUNTY SO	05/30/2024	09:53:19	24923080A2	10/05/2025	07/11/2024 12:50
PASCO COUNTY SO	10/22/2024	11:34:05	24923080A2	10/05/2025	10/22/2024 11:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003387

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	01/13/2024	02:52:38	08223080A4	06/05/2025	02/02/2024 8:48
HILLSBOROUGH CO SO	01/13/2024	02:53:00	08223080A4	06/05/2025	02/02/2024 8:48
HILLSBOROUGH CO SO	04/10/2024	07:24:42	29122080A1	12/05/2024	04/10/2024 10:0
HILLSBOROUGH CO SO	06/24/2024	23:00:27	08223080A4	06/05/2025	07/03/2024 14:9
HILLSBOROUGH CO SO	06/24/2024	23:00:59	08223080A4	06/05/2025	07/03/2024 14:9
HILLSBOROUGH CO SO	08/08/2024	02:51:14	28423080A2	11/05/2025	09/05/2024 12:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003388

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/06/2024	13:29:27	08223080A4	06/05/2025	03/06/2024 9:48

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003406

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/19/2024	11:07:14	14323080A3	09/05/2025	04/10/2024 12:50
FL HIGHWAY PATROL	08/19/2024	17:34:21	08223080A2	05/05/2025	09/18/2024 12:19
FL HIGHWAY PATROL	09/19/2024	10:19:22	08223080A2	05/05/2025	10/30/2024 11:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003407

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/28/2024	17:30:44	402678400	02/24/2026	01/28/2024 20:5

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003408

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TROOP E MIAMI	01/26/2024	04:30:53	402678400	02/24/2026	02/29/2024 9:39
FHP TROOP E MIAMI	01/26/2024	04:31:03	402678400	02/24/2026	02/29/2024 9:39
FHP TROOP E MIAMI	01/26/2024	04:31:19	402678400	02/24/2026	02/29/2024 9:40
FHP TROOP E MIAMI	01/26/2024	04:32:03	402678400	02/24/2026	02/29/2024 9:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003411

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	01/31/2024	23:36:07	402872586	10/12/2026	01/31/2024 23:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-003937

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY SO	02/23/2024	09:04:20	402330433	01/24/2025	02/23/2024 12:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004587

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OSCEOLA COUNTY SO	08/27/2024	12:20:42	402330433	01/24/2025	09/18/2024 12:22

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-004771

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GULF BREEZE PD	08/30/2024	23:17:50	402367487	04/28/2024	09/05/2024 21:13
GULF BREEZE PD	08/30/2024	23:17:54	402367487	04/28/2024	09/05/2024 21:13
GULF BREEZE PD	08/30/2024	23:17:55	402367487	04/28/2024	09/05/2024 21:13
GULF BREEZE PD	08/30/2024	23:17:57	402367487	04/28/2024	09/05/2024 21:13
GULF BREEZE PD	08/30/2024	23:17:59	402367487	04/28/2024	09/05/2024 21:13
GULF BREEZE PD	11/20/2024	14:53:59	403135737	08/30/2027	11/20/2024 16:58
GULF BREEZE PD	12/12/2024	13:32:44	403135737	08/30/2027	12/16/2024 17:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005057

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
OKALOOSA COUNTY SO	10/28/2024	03:50:24	402623828	12/22/2025	10/30/2024 14:47
OKALOOSA COUNTY SO	10/28/2024	03:51:27	402623828	12/22/2025	10/30/2024 14:47
OKALOOSA COUNTY SO	10/28/2024	03:51:44	402623828	12/22/2025	10/30/2024 14:47
OKALOOSA COUNTY SO	10/28/2024	03:58:41	402623828	12/22/2025	10/30/2024 14:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005058

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CRESTVIEW PD	04/01/2024	14:39:01	402590345	11/04/2025	04/01/2024 16:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005076

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	03/29/2024	06:43:49	08223080A2	05/05/2025	03/29/2024 8:6

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005113

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/28/2024	05:22:50	08223080A4	06/05/2025	03/06/2024 14:30
HILLSBOROUGH CO SO	06/05/2024	14:05:44	29122080A1	12/05/2024	06/05/2024 16:34
HILLSBOROUGH CO SO	06/05/2024	14:06:26	29122080A1	12/05/2024	06/05/2024 16:34

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005249

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HERNANDO COUNTY SO	09/19/2024	05:44:00	28423080A3	11/05/2025	09/22/2024 15:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005290

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PINELLAS COUNTY SO	04/12/2024	21:15:33	AG329101	10/18/2025	04/23/2024 10:6
PINELLAS COUNTY SO	04/12/2024	21:16:04	AG329101	10/18/2025	04/23/2024 10:6
PINELLAS COUNTY SO	06/21/2024	03:01:59	AG329101	10/18/2025	06/26/2024 11:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005337

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PERRY POLICE DEPT	01/23/2024	12:46:09	08223080A2	05/05/2025	02/21/2024 14:37
PERRY POLICE DEPT	02/21/2024	15:25:35	08223080A2	05/05/2025	03/27/2024 11:32
PERRY POLICE DEPT	03/27/2024	12:10:57	08223080A2	05/05/2025	04/15/2024 13:38
PERRY PD	07/30/2024	08:16:49	14323080A3	09/05/2025	08/27/2024 14:27
PERRY PD	08/27/2024	15:19:50	14323080A3	09/05/2025	10/23/2024 9:13
PERRY PD	10/23/2024	15:17:26	14323080A3	09/05/2025	11/13/2024 15:46

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005338

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST PETERSBURG PD	03/07/2024	08:03:55	08622080A1	06/05/2024	04/04/2024 10:19
ST PETERSBURG PD	06/30/2024	03:43:43	06023080A1	04/05/2025	07/03/2024 11:16
ST PETERSBURG PD	07/02/2024	18:59:18	06023080A1	04/05/2025	07/03/2024 11:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005402

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PORT ORANGE PD	08/29/2024	15:41:19	403008479	03/28/2027	08/29/2024 17:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005404

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	11/01/2024	10:07:02	33522080A5	01/05/2025	11/18/2024 14:52

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005468

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MYERS PD	01/18/2024	10:10:51	08223080A3	06/05/2025	01/18/2024 10:25

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005537

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DAYTONA BEACH PD	04/14/2024	10:55:46	402290677	12/07/2024	04/14/2024 12:59
DAYTONA BEACH PD	09/16/2024	11:47:12	402290677	12/07/2024	09/16/2024 14:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005538

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FERNANDINA BEACH PD	10/03/2024	16:17:26	25024080A3	10/05/2026	10/22/2024 16:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005548

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	01/04/2024	01:42:27	14323080A2	06/05/2025	01/04/2024 4:23
MIAMI DADE PD	01/04/2024	01:42:40	14323080A2	06/05/2025	01/04/2024 4:23
MIAMI DADE PD	09/04/2024	23:15:40	14323080A2	06/05/2025	09/05/2024 1:25
MIAMI DADE PD	09/04/2024	23:15:54	14323080A2	06/05/2025	09/05/2024 1:25
MIAMI DADE PD	10/11/2024	00:39:41	14323080A2	06/05/2025	10/11/2024 2:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005549

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	01/04/2024	01:46:09	14323080A2	06/05/2025	01/04/2024 4:26
MIAMI DADE PD	01/04/2024	01:46:20	14323080A2	06/05/2025	01/04/2024 4:26
MIAMI DADE PD	01/04/2024	01:46:30	14323080A2	06/05/2025	01/04/2024 4:26
MIAMI DADE PD	09/04/2024	23:09:52	14323080A2	06/05/2025	09/05/2024 1:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005550

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	01/04/2024	04:12:46	14323080A2	06/05/2025	01/04/2024 6:2
MIAMI DADE PD	01/04/2024	04:13:00	14323080A2	06/05/2025	01/04/2024 6:2
MIAMI DADE PD	11/01/2024	01:23:39	14323080A2	06/05/2025	11/01/2024 3:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005551

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI DADE PD	01/11/2024	01:29:06	14323080A2	06/05/2025	01/11/2024 3:36
MIAMI DADE PD	01/11/2024	01:29:11	14323080A2	06/05/2025	01/11/2024 3:36
MIAMI DADE PD	09/11/2024	21:40:59	14323080A2	06/05/2025	09/11/2024 23:46
MIAMI DADE PD	11/01/2024	01:22:00	14323080A2	06/05/2025	11/01/2024 3:20
MIAMI DADE PD	12/04/2024	21:59:58	14323080A2	06/05/2025	12/05/2024 0:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005655

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT MYERS PD	10/18/2024	10:40:13	25024080A3	10/05/2026	10/18/2024 11:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005810

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKELAND PD	09/20/2024	12:03:41	14323080A2	09/05/2025	09/20/2024 12:20

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-005936

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
SARASOTA COUNTY SO	03/23/2024	02:35:16	08223080A2	05/05/2025	03/29/2024 10:10
SARASOTA COUNTY SO	04/30/2024	11:45:37	15922080A4	08/05/2024	04/30/2024 13:0
SARASOTA COUNTY SO	07/26/2024	08:06:50	08223080A2	05/05/2025	08/10/2024 6:39

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006027

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CSO	04/06/2024	20:59:30	15922080A3	08/05/2024	04/19/2024 14:12
PALM BEACH CSO	04/06/2024	20:59:42	15922080A3	08/05/2024	04/19/2024 14:12
PALM BEACH CSO	04/19/2024	23:39:34	29122080A1	12/05/2024	05/17/2024 13:2
PALM BEACH CSO	04/19/2024	23:39:55	29122080A1	12/05/2024	05/17/2024 13:2
PALM BEACH CSO	05/04/2024	19:34:29	29122080A1	12/05/2024	05/17/2024 13:2
PALM BEACH CSO	07/01/2024	21:47:53	06723080A5	04/05/2025	07/26/2024 13:31
PALM BEACH CSO	07/06/2024	23:58:22	06723080A5	04/05/2025	07/26/2024 13:31
PALM BEACH CSO	07/07/2024	00:16:41	06723080A5	04/05/2025	07/26/2024 13:31

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006029

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CSO	02/16/2024	14:45:41	06723080A5	04/05/2025	03/08/2024 13:21
PALM BEACH CSO	02/16/2024	14:46:19	06723080A5	04/05/2025	03/08/2024 13:21
PALM BEACH CSO	03/08/2024	14:17:44	06723080A5	04/05/2025	04/19/2024 17:32
PALM BEACH CSO	03/08/2024	14:18:17	06723080A5	04/05/2025	04/19/2024 17:32
PALM BEACH CSO	08/16/2024	14:32:15	14323080A3	09/05/2025	09/30/2024 10:35
PALM BEACH CSO	08/16/2024	14:33:00	14323080A3	09/05/2025	09/30/2024 10:35
PALM BEACH CSO	09/27/2024	15:29:57	14323080A3	09/05/2025	09/30/2024 10:35
PALM BEACH CSO	09/27/2024	15:30:27	14323080A3	09/05/2025	09/30/2024 10:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006085

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
US COAST GUARD MIAMI	02/15/2024	09:44:09	402290677	12/07/2024	02/15/2024 13:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006168

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	07/17/2024	20:11:59	08223080A5	06/05/2025	07/17/2024 23:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006169

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	07/17/2024	20:20:03	08223080A5	06/05/2025	07/17/2024 22:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006170

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARTIN COUNTY SO	07/17/2024	16:24:30	08223080A5	06/05/2025	07/17/2024 19:47

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006199

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HOMESTEAD PD	04/17/2024	11:53:43	402806340	07/26/2026	04/30/2024 12:41

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006222

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
LAKE COUNTY SO	08/02/2024	09:29:45	15922080A3	08/05/2024	08/02/2024 10:55
LAKE COUNTY SO	08/02/2024	10:35:49	33522080A5	01/05/2025	08/02/2024 10:55
LAKE COUNTY SO	10/03/2024	09:52:35	28423080A4	11/05/2025	11/19/2024 11:17
LAKE COUNTY SO	11/19/2024	09:47:18	33522080A5	01/05/2025	11/19/2024 11:17

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006236

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	05/13/2024	09:38:27	402558895	10/03/2025	06/10/2024 10:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006237

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CLAY COUNTY SO	05/19/2024	12:18:20	28423080A4	11/05/2025	05/21/2024 12:49
CLAY COUNTY SO	10/19/2024	12:48:32	28423080A4	11/05/2025	10/26/2024 15:26

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006238

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CSO	04/19/2024	17:49:51	06723080A5	04/05/2025	05/17/2024 13:25
PALM BEACH CSO	04/19/2024	17:50:59	06723080A5	04/05/2025	05/17/2024 13:25
PALM BEACH CSO	05/17/2024	16:32:32	06723080A5	04/05/2025	06/14/2024 16:45
PALM BEACH CSO	05/17/2024	16:33:24	06723080A5	04/05/2025	06/14/2024 16:45
PALM BEACH CSO	10/25/2024	15:35:31	10124080A2	06/05/2026	11/15/2024 14:24
PALM BEACH CSO	10/25/2024	15:36:50	10124080A2	06/05/2026	11/15/2024 14:24
PALM BEACH CSO	11/15/2024	16:58:03	10124080A2	06/05/2026	12/06/2024 16:56
PALM BEACH CSO	11/15/2024	16:59:03	10124080A2	06/05/2026	12/06/2024 16:56

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006239

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CSO	05/17/2024	16:27:30	14323080A3	09/05/2025	06/14/2024 13:35
PALM BEACH CSO	05/17/2024	16:28:27	14323080A3	09/05/2025	06/14/2024 13:35
PALM BEACH CSO	05/17/2024	16:29:18	14323080A3	09/05/2025	06/14/2024 13:35
PALM BEACH CSO	05/17/2024	16:30:04	14323080A3	09/05/2025	06/14/2024 13:35
PALM BEACH CSO	06/14/2024	15:16:55	14323080A3	09/05/2025	07/02/2024 6:13
PALM BEACH CSO	06/14/2024	15:17:57	14323080A3	09/05/2025	07/02/2024 6:13
PALM BEACH CSO	11/15/2024	15:20:18	10124080A2	06/05/2026	12/06/2024 13:18
PALM BEACH CSO	11/15/2024	15:20:57	10124080A2	06/05/2026	12/06/2024 13:18
PALM BEACH CSO	11/15/2024	15:21:02	10124080A2	06/05/2026	12/06/2024 13:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006240

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CSO	04/19/2024	15:48:56	14323080A3	09/05/2025	05/17/2024 16:2
PALM BEACH CSO	04/19/2024	15:50:08	14323080A3	09/05/2025	05/17/2024 16:2
PALM BEACH CSO	09/27/2024	15:26:36	14323080A3	09/05/2025	09/30/2024 10:30
PALM BEACH CSO	09/27/2024	15:27:29	14323080A3	09/05/2025	09/30/2024 10:30
PALM BEACH CSO	09/27/2024	15:32:22	14323080A3	09/05/2025	09/30/2024 10:30
PALM BEACH CSO	10/25/2024	15:31:26	14323080A3	09/05/2025	11/15/2024 16:44
PALM BEACH CSO	10/25/2024	15:32:27	14323080A3	09/05/2025	11/15/2024 16:44

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006261

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	07/02/2024	06:20:17	402623828	10/22/2025	07/02/2024 12:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006262

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
VOLUSIA COUNTY SO	08/28/2024	15:11:52	402498227	07/22/2025	08/28/2024 17:28

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006385

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	02/06/2024	13:29:39	08223080A4	06/05/2025	03/06/2024 9:52
HILLSBOROUGH CO SO	02/06/2024	13:29:50	08223080A4	06/05/2025	03/06/2024 10:28
HILLSBOROUGH CO SO	05/18/2024	04:40:06	28423080A2	11/05/2025	06/05/2024 16:8
HILLSBOROUGH CO SO	05/18/2024	04:40:38	28423080A2	11/05/2025	06/05/2024 16:8
HILLSBOROUGH CO SO	08/09/2024	01:25:09	28423080A2	11/05/2025	09/05/2024 12:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006386

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HENDRY COUNTY SO	03/31/2024	14:15:46	402872586	10/12/2026	04/02/2024 12:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006436

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ESCAMBIA COUNTY SO	11/05/2024	09:50:59	402690226	03/09/2026	12/10/2024 12:2

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006457

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	05/29/2024	10:08:22	402367487	04/28/2025	05/29/2024 10:31
MIAMI PD	05/29/2024	10:45:51	402367487	04/28/2025	06/30/2024 20:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006471

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	03/14/2024	07:29:31	402357111	02/10/2025	04/03/2024 16:30
MONROE COUNTY SO	04/03/2024	15:30:56	402477284	06/27/2025	04/03/2024 16:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006472

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/21/2024	08:14:42	402357111	02/10/2025	05/21/2024 11:6
FL HIGHWAY PATROL	11/25/2024	10:02:27	402357111	02/10/2025	11/25/2024 13:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006475

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	05/08/2024	09:06:53	402783528	06/27/2026	05/08/2024 11:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006477

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	01/12/2024	14:49:18	06723080A5	04/05/2025	02/16/2024 16:47
PALM BEACH CO SO	01/12/2024	14:50:29	06723080A5	04/05/2025	02/16/2024 16:47
PALM BEACH CSO	06/14/2024	15:13:20	14323080A3	09/05/2025	07/26/2024 13:39
PALM BEACH CSO	06/14/2024	15:14:17	14323080A3	09/05/2025	07/26/2024 13:39
PALM BEACH CSO	07/26/2024	17:14:51	14323080A3	09/05/2025	08/16/2024 16:48
PALM BEACH CSO	07/26/2024	17:15:42	14323080A3	09/05/2025	08/16/2024 16:48

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006478

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PALM BEACH CO SO	01/12/2024	14:45:33	06723080A5	04/05/2025	02/16/2024 13:40
PALM BEACH CO SO	01/12/2024	14:46:20	06723080A5	04/05/2025	02/16/2024 13:40
PALM BEACH CO SO	01/12/2024	14:46:25	06723080A5	04/05/2025	02/16/2024 13:40
PALM BEACH CSO	07/26/2024	17:18:40	06723080A5	04/05/2025	08/16/2024 13:39
PALM BEACH CSO	07/26/2024	17:19:44	06723080A5	04/05/2025	08/16/2024 13:39
PALM BEACH CSO	08/16/2024	14:38:16	06723080A5	04/05/2025	09/30/2024 11:29
PALM BEACH CSO	08/16/2024	14:39:20	06723080A5	04/05/2025	09/30/2024 11:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006559

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	04/23/2024	18:06:53	402987895	03/05/2027	05/13/2024 14:4
MANATEE COUNTY SO	11/22/2024	09:14:47	403141809	09/10/2027	12/13/2024 14:12

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006565

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	03/11/2024	09:55:34	402558895	10/03/2025	04/08/2024 16:9
MANATEE COUNTY SO	09/22/2024	23:57:38	3024029878	03/05/2027	10/18/2024 10:5

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006567

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CSO	02/20/2024	03:36:10	08223080A4	06/05/2025	03/06/2024 14:46
HILLSBOROUGH CO SO	04/10/2024	07:17:33	08223080A4	06/05/2025	04/10/2024 10:5
HILLSBOROUGH CO SO	07/19/2024	23:06:23	29122080A1	12/05/2024	08/06/2024 9:43
HILLSBOROUGH CO SO	10/17/2024	10:44:35	28423080A2	11/05/2025	10/17/2024 12:46

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006616

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FLAGLER COUNTY SO	03/16/2024	13:04:43	24923080A2	10/05/2025	04/25/2024 9:24

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006622

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BOCA RATON PD	05/14/2024	11:43:55	08223080A3	06/05/2025	06/07/2024 9:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006626

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	11/16/2024	20:34:16	403135737	08/30/2027	11/16/2024 21:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006630

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	11/16/2024	20:37:39	403135736	08/29/2027	11/16/2024 21:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006632

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/30/2024	23:29:40	402872586	10/12/2026	05/31/2024 1:5

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006633

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	05/31/2024	01:17:39	402498227	07/22/2025	05/31/2024 3:46

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006634

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MANATEE COUNTY SO	06/12/2024	16:40:20	403056709	05/28/2027	07/08/2024 9:33

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006638

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	11/18/2024	14:54:43	3024031357	08/29/2027	01/02/2025 15:15
FL HIGHWAY PATROL	11/18/2024	14:55:04	403135738	08/29/2027	01/02/2025 15:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006693

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	03/12/2024	10:02:01	402558895	10/03/2025	03/14/2024 10:3

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006738

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP TRAINING ACADEMY	03/06/2024	15:45:42	33321080A4	06/30/2025	03/07/2024 10:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006760

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/25/2024	12:17:01	402477284	06/27/2025	04/25/2024 14:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006765

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	03/22/2024	20:48:32	402623828	10/22/2025	03/26/2024 15:56
FL HIGHWAY PATROL	09/10/2024	18:06:53	403135736	08/29/2027	09/11/2024 15:36

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006768

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/25/2024	11:00:40	402843437	09/08/2026	04/25/2024 12:40

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006771

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	08/29/2024	18:46:24	402623828	10/22/2025	09/03/2024 13:55

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006895

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	01/04/2024	01:50:33	14323080A2	06/05/2025	01/04/2024 4:36
MIAMI-DADE PD	01/04/2024	01:50:45	14323080A2	06/05/2025	01/04/2024 4:36
MIAMI-DADE PD	01/04/2024	01:50:57	14323080A2	06/05/2025	01/04/2024 4:36
MIAMI DADE PD	08/07/2024	00:13:00	14323080A2	06/05/2025	08/07/2024 2:57
MIAMI DADE PD	08/07/2024	00:13:10	14323080A2	06/05/2025	08/07/2024 2:57
MIAMI DADE PD	10/11/2024	00:39:09	14323080A2	06/05/2025	10/11/2024 2:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006924

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	10/18/2024	08:27:27	402783528	06/27/2026	11/06/2024 8:49
BROWARD COUNTY SO	10/18/2024	08:27:40	402783528	06/27/2026	11/06/2024 8:49

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-006925

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	02/02/2024	19:31:03	402783528	06/27/2026	02/07/2024 11:55
BROWARD COUNTY SO	02/02/2024	19:31:13	402783528	06/27/2026	02/07/2024 11:55

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007006

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	02/02/2024	19:12:55	402623828	12/22/2025	02/07/2024 10:45
BROWARD COUNTY SO	02/02/2024	19:13:13	402623828	12/22/2025	02/07/2024 10:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007007

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT LAUDERDALE PD	10/17/2024	21:38:56	402886996	11/01/2026	11/02/2024 17:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007009

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FORT LAUDERDALE PD	03/26/2024	22:37:54	402886996	11/01/2026	04/30/2024 23:3

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007077

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	07/09/2024	12:50:54	33922080A1	01/05/2025	08/12/2024 15:27
COLLIER COUNTY SO	09/03/2024	06:55:10	33922080A1	01/05/2025	09/03/2024 10:17
COLLIER COUNTY SO	09/03/2024	06:55:28	33922080A1	01/05/2025	09/03/2024 10:17
COLLIER COUNTY SO	12/25/2024	09:20:50	20524080A2	09/05/2026	12/25/2024 9:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007078

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
COLLIER COUNTY SO	04/08/2024	07:59:48	33922080A1	01/05/2025	04/08/2024 14:43
COLLIER COUNTY SO	04/23/2024	08:27:17	33922080A1	01/05/2025	05/08/2024 13:34
COLLIER COUNTY SO	12/25/2024	15:38:20	20524080A2	09/05/2026	12/25/2024 15:39

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007083

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
CHARLOTTE COUNTY SO	06/25/2024	08:14:11	06723080A5	04/05/2025	06/30/2024 19:26

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007084

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI-DADE PD	01/04/2024	01:48:41	14323080A2	06/05/2025	01/04/2024 4:29
MIAMI-DADE PD	01/04/2024	01:48:50	14323080A2	06/05/2025	01/04/2024 4:29
MIAMI-DADE PD	01/04/2024	01:49:01	14323080A2	06/05/2025	01/04/2024 4:29
MIAMI DADE PD	09/11/2024	21:37:09	14323080A2	06/05/2025	09/11/2024 23:42
MIAMI DADE PD	10/11/2024	00:37:13	14323080A2	06/05/2025	10/11/2024 2:21
MIAMI DADE PD	11/01/2024	01:18:48	14323080A2	06/05/2025	11/01/2024 3:18

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007159

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PENSACOLA P.D.	02/29/2024	10:48:16	221783	12/22/2025	03/22/2024 14:36
PENSACOLA P.D.	06/30/2024	09:51:14	221783	12/22/2025	06/30/2024 12:5
PENSACOLA P.D.	09/13/2024	08:12:39	222522	05/19/2026	09/30/2024 13:26
PENSACOLA P.D.	09/30/2024	09:46:52	222522	05/19/2026	09/30/2024 13:26
PENSACOLA P.D.	12/31/2024	07:14:23	232353	08/30/2027	12/31/2024 9:42

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007163

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	04/07/2024	04:56:40	28423080A2	11/05/2025	04/10/2024 14:38
HILLSBOROUGH CO SO	04/07/2024	04:57:12	28423080A2	11/05/2025	04/10/2024 14:38
HILLSBOROUGH CO SO	05/07/2024	10:10:52	28423080A2	11/05/2025	05/08/2024 9:58
HILLSBOROUGH CO SO	09/22/2024	02:36:11	28423080A2	11/05/2025	10/17/2024 9:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007167

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MONROE COUNTY SO	03/14/2024	09:58:22	402558895	10/03/2025	04/03/2024 10:31
MONROE COUNTY SO	07/03/2024	09:35:54	402886996	11/01/2026	07/03/2024 12:50

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007169

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	05/08/2024	12:22:19	15922080A4	08/05/2024	05/09/2024 17:35
FFWCC	05/09/2024	17:03:30	403008479	03/28/2027	05/09/2024 17:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007171

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	05/29/2024	07:58:34	403008479	03/28/2027	06/19/2024 16:46
MARION COUNTY SO	07/25/2024	17:04:26	403008479	03/28/2027	08/25/2024 16:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007172

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MARION COUNTY SO	01/19/2024	00:06:23	402872586	10/12/2026	02/16/2024 18:8
MARION COUNTY SO	04/26/2024	07:22:22	402872586	10/12/2026	05/29/2024 7:40
MARION COUNTY SO	05/26/2024	06:55:40	403008479	03/28/2027	05/29/2024 7:40
MARION COUNTY SO	06/21/2024	02:17:48	402872586	10/12/2024	07/25/2024 17:14
MARION COUNTY SO	08/25/2024	16:35:17	403008479	03/28/2027	09/20/2024 16:30

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007173

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
WALTON COUNTY SO	02/28/2024	09:36:57	402783527	06/27/2026	02/28/2024 11:47
WALTON COUNTY SO	06/30/2024	19:55:04	402697419	03/20/2026	06/30/2024 21:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007252

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
GROVELAND PD	04/22/2024	13:11:51	01923080A3	02/05/2025	04/22/2024 13:59

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007362

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
PENSACOLA PD	06/02/2024	02:15:25	221783	12/22/2025	06/30/2024 12:1
PENSACOLA PD	06/30/2024	09:12:29	221783	12/22/2025	06/30/2024 12:1
PENSACOLA PD	07/31/2024	14:50:53	222522	05/19/2026	08/30/2024 11:43
PENSACOLA PD	12/31/2024	06:44:48	232353	08/30/2027	12/31/2024 9:30

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007373

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	02/02/2024	20:01:22	402783528	06/27/2026	02/07/2024 11:29
BROWARD COUNTY SO	02/02/2024	20:01:35	402783528	06/27/2026	02/07/2024 11:29

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007381

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	07/05/2024	19:45:34	402623828	12/22/2025	08/07/2024 10:7
BROWARD COUNTY SO	07/05/2024	19:45:49	402623828	12/22/2025	08/07/2024 10:7

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007433

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	02/02/2024	18:53:28	402623828	12/22/2025	02/07/2024 13:10
BROWARD COUNTY SO	03/11/2024	01:32:54	402623828	12/22/2025	04/10/2024 10:3
BROWARD COUNTY SO	07/05/2024	19:40:25	402477283	06/24/2025	08/05/2024 14:35

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007434

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BROWARD COUNTY SO	03/11/2024	02:06:41	402623828	12/22/2025	03/14/2024 13:56

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007439

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
BAKER COUNTY SO	03/29/2024	16:42:19	01524080A2	03/05/2026	03/29/2024 17:32
BAKER COUNTY SO	06/01/2024	10:00:53	01524080A2	03/05/2026	07/22/2024 11:8

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007441

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	06/04/2024	13:23:57	402477284	06/27/2025	06/04/2024 16:10

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007443

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	07/03/2024	07:18:24	402623828	10/22/2025	07/03/2024 12:55
FL HIGHWAY PATROL	11/22/2024	14:44:33	402623828	10/22/2025	12/26/2024 12:9

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007444

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	05/31/2024	01:29:07	2402498227	07/22/2025	05/31/2024 3:48

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007455

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	07/03/2024	07:17:47	402623828	10/22/2025	07/03/2024 12:51

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007456

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	02/12/2024	14:35:48	402623828	10/22/2025	03/19/2024 11:12
FHP	09/19/2024	22:04:42	402623828	10/22/2025	10/23/2024 9:9
FHP	09/23/2024	14:22:33	402623828	10/22/2025	10/23/2024 9:9
FHP	10/29/2024	09:34:28	402623828	10/22/2025	11/13/2024 15:51
FHP	11/01/2024	10:04:59	402623828	10/22/2025	11/13/2024 15:51
FHP	11/02/2024	15:36:55	402623828	10/22/2025	11/13/2024 15:51
FHP	11/09/2024	15:14:06	402623828	10/22/2025	11/13/2024 15:51
FHP	11/15/2024	10:00:47	08223080AZ	05/05/2025	12/23/2024 15:23
FHP	11/25/2024	13:37:38	08223080AZ	05/05/2025	12/23/2024 15:23
FHP	11/25/2024	17:56:40	08223080A2	05/05/2025	12/23/2024 15:23
FHP	11/29/2024	17:37:52	08223080A2	05/05/2025	12/23/2024 15:23
FHP	11/30/2024	01:35:40	08223080A2	05/05/2025	12/23/2024 15:23
FHP	11/30/2024	17:03:46	08223080A2	05/05/2025	12/23/2024 15:23
FHP	12/01/2024	16:52:36	08223080A2	05/05/2025	12/23/2024 15:23

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007459

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FHP	08/31/2024	04:09:12	402397742	03/25/2025	10/15/2024 11:14

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007465

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FL HIGHWAY PATROL	04/25/2024	13:18:27	402946336	01/17/2027	04/25/2024 15:6
FL HIGHWAY PATROL	05/21/2024	08:13:16	402946336	01/17/2027	05/21/2024 11:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007480

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	12/12/2024	10:09:52	20524080A2	09/05/2026	12/12/2024 11:13
HILLSBOROUGH CO SO	12/12/2024	10:10:16	20524080A2	09/05/2026	12/12/2024 11:13

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007481

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	05/07/2024	10:11:48	08223080A4	06/05/2025	05/08/2024 9:49

Florida Department of Law Enforcement

Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007482

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	03/06/2024	07:12:51	08223080A4	06/05/2025	03/06/2024 10:33
HILLSBOROUGH CO SO	04/10/2024	07:23:15	08223080A4	06/05/2025	04/10/2024 9:55
HILLSBOROUGH CO SO	11/30/2024	02:49:18	20524080A2	09/05/2026	12/12/2024 12:11
HILLSBOROUGH CO SO	11/30/2024	02:49:37	20524080A2	09/05/2026	12/12/2024 12:11

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007483

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	10/10/2024	20:56:10	28423080A2	11/05/2025	10/17/2024 12:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007484

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HILLSBOROUGH CO SO	05/07/2024	10:12:52	08223080A4	06/05/2025	05/08/2024 10:29
HILLSBOROUGH CO SO	06/08/2024	00:39:14	29122080A1	12/05/2024	07/03/2024 15:16
HILLSBOROUGH CO SO	06/08/2024	00:39:59	29122080A1	12/05/2024	07/03/2024 15:16
HILLSBOROUGH CO SO	12/04/2024	05:02:01	20524080A2	09/05/2026	12/12/2024 13:51
HILLSBOROUGH CO SO	12/04/2024	05:02:17	20524080A2	09/05/2026	12/12/2024 13:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007492

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	05/08/2024	14:59:23	24923080A3	10/05/2025	05/09/2024 10:58
FFWCC	08/23/2024	15:49:40	10124080A2	06/05/2026	09/10/2024 21:58

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007494

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FFWCC	05/08/2024	12:16:50	24923080A3	10/05/2025	05/09/2024 17:27
FFWCC	05/09/2024	17:02:10	403008479	03/28/2027	05/09/2024 17:27

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007502

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
FISH & WILDLIFE CC	02/29/2024	14:18:28	402590345	11/04/2025	02/29/2024 15:55
FISH & WILDLIFE CC	02/29/2024	14:18:56	402590345	11/04/2025	02/29/2024 15:55
FFWCC	09/25/2024	10:35:28	402590345	11/04/2025	10/18/2024 13:54

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007504

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	11/18/2024	19:40:05	221303	01/05/2025	12/10/2024 9:51

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007506

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
POLK COUNTY SO	08/13/2024	09:39:59	33522080A5	01/05/2025	08/13/2024 11:15

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007507

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
HIGHLANDS COUNTY SO	08/22/2024	00:02:08	14323080A3	09/05/2025	08/22/2024 0:45

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007508

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DESOTO COUNTY SO	12/24/2024	11:37:26	14323080A2	06/05/2025	12/24/2024 14:6

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007509

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
DESOTO COUNTY SO	01/19/2024	01:00:42	22521080A1	06/05/2025	01/25/2024 11:16

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007510

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
	05/07/2024	09:13:48	211543	11/05/2023	06/28/2024 11:21
	05/07/2024	11:09:17	211543	11/05/2024	06/28/2024 11:21

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007515

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
ST JOHNS COUNTY SO	02/11/2024	16:55:20	402816921	08/09/2026	03/18/2024 15:37

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007516

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	05/29/2024	10:42:44	402367487	04/28/2025	06/30/2024 20:5

Florida Department of Law Enforcement
Alcohol Testing Program

Cylinder Change Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-007517

Agency	Date	Time	Lot Number	Expiration	Data Download Date/Time
MIAMI PD	05/29/2024	10:44:13	402367487	04/28/2025	06/30/2024 20:29