

INSTRUMENT PROCESSING SHEET

Agency Monroe County Sheriff's Office S/N 80-000867
 Date In 5/18/2017 Date Out 5/22/2017 Ship P/U H/D CMI EE

| Intake Performed By <u>DELL</u> <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Return from CMI <input type="checkbox"/> Return from Enforcement Electronics <input type="checkbox"/> Other _____ Visual Inspection: <u>OK</u> Case <u>OK</u> Handle <u>OK</u> Dry Gas Holder <u>OK</u> Feet <u>OK</u> Keyboard/Plug <u>OK</u> Back/Plugs <u>OK</u> Screws tight <u>OK</u> Breath Hose Other Equipment: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Other <u>ADD STATIC BAG</u> Notes: _____ _____ _____ | Quality Checks Performed By <u>DELL</u> <input checked="" type="checkbox"/> Lab Temp °C <u>20.5</u> <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>2.48</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP 101</u> 32mm <u>.164</u> (.139 - .169) 36mm <u>.190</u> (.156 - .190) 53mm <u>.277</u> (.228 - .278) 103mm <u>.527</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>28663</u> <input checked="" type="checkbox"/> Stability Checks <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.05</td> <td>SD 3967</td> <td>201603D 3-8-2018</td> </tr> <tr> <td>0.08</td> <td>SD3968</td> <td>201611B 11-15-2018</td> </tr> <tr> <td>0.20</td> <td>SD3969</td> <td>201604C 4-5-2018</td> </tr> <tr> <td>0.08 DGS</td> <td>N/A</td> <td>A6626605 9-22-2018</td> </tr> </tbody> </table> | Simulator | Serial # | Lot #/Exp | 0.05 | SD 3967 | 201603D 3-8-2018 | 0.08 | SD3968 | 201611B 11-15-2018 | 0.20 | SD3969 | 201604C 4-5-2018 | 0.08 DGS | N/A | A6626605 9-22-2018 | Flow Calibration Performed By <u>DELL</u> <input type="checkbox"/> Flow Calibration N/A <input checked="" type="checkbox"/> Flow Calibration Complete Flow Column # <u>ATP 106</u> <input checked="" type="checkbox"/> 5L/min - 17mm <input checked="" type="checkbox"/> 15L/min - 53mm <input checked="" type="checkbox"/> 30L/min - 103mm <input checked="" type="checkbox"/> R-Value <u>2.68</u> <input checked="" type="checkbox"/> Post Calibration Verification (L/s) Flow Column # <u>ATP 104</u> 32mm <u>.140</u> (.139 - .169) 36mm <u>.160</u> (.156 - .190) 53mm <u>.250</u> (.228 - .278) 103mm <u>.503</u> (.447 - .547) Maintenance Performed By _____ <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input type="checkbox"/> Other _____ Quality Checks Cont. Performed By <u>DELL</u> Simulator Temperatures °C External Digital Therm. ID#: <u>300918</u> <input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>SD3967</u> <input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>SD3968</u> <input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>SD3969</u> |
|---|---|-----------------------|----------|-----------|------|---------|---------------------|------|--------|-----------------------|------|--------|---------------------|----------|-----|-----------------------|---|
| Simulator | Serial # | Lot #/Exp | | | | | | | | | | | | | | | |
| 0.05 | SD 3967 | 201603D 3-8-2018 | | | | | | | | | | | | | | | |
| 0.08 | SD3968 | 201611B 11-15-2018 | | | | | | | | | | | | | | | |
| 0.20 | SD3969 | 201604C 4-5-2018 | | | | | | | | | | | | | | | |
| 0.08 DGS | N/A | A6626605 9-22-2018 | | | | | | | | | | | | | | | |

RECEIVED
JUN 01 2017
FDLE
Alcohol Testing Program

| Calibration Adjustment Performed By <u>DELL</u> <input type="checkbox"/> Calibration Adjustment N/A <input checked="" type="checkbox"/> Calibration Adjustment Complete Barometric Pressure Gauge <u>1017</u> ID # <u>68639</u> <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td><u>2235</u></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td><u>2108</u></td> <td><u>16320</u></td> <td><u>10/21/18</u></td> </tr> <tr> <td>0.100</td> <td><u>2237</u></td> <td><u>17060</u></td> <td><u>2/14/19</u></td> </tr> <tr> <td>0.200</td> <td><u>2238</u></td> <td><u>17090</u></td> <td><u>2/24/19</u></td> </tr> <tr> <td>0.300</td> <td><u>2239</u></td> <td><u>16410</u></td> <td><u>12/19/18</u></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td><u>34416080A2</u></td> <td><u>2/5/19</u></td> </tr> </tbody> </table> <input checked="" type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.05</td> <td><u>SD3967</u></td> <td><u>201603D</u></td> <td><u>3-8-2018</u></td> </tr> <tr> <td>0.08</td> <td><u>SD3968</u></td> <td><u>201611B</u></td> <td><u>11-15-2018</u></td> </tr> <tr> <td>0.20</td> <td><u>SD3969</u></td> <td><u>201604C</u></td> <td><u>4-5-2018</u></td> </tr> <tr> <td>0.08 DGS</td> <td>N/A</td> <td><u>A6626605</u></td> <td><u>9-22-2018</u></td> </tr> </tbody> </table> | Simulator | Serial Number | Lot Number | Expiration | 0.000 | <u>2235</u> | N/A | N/A | 0.040 | <u>2108</u> | <u>16320</u> | <u>10/21/18</u> | 0.100 | <u>2237</u> | <u>17060</u> | <u>2/14/19</u> | 0.200 | <u>2238</u> | <u>17090</u> | <u>2/24/19</u> | 0.300 | <u>2239</u> | <u>16410</u> | <u>12/19/18</u> | 0.080 DGS | N/A | <u>34416080A2</u> | <u>2/5/19</u> | Simulator | Serial Number | Lot Number | Expiration | 0.05 | <u>SD3967</u> | <u>201603D</u> | <u>3-8-2018</u> | 0.08 | <u>SD3968</u> | <u>201611B</u> | <u>11-15-2018</u> | 0.20 | <u>SD3969</u> | <u>201604C</u> | <u>4-5-2018</u> | 0.08 DGS | N/A | <u>A6626605</u> | <u>9-22-2018</u> | Department Inspection Performed By <u>DELL</u> <input checked="" type="checkbox"/> Barometric Pressure <u>1016</u> Gauge ID# <u>68639</u> <u>1016</u> Instrument Mouth Alcohol Solution Lot # <u>2016A</u> Acetone Stock Solution Lot # <u>2016B</u> <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.00</td> <td><u>SD 3965</u></td> </tr> <tr> <td>Interferent</td> <td><u>SD 3966</u></td> </tr> <tr> <td>0.05</td> <td><u>SD 3967</u></td> </tr> <tr> <td>0.08</td> <td><u>SD 3968</u></td> </tr> <tr> <td>0.20</td> <td><u>SD 3969</u></td> </tr> </tbody> </table> Attachments <input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Pre-Stability Tests <input checked="" type="checkbox"/> Flow Calibration <input checked="" type="checkbox"/> Calibration Adjustment <u>2</u> <input checked="" type="checkbox"/> Post-Stability Tests <u>3</u> <input type="checkbox"/> Other _____ | Simulator | Serial Number | 0.00 | <u>SD 3965</u> | Interferent | <u>SD 3966</u> | 0.05 | <u>SD 3967</u> | 0.08 | <u>SD 3968</u> | 0.20 | <u>SD 3969</u> |
|--|----------------|-------------------|-------------------|------------|-------|-------------|-----|-----|-------|-------------|--------------|-----------------|-------|-------------|--------------|----------------|-------|-------------|--------------|----------------|-------|-------------|--------------|-----------------|-----------|-----|-------------------|---------------|-----------|---------------|------------|------------|------|---------------|----------------|-----------------|------|---------------|----------------|-------------------|------|---------------|----------------|-----------------|----------|-----|-----------------|------------------|--|-----------|---------------|------|----------------|-------------|----------------|------|----------------|------|----------------|------|----------------|
| Simulator | Serial Number | Lot Number | Expiration | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.000 | <u>2235</u> | N/A | N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.040 | <u>2108</u> | <u>16320</u> | <u>10/21/18</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.100 | <u>2237</u> | <u>17060</u> | <u>2/14/19</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.200 | <u>2238</u> | <u>17090</u> | <u>2/24/19</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.300 | <u>2239</u> | <u>16410</u> | <u>12/19/18</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.080 DGS | N/A | <u>34416080A2</u> | <u>2/5/19</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Simulator | Serial Number | Lot Number | Expiration | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.05 | <u>SD3967</u> | <u>201603D</u> | <u>3-8-2018</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.08 | <u>SD3968</u> | <u>201611B</u> | <u>11-15-2018</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.20 | <u>SD3969</u> | <u>201604C</u> | <u>4-5-2018</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.08 DGS | N/A | <u>A6626605</u> | <u>9-22-2018</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Simulator | Serial Number | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.00 | <u>SD 3965</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Interferent | <u>SD 3966</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.05 | <u>SD 3967</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.08 | <u>SD 3968</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.20 | <u>SD 3969</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Notes/Suggested Service: 5/22/2017
 APPROVED
DR/PC OK/SPM 5/1/2017
JJ Dehan 6/1/17




| | | | | |
|---------------------------------------|----------------------|--------------------------------|-------------|---------------------|
| TYPE OF TEST | SERIAL NUMBER | AGENCY | DATE | PERFORMED BY |
| Post Stabilities 2 nd test | 80-000867 | Monroe County Sheriff's Office | 5/22/2017 | <i>MLL</i> |

| 0.05g/210L | 0.08g/210L | 0.20g/210L | DGS 0.08g/210L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|------------|------------|----------------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------------|--|--|---------|--------|--|---------|--------|--|-----------------|--------|--|--|------|--------|------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------------|--|--|---------|--------|--|---------|--------|--|-----------------|--------|--|--|------|--------|------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------------|--|--|---------|--------|--|---------|--------|--|-----------------|--------|--|--|------|--------|------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------------|--|--|---------|--------|--|---------|--------|--|-----------------|--------|--|
| <p>0.047 to 0.053 <input checked="" type="checkbox"/></p> <p>MONROE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>10:54</td></tr> <tr><td>Control Test</td><td>0.050</td><td>10:54</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:55</td></tr> <tr><td>Control Test</td><td>0.051</td><td>10:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:56</td></tr> <tr><td>Control Test</td><td>0.051</td><td>10:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:57</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0507</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>1.1395</td><td></td></tr> </tbody> </table> <p>Operator's Signature <i>MLL</i></p> | Test | g/210L | Time | Air Blank | 0.000 | 10:54 | Control Test | 0.050 | 10:54 | Air Blank | 0.000 | 10:55 | Control Test | 0.051 | 10:56 | Air Blank | 0.000 | 10:56 | Control Test | 0.051 | 10:57 | Air Blank | 0.000 | 10:57 | Control Test Stats | | | Average | 0.0507 | | Std Dev | 0.0006 | | Rel. Std Dev(%) | 1.1395 | | <p>0.077 to 0.083 <input checked="" type="checkbox"/></p> <p>MONROE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:02</td></tr> <tr><td>Control Test</td><td>0.082</td><td>11:03</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:03</td></tr> <tr><td>Control Test</td><td>0.082</td><td>11:04</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:05</td></tr> <tr><td>Control Test</td><td>0.082</td><td>11:05</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:06</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0820</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <p>Operator's Signature <i>MLL</i></p> | Test | g/210L | Time | Air Blank | 0.000 | 11:02 | Control Test | 0.082 | 11:03 | Air Blank | 0.000 | 11:03 | Control Test | 0.082 | 11:04 | Air Blank | 0.000 | 11:05 | Control Test | 0.082 | 11:05 | Air Blank | 0.000 | 11:06 | Control Test Stats | | | Average | 0.0820 | | Std Dev | 0.0000 | | Rel. Std Dev(%) | 0.0000 | | <p>0.194 to 0.206 <input checked="" type="checkbox"/></p> <p>MONROE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:07</td></tr> <tr><td>Control Test</td><td>0.200</td><td>11:08</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:08</td></tr> <tr><td>Control Test</td><td>0.202</td><td>11:09</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:09</td></tr> <tr><td>Control Test</td><td>0.202</td><td>11:10</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:11</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.2013</td><td></td></tr> <tr><td>Std Dev</td><td>0.0012</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.5735</td><td></td></tr> </tbody> </table> <p>Operator's Signature <i>MLL</i></p> | Test | g/210L | Time | Air Blank | 0.000 | 11:07 | Control Test | 0.200 | 11:08 | Air Blank | 0.000 | 11:08 | Control Test | 0.202 | 11:09 | Air Blank | 0.000 | 11:09 | Control Test | 0.202 | 11:10 | Air Blank | 0.000 | 11:11 | Control Test Stats | | | Average | 0.2013 | | Std Dev | 0.0012 | | Rel. Std Dev(%) | 0.5735 | | <p>0.077 to 0.083 <input checked="" type="checkbox"/></p> <p>MONROE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:12</td></tr> <tr><td>Control Test</td><td>0.080</td><td>11:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:13</td></tr> <tr><td>Control Test</td><td>0.079</td><td>11:13</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:14</td></tr> <tr><td>Control Test</td><td>0.079</td><td>11:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:14</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table> <p>Operator's Signature <i>MLL</i></p> | Test | g/210L | Time | Air Blank | 0.000 | 11:12 | Control Test | 0.080 | 11:12 | Air Blank | 0.000 | 11:13 | Control Test | 0.079 | 11:13 | Air Blank | 0.000 | 11:14 | Control Test | 0.079 | 11:14 | Air Blank | 0.000 | 11:14 | Control Test Stats | | | Average | 0.0793 | | Std Dev | 0.0006 | | Rel. Std Dev(%) | 0.7277 | |
| Test | g/210L | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 10:54 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.050 | 10:54 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 10:55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.051 | 10:56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 10:56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.051 | 10:57 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 10:57 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test Stats | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average | 0.0507 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Std Dev | 0.0006 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rel. Std Dev(%) | 1.1395 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Test | g/210L | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.082 | 11:03 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:03 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.082 | 11:04 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:05 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.082 | 11:05 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:06 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test Stats | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average | 0.0820 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Std Dev | 0.0000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rel. Std Dev(%) | 0.0000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Test | g/210L | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:07 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.200 | 11:08 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:08 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.202 | 11:09 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:09 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.202 | 11:10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test Stats | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average | 0.2013 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Std Dev | 0.0012 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rel. Std Dev(%) | 0.5735 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Test | g/210L | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.080 | 11:12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.079 | 11:13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.079 | 11:14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test Stats | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average | 0.0793 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Std Dev | 0.0006 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rel. Std Dev(%) | 0.7277 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

egm

MLL

| | | | | |
|----------------------------------|----------------------|--------------------------------|-------------|---------------------|
| TYPE OF TEST | SERIAL NUMBER | AGENCY | DATE | PERFORMED BY |
| Stabilities 2 nd Test | 80-000867 | Monroe County Sheriff's Office | 5/22/2017 | <i>[Signature]</i> |

| 0.05g/210L 0.047 to 0.053 <input type="checkbox"/> | 0.08g/210L 0.077 to 0.083 <input checked="" type="checkbox"/> | 0.20g/210L 0.194 to 0.206 <input type="checkbox"/> | DGS 0.08g/210L 0.077 to 0.083 <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------------|--|--|---------|--------|--|---------|-------|--|-----------------|--------|--|--|--|
|  | <p>Accidentally selected 2 tests</p> <p>MONROE COUNTY SO Intoxilyzer - Alconrol Analyzer Model 8000 SN 80-600867 05/22/2017 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr> <td>Air Blank</td> <td>0.000</td> <td>10:58</td> </tr> <tr> <td>Control Test</td> <td>0.081</td> <td>10:59</td> </tr> <tr> <td>Air Blank</td> <td>0.000</td> <td>11:00</td> </tr> <tr> <td>Control Test</td> <td>0.082</td> <td>11:00</td> </tr> <tr> <td>Air Blank</td> <td>0.000</td> <td>11:01</td> </tr> <tr> <td colspan="3">Control Test Stats</td> </tr> <tr> <td>Average</td> <td>0.0815</td> <td></td> </tr> <tr> <td>Std Dev</td> <td>0.007</td> <td></td> </tr> <tr> <td>Rel. Std Dev(%)</td> <td>0.8676</td> <td></td> </tr> </tbody> </table> <p>Operator's Signature: <i>[Signature]</i></p> | Test | g/210L | Time | Air Blank | 0.000 | 10:58 | Control Test | 0.081 | 10:59 | Air Blank | 0.000 | 11:00 | Control Test | 0.082 | 11:00 | Air Blank | 0.000 | 11:01 | Control Test Stats | | | Average | 0.0815 | | Std Dev | 0.007 | | Rel. Std Dev(%) | 0.8676 | |  |  |
| Test | g/210L | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 10:58 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.081 | 10:59 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.082 | 11:00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 11:01 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test Stats | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average | 0.0815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Std Dev | 0.007 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rel. Std Dev(%) | 0.8676 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

WPM

[Handwritten mark]

MONROE COUNTY SO
 Intoxilyzer - Alconol Analyzer
 Model 8000
 05/22/2017
 SN 80-000667
 10:12:38

Auto Calibration
 Max Power Res Value = 43
 Auto Range Res Value = 25

<<<<< CHANNEL 1 >>>>>
 Sol Value = 0.000 g/210L ***
 Fit Value = 0.0000 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12931, Sum Io = 13766

<<<<< CHANNEL 2 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 1.5180 (-0.0150)
 Sample #2 = 1.5040 (-0.0100)
 Sample #3 = 1.5320 (-0.0120)
 Sample #4 = 1.5030 (0.0000)
 Avg % Abs = 1.5130 (-0.0043)
 STD DEV = 0.0165 (0.0067)
 REL STD DEV = 1.088 (153.654)

<<<<< CHANNEL 1 >>>>>
 Sol Value = 0.100 g/210L ***
 Fit Value = 0.4762 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12915, Sum Io = 13764

<<<<< CHANNEL 2 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 2.0070 (-0.0100)
 Sample #2 = 2.0050 (0.0000)
 Sample #3 = 1.9900 (0.0380)
 Sample #4 = 1.9820 (0.0250)
 Avg % Abs = 1.9950 (0.0210)
 STD DEV = 0.0118 (0.0193)
 REL STD DEV = 0.591 (91.968)

<<<<< CHANNEL 1 >>>>>
 Sol Value = 0.300 g/210L ***
 Fit Value = 1.4286 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12910, Sum Io = 13762

<<<<< CHANNEL 2 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 5.6630 (-0.0010)
 Sample #2 = 5.6820 (0.0030)
 Sample #3 = 5.7180 (0.0050)
 Sample #4 = 5.7140 (-0.0210)
 Avg % Abs = 5.7047 (-0.0043)
 STD DEV = 0.0197 (0.0145)
 REL STD DEV = 0.346 (333.885)

<<<<< CHANNEL 1 >>>>>
 Sol Value = 0.000 g/210L ***
 Fit Value = 0.0000 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12921, Sum Io = 13766

<<<<< CHANNEL 2 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 0.0930 (-0.0180)
 Sample #2 = 0.0900 (-0.0350)
 Sample #3 = 0.1060 (-0.0190)
 Sample #4 = 0.0940 (-0.0120)
 Avg % Abs = 0.0933 (-0.0220)
 STD DEV = 0.0114 (0.0118)
 REL STD DEV = 12.185 (53.590)

<<<<< CHANNEL 1 >>>>>
 Sol Value = 0.040 g/210L ***
 Fit Value = 0.1905 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12921, Sum Io = 13766

<<<<< CHANNEL 2 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 0.6670 (-0.0160)
 Sample #2 = 0.8660 (0.0240)
 Sample #3 = 0.8560 (0.0100)
 Sample #4 = 0.8620 (0.0370)
 Avg % Abs = 0.8613 (0.0237)
 STD DEV = 0.0050 (0.0135)
 REL STD DEV = 0.584 (57.055)

Solution Stats Quadratic Fit Chan 2
 Act Fit Residual
 g/210L g/210L g/210L
 0.000 -0.000 0.0000
 0.040 0.040 -0.0001
 0.100 0.100 0.0001
 0.200 0.200 -0.0001
 0.300 0.300 0.0000

Sol Value = 0.080 g/210L ***
 Fit Value = 0.3810 mg/l %%%
 Samples Taken = 4, Discarded = 1

***** CHANNEL 1 *****
 Sample #1 = 3371.00
 Sample #2 = 3368.00
 Sample #3 = 3304.00
 Sample #4 = 3453.00
 Average Result = 3381.6667
 STD DEV = 74.7016
 REL STD DEV = 2.209

***** CHANNEL 2 *****
 Sample #1 = 3548.00
 Sample #2 = 3541.00
 Sample #3 = 3551.00
 Sample #4 = 3577.00
 Average Result = 3556.3333
 STD DEV = 18.5831
 REL STD DEV = 0.523

***** CHANNEL 1 *****
 Sample #1 = 3876.00
 Sample #2 = 3865.00
 Sample #3 = 3880.00
 Sample #4 = 3829.00
 Average Result = 3861.0000
 STD DEV = 10.0000
 REL STD DEV = 0.259

***** CHANNEL 2 *****
 Sample #1 = 10.0390 (-0.0070)
 Sample #2 = 10.0620 (0.0010)
 Sample #3 = 10.0660 (0.0120)
 Sample #4 = 10.0660 (-0.0150)
 Avg % Abs = 10.0647 (-0.0007)
 STD DEV = 0.0023 (0.0136)
 REL STD DEV = 0.023 (2036.542)

Sol Value = 0.200 g/210L ***
 Fit Value = 0.9524 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12915, Sum Io = 13763

<<<<< CHANNEL 1 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 3.8760 (-0.0050)
 Sample #2 = 3.8650 (0.0320)
 Sample #3 = 3.8800 (0.0080)
 Sample #4 = 3.8290 (0.0440)
 Avg % Abs = 3.8647 (0.0280)
 STD DEV = 0.0310 (0.0183)
 REL STD DEV = 0.802 (65.465)

<<<<< CHANNEL 2 >>>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 3.8630 (0.0130)
 Sample #2 = 3.5650 (0.0380)
 Sample #3 = 3.5630 (0.0420)
 Sample #4 = 3.5703 (0.0310)
 Avg % Abs = 0.1110 (0.0157)
 STD DEV = 0.0309 (50.698)

<<<<< CHANNEL 1 >>>>>
 Sol Value = 0.040 g/210L ***
 Fit Value = 0.1905 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12921, Sum Io = 13766

Dry Gas H2O Adjust Results *****
 Barometric Pressure = 10.17
 3 um H2O Adjust (mg/l*10,000) = 428
 9 um H2O Adjust (mg/l*10,000) = 253

 **** AUTO CAL PASS

<<<<< CHANNEL 1 >>>>>
 Sol Val = 0.0000 mg/l or 0.000 g/210L
 % Abs = 0.089
 Std Dev = 0.01 Rel Std Dev = 15.85
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 0.861
 Std Dev = 0.01 Rel Std Dev = 0.98
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 1.995
 Std Dev = 0.01 Rel Std Dev = 0.55
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 3.865
 Std Dev = 0.03 Rel Std Dev = 0.80

<<<<< CHANNEL 2 >>>>>
 Sol Val = 0.0000 mg/l or 0.000 g/210L
 % Abs = 0.093
 Std Dev = 0.01 Rel Std Dev = 12.18
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 1.513
 Std Dev = 0.02 Rel Std Dev = 0.31
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 3.570
 Std Dev = 0.01 Rel Std Dev = 0.27
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 10.065
 Std Dev = 0.00 Rel Std Dev = 0.02

<<<<< CHANNEL 1 >>>>>
 Sol Val = 0.0000 mg/l or 0.000 g/210L
 % Abs = 0.040
 Std Dev = 0.01 Rel Std Dev = 1332.01
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 9.92
 Std Dev = 0.00 Rel Std Dev = 4.985661

<<<<< CHANNEL 2 >>>>>
 Sol Val = 0.0000 mg/l or 0.000 g/210L
 % Abs = 0.040
 Std Dev = 0.01 Rel Std Dev = 1332.01
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 9.92
 Std Dev = 0.00 Rel Std Dev = 4.985661

| Optical Calibration 2 | |
|-----------------------|--------------------|
| SN: | 80-000867 |
| Agency: | Monroe County SO |
| Date: | 05/22/2017 |
| Quadratic Fit: | +/- 0.002g/210L |
| By: | <i>[Signature]</i> |

<<<<< CHANNEL 1 >>>>>
 Sol Value = 0.000 g/210L ***
 Fit Value = 0.0000 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12921, Sum Io = 13766

<<<<< CHANNEL 2 >>>>>
 Sol Value = 0.040 g/210L ***
 Fit Value = 0.1905 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12921, Sum Io = 13766

gan

[Signature]

| | | | | |
|---------------------|----------------------|--------------------------------|-------------|---------------------|
| TYPE OF TEST | SERIAL NUMBER | AGENCY | DATE | PERFORMED BY |
| Post Stabilities | 80-000867 | Monroe County Sheriff's Office | 5/22/2017 | <i>Jell</i> |

| 0.05g/210L | 0.08g/210L | 0.20g/210L | 0.08g/210L | 0.20g/210L | 0.08g/210L | 0.05g/210L |
|---|---|---|---|---|---|---|
| <p>MONROE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 09:40 Control Test 0.052 09:40 Air Blank 0.000 09:41 Control Test 0.053 09:42 Air Blank 0.000 09:42 Control Test 0.052 09:43 Air Blank 0.000 09:43 Control Test Stats Average 0.0523 Std Dev 0.0006 Rel. Std Dev(%) 1.1032</p> <p>Operator's Signature <i>Jell</i></p> | <p>MONROE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 09:44 Control Test 0.083 09:45 Air Blank 0.000 09:45 Control Test 0.084 09:46 Air Blank 0.000 09:47 Control Test 0.084 09:47 Air Blank 0.000 09:48 Control Test Stats Average 0.0837 Std Dev 0.0006 Rel. Std Dev(%) 0.6901</p> <p>Operator's Signature <i>Jell</i></p> | <p>MONROE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 09:49 Control Test 0.202 09:50 Air Blank 0.000 09:50 Control Test 0.204 09:51 Air Blank 0.000 09:52 Control Test 0.203 09:52 Air Blank 0.000 09:53 Control Test Stats Average 0.2030 Std Dev 0.0010 Rel. Std Dev(%) 0.4926</p> <p>Operator's Signature <i>Jell</i></p> | <p>MONROE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 09:54 Control Test 0.079 09:55 Air Blank 0.000 09:55 Control Test 0.080 09:55 Air Blank 0.000 09:56 Control Test 0.079 09:56 Air Blank 0.000 09:57 Control Test Stats Average 0.0793 Std Dev 0.0006 Rel. Std Dev(%) 0.7277</p> <p>Operator's Signature <i>Jell</i></p> | <p>MONROE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 09:54 Control Test 0.079 09:55 Air Blank 0.000 09:55 Control Test 0.080 09:55 Air Blank 0.000 09:56 Control Test 0.079 09:56 Air Blank 0.000 09:57 Control Test Stats Average 0.0793 Std Dev 0.0006 Rel. Std Dev(%) 0.7277</p> <p>Operator's Signature <i>Jell</i></p> | <p>MONROE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 09:54 Control Test 0.079 09:55 Air Blank 0.000 09:55 Control Test 0.080 09:55 Air Blank 0.000 09:56 Control Test 0.079 09:56 Air Blank 0.000 09:57 Control Test Stats Average 0.0793 Std Dev 0.0006 Rel. Std Dev(%) 0.7277</p> <p>Operator's Signature <i>Jell</i></p> | <p>MONROE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 09:54 Control Test 0.079 09:55 Air Blank 0.000 09:55 Control Test 0.080 09:55 Air Blank 0.000 09:56 Control Test 0.079 09:56 Air Blank 0.000 09:57 Control Test Stats Average 0.0793 Std Dev 0.0006 Rel. Std Dev(%) 0.7277</p> <p>Operator's Signature <i>Jell</i></p> |

BGM

Jell

| | | | | |
|---------------------|----------------------|--------------------------------|-------------|---------------------|
| TYPE OF TEST | SERIAL NUMBER | AGENCY | DATE | PERFORMED BY |
| Stabilities | 80-000867 | Monroe County Sheriff's Office | 5/22/2017 | DELL |

| 0.05g/210L | 0.08g/210L | 0.20g/210L | DGS 0.08g/210L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|------------|------------|----------------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------------|--|--|---------|--------|--|---------|--------|--|-----------------|--------|--|--|------|--------|------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------------|--|--|---------|--------|--|---------|--------|--|-----------------|--------|--|--|------|--------|------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------------|--|--|---------|--------|--|---------|--------|--|-----------------|--------|--|--|------|--------|------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------|-------|-------|-----------|-------|-------|--------------------|--|--|---------|--------|--|---------|--------|--|-----------------|--------|--|
| <p>0.047 to 0.053 <input checked="" type="checkbox"/></p> <p>MONROE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>07:17</td></tr> <tr><td>Control Test</td><td>0.049</td><td>07:18</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:18</td></tr> <tr><td>Control Test</td><td>0.048</td><td>07:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:19</td></tr> <tr><td>Control Test</td><td>0.048</td><td>07:20</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:21</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0483</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>1.1945</td><td></td></tr> </tbody> </table> <p>Operator's Signature: <i>DELL</i></p> | Test | g/210L | Time | Air Blank | 0.000 | 07:17 | Control Test | 0.049 | 07:18 | Air Blank | 0.000 | 07:18 | Control Test | 0.048 | 07:19 | Air Blank | 0.000 | 07:19 | Control Test | 0.048 | 07:20 | Air Blank | 0.000 | 07:21 | Control Test Stats | | | Average | 0.0483 | | Std Dev | 0.0006 | | Rel. Std Dev(%) | 1.1945 | | <p>0.077 to 0.083 <input checked="" type="checkbox"/></p> <p>MONROE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>07:24</td></tr> <tr><td>Control Test</td><td>0.077</td><td>07:25</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:25</td></tr> <tr><td>Control Test</td><td>0.078</td><td>07:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:26</td></tr> <tr><td>Control Test</td><td>0.078</td><td>07:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:27</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0777</td><td></td></tr> <tr><td>Std Dev</td><td>0.0016</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.7434</td><td></td></tr> </tbody> </table> <p>Operator's Signature: <i>DELL</i></p> | Test | g/210L | Time | Air Blank | 0.000 | 07:24 | Control Test | 0.077 | 07:25 | Air Blank | 0.000 | 07:25 | Control Test | 0.078 | 07:26 | Air Blank | 0.000 | 07:26 | Control Test | 0.078 | 07:27 | Air Blank | 0.000 | 07:27 | Control Test Stats | | | Average | 0.0777 | | Std Dev | 0.0016 | | Rel. Std Dev(%) | 0.7434 | | <p>0.194 to 0.206 <input checked="" type="checkbox"/></p> <p>MONROE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>07:30</td></tr> <tr><td>Control Test</td><td>0.194</td><td>07:31</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:31</td></tr> <tr><td>Control Test</td><td>0.196</td><td>07:32</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:32</td></tr> <tr><td>Control Test</td><td>0.196</td><td>07:33</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:33</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1953</td><td></td></tr> <tr><td>Std Dev</td><td>0.0012</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.5911</td><td></td></tr> </tbody> </table> <p>Operator's Signature: <i>DELL</i></p> | Test | g/210L | Time | Air Blank | 0.000 | 07:30 | Control Test | 0.194 | 07:31 | Air Blank | 0.000 | 07:31 | Control Test | 0.196 | 07:32 | Air Blank | 0.000 | 07:32 | Control Test | 0.196 | 07:33 | Air Blank | 0.000 | 07:33 | Control Test Stats | | | Average | 0.1953 | | Std Dev | 0.0012 | | Rel. Std Dev(%) | 0.5911 | | <p>0.077 to 0.083 <input checked="" type="checkbox"/></p> <p>MONROE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000867 05/22/2017 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>07:35</td></tr> <tr><td>Control Test</td><td>0.082</td><td>07:35</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:36</td></tr> <tr><td>Control Test</td><td>0.081</td><td>07:36</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:36</td></tr> <tr><td>Control Test</td><td>0.082</td><td>07:37</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:37</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0817</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.7070</td><td></td></tr> </tbody> </table> <p>Operator's Signature: <i>DELL</i></p> | Test | g/210L | Time | Air Blank | 0.000 | 07:35 | Control Test | 0.082 | 07:35 | Air Blank | 0.000 | 07:36 | Control Test | 0.081 | 07:36 | Air Blank | 0.000 | 07:36 | Control Test | 0.082 | 07:37 | Air Blank | 0.000 | 07:37 | Control Test Stats | | | Average | 0.0817 | | Std Dev | 0.0006 | | Rel. Std Dev(%) | 0.7070 | |
| Test | g/210L | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.049 | 07:18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.048 | 07:19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.048 | 07:20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test Stats | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average | 0.0483 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Std Dev | 0.0006 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rel. Std Dev(%) | 1.1945 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Test | g/210L | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:24 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.077 | 07:25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.078 | 07:26 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:26 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.078 | 07:27 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:27 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test Stats | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average | 0.0777 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Std Dev | 0.0016 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rel. Std Dev(%) | 0.7434 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Test | g/210L | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.194 | 07:31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.196 | 07:32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.196 | 07:33 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:33 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test Stats | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average | 0.1953 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Std Dev | 0.0012 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rel. Std Dev(%) | 0.5911 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Test | g/210L | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.082 | 07:35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.081 | 07:36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test | 0.082 | 07:37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Blank | 0.000 | 07:37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control Test Stats | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average | 0.0817 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Std Dev | 0.0006 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rel. Std Dev(%) | 0.7070 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

DELL

DELL

| TYPE OF TEST | SERIAL NUMBER | AGENCY | DATE | PERFORMED BY |
|------------------|---------------|--------------------------------|------------|--------------------|
| Flow calibration | 80-000867 | Monroe County Sheriff's Office | 05/22/2017 | <i>[Signature]</i> |

MONROE COUNTY SO
 Intoxilyzer - Alcotest Analyzer
 Model 8000 SN 80-000867
 05/22/2017
 Software: 8100.27

Flow Rate Calibration*****

- 1: Rate (Liters/min) = 5
 SRT(Diff) = 7.277
- 2: Rate (Liters/min) = 15
 SRT(Diff) = 11.871
- 3: Rate (Liters/min) = 30
 SRT(Diff) = 16.785

Dependent Data Scale Factor = 100000 L/min
 Independent Data Scale Factor = 256
 Rounded Slope = 849
 Rounded Intercept = -1079981
 Correlation = 1.00000

[Handwritten initials]

[Handwritten initials]