

INSTRUMENT PROCESSING SHEET

Agency Pinellas County

S/N 80-001367

Date In 1/18/17

Date Out 1/18/17

Ship P/U H/D CMI EE

<p>Intake Performed By <u>[Signature]</u></p> <p><input type="checkbox"/> Registration <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Return from CMI <input type="checkbox"/> Return from Enforcement Electronics <input type="checkbox"/> Other _____</p> <p>Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Dry Gas Holder <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Keyboard/Plug <input checked="" type="checkbox"/> Back/Plugs <input checked="" type="checkbox"/> Screws tight <input checked="" type="checkbox"/> Breath Hose</p> <p>Other Equipment: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input type="checkbox"/> Other _____</p> <p>Notes: _____</p>	<p>Quality Checks Performed By <u>[Signature]</u></p> <p><input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>172</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP103</u> 32mm <u>0.160</u> (.139 - .169) 36mm <u>0.171</u> (.156 - .190) 53mm <u>0.242</u> (.228 - .278) 103mm <u>0.4916</u> (.447 - .547)</p> <p><input type="checkbox"/> Barometric Pressure Check Gauge ID # <u>26932</u></p> <p><input checked="" type="checkbox"/> Stability Checks</p> <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.05</td> <td><u>SD3962</u></td> <td><u>201603D</u> <u>3/8/18</u></td> </tr> <tr> <td>0.08</td> <td><u>SD3964</u></td> <td><u>201601F</u> <u>1/26/18</u></td> </tr> <tr> <td>0.20</td> <td><u>SD3933</u></td> <td><u>201604C</u> <u>4/5/18</u></td> </tr> <tr> <td>0.08 DGS</td> <td>N/A</td> <td><u>A6626605</u> <u>9/22/18</u></td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.05	<u>SD3962</u>	<u>201603D</u> <u>3/8/18</u>	0.08	<u>SD3964</u>	<u>201601F</u> <u>1/26/18</u>	0.20	<u>SD3933</u>	<u>201604C</u> <u>4/5/18</u>	0.08 DGS	N/A	<u>A6626605</u> <u>9/22/18</u>	<p>Flow Calibration Performed By _____</p> <p><input checked="" type="checkbox"/> Flow Calibration N/A <input type="checkbox"/> Flow Calibration Complete Flow Column # _____ <input type="checkbox"/> 5L/min - 53mm <input type="checkbox"/> 15L/min - 53mm <input type="checkbox"/> 30L/min - 103mm</p> <p><input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32mm _____ (.139 - .169) 36mm _____ (.156 - .190) 53mm _____ (.228 - .278) 103mm _____ (.447 - .547)</p>
Simulator	Serial #	Lot #/Exp															
0.05	<u>SD3962</u>	<u>201603D</u> <u>3/8/18</u>															
0.08	<u>SD3964</u>	<u>201601F</u> <u>1/26/18</u>															
0.20	<u>SD3933</u>	<u>201604C</u> <u>4/5/18</u>															
0.08 DGS	N/A	<u>A6626605</u> <u>9/22/18</u>															
		<p>Maintenance Performed By <u>[Signature]</u></p> <p><input checked="" type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input type="checkbox"/> Other _____</p> <p>Suggested Service</p> <p>_____</p> <p>_____</p>															

RECEIVED
JAN 19 2017
FDLE Alcohol Testing Program

<p>Optical Bench Calibration Performed By _____</p> <p><input checked="" type="checkbox"/> Optical Bench Calibration N/A <input type="checkbox"/> Optical Bench Calibration Complete Barometric Pressure Gauge _____ ID # _____</p> <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.400</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> <p><input type="checkbox"/> Post Calibration Stability Checks</p> <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.05</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.08</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.20</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.08 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>	Simulator	Serial Number	Lot Number	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.400				0.080 DGS	N/A			Simulator	Serial Number	Lot Number	Expiration	0.05				0.08				0.20				0.08 DGS	N/A			<p>Department Inspection Performed By <u>[Signature]</u></p> <p><input checked="" type="checkbox"/> Barometric Pressure <u>1017</u> Gauge ID# <u>26932</u> <u>1015</u> Instrument</p> <p>Mouth Alcohol Solution Lot # <u>2016-C</u> Acetone Stock Solution Lot # <u>2016-B</u></p> <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.00</td> <td><u>G2880</u></td> </tr> <tr> <td>Interferent</td> <td><u>G2834</u></td> </tr> <tr> <td>0.05</td> <td><u>SD3962</u></td> </tr> <tr> <td>0.08</td> <td><u>SD3964</u></td> </tr> <tr> <td>0.20</td> <td><u>SD3933</u></td> </tr> </tbody> </table>	Simulator	Serial Number	0.00	<u>G2880</u>	Interferent	<u>G2834</u>	0.05	<u>SD3962</u>	0.08	<u>SD3964</u>	0.20	<u>SD3933</u>
Simulator	Serial Number	Lot Number	Expiration																																																										
0.000		N/A	N/A																																																										
0.040																																																													
0.100																																																													
0.200																																																													
0.400																																																													
0.080 DGS	N/A																																																												
Simulator	Serial Number	Lot Number	Expiration																																																										
0.05																																																													
0.08																																																													
0.20																																																													
0.08 DGS	N/A																																																												
Simulator	Serial Number																																																												
0.00	<u>G2880</u>																																																												
Interferent	<u>G2834</u>																																																												
0.05	<u>SD3962</u>																																																												
0.08	<u>SD3964</u>																																																												
0.20	<u>SD3933</u>																																																												
<p>Attachments</p> <p><input checked="" type="checkbox"/> Form 41 <input type="checkbox"/> Optical Bench Cal <input checked="" type="checkbox"/> Pre-Stability Tests <input type="checkbox"/> Post-Stability Tests <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Other _____</p>																																																													

Notes: [Signature] 1/19/17

Instrument Complies with Chapter 11D-8, FAC
 Instrument Does Not Comply with Chapter 11D-8, FAC
 Return to/Place into Evidentiary Use
 Remain Out of Evidentiary Use
 Conduct an Agency Inspection Before Evidentiary Use

Brett Kirkland

Quality Control Review

1/19/17
Date

Stability Checks #80-001367

#80-001367 Pinellas County S.O. 1/18/17

ADS

ADS

PINELLAS COUNTY SO
Intoxilyzer - Alcolon Analyzer
Model: 8000 SN 80-001367
01/18/2017
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	15:25
Control Test	0.049	15:25
Air Blank	0.000	15:26
Control Test	0.050	15:26
Air Blank	0.000	15:27
Control Test	0.050	15:28
Air Blank	0.000	15:28
Control Test Stats		
Average	0.0497	
Std Dev	0.0006	
Rel Std Dev(%)	1.1625	

ADS
Operator's Signature

PINELLAS COUNTY SO
Intoxilyzer - Alcolon Analyzer
Model: 8000 SN 80-001367
01/18/2017
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	15:30
Control Test	0.078	15:31
Air Blank	0.000	15:31
Control Test	0.078	15:32
Air Blank	0.000	15:33
Control Test	0.079	15:33
Air Blank	0.000	15:34
Control Test Stats		
Average	0.0783	
Std Dev	0.0006	
Rel Std Dev(%)	0.7370	

ADS
Operator's Signature

PINELLAS COUNTY SO
Intoxilyzer - Alcolon Analyzer
Model: 8000 SN 80-001367
01/18/2017
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	15:35
Control Test	0.193	15:36
Air Blank	0.000	15:36
Control Test	0.194	15:37
Air Blank	0.000	15:38
Control Test	0.194	15:38
Air Blank	0.000	15:39
Control Test Stats		
Average	0.1937	
Std Dev	0.0006	
Rel Std Dev(%)	0.2981	

ADS
Operator's Signature

PINELLAS COUNTY SO
Intoxilyzer - Alcolon Analyzer
Model: 8000 SN 80-001367
01/18/2017
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	15:40
Control Test	0.191	15:41
Air Blank	0.000	15:42
Control Test	0.193	15:42
Air Blank	0.000	15:43
Control Test	0.192	15:44
Air Blank	0.000	15:44
Control Test Stats		
Average	0.1920	
Std Dev	0.0010	
Rel Std Dev(%)	0.5208	

ADS
Operator's Signature

PINELLAS COUNTY SO
Intoxilyzer - Alcolon Analyzer
Model: 8000 SN 80-001367
01/18/2017
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	15:46
Control Test	0.081	15:47
Air Blank	0.000	15:47
Control Test	0.081	15:47
Air Blank	0.000	15:48
Control Test	0.081	15:48
Air Blank	0.000	15:49
Control Test Stats		
Average	0.0810	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

ADS
Operator's Signature

YSK

Checked sim for leaks. Retested. ADS

Stability Checks cont.

80-001367 Pinellas County S.O. 1/18/17 *QMS*

Turned off A/C
in Room \rightarrow
Retested.

QMS

PINELLAS COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001367
01/18/2017
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	16:00
Control Test	0.195	16:01
Air Blank	0.000	16:02
Control Test	0.195	16:02
Air Blank	0.000	16:03
Control Test	0.195	16:03
Air Blank	0.000	16:04
Control Test Stats		
Average	0.1950	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

MSK

QMS

Operator's Signature