



Alcohol Testing Program

INSTRUMENT PROCESSING SHEET

Agency FHP S/N 80-006261
 Date In 3/7/17 Date Out 3/9/17
 Ship P/U H/D CMI EE

Intake Performed By <u>SP</u> <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Return from CMI <input type="checkbox"/> Return from Enforcement Electronics <input type="checkbox"/> Other _____ Visual Inspection: <u>OK</u> Case <u>OK</u> Handle <u>OK</u> Dry Gas Holder <u>OK</u> Feet <u>OK</u> Keyboard/Plug <u>OK</u> Back/Plugs <u>OK</u> Screws tight <u>OK</u> Breath Hose Other Equipment: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input type="checkbox"/> Other _____ Notes: _____ _____ _____	Quality Checks Performed By <u>SP</u> <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>230</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP102</u> 32mm <u>.144</u> (.139 - .169) 36mm <u>.164</u> (.156 - .190) 53mm <u>.230</u> (.228 - .278) 103mm <u>.496</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>28427</u> <input checked="" type="checkbox"/> Stability Checks <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.05</td> <td><u>G3709</u></td> <td><u>201603D</u> <u>3-8-18</u></td> </tr> <tr> <td>0.08</td> <td><u>SD3964</u></td> <td><u>201601F</u> <u>1-26-18</u></td> </tr> <tr> <td>0.20</td> <td><u>DR3856</u></td> <td><u>201604C</u> <u>4-5-18</u></td> </tr> <tr> <td>0.08 DGS</td> <td>N/A</td> <td><u>AG626605</u> <u>9-22-18</u></td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.05	<u>G3709</u>	<u>201603D</u> <u>3-8-18</u>	0.08	<u>SD3964</u>	<u>201601F</u> <u>1-26-18</u>	0.20	<u>DR3856</u>	<u>201604C</u> <u>4-5-18</u>	0.08 DGS	N/A	<u>AG626605</u> <u>9-22-18</u>	Flow Calibration Performed By _____ <input checked="" type="checkbox"/> Flow Calibration N/A <input type="checkbox"/> Flow Calibration Complete Flow Column # _____ <input type="checkbox"/> 5L/min - 47mm <input type="checkbox"/> 15L/min - 53mm <input type="checkbox"/> 30L/min - 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32mm _____ (.139 - .169) 36mm _____ (.156 - .190) 53mm _____ (.228 - .278) 103mm _____ (.447 - .547) Maintenance Performed By _____ <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input type="checkbox"/> Other _____ Suggested Service _____ _____
Simulator	Serial #	Lot #/Exp															
0.05	<u>G3709</u>	<u>201603D</u> <u>3-8-18</u>															
0.08	<u>SD3964</u>	<u>201601F</u> <u>1-26-18</u>															
0.20	<u>DR3856</u>	<u>201604C</u> <u>4-5-18</u>															
0.08 DGS	N/A	<u>AG626605</u> <u>9-22-18</u>															

RECEIVED
 MAR 13 2017
 FDLE
 Alcohol Testing Program

Optical Bench Calibration Performed By _____ <input checked="" type="checkbox"/> Optical Bench Calibration N/A <input type="checkbox"/> Optical Bench Calibration Complete Barometric Pressure Gauge ID # _____ <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.400</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> <input type="checkbox"/> Post Calibration Stability Checks <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.05</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.08</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.20</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.08 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>				Simulator	Serial Number	Lot Number	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.400				0.080 DGS	N/A			Simulator	Serial Number	Lot Number	Expiration	0.05				0.08				0.20				0.08 DGS	N/A		
Simulator	Serial Number	Lot Number	Expiration																																																
0.000		N/A	N/A																																																
0.040																																																			
0.100																																																			
0.200																																																			
0.400																																																			
0.080 DGS	N/A																																																		
Simulator	Serial Number	Lot Number	Expiration																																																
0.05																																																			
0.08																																																			
0.20																																																			
0.08 DGS	N/A																																																		

Department Inspection Performed By <u>SP</u> <input checked="" type="checkbox"/> Barometric Pressure ID# <u>28427</u> <u>1022</u> Gauge <u>1020</u> Instrument Mouth Alcohol Solution Lot # <u>2016-A</u> Acetone Stock Solution Lot # <u>2016-B</u> <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.00</td> <td><u>G2880</u></td> </tr> <tr> <td>Interferent</td> <td><u>G2834</u></td> </tr> <tr> <td>0.05</td> <td><u>G3709</u></td> </tr> <tr> <td>0.08</td> <td><u>SD3964</u></td> </tr> <tr> <td>0.20</td> <td><u>DR3856</u></td> </tr> </tbody> </table>		Simulator	Serial Number	0.00	<u>G2880</u>	Interferent	<u>G2834</u>	0.05	<u>G3709</u>	0.08	<u>SD3964</u>	0.20	<u>DR3856</u>
Simulator	Serial Number												
0.00	<u>G2880</u>												
Interferent	<u>G2834</u>												
0.05	<u>G3709</u>												
0.08	<u>SD3964</u>												
0.20	<u>DR3856</u>												
Attachments <input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Pre-Stability Tests <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Optical Bench Cal <input type="checkbox"/> Post-Stability Tests <input checked="" type="checkbox"/> Other <u>Form 40</u>													

Notes: GC: QAS

<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use

Brett Kirkland
 Quality Control Review

5/13/17
 Date

FL HIGHWAY PATROL
 Intoxilyzer - Alcohol Analyzer
 Model 8000 SN 80-006261
 03/09/2017
 Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	10:09
Control Test	0.199	10:09
Air Blank	0.000	10:10
Control Test	0.199	10:11
Air Blank	0.000	10:11
Control Test	0.198	10:12
Air Blank	0.000	10:12
Control Test Stats		
Average	0.1987	
Std Dev	0.0006	
Rel Std Dev(%)	0.2906	

SP

Operator's Signature

FL HIGHWAY PATROL
 Intoxilyzer - Alcohol Analyzer
 Model 8000 SN 80-006261
 03/09/2017
 Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	10:21
Control Test	0.080	10:22
Air Blank	0.000	10:23
Control Test	0.081	10:23
Air Blank	0.000	10:24
Control Test	0.080	10:25
Air Blank	0.000	10:25
Control Test Stats		
Average	0.0803	
Std Dev	0.0006	
Rel Std Dev(%)	0.7187	

SP

Operator's Signature

FL HIGHWAY PATROL
 Intoxilyzer - Alcohol Analyzer
 Model 8000 SN 80-006261
 03/09/2017
 Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	10:17
Control Test	0.050	10:18
Air Blank	0.000	10:18
Control Test	0.050	10:19
Air Blank	0.000	10:19
Control Test	0.050	10:20
Air Blank	0.000	10:20
Control Test Stats		
Average	0.0500	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

DWS

BK

SP

Operator's Signature

FL HIGHWAY PATROL
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-006261
03/09/2017
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	10:03
Control Test	0.080	10:04
Air Blank	0.000	10:04
Control Test	0.080	10:04
Air Blank	0.000	10:05
Control Test	0.080	10:05
Air Blank	0.000	10:06
Control Test Stats		
Average	0.0800	DGS
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

SP

Operator's Signature

DGS
BK