



# INSTRUMENT PROCESSING SHEET

Florida Department of  
Law Enforcement

Agency Brevard County SO

S/N 80-001010

Date In 5/2/2019

DI Completion Date 5/7/19

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

| <b>Intake</b> Performed By <u>DP</u><br><input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input type="checkbox"/> Return from CMI / EE<br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight<br>Other Equipment/ Accessories:<br><input checked="" type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br>Notes: <u>No Key board</u>                                                                                                                                                                                                                                                                                                                                                                   | <b>Quality Checks</b> Performed By <u>SP</u><br><input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value <u>1.85</u><br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # <u>ATP103</u><br>32 mm <u>.144</u> (.139 - .169)<br>36 mm <u>.164</u> (.156 - .190)<br>53 mm <u>.238</u> (.228 - .278)<br>103 mm <u>.511</u> (.447 - .547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # <u>26932</u><br><input checked="" type="checkbox"/> Stability Checks | <b>Flow Calibration</b> Performed By _____<br>Flow Column # _____<br><input type="checkbox"/> 5L/min - 17mm<br><input type="checkbox"/> 15L/min - 53mm<br><input type="checkbox"/> 30L/min - 103mm<br><input type="checkbox"/> R-Value _____<br><input type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column # _____<br>32 mm _____ (.139 - .169)<br>36 mm _____ (.156 - .190)<br>53 mm _____ (.228 - .278)<br>103 mm _____ (.447 - .547) |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|------------|-------|--|-----|-----|-------|--|--|--|-------|--|--|--|-------|--|--|--|-------|--|--|--|-----------|-----|--|--|-----------|---------------|------------|------------|-------|--|--|--|-------|--|--|--|-------|--|--|--|-----------|-----|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------|---------------|-------|--------------|-------------|--------------|-------|---------------|-------|---------------|-------|---------------|
| <b>Final Release Date</b><br><div style="text-align: center; padding: 10px;"> <b>FDLE</b><br/><br/> <b>MAY 08 2019</b><br/><br/> <b>Alcohol Testing</b><br/> <b>Program</b> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>Maintenance</b> Performed By _____<br><input type="checkbox"/> Battery Replacement<br><input type="checkbox"/> Dry Gas Regulator Replacement<br><input type="checkbox"/> Breath Tube Replacement<br><input type="checkbox"/> Other _____                                                                                                                                                                                                              |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| <b>Calibration Adjustment</b> Performed By _____<br>Barometric Pressure Gauge ID # _____<br><table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> <input type="checkbox"/> Post Calibration Adjustment Stability Checks<br><table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                | Serial Number | Lot Number | Expiration | 0.000 |  | N/A | N/A | 0.040 |  |  |  | 0.100 |  |  |  | 0.200 |  |  |  | 0.300 |  |  |  | 0.080 DGS | N/A |  |  | Simulator | Serial Number | Lot Number | Expiration | 0.050 |  |  |  | 0.080 |  |  |  | 0.200 |  |  |  | 0.080 DGS | N/A |  |  | <b>Department Inspection</b> Performed By <u>SP</u><br>Barometric Pressure ID# <u>26932</u><br>Gauge <u>1016</u> Instrument <u>1016</u><br>Mouth Alcohol Solution Lot # <u>2018-B</u><br>Acetone Stock Solution Lot # <u>2018-A</u><br><table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td><u>G2408</u></td> </tr> <tr> <td>Interferent</td> <td><u>G2882</u></td> </tr> <tr> <td>0.050</td> <td><u>SD1012</u></td> </tr> <tr> <td>0.080</td> <td><u>DR1279</u></td> </tr> <tr> <td>0.200</td> <td><u>SD1013</u></td> </tr> </tbody> </table> |  | Simulator | Serial Number | 0.000 | <u>G2408</u> | Interferent | <u>G2882</u> | 0.050 | <u>SD1012</u> | 0.080 | <u>DR1279</u> | 0.200 | <u>SD1013</u> |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Serial Number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Lot Number                                                                                                                                                                                                                                                                                                                                                                                                                                               | Expiration    |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                      | N/A           |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.040                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Serial Number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Lot Number                                                                                                                                                                                                                                                                                                                                                                                                                                               | Expiration    |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Serial Number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <u>G2408</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| Interferent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <u>G2882</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <u>SD1012</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <u>DR1279</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <u>SD1013</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| Notes/Suggested Service: _____<br>_____<br>_____<br>_____<br>_____<br>_____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>Attachments</b><br><input checked="" type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks<br><input checked="" type="checkbox"/> Stability Checks <input type="checkbox"/> Flow Calibration<br><input checked="" type="checkbox"/> Calibration Certificate <input checked="" type="checkbox"/> Form 40<br><input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other _____                                    |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |
| <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><input checked="" type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <u>Prgm 5/8/19</u> <u>J. Dahen</u> <u>5/8/19</u><br>Tech Review / Date Admin Review / Date                                                                                                                                                                                                                                                                                                                                                               |               |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |               |            |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |           |               |       |              |             |              |       |               |       |               |       |               |

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: BREVARD COUNTY S.O.

Time of Inspection: 16:02

Date of Inspection: 05/07/2019

Serial Number: 80-001010

Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:201707D<br>Exp: 07/25/2019 | 0.08g/210L Test<br>(g/210L)<br>Lot#:201707E<br>Exp: 07/25/2019 | 0.20g/210L Test<br>(g/210L)<br>Lot#:201707C<br>Exp: 07/24/2019 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:AG831804<br>Exp: 11/14/2020 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------|
| 0.000                            | 0.047                                                          | 0.077                                                          | 0.195                                                          | 0.078                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.196                                                          | 0.078                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.196                                                          | 0.077                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.196                                                          | 0.078                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.196                                                          | 0.078                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.196                                                          | 0.077                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.196                                                          | 0.077                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.196                                                          | 0.077                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.196                                                          | 0.077                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.196                                                          | 0.078                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.196                                                          | 0.077                                                                           |

|                     |        |        |        |        |
|---------------------|--------|--------|--------|--------|
| Standard Deviations | 0.0003 | 0.0003 | 0.0003 | 0.0005 |
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

*Shayla Platt*

SHAYLA D PLATT

Signature and Printed Name

05/07/2019  
Date

*5/8/19*  
*32*



# STABILITY CHECKS # 80-001010

BREVIARD COUNTY S.O.  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001010  
05/07/2019  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 13:19 |
| Control Test       | 0.079  | 13:20 |
| Air Blank          | 0.000  | 13:20 |
| Control Test       | 0.079  | 13:21 |
| Air Blank          | 0.000  | 13:21 |
| Control Test       | 0.079  | 13:22 |
| Air Blank          | 0.000  | 13:22 |
| Control Test       | 0.000  | 13:23 |
| Control Test Stats |        |       |
| Average            | 0.0790 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

SP  
Operator's Signature

BREVIARD COUNTY S.O.  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001010  
05/07/2019  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 13:30 |
| Control Test       | 0.195  | 13:31 |
| Air Blank          | 0.000  | 13:32 |
| Control Test       | 0.197  | 13:32 |
| Air Blank          | 0.000  | 13:33 |
| Control Test       | 0.196  | 13:34 |
| Air Blank          | 0.000  | 13:34 |
| Control Test Stats |        |       |
| Average            | 0.1960 |       |
| Std Dev            | 0.0010 |       |
| Rel Std Dev(%)     | 0.5102 |       |

SP  
Operator's Signature

BREVIARD COUNTY S.O.  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001010  
05/07/2019  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 13:15 |
| Control Test       | 0.049  | 13:15 |
| Air Blank          | 0.000  | 13:16 |
| Control Test       | 0.049  | 13:17 |
| Air Blank          | 0.000  | 13:17 |
| Control Test       | 0.049  | 13:18 |
| Air Blank          | 0.000  | 13:18 |
| Control Test Stats |        |       |
| Average            | 0.0490 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

SP  
Operator's Signature

5/8/19  
JQ

BREVIARD COUNTY S.O.  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001010  
05/07/2019  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 13:27 |
| Control Test       | 0.079  | 13:27 |
| Air Blank          | 0.000  | 13:28 |
| Control Test       | 0.079  | 13:28 |
| Air Blank          | 0.000  | 13:28 |
| Control Test       | 0.079  | 13:29 |
| Air Blank          | 0.000  | 13:29 |
| Control Test Stats |        |       |
| Average            | 0.0790 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

DGS

SP  
Operator's Signature



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2729 Fort Knox Blvd.  
Bldg. 2, Suite 1300  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001010, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                            |                                |       |
|-------------------|----------------------------|--------------------------------|-------|
| Serial Number:    | <u>80-001010</u>           | UNCERTAINTY * $\pm$            |       |
| Owning Agency:    | <u>BREVARD COUNTY S.O.</u> | 0.050 g/ 210 L                 | 0.004 |
| Calibration Date: | <u>05/07/2019</u>          | 0.080 g/ 210 L                 | 0.004 |
| Calibration Time: | <u>16:02</u>               | 0.200 g/ 210 L                 | 0.007 |
|                   |                            | 0.080 g/ 210 L Dry Gas Control | 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.  
\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

05/07/2019

Date

*Shayla Platt*

SHAYLA D PLATT,  
Department Inspector

FDLE/ATP Form 69 July 2018

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1

5/8/19  
JQ  
Biom

# Florida Department of Law Enforcement Alcohol Testing Program

## AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: BREVARD COUNTY S.O.

Time of Inspection: 11:31

Date of Inspection: 05/07/2019

Serial Number: 80-001010

Software: 8100.27

| Check or Test                               | YES | NO |
|---------------------------------------------|-----|----|
| Date and/or Time Adjusted                   |     | No |
| Diagnostic Check (Pre-Inspection): OK       |     | No |
| Alcohol Free Subject Test: 0.000            |     | No |
| Mouth Alcohol Test: Slope Not Met           |     | No |
| Interferent Detect Test: Interferent Detect |     | No |
| Diagnostic Check (Post-Inspection): OK      |     | No |

| Alcohol Free Test (g/210L) | 0.05g/210L Test (g/210L)<br>Lot#:_____<br>Exp:_____ | 0.08g/210L Test (g/210L)<br>Lot#:_____<br>Exp:_____ | 0.20g/210L Test (g/210L)<br>Lot#:_____<br>Exp:_____ | 0.08 g/210L Dry Gas Std Test (g/210L)<br>Lot#:_____<br>Exp:_____ |
|----------------------------|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|------------------------------------------------------------------|
|                            |                                                     |                                                     |                                                     |                                                                  |
|                            |                                                     |                                                     |                                                     |                                                                  |
|                            |                                                     |                                                     |                                                     |                                                                  |

Number of Simulators Used: \_\_\_\_\_

Remarks:

*30AM*

N/A Compliance  
Not determined.

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Shayla D Platt

Signature and Printed Name

SHAYLA D PLATT

05/07/2019  
Date

5/8/19  
JP