



# INSTRUMENT PROCESSING SHEET

Agency Naval Air Station Key WestS/N 80-002170

Florida Department of Law Enforcement

Date In 12/20/2018 DI Completion Date 01/02/2019 Ship  P/U  H/D  CMI  EE

<b>Intake</b> Performed By <u>Dell</u> <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight Other Equipment/ Accessories: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable Notes: _____ _____ _____	<b>Quality Checks</b> Performed By <u>Dell</u> <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>242</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP 106</u> 32 mm <u>.148</u> (.139 - .169) 36 mm <u>.167</u> (.156 - .190) 53 mm <u>.234</u> (.228 - .278) 103 mm <u>.503</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>28663</u> <input checked="" type="checkbox"/> Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>SD3967</td> <td>201707D 07/25/2019</td> </tr> <tr> <td>0.080</td> <td>SD3968</td> <td>201707E 07/25/2019</td> </tr> <tr> <td>0.200</td> <td>SD3969</td> <td>201707C 07/24/2019</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG805701 02/26/2020</td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.050	SD3967	201707D 07/25/2019	0.080	SD3968	201707E 07/25/2019	0.200	SD3969	201707C 07/24/2019	0.080 DGS	N/A	AG805701 02/26/2020	<b>Flow Calibration</b> Performed By _____ Flow Column # _____ <input type="checkbox"/> 5L/min - 17mm <input type="checkbox"/> 15L/min - 53mm <input type="checkbox"/> 30L/min - 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547) <b>Maintenance</b> Performed By <u>Dell</u> <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input checked="" type="checkbox"/> Other <u>Forms Load</u> <b>Temperature Checks</b> Performed By <u>Dell</u> <input checked="" type="checkbox"/> Lab Temp °C <u>22.09C</u> External Digital Therm. ID#: <u>300918</u> <input checked="" type="checkbox"/> 34°C +/-2 Serial #: <u>SD3967</u> <input checked="" type="checkbox"/> 34°C +/-2 Serial #: <u>SD3968</u> <input checked="" type="checkbox"/> 34°C +/-2 Serial #: <u>SD3969</u>																																												
Simulator	Serial #	Lot #/Exp																																																											
0.050	SD3967	201707D 07/25/2019																																																											
0.080	SD3968	201707E 07/25/2019																																																											
0.200	SD3969	201707C 07/24/2019																																																											
0.080 DGS	N/A	AG805701 02/26/2020																																																											
<b>Final Release Date</b> <div style="text-align: center; font-size: 1.2em; font-weight: bold;">FDLE</div> <div style="text-align: center; margin-top: 10px;">JAN 14 2019</div> <div style="text-align: center; margin-top: 5px;">Alcohol Testing Program</div>																																																													
<b>Calibration Adjustment</b> Performed By _____ Barometric Pressure Gauge _____ ID # _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> <input type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>	Simulator	Serial Number	Lot Number	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Simulator	Serial Number	Lot Number	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			<b>Department Inspection</b> Performed By <u>Dell</u> Barometric Pressure ID# <u>68639</u> Gauge <u>1021</u> Instrument <u>1020</u> Mouth Alcohol Solution Lot # <u>2017-B</u> Acetone Stock Solution Lot # <u>2018-A</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>SD3965</td> </tr> <tr> <td>Interferent</td> <td>SD3966</td> </tr> <tr> <td>0.050</td> <td>SD3967</td> </tr> <tr> <td>0.080</td> <td>SD3968</td> </tr> <tr> <td>0.200</td> <td>SD3969</td> </tr> </tbody> </table> <b>Attachments</b> <input checked="" type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks <input checked="" type="checkbox"/> Stability Checks <input type="checkbox"/> Flow Calibration <input checked="" type="checkbox"/> Calibration Certificate <input checked="" type="checkbox"/> Form 40 <input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other _____	Simulator	Serial Number	0.000	SD3965	Interferent	SD3966	0.050	SD3967	0.080	SD3968	0.200	SD3969
Simulator	Serial Number	Lot Number	Expiration																																																										
0.000		N/A	N/A																																																										
0.040																																																													
0.100																																																													
0.200																																																													
0.300																																																													
0.080 DGS	N/A																																																												
Simulator	Serial Number	Lot Number	Expiration																																																										
0.050																																																													
0.080																																																													
0.200																																																													
0.080 DGS	N/A																																																												
Simulator	Serial Number																																																												
0.000	SD3965																																																												
Interferent	SD3966																																																												
0.050	SD3967																																																												
0.080	SD3968																																																												
0.200	SD3969																																																												
Notes/Suggested Service: <u>E-mailed</u> <input checked="" type="checkbox"/> <span style="color: red; font-weight: bold; font-size: 1.2em;">APPROVED</span> _____ _____ _____ _____	<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use <div style="margin-top: 10px;"> <table style="width:100%; border: none;"> <tr> <td style="text-align: center; border: none;"> <u>1/14/19</u>            Tech Review / Date         </td> <td style="text-align: center; border: none;"> <u>[Signature]</u>            Admin Review / Date         </td> </tr> </table> </div>		<u>1/14/19</u> Tech Review / Date	<u>[Signature]</u> Admin Review / Date																																																									
<u>1/14/19</u> Tech Review / Date	<u>[Signature]</u> Admin Review / Date																																																												

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: NAS KEY WEST

Serial Number: 80-002170

Time of Inspection: 10:09

Date of Inspection: 01/02/2019

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:201707D Exp: 07/25/2019	0.08g/210L Test (g/210L) Lot#:201707E Exp: 07/25/2019	0.20g/210L Test (g/210L) Lot#:201707C Exp: 07/24/2019	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG805701 Exp: 02/26/2020
0.000	0.049	0.080	0.198	0.079
0.000	0.050	0.081	0.200	0.079
0.000	0.050	0.081	0.200	0.079
0.000	0.050	0.081	0.200	0.078
0.000	0.050	0.081	0.200	0.078
0.000	0.050	0.081	0.200	0.079
0.000	0.050	0.082	0.200	0.079
0.000	0.050	0.081	0.201	0.079
0.000	0.050	0.081	0.200	0.078
0.000	0.050	0.081	0.200	0.078

Standard Deviations	0.0003	0.0004	0.0007	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

*DDM*

Remarks:

The above instrument complies (  ) does not comply (  ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

*David Reyes Rivera* DAVID E REYES-RIVERA  
Signature and Printed Name

01/02/2019  
Date

*1/4/19  
JD*

<b>TYPE OF TEST</b>	<b>SERIAL NUMBER</b>	<b>AGENCY</b>	<b>DATE</b>	<b>PERFORMED BY</b>
Stabilities	80-002170	Naval Air Station Key West	01/02/2019	<i>hell</i>

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																								
SN: SD3967 Temp: 34.04c <b>0.047 to 0.053</b> <input checked="" type="checkbox"/>	SN: SD3968 Temp: 34.06c <b>0.077 to 0.083</b> <input checked="" type="checkbox"/>	SN: SD3969 Temp: 34.06c <b>0.194 to 0.206</b> <input checked="" type="checkbox"/>	Lot AG805701 <b>0.077 to 0.083</b> <input checked="" type="checkbox"/>																																																																																								
US-VEN TEST Model: 8000 SN: 80-002170 Software: 810007	US-VEN TEST Model: 8000 SN: 80-002170 Software: 810007	US-VEN TEST Model: 8000 SN: 80-002170 Software: 810007	US-VEN TEST Model: 8000 SN: 80-002170 Software: 810007																																																																																								
<table border="1"> <thead> <tr> <th>Test</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>07:51</td></tr> <tr><td>Control Test</td><td>07:52</td></tr> <tr><td>Air Blank</td><td>07:53</td></tr> <tr><td>Control Test</td><td>07:54</td></tr> <tr><td>Air Blank</td><td>07:55</td></tr> <tr><td>Control Test</td><td>07:56</td></tr> <tr><td>Air Blank</td><td>07:57</td></tr> <tr><td>Control Test</td><td>07:58</td></tr> <tr><td>Air Blank</td><td>07:59</td></tr> <tr><td>Control Test</td><td>08:00</td></tr> <tr><td>Average</td><td>0.067</td></tr> <tr><td>Std Dev</td><td>0.006</td></tr> <tr><td>Rel. Std Dev(%)</td><td>1.1663</td></tr> </tbody> </table>	Test	Time	Air Blank	07:51	Control Test	07:52	Air Blank	07:53	Control Test	07:54	Air Blank	07:55	Control Test	07:56	Air Blank	07:57	Control Test	07:58	Air Blank	07:59	Control Test	08:00	Average	0.067	Std Dev	0.006	Rel. Std Dev(%)	1.1663	<table border="1"> <thead> <tr> <th>Test</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>07:55</td></tr> <tr><td>Control Test</td><td>07:56</td></tr> <tr><td>Air Blank</td><td>07:57</td></tr> <tr><td>Control Test</td><td>07:58</td></tr> <tr><td>Air Blank</td><td>07:59</td></tr> <tr><td>Control Test</td><td>08:00</td></tr> <tr><td>Average</td><td>0.087</td></tr> <tr><td>Std Dev</td><td>0.006</td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.7157</td></tr> </tbody> </table>	Test	Time	Air Blank	07:55	Control Test	07:56	Air Blank	07:57	Control Test	07:58	Air Blank	07:59	Control Test	08:00	Average	0.087	Std Dev	0.006	Rel. Std Dev(%)	0.7157	<table border="1"> <thead> <tr> <th>Test</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>08:00</td></tr> <tr><td>Control Test</td><td>08:01</td></tr> <tr><td>Air Blank</td><td>08:02</td></tr> <tr><td>Control Test</td><td>08:03</td></tr> <tr><td>Air Blank</td><td>08:04</td></tr> <tr><td>Control Test</td><td>08:05</td></tr> <tr><td>Average</td><td>0.1987</td></tr> <tr><td>Std Dev</td><td>0.006</td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.2906</td></tr> </tbody> </table>	Test	Time	Air Blank	08:00	Control Test	08:01	Air Blank	08:02	Control Test	08:03	Air Blank	08:04	Control Test	08:05	Average	0.1987	Std Dev	0.006	Rel. Std Dev(%)	0.2906	<table border="1"> <thead> <tr> <th>Test</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>08:00</td></tr> <tr><td>Control Test</td><td>08:01</td></tr> <tr><td>Air Blank</td><td>08:02</td></tr> <tr><td>Control Test</td><td>08:03</td></tr> <tr><td>Air Blank</td><td>08:04</td></tr> <tr><td>Control Test</td><td>08:05</td></tr> <tr><td>Average</td><td>0.0790</td></tr> <tr><td>Std Dev</td><td>0.006</td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.1000</td></tr> </tbody> </table>	Test	Time	Air Blank	08:00	Control Test	08:01	Air Blank	08:02	Control Test	08:03	Air Blank	08:04	Control Test	08:05	Average	0.0790	Std Dev	0.006	Rel. Std Dev(%)	0.1000
Test	Time																																																																																										
Air Blank	07:51																																																																																										
Control Test	07:52																																																																																										
Air Blank	07:53																																																																																										
Control Test	07:54																																																																																										
Air Blank	07:55																																																																																										
Control Test	07:56																																																																																										
Air Blank	07:57																																																																																										
Control Test	07:58																																																																																										
Air Blank	07:59																																																																																										
Control Test	08:00																																																																																										
Average	0.067																																																																																										
Std Dev	0.006																																																																																										
Rel. Std Dev(%)	1.1663																																																																																										
Test	Time																																																																																										
Air Blank	07:55																																																																																										
Control Test	07:56																																																																																										
Air Blank	07:57																																																																																										
Control Test	07:58																																																																																										
Air Blank	07:59																																																																																										
Control Test	08:00																																																																																										
Average	0.087																																																																																										
Std Dev	0.006																																																																																										
Rel. Std Dev(%)	0.7157																																																																																										
Test	Time																																																																																										
Air Blank	08:00																																																																																										
Control Test	08:01																																																																																										
Air Blank	08:02																																																																																										
Control Test	08:03																																																																																										
Air Blank	08:04																																																																																										
Control Test	08:05																																																																																										
Average	0.1987																																																																																										
Std Dev	0.006																																																																																										
Rel. Std Dev(%)	0.2906																																																																																										
Test	Time																																																																																										
Air Blank	08:00																																																																																										
Control Test	08:01																																																																																										
Air Blank	08:02																																																																																										
Control Test	08:03																																																																																										
Air Blank	08:04																																																																																										
Control Test	08:05																																																																																										
Average	0.0790																																																																																										
Std Dev	0.006																																																																																										
Rel. Std Dev(%)	0.1000																																																																																										
<i>hell</i> US-VEN TEST Model: 8000 SN: 80-002170 Software: 810007	<i>hell</i> US-VEN TEST Model: 8000 SN: 80-002170 Software: 810007	<i>hell</i> US-VEN TEST Model: 8000 SN: 80-002170 Software: 810007	<i>hell</i> US-VEN TEST Model: 8000 SN: 80-002170 Software: 810007																																																																																								

*hell*  
1/4/19  
D



Florida Department of Law Enforcement  
Alcohol Testing Program  
4700 Terminal Drive, Suite 1  
Ft. Myers, FL 33907

# Calibration Certificate

This is to certify the calibration of Intoxilyzer 8000 serial number 80-002170, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-002170</u>	UNCERTAINTY* ±	
Owning Agency:	<u>NAS KEY WEST</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>01/02/2019</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>10:09</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.  
\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

### TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

<u>01/02/2019</u>	<u><i>David Reyes-Rivera</i></u>
Date	DAVID E REYES-RIVERA,
	Department Inspector

FDLE/ATP Form 69 July 2018  
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

*1/4/19*  
*sd*

*sdm*

# Florida Department of Law Enforcement Alcohol Testing Program

## AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: NAS KEY WEST

Time of Inspection: 05:50

Date of Inspection: 01/02/2019

Serial Number: 80-002170

Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08g/210L Test (g/210L) Lot#: _____ Exp: _____	0.20g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: _____ Exp: _____

Number of Simulators Used: \_\_\_\_\_

**Remarks:**

COMPLIANCE NOT DETERMINED, AI NOT CONDUCTED

The above instrument complies (  ) does not comply (  ) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

*David Reyes Rivera*

DAVID E REYES-RIVERA

Signature and Printed Name

01/02/2019  
Date

1/4/19  
J2  
BAM