



# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HIALEAH PD  
Time of Inspection: 09:45

Date of Inspection: 03/04/2019

Serial Number: 80-002462  
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:201707D Exp: 07/25/2019	0.08g/210L Test (g/210L) Lot#:201707E Exp: 07/25/2019	0.20g/210L Test (g/210L) Lot#:201707C Exp: 07/24/2019	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG805702 Exp: 02/26/2020
0.000	0.050	0.080	0.199	0.078
0.000	0.049	0.081	0.200	0.079
0.000	0.050	0.081	0.200	0.078
0.000	0.050	0.081	0.200	0.079
0.000	0.049	0.081	0.200	0.079
0.000	0.050	0.081	0.200	0.079
0.000	0.050	0.081	0.200	0.079
0.000	0.050	0.081	0.200	0.079
0.000	0.050	0.081	0.200	0.079
0.000	0.050	0.081	0.200	0.079

Standard Deviations	0.0004	0.0003	0.0003	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

*agm*

The above instrument complies (  ) does not comply (  ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

*David Reyes Rivera*

DAVID E REYES-RIVERA

Signature and Printed Name

03/04/2019  
Date

*3/11/19*  
*DR*

TYPE OF TEST	SERIAL NUMBER	AGENCY	DATE	PERFORMED BY
Stabilities	80-002462	Hiialeah Police Department	03/04/2019	<i>Dea</i>

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																												
SN: SD3967 Temp: 34.09C <b>0.047 to 0.053</b> <input checked="" type="checkbox"/>	SN: SD3968 Temp: 34.10C <b>0.077 to 0.083</b> <input checked="" type="checkbox"/>	SN: SD3969 Temp: 34.12C <b>0.194 to 0.206</b> <input checked="" type="checkbox"/>	Lot AG805702 <b>0.077 to 0.083</b> <input checked="" type="checkbox"/>																																																																																																																																																												
HIHALEAH PD Intoxilyzer - Alconol Analyzer Model 8000 SN 80-002462 03/04/2019 Software: 8100.27	HIHALEAH PD Intoxilyzer - Alconol Analyzer Model 8000 SN 80-002462 03/04/2019 Software: 8100.27	HIHALEAH PD Intoxilyzer - Alconol Analyzer Model 8000 SN 80-002462 03/04/2019 Software: 8100.27	HIHALEAH PD Intoxilyzer - Alconol Analyzer Model 8000 SN 80-002462 03/04/2019 Software: 8100.27																																																																																																																																																												
<table border="0"> <tr><td>Test</td><td>g/210L</td><td>Time</td></tr> <tr><td>-----</td><td>-----</td><td>-----</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>06:55</td></tr> <tr><td>Control Test</td><td>0.050</td><td>06:55</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>06:56</td></tr> <tr><td>Control Test</td><td>0.050</td><td>06:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>06:57</td></tr> <tr><td>Control Test</td><td>0.050</td><td>06:58</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>06:58</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0500</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </table>	Test	g/210L	Time	-----	-----	-----	Air Blank	0.000	06:55	Control Test	0.050	06:55	Air Blank	0.000	06:56	Control Test	0.050	06:56	Air Blank	0.000	06:57	Control Test	0.050	06:58	Air Blank	0.000	06:58	Control Test Stats			Average	0.0500		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<table border="0"> <tr><td>Test</td><td>g/210L</td><td>Time</td></tr> <tr><td>-----</td><td>-----</td><td>-----</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:01</td></tr> <tr><td>Control Test</td><td>0.080</td><td>07:01</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:02</td></tr> <tr><td>Control Test</td><td>0.081</td><td>07:03</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:03</td></tr> <tr><td>Control Test</td><td>0.081</td><td>07:04</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:04</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0807</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7157</td><td></td></tr> </table>	Test	g/210L	Time	-----	-----	-----	Air Blank	0.000	07:01	Control Test	0.080	07:01	Air Blank	0.000	07:02	Control Test	0.081	07:03	Air Blank	0.000	07:03	Control Test	0.081	07:04	Air Blank	0.000	07:04	Control Test Stats			Average	0.0807		Std Dev	0.0006		Rel Std Dev(%)	0.7157		<table border="0"> <tr><td>Test</td><td>g/210L</td><td>Time</td></tr> <tr><td>-----</td><td>-----</td><td>-----</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:06</td></tr> <tr><td>Control Test</td><td>0.199</td><td>07:07</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:07</td></tr> <tr><td>Control Test</td><td>0.200</td><td>07:08</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:08</td></tr> <tr><td>Control Test</td><td>0.200</td><td>07:09</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:10</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1997</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2892</td><td></td></tr> </table>	Test	g/210L	Time	-----	-----	-----	Air Blank	0.000	07:06	Control Test	0.199	07:07	Air Blank	0.000	07:07	Control Test	0.200	07:08	Air Blank	0.000	07:08	Control Test	0.200	07:09	Air Blank	0.000	07:10	Control Test Stats			Average	0.1997		Std Dev	0.0006		Rel Std Dev(%)	0.2892		<table border="0"> <tr><td>Test</td><td>g/210L</td><td>Time</td></tr> <tr><td>-----</td><td>-----</td><td>-----</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:11</td></tr> <tr><td>Control Test</td><td>0.079</td><td>07:11</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:12</td></tr> <tr><td>Control Test</td><td>0.078</td><td>07:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:12</td></tr> <tr><td>Control Test</td><td>0.079</td><td>07:13</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:13</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0787</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7339</td><td></td></tr> </table>	Test	g/210L	Time	-----	-----	-----	Air Blank	0.000	07:11	Control Test	0.079	07:11	Air Blank	0.000	07:12	Control Test	0.078	07:12	Air Blank	0.000	07:12	Control Test	0.079	07:13	Air Blank	0.000	07:13	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel Std Dev(%)	0.7339	
Test	g/210L	Time																																																																																																																																																													
-----	-----	-----																																																																																																																																																													
Air Blank	0.000	06:55																																																																																																																																																													
Control Test	0.050	06:55																																																																																																																																																													
Air Blank	0.000	06:56																																																																																																																																																													
Control Test	0.050	06:56																																																																																																																																																													
Air Blank	0.000	06:57																																																																																																																																																													
Control Test	0.050	06:58																																																																																																																																																													
Air Blank	0.000	06:58																																																																																																																																																													
Control Test Stats																																																																																																																																																															
Average	0.0500																																																																																																																																																														
Std Dev	0.0000																																																																																																																																																														
Rel Std Dev(%)	0.0000																																																																																																																																																														
Test	g/210L	Time																																																																																																																																																													
-----	-----	-----																																																																																																																																																													
Air Blank	0.000	07:01																																																																																																																																																													
Control Test	0.080	07:01																																																																																																																																																													
Air Blank	0.000	07:02																																																																																																																																																													
Control Test	0.081	07:03																																																																																																																																																													
Air Blank	0.000	07:03																																																																																																																																																													
Control Test	0.081	07:04																																																																																																																																																													
Air Blank	0.000	07:04																																																																																																																																																													
Control Test Stats																																																																																																																																																															
Average	0.0807																																																																																																																																																														
Std Dev	0.0006																																																																																																																																																														
Rel Std Dev(%)	0.7157																																																																																																																																																														
Test	g/210L	Time																																																																																																																																																													
-----	-----	-----																																																																																																																																																													
Air Blank	0.000	07:06																																																																																																																																																													
Control Test	0.199	07:07																																																																																																																																																													
Air Blank	0.000	07:07																																																																																																																																																													
Control Test	0.200	07:08																																																																																																																																																													
Air Blank	0.000	07:08																																																																																																																																																													
Control Test	0.200	07:09																																																																																																																																																													
Air Blank	0.000	07:10																																																																																																																																																													
Control Test Stats																																																																																																																																																															
Average	0.1997																																																																																																																																																														
Std Dev	0.0006																																																																																																																																																														
Rel Std Dev(%)	0.2892																																																																																																																																																														
Test	g/210L	Time																																																																																																																																																													
-----	-----	-----																																																																																																																																																													
Air Blank	0.000	07:11																																																																																																																																																													
Control Test	0.079	07:11																																																																																																																																																													
Air Blank	0.000	07:12																																																																																																																																																													
Control Test	0.078	07:12																																																																																																																																																													
Air Blank	0.000	07:12																																																																																																																																																													
Control Test	0.079	07:13																																																																																																																																																													
Air Blank	0.000	07:13																																																																																																																																																													
Control Test Stats																																																																																																																																																															
Average	0.0787																																																																																																																																																														
Std Dev	0.0006																																																																																																																																																														
Rel Std Dev(%)	0.7339																																																																																																																																																														
<i>Dea</i> Operator's Signature	<i>Dea</i> Operator's Signature	<i>Dea</i> Operator's Signature	<i>Dea</i> Operator's Signature																																																																																																																																																												

3/11/19  
*Dea*

*Dea*



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
4700 Terminal Drive, Suite 1  
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-002462, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-002462</u>	UNCERTAINTY* ±	
Owning Agency:	<u>HALEAH PD</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>03/04/2019</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>09:45</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.  
\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

### TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

03/04/2019

Date

**DAVID E REYES-RIVERA,**  
Department Inspector

FDLE/ATP Form 69 July 2018

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

*Handwritten notes:*  
03/11/19  
J  
D