



INSTRUMENT PROCESSING SHEET

Florida Department of
Law Enforcement

Agency FHP Troop F

S/N 80-006766

Date In 07/02/2019 DI Completion Date 07/02/2019

☐ Ship ☒ P/U ☐ H/D ☐ CMI ☐ EE

Intake Performed By <u>mh</u> ☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes: _____ _____ _____ Final Release Date FDLE JUL 10 2019 Alcohol Testing Program	Quality Checks Performed By <u>mh</u> ☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>229</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP 101</u> 32 mm <u>0.148</u> (.139 - .169) 36 mm <u>0.171</u> (.156 - .190) 53 mm <u>0.234</u> (.228 - .278) 103 mm <u>0.503</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>68639</u> ☒ Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> <tr> <td>0.050</td> <td>MP4863</td> <td>201707D 07/25/2019</td> </tr> <tr> <td>0.080</td> <td>MP4864</td> <td>201707E 07/25/2019</td> </tr> <tr> <td>0.200</td> <td>MP5097</td> <td>201707C 07/24/2019</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG831804 11/14/2020</td> </tr> </table>	Simulator	Serial #	Lot #/Exp	0.050	MP4863	201707D 07/25/2019	0.080	MP4864	201707E 07/25/2019	0.200	MP5097	201707C 07/24/2019	0.080 DGS	N/A	AG831804 11/14/2020	Flow Calibration Performed By _____ Flow Column # _____ ☐ 5L/min - 17mm ☐ 15L/min - 53mm ☐ 30L/min - 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547) Maintenance Performed By _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☐ Other _____ Temperature Checks Performed By <u>mh</u> ☒ Lab Temp °C <u>22.42</u> External Digital Therm. ID#: <u>300504</u> ☒ 34°C +/- .2 Serial #: <u>MP4863</u> ☒ 34°C +/- .2 Serial #: <u>MP4864</u> ☒ 34°C +/- .2 Serial #: <u>MP5097</u>
Simulator	Serial #	Lot #/Exp															
0.050	MP4863	201707D 07/25/2019															
0.080	MP4864	201707E 07/25/2019															
0.200	MP5097	201707C 07/24/2019															
0.080 DGS	N/A	AG831804 11/14/2020															

Calibration Adjustment Performed By <u>mh</u> Barometric Pressure Gauge <u>1015</u> ID # <u>28199</u> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> <tr> <td>0.000</td> <td>MP5095</td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td>MP5098</td> <td>17410</td> <td>12/06/2019</td> </tr> <tr> <td>0.100</td> <td>MP5099</td> <td>18200</td> <td>07/03/2020</td> </tr> <tr> <td>0.200</td> <td>MP5100</td> <td>19040</td> <td>01/29/2021</td> </tr> <tr> <td>0.300</td> <td>MP5101</td> <td>18110</td> <td>04/02/2020</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>17817080A2</td> <td>08/05/2019</td> </tr> </table> ☒ Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> <tr> <td>0.050</td> <td>MP4863</td> <td>201707D</td> <td>07/25/2019</td> </tr> <tr> <td>0.080</td> <td>MP4864</td> <td>201707E</td> <td>07/25/2019</td> </tr> <tr> <td>0.200</td> <td>MP5097</td> <td>201707C</td> <td>07/24/2019</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG831804</td> <td>11/14/2020</td> </tr> </table>	Simulator	Serial Number	Lot Number	Expiration	0.000	MP5095	N/A	N/A	0.040	MP5098	17410	12/06/2019	0.100	MP5099	18200	07/03/2020	0.200	MP5100	19040	01/29/2021	0.300	MP5101	18110	04/02/2020	0.080 DGS	N/A	17817080A2	08/05/2019	Simulator	Serial Number	Lot Number	Expiration	0.050	MP4863	201707D	07/25/2019	0.080	MP4864	201707E	07/25/2019	0.200	MP5097	201707C	07/24/2019	0.080 DGS	N/A	AG831804	11/14/2020	Department Inspection Performed By <u>mh</u> Barometric Pressure ID# <u>28663</u> Gauge <u>1014</u> Instrument <u>1013</u> Mouth Alcohol Solution Lot # <u>2019B</u> Acetone Stock Solution Lot # <u>2018A</u> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> <tr> <td>0.000</td> <td>SD1014</td> </tr> <tr> <td>Interferent</td> <td>SD1015</td> </tr> <tr> <td>0.050</td> <td>MP4863</td> </tr> <tr> <td>0.080</td> <td>MP4864</td> </tr> <tr> <td>0.200</td> <td>MP5097</td> </tr> </table> Attachments ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☒ Calibration Adjustment ☒ Post-Stability Checks ☐ Flow Calibration ☒ Form 40 ☐ Other _____	Simulator	Serial Number	0.000	SD1014	Interferent	SD1015	0.050	MP4863	0.080	MP4864	0.200	MP5097
Simulator	Serial Number	Lot Number	Expiration																																																										
0.000	MP5095	N/A	N/A																																																										
0.040	MP5098	17410	12/06/2019																																																										
0.100	MP5099	18200	07/03/2020																																																										
0.200	MP5100	19040	01/29/2021																																																										
0.300	MP5101	18110	04/02/2020																																																										
0.080 DGS	N/A	17817080A2	08/05/2019																																																										
Simulator	Serial Number	Lot Number	Expiration																																																										
0.050	MP4863	201707D	07/25/2019																																																										
0.080	MP4864	201707E	07/25/2019																																																										
0.200	MP5097	201707C	07/24/2019																																																										
0.080 DGS	N/A	AG831804	11/14/2020																																																										
Simulator	Serial Number																																																												
0.000	SD1014																																																												
Interferent	SD1015																																																												
0.050	MP4863																																																												
0.080	MP4864																																																												
0.200	MP5097																																																												

Notes/Suggested Service: <u>E-mailed</u> <u>Cal adjusted to bring values closer to nominal</u> ☒ APPROVED <u>07/08/2019</u>	☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use <u>SP 7/10/19</u> <u>J. Zahner 7/10/19</u> Tech Review / Date Admin Review / Date
--	--

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FHP TROOP F

Time of Inspection: 16:49

Date of Inspection: 07/02/2019

Serial Number: 80-006766

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:201707D Exp: 07/25/2019	0.08g/210L Test (g/210L) Lot#:201707E Exp: 07/25/2019	0.20g/210L Test (g/210L) Lot#:201707C Exp: 07/24/2019	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG831804 Exp: 11/14/2020
0.000	0.047	0.079	0.197	0.080
0.000	0.047	0.079	0.198	0.080
0.000	0.047	0.079	0.198	0.080
0.000	0.047	0.079	0.197	0.080
0.000	0.047	0.079	0.198	0.079
0.000	0.047	0.078	0.198	0.080
0.000	0.048	0.079	0.197	0.080
0.000	0.047	0.080	0.198	0.080
0.000	0.048	0.080	0.197	0.080
0.000	0.047	0.079	0.198	0.079

Standard Deviations	0.0004	0.0005	0.0005	0.0004
---------------------	--------	--------	--------	--------


Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

SP

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



MICHAEL D HAUGHEY
Signature and Printed Name

07/02/2019
Date

7/12/19
JD

TYPE OF TEST	SERIAL NUMBER	AGENCY	DATE	PERFORMED BY
Stabilities	80-006766	FHP - Troop F	07/02/2019	MDH

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083																																																																																																																																																
FHP TROOP F Intoxilyzer - Alcohol Analyzer Model 8000 07/02/2019 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:06</td></tr> <tr><td>Control Test</td><td>0.051</td><td>12:06</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:07</td></tr> <tr><td>Control Test</td><td>0.051</td><td>12:08</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:08</td></tr> <tr><td>Control Test</td><td>0.051</td><td>12:09</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:09</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0510</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> Operator's Signature: <i>MDH</i>	Test	g/210L	Time	Air Blank	0.000	12:06	Control Test	0.051	12:06	Air Blank	0.000	12:07	Control Test	0.051	12:08	Air Blank	0.000	12:08	Control Test	0.051	12:09	Air Blank	0.000	12:09	Control Test Stats			Average	0.0510		Std Dev	0.0000		Rel Std Dev(%)	0.0000		FHP TROOP F Intoxilyzer - Alcohol Analyzer Model 8000 07/02/2019 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:11</td></tr> <tr><td>Control Test</td><td>0.082</td><td>12:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:12</td></tr> <tr><td>Control Test</td><td>0.082</td><td>12:13</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:13</td></tr> <tr><td>Control Test</td><td>0.082</td><td>12:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:15</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0820</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> Operator's Signature: <i>MDH</i>	Test	g/210L	Time	Air Blank	0.000	12:11	Control Test	0.082	12:12	Air Blank	0.000	12:12	Control Test	0.082	12:13	Air Blank	0.000	12:13	Control Test	0.082	12:14	Air Blank	0.000	12:15	Control Test Stats			Average	0.0820		Std Dev	0.0000		Rel Std Dev(%)	0.0000		FHP TROOP F Intoxilyzer - Alcohol Analyzer Model 8000 07/02/2019 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:16</td></tr> <tr><td>Control Test</td><td>0.203</td><td>12:16</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:17</td></tr> <tr><td>Control Test</td><td>0.202</td><td>12:18</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:18</td></tr> <tr><td>Control Test</td><td>0.203</td><td>12:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:19</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.2027</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2849</td><td></td></tr> </tbody> </table> Operator's Signature: <i>MDH</i>	Test	g/210L	Time	Air Blank	0.000	12:16	Control Test	0.203	12:16	Air Blank	0.000	12:17	Control Test	0.202	12:18	Air Blank	0.000	12:18	Control Test	0.203	12:19	Air Blank	0.000	12:19	Control Test Stats			Average	0.2027		Std Dev	0.0006		Rel Std Dev(%)	0.2849		FHP TROOP F Intoxilyzer - Alcohol Analyzer Model 8000 07/02/2019 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:21</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:22</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:22</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:23</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:23</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:23</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:24</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table> Operator's Signature: <i>MDH</i>	Test	g/210L	Time	Air Blank	0.000	12:21	Control Test	0.079	12:22	Air Blank	0.000	12:22	Control Test	0.079	12:23	Air Blank	0.000	12:23	Control Test	0.080	12:23	Air Blank	0.000	12:24	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:06																																																																																																																																																	
Control Test	0.051	12:06																																																																																																																																																	
Air Blank	0.000	12:07																																																																																																																																																	
Control Test	0.051	12:08																																																																																																																																																	
Air Blank	0.000	12:08																																																																																																																																																	
Control Test	0.051	12:09																																																																																																																																																	
Air Blank	0.000	12:09																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0510																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:11																																																																																																																																																	
Control Test	0.082	12:12																																																																																																																																																	
Air Blank	0.000	12:12																																																																																																																																																	
Control Test	0.082	12:13																																																																																																																																																	
Air Blank	0.000	12:13																																																																																																																																																	
Control Test	0.082	12:14																																																																																																																																																	
Air Blank	0.000	12:15																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0820																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:16																																																																																																																																																	
Control Test	0.203	12:16																																																																																																																																																	
Air Blank	0.000	12:17																																																																																																																																																	
Control Test	0.202	12:18																																																																																																																																																	
Air Blank	0.000	12:18																																																																																																																																																	
Control Test	0.203	12:19																																																																																																																																																	
Air Blank	0.000	12:19																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.2027																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2849																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:21																																																																																																																																																	
Control Test	0.079	12:22																																																																																																																																																	
Air Blank	0.000	12:22																																																																																																																																																	
Control Test	0.079	12:23																																																																																																																																																	
Air Blank	0.000	12:23																																																																																																																																																	
Control Test	0.080	12:23																																																																																																																																																	
Air Blank	0.000	12:24																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0793																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7277																																																																																																																																																		

7/10/19
JQ

28



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006766, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-006766</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>FHP TROOP F</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>07/02/2019</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>16:49</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

07/02/2019

Date

MICHAEL D HAUGHEY,
Department Inspector

FDLE/ATP Form 69 July 2018

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

SP

7/10/19
22

FHP TROOP F
Intoxilyzer - Alcohol Analyzer
Model 8000
07/02/2019
SN 80-006766
13:09:01

Auto Calibration
Max Power Res Value = 51
Auto Range Res Value = 42

Sol Value = 0.000 g/210L ***
Fit value = 0.0000 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12677, Sum Io = 12913
<<<<< CHANNEL 1 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.0790 (-0.0140)
Sample #2 = 0.1120 (-0.0020)
Sample #3 = 0.0800 (-0.0140)
Sample #4 = 0.0940 (-0.0080)
Avg % Abs = 0.0953 (0.0013)
STD DEV = 0.0160 (0.0114)
REL STD DEV = 16.827 (852.936)

<<<<< CHANNEL 2 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.2090 (0.0000)
Sample #2 = 0.2210 (0.0110)
Sample #3 = 0.1880 (0.0150)
Sample #4 = 0.2080 (0.0010)
Avg % Abs = 0.2057 (0.0090)
STD DEV = 0.0166 (0.0072)
REL STD DEV = 8.083 (80.123)

Sol Value = 0.040 g/210L ***
Fit value = 0.1905 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12675, Sum Io = 12910
<<<<< CHANNEL 1 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.8740 (-0.0050)
Sample #2 = 0.8710 (0.0040)
Sample #3 = 0.8720 (0.0190)
Sample #4 = 0.8400 (0.0190)
Avg % Abs = 0.8610 (0.0140)
STD DEV = 0.0182 (0.0087)
REL STD DEV = 2.113 (61.855)

<<<<< CHANNEL 2 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.2000 (0.0000)
Sample #2 = 0.1905 (0.0130)
Sample #3 = 0.1905 (0.0130)
Sample #4 = 0.1905 (0.0130)
Avg % Abs = 0.1905 (0.0130)
STD DEV = 0.0000 (0.0000)
REL STD DEV = 0.0000 (0.0000)

<<<<< CHANNEL 2 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 6.8970 (0.0090)
Sample #2 = 6.8860 (0.0180)
Sample #3 = 6.8920 (0.0120)
Sample #4 = 6.8920 (0.0200)
Avg % Abs = 6.8900 (0.0167)
STD DEV = 0.0035 (0.0042)
REL STD DEV = 0.050 (24.980)

Sol Value = 0.300 g/210L ***
Fit value = 1.4286 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12669, Sum Io = 12908
<<<<< CHANNEL 1 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 5.4180 (0.0000)
Sample #2 = 5.4400 (-0.0060)
Sample #3 = 5.4400 (-0.0010)
Sample #4 = 5.4330 (0.0060)
Avg % Abs = 5.4377 (-0.0003)
STD DEV = 0.0040 (0.0060)
REL STD DEV = 0.074 (1808.314)

<<<<< CHANNEL 2 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 9.9310 (0.0130)
Sample #2 = 9.9220 (0.0170)
Sample #3 = 9.9380 (0.0190)
Sample #4 = 9.9100 (0.0400)
Avg % Abs = 9.9233 (0.0253)
STD DEV = 0.0140 (0.0127)
REL STD DEV = 0.142 (50.293)

<<<<< CHANNEL 2 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.1905 mg/l or 0.040 g/210L
% Abs = 1.602
Std Dev = 0.02 Rel Std Dev = 1.00
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 3.617
Std Dev = 0.02 Rel Std Dev = 0.66
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 6.890
Std Dev = 0.00 Rel Std Dev = 0.05
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 9.923
Std Dev = 0.01 Rel Std Dev = 0.14
Zero Order Coef = -266.19
First Order Coef = 1334.38
Second Order Coef = 13.19
Standard Deviation = 22.127752

Sol Value = 0.200 g/210L ***
Fit value = 0.9524 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12664, Sum Io = 12905
<<<<< CHANNEL 1 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 3.7030 (0.0000)
Sample #2 = 3.6880 (0.0150)
Sample #3 = 3.6850 (0.0260)
Sample #4 = 3.7420 (0.0080)
Avg % Abs = 3.7050 (0.0163)
STD DEV = 0.0321 (0.0091)
REL STD DEV = 0.866 (55.554)

<<<<< CHANNEL 2 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.2000 (0.0000)
Sample #2 = 0.1905 (0.0130)
Sample #3 = 0.1905 (0.0130)
Sample #4 = 0.1905 (0.0130)
Avg % Abs = 0.1905 (0.0130)
STD DEV = 0.0000 (0.0000)
REL STD DEV = 0.0000 (0.0000)

Optical Calibration
SN: 80-006766
Agency: FHP-Troop F
Date: 07/02/2019
By: MAF

7/10/19
JD

Solution Stats Quadratic Fit Chan 2
Act Fit Residual
g/210L g/210L g/210L
0.000 0.000 -0.0002
0.040 0.040 -0.0000
0.100 0.099 0.0006
0.200 0.201 -0.0006
0.300 0.300 0.0002

Sol Value = 0.080 g/210L ***
Fit value = 0.3810 mg/l %%%
Samples Taken = 4, Discarded = 1
***** CHANNEL 1 *****
Sample #1 = 3116.00
Sample #2 = 3122.00
Sample #3 = 3056.00
Sample #4 = 3128.00
Average Result = 3102.0000
STD DEV = 39.9500
REL STD DEV = 1.288

***** CHANNEL 2 *****
Sample #1 = 3267.00
Sample #2 = 3290.00
Sample #3 = 3237.00
Sample #4 = 3264.00
Average Result = 3263.6667
STD DEV = 26.5016
REL STD DEV = 0.812

Dry Gas H2O Adjust Results *****
Barometric Pressure = 1014
3 um H2O Adjust (mg/l*10,000) = 707
9 um H2O Adjust (mg/l*10,000) = 546
***** AUTO CAL PASS *****

TYPE OF TEST	SERIAL NUMBER	AGENCY	DATE	PERFORMED BY
Stabilities Post	80-00666	FHP- Troop F	07/02/2019	M01A

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																
0.047 to 0.053 ☒	0.077 to 0.083 ☒	0.194 to 0.206 ☒	0.077 to 0.083 ☒																																																																																																																																																
FHP TROOP F Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006766 07/02/2019 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>13:49</td></tr><tr><td>Control Test</td><td>0.048</td><td>13:50</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:51</td></tr><tr><td>Control Test</td><td>0.048</td><td>13:51</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:52</td></tr><tr><td>Control Test</td><td>0.047</td><td>13:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:53</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0477</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.2112</td><td></td></tr></tbody></table> Operator's Signature <i>MCN</i>	Test	g/210L	Time	Air Blank	0.000	13:49	Control Test	0.048	13:50	Air Blank	0.000	13:51	Control Test	0.048	13:51	Air Blank	0.000	13:52	Control Test	0.047	13:53	Air Blank	0.000	13:53	Control Test Stats			Average	0.0477		Std Dev	0.0006		Rel Std Dev(%)	1.2112		FHP TROOP F Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006766 07/02/2019 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>13:54</td></tr><tr><td>Control Test</td><td>0.079</td><td>13:55</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:55</td></tr><tr><td>Control Test</td><td>0.079</td><td>13:56</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:57</td></tr><tr><td>Control Test</td><td>0.079</td><td>13:57</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:58</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0790</td><td></td></tr><tr><td>Std Dev</td><td>0.0000</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr></tbody></table> Operator's Signature <i>MCN</i>	Test	g/210L	Time	Air Blank	0.000	13:54	Control Test	0.079	13:55	Air Blank	0.000	13:55	Control Test	0.079	13:56	Air Blank	0.000	13:57	Control Test	0.079	13:57	Air Blank	0.000	13:58	Control Test Stats			Average	0.0790		Std Dev	0.0000		Rel Std Dev(%)	0.0000		FHP TROOP F Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006766 07/02/2019 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>13:59</td></tr><tr><td>Control Test</td><td>0.198</td><td>14:00</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:00</td></tr><tr><td>Control Test</td><td>0.197</td><td>14:01</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:02</td></tr><tr><td>Control Test</td><td>0.198</td><td>14:02</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:03</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.1977</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.2921</td><td></td></tr></tbody></table> Operator's Signature <i>MCN</i>	Test	g/210L	Time	Air Blank	0.000	13:59	Control Test	0.198	14:00	Air Blank	0.000	14:00	Control Test	0.197	14:01	Air Blank	0.000	14:02	Control Test	0.198	14:02	Air Blank	0.000	14:03	Control Test Stats			Average	0.1977		Std Dev	0.0006		Rel Std Dev(%)	0.2921		FHP TROOP F Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006766 07/02/2019 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:05</td></tr><tr><td>Control Test</td><td>0.079</td><td>14:05</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:05</td></tr><tr><td>Control Test</td><td>0.079</td><td>14:06</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:06</td></tr><tr><td>Control Test</td><td>0.080</td><td>14:07</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:07</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0793</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr></tbody></table> Operator's Signature <i>MCN</i>	Test	g/210L	Time	Air Blank	0.000	14:05	Control Test	0.079	14:05	Air Blank	0.000	14:05	Control Test	0.079	14:06	Air Blank	0.000	14:06	Control Test	0.080	14:07	Air Blank	0.000	14:07	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:49																																																																																																																																																	
Control Test	0.048	13:50																																																																																																																																																	
Air Blank	0.000	13:51																																																																																																																																																	
Control Test	0.048	13:51																																																																																																																																																	
Air Blank	0.000	13:52																																																																																																																																																	
Control Test	0.047	13:53																																																																																																																																																	
Air Blank	0.000	13:53																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0477																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.2112																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:54																																																																																																																																																	
Control Test	0.079	13:55																																																																																																																																																	
Air Blank	0.000	13:55																																																																																																																																																	
Control Test	0.079	13:56																																																																																																																																																	
Air Blank	0.000	13:57																																																																																																																																																	
Control Test	0.079	13:57																																																																																																																																																	
Air Blank	0.000	13:58																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0790																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:59																																																																																																																																																	
Control Test	0.198	14:00																																																																																																																																																	
Air Blank	0.000	14:00																																																																																																																																																	
Control Test	0.197	14:01																																																																																																																																																	
Air Blank	0.000	14:02																																																																																																																																																	
Control Test	0.198	14:02																																																																																																																																																	
Air Blank	0.000	14:03																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1977																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2921																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:05																																																																																																																																																	
Control Test	0.079	14:05																																																																																																																																																	
Air Blank	0.000	14:05																																																																																																																																																	
Control Test	0.079	14:06																																																																																																																																																	
Air Blank	0.000	14:06																																																																																																																																																	
Control Test	0.080	14:07																																																																																																																																																	
Air Blank	0.000	14:07																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0793																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7277																																																																																																																																																		

7/10/19
J2

28

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: FL HIGHWAY PATROL

Time of Inspection: 11:34

Date of Inspection: 07/02/2019

Serial Number: 80-006766

Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08g/210L Test (g/210L) Lot#:_____ Exp:_____	0.20g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:_____ Exp:_____

Number of Simulators Used: _____


Remarks:

BY-PASSED AI. COMPLAINEE NOT DETERMINED.

SP

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



MICHAEL D HAUGHEY

Signature and Printed Name

07/02/2019
Date

7/10/19
JO