



INSTRUMENT PROCESSING SHEET

Agency Miami-Dade Police Department

S/N 80-006895

Florida Department of Law Enforcement

Date In 01/15/2019 DI Completion Date 1/15/2019

Ship P/U H/D CMI EE

Intake Performed By [Signature] Quality Checks Performed By [Signature] Flow Calibration Performed By [Signature]
Annual Registration Return from CMI / EE
Visual Inspection: Case Keyboard Feet Ports Handle Dry Gas Shelf Breath Tube Screws Tight
Other Equipment/ Accessories: Power cord Printer Cable Static Bag 12V DC Cable
Notes:

Final Release Date
FDLE
JAN 23 2019
Alcohol Testing Program

Stability Checks Table with columns: Simulator, Serial #, Lot #/Exp. Rows include 0.050, 0.080, 0.200, 0.080 DGS.

Maintenance Performed By [Signature]
Temperature Checks Performed By [Signature]
Lab Temp 22.50C
External Digital Therm. ID#: 300949 / 300918 [Signature]
34C +/-2 Serial #: SD3967, SD3968, SD3969

Calibration Adjustment Performed By [Signature]
Barometric Pressure Gauge 1020 ID # 28663
Stability Checks Table with columns: Simulator, Serial Number, Lot Number, Expiration.

Department Inspection Performed By [Signature]
Barometric Pressure ID# 68639
Gauge 1020 Instrument 1020
Mouth Alcohol Solution Lot # 2017-B
Acetone Stock Solution Lot # 2018-A
Simulator Serial Number Table with rows for 0.000, Interferent, 0.050, 0.080, 0.200.

Attachments
Form 41, Stability Checks, Calibration Certificate, Calibration Adjustment, Post-Stability Checks, Flow Calibration, Form 40, Other.

Notes/Suggested Service: E-mailed [Signature] APPROVED

Instrument Complies with Chapter 11D-8, FAC
Instrument Does Not Comply with Chapter 11D-8, FAC
Return to/Place into Evidentiary Use
Remain Out of Evidentiary Use
Conduct an Agency Inspection Before Evidentiary Use
Tech Review / Date Admin Review / Date

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: MIAMI DADE P.D.
Time of Inspection: 19:51

Date of Inspection: 01/15/2019

Serial Number: 80-006895
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:201707D Exp: 07/25/2019	0.08g/210L Test (g/210L) Lot#:201707E Exp: 07/25/2019	0.20g/210L Test (g/210L) Lot#:201707C Exp: 07/24/2019	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG805701 Exp: 02/26/2020
0.000	0.047	0.078	0.197	0.079
0.000	0.048	0.078	0.197	0.080
0.000	0.047	0.078	0.197	0.079
0.000	0.048	0.079	0.197	0.079
0.000	0.047	0.078	0.197	0.079
0.000	0.048	0.078	0.197	0.080
0.000	0.048	0.078	0.197	0.080
0.000	0.047	0.079	0.196	0.080
0.000	0.047	0.079	0.197	0.080
0.000	0.048	0.079	0.197	0.080

Standard Deviations	0.0005	0.0005	0.0003	0.0005
---------------------	--------	--------	--------	--------


Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

PDM

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.


DAVID E REYES-RIVERA

 Signature and Printed Name

01/15/2019
 Date

1/23/19
DR

Wood

TYPE OF TEST	SERIAL NUMBER	AGENCY	DATE	PERFORMED BY
Stabilities	80-006895	Miami-Dade Police Department	01/15/2019	Dee

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
SN: SD3967 Temp: 34.10c	SN: SD3968 Temp: 34.09c	SN: SD3969 Temp: 34.10c	Lot AG805701
0.047 to 0.053 <input checked="" type="checkbox"/>	0.077 to 0.083 <input checked="" type="checkbox"/>	0.194 to 0.206 <input checked="" type="checkbox"/>	0.077 to 0.083 <input checked="" type="checkbox"/>

<p>MIAMI DADE P.O. Intoxilyzer - Alcohol Analyzer Model 8000 01/15/2019 SN 80-006895 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 16:19</p> <p>Control Test 0.048 16:20</p> <p>Air Blank 0.000 16:21</p> <p>Control Test 0.049 16:21</p> <p>Air Blank 0.000 16:22</p> <p>Control Test 0.049 16:22</p> <p>Air Blank 0.000 16:23</p> <p>Control Test Stats</p> <p>Average 0.0487</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 1.1863</p>	<p>MIAMI DADE P.O. Intoxilyzer - Alcohol Analyzer Model 8000 01/15/2019 SN 80-006895 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 16:24</p> <p>Control Test 0.080 16:25</p> <p>Air Blank 0.000 16:25</p> <p>Control Test 0.081 16:26</p> <p>Air Blank 0.000 16:27</p> <p>Control Test 0.080 16:27</p> <p>Air Blank 0.000 16:28</p> <p>Control Test Stats</p> <p>Average 0.0803</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.7187</p>	<p>MIAMI DADE P.O. Intoxilyzer - Alcohol Analyzer Model 8000 01/15/2019 SN 80-006895 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 16:29</p> <p>Control Test 0.198 16:30</p> <p>Air Blank 0.000 16:31</p> <p>Control Test 0.198 16:31</p> <p>Air Blank 0.000 16:32</p> <p>Control Test 0.197 16:33</p> <p>Air Blank 0.000 16:33</p> <p>Control Test Stats</p> <p>Average 0.1977</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.2921</p>	<p>MIAMI DADE P.O. Intoxilyzer - Alcohol Analyzer Model 8000 01/15/2019 SN 80-006895 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 16:36</p> <p>Control Test 0.084 16:36</p> <p>Air Blank 0.000 16:37</p> <p>Control Test 0.082 16:37</p> <p>Air Blank 0.000 16:38</p> <p>Control Test 0.081 16:38</p> <p>Air Blank 0.000 16:38</p> <p>Control Test Stats</p> <p>Average 0.0823</p> <p>Std Dev 0.0015</p> <p>Rel Std Dev(%) 1.8553</p>
<p>Operator's Signature</p> <p>Dee</p>	<p>Operator's Signature</p> <p>Dee</p>	<p>Operator's Signature</p> <p>Dee</p>	<p>Operator's Signature</p> <p>Dee</p>

1/23/19
Dee



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006895, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-006895</u>	UNCERTAINTY* ±	
Owning Agency:	<u>MIAMI DADE P.D.</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>01/15/2019</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>19:51</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

01/15/2019 Date
DAVID E REYES-RIVERA,
Department Inspector

FDLE/ATP Form 69 July 2018
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality Page 1 of 1

1/23/19
[Signature]

CEP

**** AUTO CAL DATA ****

<<<< CHANNEL 1 >>>>
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.046
Std Dev = 0.02 Rel Std Dev = 47.79
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 0.784
Std Dev = 0.01 Rel Std Dev = 1.83
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 1.774
Std Dev = 0.00 Rel Std Dev = 0.20
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 3.497
Std Dev = 0.02 Rel Std Dev = 0.70
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 5.043
Std Dev = 0.03 Rel Std Dev = 0.54
Zero Order Coef = -123.34
First Order Coef = 2615.56
Second Order Coef = 47.00
Standard Deviation = 67.067780

<<<< CHANNEL 2 >>>>
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.148
Std Dev = 0.01 Rel Std Dev = 8.02
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 1.516
Std Dev = 0.01 Rel Std Dev = 0.38
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 3.445
Std Dev = 0.00 Rel Std Dev = 0.14
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 6.590
Std Dev = 0.01 Rel Std Dev = 0.13
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 9.374
Std Dev = 0.00 Rel Std Dev = 0.01
Zero Order Coef = -180.67
First Order Coef = 1344.96
Second Order Coef = 20.88
Standard Deviation = 47.302944

<<<< CHANNEL 2 >>>>

Sample % Abs (% Abs Ref)
Sample #1 = 6.5890 (-0.0200)
Sample #2 = 6.6000 (-0.0110)
Sample #3 = 6.5840 (0.0000)
Sample #4 = 6.5860 (0.0000)
Avg % Abs = 6.5900 (-0.0037)
STD DEV = 0.0087 (0.0064)
REL STD DEV = 0.132 (173.205)

Sol Value = 0.300 g/210L ***
Fit Value = 1.4286 mg/l ****
Samples Taken = 4, Discarded = 1
Sum Io = 12727, Sum Io = 13341
Sample % Abs (% Abs Ref)
Sample #1 = 4.9890 (0.0000)
Sample #2 = 5.0580 (0.0020)
Sample #3 = 5.0110 (0.0410)
Sample #4 = 5.0590 (0.0050)
Avg % Abs = 5.0427 (0.0160)
STD DEV = 0.0274 (0.0217)
REL STD DEV = 0.544 (135.641)

<<<< CHANNEL 2 >>>>

Sample % Abs (% Abs Ref)
Sample #1 = 9.3450 (-0.0060)
Sample #2 = 9.3740 (0.0300)
Sample #3 = 9.3740 (0.0400)
Sample #4 = 9.3730 (0.0430)
Avg % Abs = 9.3737 (0.0377)
STD DEV = 0.0006 (0.0068)
REL STD DEV = 0.006 (18.071)

<<<< CHANNEL 2 >>>>

Sample % Abs (% Abs Ref)
Sample #1 = 1.5160 (0.0040)
Sample #2 = 1.5090 (0.0130)
Sample #3 = 1.5190 (0.0080)
Sample #4 = 1.5190 (0.0180)
Avg % Abs = 1.5157 (0.0097)
STD DEV = 0.0058 (0.0029)
REL STD DEV = 0.381 (29.863)

Sol Value = 0.100 g/210L ***
Fit Value = 0.4762 mg/l ****
Samples Taken = 4, Discarded = 1
Sum Io = 12736, Sum Io = 13352
Sample % Abs (% Abs Ref)
Sample #1 = 1.7640 (-0.0140)
Sample #2 = 1.7760 (-0.0100)
Sample #3 = 1.7700 (-0.0040)
Sample #4 = 1.7760 (0.0160)
Avg % Abs = 1.7740 (-0.0027)
STD DEV = 0.0035 (0.0081)
REL STD DEV = 0.195 (303.109)

<<<< CHANNEL 2 >>>>

Sample % Abs (% Abs Ref)
Sample #1 = 3.4350 (0.0100)
Sample #2 = 3.4470 (0.0130)
Sample #3 = 3.4490 (0.0110)
Sample #4 = 3.4400 (0.0200)
Avg % Abs = 3.4453 (0.0147)
STD DEV = 0.0047 (0.0047)
REL STD DEV = 0.137 (32.221)

<<<< CHANNEL 1 >>>>

Sol Value = 0.200 g/210L ***
Fit Value = 0.9524 mg/l ****
Samples Taken = 4, Discarded = 1
Sum Io = 12735, Sum Io = 13349

Sample % Abs (% Abs Ref)
Sample #1 = 3.4980 (-0.0200)
Sample #2 = 3.5020 (-0.0160)
Sample #3 = 3.4700 (0.0240)
Sample #4 = 3.5180 (-0.0100)
Avg % Abs = 3.4967 (0.0023)
STD DEV = 0.0244 (0.0202)
REL STD DEV = 0.699 (866.026)

MIAMI DADE P.D.
Intoxilyzer - Alcohol Analyzer
Model 8000
01/15/2019
SN 80-006895
16:47:28

Auto Calibration
Max Power Res Value = 89
Auto Range Res Value = 66

Sol Value = 0.000 g/210L ***
Fit Value = 0.0000 mg/l ****
Samples Taken = 4, Discarded = 1
Sum Io = 12750, Sum Io = 13354

Sample % Abs (% Abs Ref)
Sample #1 = 0.0260 (0.0110)
Sample #2 = 0.0210 (0.0180)
Sample #3 = 0.0620 (0.0240)
Sample #4 = 0.0560 (0.0450)
Avg % Abs = 0.0463 (0.0290)
STD DEV = 0.0221 (0.0142)
REL STD DEV = 47.792 (48.888)

<<<< CHANNEL 2 >>>>

Sample % Abs (% Abs Ref)
Sample #1 = 0.1310 (-0.0070)
Sample #2 = 0.1340 (0.0000)
Sample #3 = 0.1540 (-0.0030)
Sample #4 = 0.1550 (0.0040)
Avg % Abs = 0.1477 (0.0003)
STD DEV = 0.0118 (0.0035)
REL STD DEV = 8.022 (1053.565)

<<<< CHANNEL 1 >>>>

Sol Value = 0.040 g/210L ***
Fit Value = 0.1905 mg/l ****
Samples Taken = 4, Discarded = 1
Sum Io = 12744, Sum Io = 13355

Sample % Abs (% Abs Ref)
Sample #1 = 0.7940 (-0.0180)
Sample #2 = 0.7730 (0.0000)
Sample #3 = 0.8000 (0.0000)
Sample #4 = 0.7780 (0.0140)
Avg % Abs = 0.7837 (0.0047)
STD DEV = 0.0144 (0.0081)
REL STD DEV = 1.833 (173.205)

Solution Stats 0
Act Fit
g/210L g/210L
0.000 0.000
0.040 0.040
0.100 0.099
0.200 0.201
0.300 0.299
ic Fit Chan 2
residual
g/210L
-0.0004
-0.0000
0.0013
-0.0014
0.0005

Sol Value = 0.080 g/210L ***
Fit Value = 0.3810 mg/l ****
Samples Taken = 4, Discarded = 1
**** CHANNEL 1
Sample #1 = 3421.00
Sample #2 = 3346.00
Sample #3 = 3257.00
Sample #4 = 3354.00
Average Result = 3319.0000
STD DEV = 53.8424
REL STD DEV = 1.622

**** CHANNEL 2
Sample #1 = 3328.00
Sample #2 = 3251.00
Sample #3 = 3218.00
Sample #4 = 3267.00
Average Result = 3245.3333
STD DEV = 24.9867
REL STD DEV = 0.770

Dry Gas H2O Adjust Results *****
Barometric Pressure = 1020
3 um H2O Adjust (mg/l*10,000) = 490
9 um H2O Adjust (mg/l*10,000) = 564
**** AUTO CAL PASS

Solution Stats Quadratic Fit Chan 1
Act Fit Residual
g/210L g/210L g/210L
0.000 -0.000 0.0000
0.040 0.041 -0.0011
0.100 0.098 0.0020
0.200 0.202 -0.0015
0.300 0.299 0.0006

Optical Calibration
SN: 80-006895
Agency: Miami-Dade P.D.
Date: 01/15/2019
Quadratic Fit: +/- 0.002g/210L
By: [Signature]

1/23/19 [Signature]

Com

TYPE OF TEST	SERIAL NUMBER	AGENCY	DATE	PERFORMED BY
Post Stabilities	80-006895	Miami-Dade Police Department	01/15/2019	See

0.05g/210L	0.08g/210L	0.20g/210L	0.08g/210L	0.08g/210L																																																																																																																																															
SN: SD3967 Temp: 34.10c 0.047 to 0.053 <input checked="" type="checkbox"/>	SN: SD3968 Temp: 34.09c 0.077 to 0.083 <input checked="" type="checkbox"/>	SN: SD3969 Temp: 34.10c 0.194 to 0.206 <input checked="" type="checkbox"/>	SN: SD3968 Temp: 34.09c 0.077 to 0.083 <input checked="" type="checkbox"/>	DGS 0.08g/210L Lot AG805701 0.077 to 0.083 <input checked="" type="checkbox"/>																																																																																																																																															
MIAMI DADE P.D. Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006895 01/15/2019 Software: 8100.27	MIAMI DADE P.D. Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006895 01/15/2019 Software: 8100.27	MIAMI DADE P.D. Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006895 01/15/2019 Software: 8100.27	MIAMI DADE P.D. Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006895 01/15/2019 Software: 8100.27	MIAMI DADE P.D. Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006895 01/15/2019 Software: 8100.27																																																																																																																																															
<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>17:31</td></tr> <tr><td>Control Test</td><td>0.048</td><td>17:32</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:32</td></tr> <tr><td>Control Test</td><td>0.049</td><td>17:33</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:34</td></tr> <tr><td>Control Test</td><td>0.048</td><td>17:34</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:35</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0483</td><td></td></tr> <tr><td>Std Dev</td><td>0.0016</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1945</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	17:31	Control Test	0.048	17:32	Air Blank	0.000	17:32	Control Test	0.049	17:33	Air Blank	0.000	17:34	Control Test	0.048	17:34	Air Blank	0.000	17:35	Control Test Stats			Average	0.0483		Std Dev	0.0016		Rel Std Dev(%)	1.1945		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>17:36</td></tr> <tr><td>Control Test</td><td>0.079</td><td>17:37</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:37</td></tr> <tr><td>Control Test</td><td>0.079</td><td>17:38</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:38</td></tr> <tr><td>Control Test</td><td>0.079</td><td>17:39</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:40</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0790</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	17:36	Control Test	0.079	17:37	Air Blank	0.000	17:37	Control Test	0.079	17:38	Air Blank	0.000	17:38	Control Test	0.079	17:39	Air Blank	0.000	17:40	Control Test Stats			Average	0.0790		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>17:41</td></tr> <tr><td>Control Test</td><td>0.198</td><td>17:42</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:43</td></tr> <tr><td>Control Test</td><td>0.198</td><td>17:43</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:44</td></tr> <tr><td>Control Test</td><td>0.199</td><td>17:45</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:45</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1983</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2911</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	17:41	Control Test	0.198	17:42	Air Blank	0.000	17:43	Control Test	0.198	17:43	Air Blank	0.000	17:44	Control Test	0.199	17:45	Air Blank	0.000	17:45	Control Test Stats			Average	0.1983		Std Dev	0.0006		Rel Std Dev(%)	0.2911		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>17:47</td></tr> <tr><td>Control Test</td><td>0.080</td><td>17:47</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:47</td></tr> <tr><td>Control Test</td><td>0.079</td><td>17:48</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:48</td></tr> <tr><td>Control Test</td><td>0.079</td><td>17:48</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:49</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	17:47	Control Test	0.080	17:47	Air Blank	0.000	17:47	Control Test	0.079	17:48	Air Blank	0.000	17:48	Control Test	0.079	17:48	Air Blank	0.000	17:49	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	17:31																																																																																																																																																	
Control Test	0.048	17:32																																																																																																																																																	
Air Blank	0.000	17:32																																																																																																																																																	
Control Test	0.049	17:33																																																																																																																																																	
Air Blank	0.000	17:34																																																																																																																																																	
Control Test	0.048	17:34																																																																																																																																																	
Air Blank	0.000	17:35																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0483																																																																																																																																																		
Std Dev	0.0016																																																																																																																																																		
Rel Std Dev(%)	1.1945																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	17:36																																																																																																																																																	
Control Test	0.079	17:37																																																																																																																																																	
Air Blank	0.000	17:37																																																																																																																																																	
Control Test	0.079	17:38																																																																																																																																																	
Air Blank	0.000	17:38																																																																																																																																																	
Control Test	0.079	17:39																																																																																																																																																	
Air Blank	0.000	17:40																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0790																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	17:41																																																																																																																																																	
Control Test	0.198	17:42																																																																																																																																																	
Air Blank	0.000	17:43																																																																																																																																																	
Control Test	0.198	17:43																																																																																																																																																	
Air Blank	0.000	17:44																																																																																																																																																	
Control Test	0.199	17:45																																																																																																																																																	
Air Blank	0.000	17:45																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1983																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2911																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	17:47																																																																																																																																																	
Control Test	0.080	17:47																																																																																																																																																	
Air Blank	0.000	17:47																																																																																																																																																	
Control Test	0.079	17:48																																																																																																																																																	
Air Blank	0.000	17:48																																																																																																																																																	
Control Test	0.079	17:48																																																																																																																																																	
Air Blank	0.000	17:49																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0793																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7277																																																																																																																																																		
Operator's Signature <u>See</u>	Operator's Signature <u>See</u>	Operator's Signature <u>See</u>	Operator's Signature <u>See</u>	Operator's Signature <u>See</u>																																																																																																																																															

1/23/19
See

See