



INSTRUMENT PROCESSING SHEET

Agency FFWCCS/N 80-000902

Florida Department of Law Enforcement

Date In 10/27/2020 DI Completion Date 10/28/2020 Ship P/U H/D CMI EE

Intake Performed By <u>TDG</u> <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Return from CMI / EE Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight Other Equipment/ Accessories: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable Notes: _____ _____ _____	Quality Checks Performed By <u>TDG</u> <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>180</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP106</u> 32 mm <u>0.164</u> (.139 - .169) 36 mm <u>0.179</u> (.156 - .190) 53 mm <u>0.242</u> (.228 - .278) 103 mm <u>0.492</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>68639</u> <input checked="" type="checkbox"/> Stability Checks	Flow Calibration Performed By _____ Flow Column # _____ <input type="checkbox"/> 5L/min - 17mm <input type="checkbox"/> 15L/min - 53mm <input type="checkbox"/> 30L/min - 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)
--	--	--

Final Release Date

FDLE
Alcohol
Testing
Program

Digitally signed
by FDLE Alcohol
Testing Program
Date: 2020.10.29
14:36:33 -04'00'

Simulator	Serial #	Lot #/Exp
0.050	MP4863	201905A 05/14/2021
0.080	MP4864	201905B 05/14/2021
0.200	MP5097	201904D 04/30/2021
0.080 DGS	N/A	AG003005 01/30/2022

Maintenance Performed By _____

Battery Replacement
 Dry Gas Regulator Replacement
 Breath Tube Replacement
 Other _____

Temperature Checks Performed By TDC

Lab Temp °C 21.69
 External Digital Therm. ID#: 300504
 34°C +/- .2 Serial #: MP4863
 34°C +/- .2 Serial #: MP4864
 34°C +/- .2 Serial #: MP5097

Calibration Adjustment Performed By _____

Barometric Pressure Gauge _____ ID # _____

Simulator	Serial Number	Lot Number	Expiration
0.000		N/A	N/A
0.040			
0.100			
0.200			
0.300			
0.080 DGS	N/A		

Post Calibration Adjustment Stability Checks

Simulator	Serial Number	Lot Number	Expiration
0.050			
0.080			
0.200			
0.080 DGS	N/A		

Department Inspection Performed By MH

Barometric Pressure ID# 28663
 Gauge 1016 Instrument 1018
 Mouth Alcohol Solution Lot # 2020-A
 Acetone Stock Solution Lot # 2019-A

Simulator	Serial Number
0.000	SD1014
Interferent	SD1015
0.050	MP4863
0.080	MP4864
0.200	MP5097

Attachments

Form 41 Post-Stability Checks
 Stability Checks Flow Calibration
 Calibration Certificate Form 40
 Calibration Adjustment Other _____

Instrument Complies with Chapter 11D-8, FAC
 Instrument Does Not Comply with Chapter 11D-8, FAC
 Return to/Place into Evidentiary Use
 Remain Out of Evidentiary Use
 Conduct an Agency Inspection Before Evidentiary Use

 2020.10.29 14:36:06
 Tech Review / Date Admi: Review / Date

Notes/Suggested Service: _____

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FFWCC TAMPA
Time of Inspection: 12:47

Date of Inspection: 10/28/2020

Serial Number: 80-000902
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:201905A Exp: 05/14/2021	0.08g/210L Test (g/210L) Lot#:201905B Exp: 05/14/2021	0.20g/210L Test (g/210L) Lot#:201904D Exp: 04/30/2021	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG003005 Exp: 01/30/2022
0.000	0.049	0.080	0.201	0.081
0.000	0.049	0.080	0.201	0.080
0.000	0.049	0.080	0.202	0.081
0.000	0.050	0.080	0.201	0.081
0.000	0.049	0.081	0.201	0.081
0.000	0.049	0.080	0.201	0.081
0.000	0.049	0.080	0.202	0.081
0.000	0.049	0.080	0.202	0.081
0.000	0.050	0.080	0.202	0.081
0.000	0.050	0.080	0.202	0.081

Standard Deviations	0.0004	0.0003	0.0005	0.0003
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

DS

SP
2020.10.
29
14:35:50
-04'00"

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Michael D Haughey





MICHAEL D HAUGHEY

Signature and Printed Name


10/28/2020
Date

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-000902	FWC	10/28/2020	TDG MG

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083

Test	g/210L	Time	Test	g/210L	Time	Test	g/210L	Time	Test	g/210L	Time
<p>FFACC TAMPA Intoxilyzer - Alcohol Analyzer Model 8000 10/28/2020 Software: 8100.27</p>											
Air Blank	0.000	10:14	Air Blank	0.000	10:22	Air Blank	0.000	10:30	Air Blank	0.000	10:36
Control Test	0.050	10:15	Control Test	0.081	10:22	Control Test	0.202	10:31	Control Test	0.080	10:36
Air Blank	0.000	10:16	Air Blank	0.000	10:23	Air Blank	0.000	10:31	Air Blank	0.000	10:37
Control Test	0.051	10:16	Control Test	0.083	10:24	Control Test	0.202	10:32	Control Test	0.082	10:37
Air Blank	0.000	10:17	Air Blank	0.000	10:24	Air Blank	0.000	10:32	Air Blank	0.000	10:37
Control Test	0.050	10:18	Control Test	0.080	10:25	Control Test	0.200	10:33	Control Test	0.081	10:38
Air Blank	0.000	10:18	Air Blank	0.000	10:25	Air Blank	0.000	10:34	Air Blank	0.000	10:38
Control Test Stats											
Average	0.0503		Average	0.0813		Average	0.2013		Average	0.0810	
Std Dev	0.0006		Std Dev	0.0015		Std Dev	0.0012		Std Dev	0.0010	
Rel. Std Dev(%)	1.1471		Rel. Std Dev(%)	1.8781		Rel. Std Dev(%)	0.5735		Rel. Std Dev(%)	1.2346	
<p>FFACC TAMPA Intoxilyzer - Alcohol Analyzer Model 8000 10/28/2020 Software: 8100.27</p>											
<p>FFACC TAMPA Intoxilyzer - Alcohol Analyzer Model 8000 10/28/2020 Software: 8100.27</p>											
<p>FFACC TAMPA Intoxilyzer - Alcohol Analyzer Model 8000 10/28/2020 Software: 8100.27</p>											
<p>Operator's Signature: </p>											
<p>Operator's Signature: </p>											
<p>Operator's Signature: </p>											
<p>Operator's Signature: </p>											

Comments:



Florida Department of Law Enforcement
 Alcohol Testing Program
 4700 Terminal Drive, Suite 1
 Ft. Myers, FL 33907

Calibration Certificate

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000902, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000902</u>	UNCERTAINTY* ±
Owning Agency:	<u>FFWCC TAMPA</u>	0.050 g/ 210 L
Calibration Date:	<u>10/28/2020</u>	0.080 g/ 210 L
Calibration Time:	<u>12:47</u>	0.200 g/ 210 L
		0.080 g/ 210 L Dry Gas Control
		0.005

All results are reported in g/ 210 L.
 Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
 *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).
 The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

10/28/2020

Date

MICHAEL D HAUGHEY,
 Department Inspector

FDLE/ATP Form 69 April 2020
 Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

2020.10.
 29
 14:35:24
 -04'00'



INSTRUMENT PROCESSING SHEET

Agency FFWCC TampaS/N 80-000902Florida Department of
Law EnforcementDate In 03/20/2020 DI Completion Date 03/26/2020 Ship P/U H/D CMI EE

Intake Performed By <u>MX</u> <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight Other Equipment/ Accessories: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable Notes: _____ _____ _____	Quality Checks Performed By <u>MX</u> <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>184</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP 101</u> 32 mm <u>0.164</u> (.139 - .169) 36 mm <u>0.183</u> (.156 - .190) 53 mm <u>0.250</u> (.228 - .278) 103 mm <u>0.519</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>68639</u> <input checked="" type="checkbox"/> Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP4863</td> <td>201905A 05/14/2021</td> </tr> <tr> <td>0.080</td> <td>MP4864</td> <td>201905B 05/14/2021</td> </tr> <tr> <td>0.200</td> <td>SD1017</td> <td>201904D 04/30/2021</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG931603 11/12/2021</td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.050	MP4863	201905A 05/14/2021	0.080	MP4864	201905B 05/14/2021	0.200	SD1017	201904D 04/30/2021	0.080 DGS	N/A	AG931603 11/12/2021	Flow Calibration Performed By _____ Flow Column # _____ <input type="checkbox"/> 5L/min - 17mm <input type="checkbox"/> 15L/min - 53mm <input type="checkbox"/> 30L/min - 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547) Maintenance Performed By _____ <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input type="checkbox"/> Other _____ Temperature Checks Performed By <u>MX</u> <input checked="" type="checkbox"/> Lab Temp °C <u>22.46</u> External Digital Therm. ID#: <u>300504</u> <input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>MP4863</u> <input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>MP4864</u> <input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>SD1017</u>																																	
Simulator	Serial #	Lot #/Exp																																																
0.050	MP4863	201905A 05/14/2021																																																
0.080	MP4864	201905B 05/14/2021																																																
0.200	SD1017	201904D 04/30/2021																																																
0.080 DGS	N/A	AG931603 11/12/2021																																																
Final Release Date FDLE APR 09 2020 Alcohol Testing Program	Calibration Adjustment Performed By _____ ID # _____ Barometric Pressure Gauge <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> <input type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> <th>Lot Number</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>		Simulator	Serial Number	Lot Number	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Simulator	Serial Number	Lot Number	Expiration	0.050				0.080				0.200				0.080 DGS	N/A		
Simulator	Serial Number	Lot Number	Expiration																																															
0.000		N/A	N/A																																															
0.040																																																		
0.100																																																		
0.200																																																		
0.300																																																		
0.080 DGS	N/A																																																	
Simulator	Serial Number	Lot Number	Expiration																																															
0.050																																																		
0.080																																																		
0.200																																																		
0.080 DGS	N/A																																																	
Department Inspection Performed By <u>MX</u> Barometric Pressure ID# <u>28199</u> Gauge <u>1016</u> Instrument <u>1016</u> Mouth Alcohol Solution Lot # <u>2019-B</u> Acetone Stock Solution Lot # <u>2019-A</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>SD1014</td> </tr> <tr> <td>Interferent</td> <td>SD1015</td> </tr> <tr> <td>0.050</td> <td>MP4863</td> </tr> <tr> <td>0.080</td> <td>MP4864</td> </tr> <tr> <td>0.200</td> <td>SD1017</td> </tr> </tbody> </table> Attachments <input checked="" type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks <input checked="" type="checkbox"/> Stability Checks <input type="checkbox"/> Flow Calibration <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Form 40 <input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other _____		Simulator	Serial Number	0.000	SD1014	Interferent	SD1015	0.050	MP4863	0.080	MP4864	0.200	SD1017	Notes/Suggested Service: <u>E-mailed</u> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> <input checked="" type="checkbox"/> APPROVED <u>03/26/2020</u> </div>																																				
Simulator	Serial Number																																																	
0.000	SD1014																																																	
Interferent	SD1015																																																	
0.050	MP4863																																																	
0.080	MP4864																																																	
0.200	SD1017																																																	
<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="text-align: center;"> <u>SP 4/3/20</u> Tech Review / Date </div> <div style="text-align: center;"> <u>Brett Kirkland 4/6/2020</u> Admin Review / Date </div> </div>																																																		

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FFWCC TAMPA
Time of Inspection: 12:05

Date of Inspection: 03/26/2020

Serial Number: 80-000902
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:201905A Exp: 05/14/2021	0.08g/210L Test (g/210L) Lot#:201905B Exp: 05/14/2021	0.20g/210L Test (g/210L) Lot#:201904D Exp: 04/30/2021	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG931603 Exp: 11/12/2021
0.000	0.049	0.079	0.197	0.080
0.000	0.050	0.080	0.198	0.080
0.000	0.050	0.079	0.198	0.080
0.000	0.051	0.079	0.197	0.080
0.000	0.049	0.079	0.197	0.080
0.000	0.050	0.079	0.198	0.079
0.000	0.049	0.079	0.199	0.080
0.000	0.049	0.080	0.198	0.080
0.000	0.050	0.079	0.197	0.079
0.000	0.050	0.079	0.198	0.079

Standard Deviations	0.0006	0.0004	0.0006	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0005 Number of Simulators Used: 5

Remarks:

SP
BK
4/6/2020

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

MICHAEL D HAUGHEY

Signature and Printed Name

03/26/2020
Date

TYPE OF TEST	SERIAL NUMBER	AGENCY	DATE	PERFORMED BY
Stabilities	80-000902	FFUCC Tampa	03/26/2020	MX


0.05g/210L	0.08g/210L	0.20g/210L	0.077 to 0.083	0.077 to 0.083	DGS 0.08g/210L																																																																																																																																															
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083																																																																																																																																															
FFUCC TAMPA Intoxilyzer - Alcohol Analyzer Model 8000 03/26/2020 Software: 8100.27	FFUCC TAMPA Intoxilyzer - Alcohol Analyzer Model 8000 03/26/2020 Software: 8100.27	FFUCC TAMPA Intoxilyzer - Alcohol Analyzer Model 8000 03/26/2020 Software: 8100.27	FFUCC TAMPA Intoxilyzer - Alcohol Analyzer Model 8000 03/26/2020 Software: 8100.27	FFUCC TAMPA Intoxilyzer - Alcohol Analyzer Model 8000 03/26/2020 Software: 8100.27	FFUCC TAMPA Intoxilyzer - Alcohol Analyzer Model 8000 03/26/2020 Software: 8100.27																																																																																																																																															
<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>09:43</td></tr> <tr><td>Control Test</td><td>0.050</td><td>09:44</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:45</td></tr> <tr><td>Control Test</td><td>0.050</td><td>09:45</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:46</td></tr> <tr><td>Control Test</td><td>0.050</td><td>09:47</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:47</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0500</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	09:43	Control Test	0.050	09:44	Air Blank	0.000	09:45	Control Test	0.050	09:45	Air Blank	0.000	09:46	Control Test	0.050	09:47	Air Blank	0.000	09:47	Control Test Stats			Average	0.0500		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>09:49</td></tr> <tr><td>Control Test</td><td>0.080</td><td>09:49</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:50</td></tr> <tr><td>Control Test</td><td>0.079</td><td>09:51</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:51</td></tr> <tr><td>Control Test</td><td>0.079</td><td>09:52</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:52</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	09:49	Control Test	0.080	09:49	Air Blank	0.000	09:50	Control Test	0.079	09:51	Air Blank	0.000	09:51	Control Test	0.079	09:52	Air Blank	0.000	09:52	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>09:54</td></tr> <tr><td>Control Test</td><td>0.196</td><td>09:54</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:55</td></tr> <tr><td>Control Test</td><td>0.197</td><td>09:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:56</td></tr> <tr><td>Control Test</td><td>0.196</td><td>09:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:57</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1963</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2941</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	09:54	Control Test	0.196	09:54	Air Blank	0.000	09:55	Control Test	0.197	09:56	Air Blank	0.000	09:56	Control Test	0.196	09:57	Air Blank	0.000	09:57	Control Test Stats			Average	0.1963		Std Dev	0.0006		Rel Std Dev(%)	0.2941		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>09:55</td></tr> <tr><td>Control Test</td><td>0.080</td><td>09:55</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:00</td></tr> <tr><td>Control Test</td><td>0.080</td><td>10:00</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:01</td></tr> <tr><td>Control Test</td><td>0.080</td><td>10:01</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:02</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0800</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	09:55	Control Test	0.080	09:55	Air Blank	0.000	10:00	Control Test	0.080	10:00	Air Blank	0.000	10:01	Control Test	0.080	10:01	Air Blank	0.000	10:02	Control Test Stats			Average	0.0800		Std Dev	0.0000		Rel Std Dev(%)	0.0000		DGS FFUCC TAMPA Intoxilyzer - Alcohol Analyzer Model 8000 03/26/2020 Software: 8100.27
Test	g/210L	Time																																																																																																																																																		
Air Blank	0.000	09:43																																																																																																																																																		
Control Test	0.050	09:44																																																																																																																																																		
Air Blank	0.000	09:45																																																																																																																																																		
Control Test	0.050	09:45																																																																																																																																																		
Air Blank	0.000	09:46																																																																																																																																																		
Control Test	0.050	09:47																																																																																																																																																		
Air Blank	0.000	09:47																																																																																																																																																		
Control Test Stats																																																																																																																																																				
Average	0.0500																																																																																																																																																			
Std Dev	0.0000																																																																																																																																																			
Rel Std Dev(%)	0.0000																																																																																																																																																			
Test	g/210L	Time																																																																																																																																																		
Air Blank	0.000	09:49																																																																																																																																																		
Control Test	0.080	09:49																																																																																																																																																		
Air Blank	0.000	09:50																																																																																																																																																		
Control Test	0.079	09:51																																																																																																																																																		
Air Blank	0.000	09:51																																																																																																																																																		
Control Test	0.079	09:52																																																																																																																																																		
Air Blank	0.000	09:52																																																																																																																																																		
Control Test Stats																																																																																																																																																				
Average	0.0793																																																																																																																																																			
Std Dev	0.0006																																																																																																																																																			
Rel Std Dev(%)	0.7277																																																																																																																																																			
Test	g/210L	Time																																																																																																																																																		
Air Blank	0.000	09:54																																																																																																																																																		
Control Test	0.196	09:54																																																																																																																																																		
Air Blank	0.000	09:55																																																																																																																																																		
Control Test	0.197	09:56																																																																																																																																																		
Air Blank	0.000	09:56																																																																																																																																																		
Control Test	0.196	09:57																																																																																																																																																		
Air Blank	0.000	09:57																																																																																																																																																		
Control Test Stats																																																																																																																																																				
Average	0.1963																																																																																																																																																			
Std Dev	0.0006																																																																																																																																																			
Rel Std Dev(%)	0.2941																																																																																																																																																			
Test	g/210L	Time																																																																																																																																																		
Air Blank	0.000	09:55																																																																																																																																																		
Control Test	0.080	09:55																																																																																																																																																		
Air Blank	0.000	10:00																																																																																																																																																		
Control Test	0.080	10:00																																																																																																																																																		
Air Blank	0.000	10:01																																																																																																																																																		
Control Test	0.080	10:01																																																																																																																																																		
Air Blank	0.000	10:02																																																																																																																																																		
Control Test Stats																																																																																																																																																				
Average	0.0800																																																																																																																																																			
Std Dev	0.0000																																																																																																																																																			
Rel Std Dev(%)	0.0000																																																																																																																																																			

MX
Operator's Signature

MX
Operator's Signature

MX
Operator's Signature

SP
BK
4/6/2020
MX
Operator's Signature



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000902, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000902</u>	UNCERTAINTY* ±	
Owning Agency:	<u>FFWCC TAMPA</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>03/26/2020</u>	0.080 g/ 210 L	0.005
Calibration Time:	<u>12:05</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

03/26/2020

Date

MICHAEL D HAUGHEY,
Department Inspector

FDLE/ATP Form 69 January 2020
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

SJP
TSK
4/6/2020