



INSTRUMENT PROCESSING SHEET

Agency Miami Dade PD

S/N 80-006895

Florida Department of
Law Enforcement

Date In 6/16/2020

DI Completion Date 06/18/2020

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake Performed By TDG

- ☒ Annual
☐ Registration
☐ Return from CMI / EE

Visual Inspection:

- ☒ Case ☒ Handle
☒ Keyboard ☒ Dry Gas Shelf
☒ Feet ☒ Breath Tube
☒ Ports ☒ Screws Tight

Other Equipment/ Accessories:

- ☐ Power cord ☐ Printer Cable
☒ Static Bag ☐ 12V DC Cable

Notes: AI Note : "Error-Check

File: Agency.dat"

Replaced int. printer paper

Final Release Date

FDLE
Alcohol
Testing
Program

Digitally signed
by FDLE Alcohol
Testing Program
Date: 2020.06.25
12:17:52 -04'00'

Quality Checks Performed By TDG

- ☒ Breath Tube Screen
☒ Replace External O-Rings
☒ Instrument Set Up Verified
☒ R-Value 182

Flow Verification (L/s)

Flow Column # ATP104

32 mm 0.152 (.139 - .169)
36 mm 0.171 (.156 - .190)
53 mm 0.238 (.228 - .278)
103 mm 0.503 (.447 - .547)

☒ Barometric Pressure Check
Gauge ID # 68639

Stability Checks

Simulator	Serial #	Lot #/Exp
0.050	MP5092	201905A 05/14/2021
0.080	MP5093	201905B 05/14/2021
0.200	MP5094	201904D 04/30/2021
0.080 DGS	N/A	AG003005 01/30/2022

Flow Calibration Performed By _____

Flow Column # _____

- ☐ 5L/min - 17mm
☐ 15L/min - 53mm
☐ 30L/min - 103mm

☐ R-Value _____

☐ Post Calibration Verification (L/s)

Flow Column # _____
32 mm _____ (.139 - .169)
36 mm _____ (.156 - .190)
53 mm _____ (.228 - .278)
103 mm _____ (.447 - .547)

Maintenance Performed By MH

- ☐ Battery Replacement
☐ Dry Gas Regulator Replacement
☐ Breath Tube Replacement
☒ Other Forms Load

Temperature Checks Performed By TDG

☒ Lab Temp °C 22.95
External Digital Therm. ID#: 300918
☒ 34°C +/- .2 Serial #: MP5092
☒ 34°C +/- .2 Serial #: MP5093
☒ 34°C +/- .2 Serial #: MP5094

Calibration Adjustment

Performed By _____

Barometric Pressure Gauge _____ ID # _____

Simulator	Serial Number	Lot Number	Expiration
0.000		N/A	N/A
0.040			
0.100			
0.200			
0.300			
0.080 DGS	N/A		

Post Calibration Adjustment Stability Checks

Simulator	Serial Number	Lot Number	Expiration
0.050			
0.080			
0.200			
0.080 DGS	N/A		

Department Inspection

Performed By MH

Barometric Pressure ID# 28199

Gauge 1016 Instrument 1016

Mouth Alcohol Solution Lot # 2019-B

Acetone Stock Solution Lot # 2019-A

Simulator	Serial Number
0.000	SD1014
Interferent	SD1015
0.050	MP5092
0.080	MP5093
0.200	MP5094

Attachments

- ☒ Form 41
☒ Stability Checks
☒ Calibration Certificate
☐ Calibration Adjustment
☐ Post-Stability Checks
☐ Flow Calibration
☐ Form 40
☒ Other Form 38

Notes/Suggested Service: _____

☒ Instrument Complies with Chapter 11D-8, FAC

☐ Instrument Does Not Comply with Chapter 11D-8, FAC

☒ Return to/Place into Evidentiary Use

☐ Remain Out of Evidentiary Use

☒ Conduct an Agency Inspection Before Evidentiary Use

Shayla Platt
2020.06.25 11:42:28
-04'00'

Brett Kirkland
2020.06.25
11:58:22 -04'00'

Tech Review / Date

Admin Review / Date

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: MIAMI DADE P.D.

Time of Inspection: 11:40

Date of Inspection: 06/18/2020

Serial Number: 80-006895

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:201905A Exp: 05/14/2021	0.08g/210L Test (g/210L) Lot#:201905B Exp: 05/14/2021	0.20g/210L Test (g/210L) Lot#:201904D Exp: 04/30/2021	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG003005 Exp: 01/30/2022
0.000	0.049	0.078	0.200	0.080
0.000	0.049	0.078	0.200	0.079
0.000	0.049	0.078	0.200	0.078
0.000	0.050	0.077	0.201	0.079
0.000	0.049	0.078	0.201	0.079
0.000	0.050	0.078	0.200	0.079
0.000	0.050	0.078	0.201	0.079
0.000	0.050	0.078	0.201	0.080
0.000	0.050	0.078	0.201	0.079
0.000	0.050	0.078	0.200	0.079

Standard Deviations	0.0005	0.0003	0.0005	0.0005
---------------------	--------	--------	--------	--------


Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

 Shayla Platt
2020.06.25
11:42:58
-04'00'

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



MICHAEL D HAUGHEY

Signature and Printed Name

06/18/2020
Date

2020.06.
25
11:59:31
-04'00'

TYPE OF TEST	SERIAL NUMBER	AGENCY	DATE	PERFORMED BY
Stabilities	80-006895	Miami Dade PD	06/17/2020	TK

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																				
0.047 to 0.053 ☒	0.077 to 0.083 ☒	0.194 to 0.206 ☒	0.077 to 0.083 ☒																																																																																																																																				
MIAMI DADE P.D. Intoxilyzer - Alcohol Analyzer Model 8000 06/17/2020 Software: 8100.27 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>09:59</td></tr> <tr><td>Control Test</td><td>0.048</td><td>09:59</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:00</td></tr> <tr><td>Control Test</td><td>0.049</td><td>10:01</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:01</td></tr> <tr><td>Control Test</td><td>0.050</td><td>10:02</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:02</td></tr> <tr><td>Control Test Status</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0490</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>2.0408</td><td></td></tr> </table>	Air Blank	0.000	09:59	Control Test	0.048	09:59	Air Blank	0.000	10:00	Control Test	0.049	10:01	Air Blank	0.000	10:01	Control Test	0.050	10:02	Air Blank	0.000	10:02	Control Test Status			Average	0.0490		Std Dev	0.0010		Rel Std Dev(%)	2.0408		MIAMI DADE P.D. Intoxilyzer - Alcohol Analyzer Model 8000 06/17/2020 Software: 8100.27 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>10:05</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:06</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:06</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:07</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:08</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:08</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:09</td></tr> <tr><td>Control Test Status</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0790</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </table>	Air Blank	0.000	10:05	Control Test	0.079	10:06	Air Blank	0.000	10:06	Control Test	0.079	10:07	Air Blank	0.000	10:08	Control Test	0.079	10:08	Air Blank	0.000	10:09	Control Test Status			Average	0.0790		Std Dev	0.0000		Rel Std Dev(%)	0.0000		MIAMI DADE P.D. Intoxilyzer - Alcohol Analyzer Model 8000 06/17/2020 Software: 8100.27 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>10:11</td></tr> <tr><td>Control Test</td><td>0.201</td><td>10:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:12</td></tr> <tr><td>Control Test</td><td>0.201</td><td>10:13</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:13</td></tr> <tr><td>Control Test</td><td>0.200</td><td>10:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:15</td></tr> <tr><td>Control Test Status</td><td></td><td></td></tr> <tr><td>Average</td><td>0.2007</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2877</td><td></td></tr> </table>	Air Blank	0.000	10:11	Control Test	0.201	10:12	Air Blank	0.000	10:12	Control Test	0.201	10:13	Air Blank	0.000	10:13	Control Test	0.200	10:14	Air Blank	0.000	10:15	Control Test Status			Average	0.2007		Std Dev	0.0006		Rel Std Dev(%)	0.2877		MIAMI DADE P.D. Intoxilyzer - Alcohol Analyzer Model 8000 06/17/2020 Software: 8100.27 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>10:16</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:16</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:17</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:17</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:18</td></tr> <tr><td>Control Test</td><td>0.077</td><td>10:18</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:19</td></tr> <tr><td>Control Test Status</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0783</td><td></td></tr> <tr><td>Std Dev</td><td>0.0012</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.4741</td><td></td></tr> </table>	Air Blank	0.000	10:16	Control Test	0.079	10:16	Air Blank	0.000	10:17	Control Test	0.079	10:17	Air Blank	0.000	10:18	Control Test	0.077	10:18	Air Blank	0.000	10:19	Control Test Status			Average	0.0783		Std Dev	0.0012		Rel Std Dev(%)	1.4741	
Air Blank	0.000	09:59																																																																																																																																					
Control Test	0.048	09:59																																																																																																																																					
Air Blank	0.000	10:00																																																																																																																																					
Control Test	0.049	10:01																																																																																																																																					
Air Blank	0.000	10:01																																																																																																																																					
Control Test	0.050	10:02																																																																																																																																					
Air Blank	0.000	10:02																																																																																																																																					
Control Test Status																																																																																																																																							
Average	0.0490																																																																																																																																						
Std Dev	0.0010																																																																																																																																						
Rel Std Dev(%)	2.0408																																																																																																																																						
Air Blank	0.000	10:05																																																																																																																																					
Control Test	0.079	10:06																																																																																																																																					
Air Blank	0.000	10:06																																																																																																																																					
Control Test	0.079	10:07																																																																																																																																					
Air Blank	0.000	10:08																																																																																																																																					
Control Test	0.079	10:08																																																																																																																																					
Air Blank	0.000	10:09																																																																																																																																					
Control Test Status																																																																																																																																							
Average	0.0790																																																																																																																																						
Std Dev	0.0000																																																																																																																																						
Rel Std Dev(%)	0.0000																																																																																																																																						
Air Blank	0.000	10:11																																																																																																																																					
Control Test	0.201	10:12																																																																																																																																					
Air Blank	0.000	10:12																																																																																																																																					
Control Test	0.201	10:13																																																																																																																																					
Air Blank	0.000	10:13																																																																																																																																					
Control Test	0.200	10:14																																																																																																																																					
Air Blank	0.000	10:15																																																																																																																																					
Control Test Status																																																																																																																																							
Average	0.2007																																																																																																																																						
Std Dev	0.0006																																																																																																																																						
Rel Std Dev(%)	0.2877																																																																																																																																						
Air Blank	0.000	10:16																																																																																																																																					
Control Test	0.079	10:16																																																																																																																																					
Air Blank	0.000	10:17																																																																																																																																					
Control Test	0.079	10:17																																																																																																																																					
Air Blank	0.000	10:18																																																																																																																																					
Control Test	0.077	10:18																																																																																																																																					
Air Blank	0.000	10:19																																																																																																																																					
Control Test Status																																																																																																																																							
Average	0.0783																																																																																																																																						
Std Dev	0.0012																																																																																																																																						
Rel Std Dev(%)	1.4741																																																																																																																																						
 Operator's Signature	 Operator's Signature	 Operator's Signature	 Operator's Signature																																																																																																																																				

BK 2020.06.2
5 12:00:29
-04'00"

Shayla Platt
2020.06.25
11:43:22 -04'00"

Performed two 0.05g/210L stabilities. The first did not print, due to the internal printer's green lever being out of position. All values were in appropriate range. Put green lever in correct position and repeated the 0.05g/210L stability, which printed.



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006895, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-006895</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>MIAMI DADE P.D.</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>06/18/2020</u>	0.080 g/ 210 L	0.005
Calibration Time:	<u>11:40</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

FDLE/ATP Form 69 April 2020
Issuing Authority: Alcohol Testing Program

06/18/2020

Date

MICHAEL D HAUGHEY,
Department Inspector

Service • Integrity • Respect • Quality

Page 1 of 1

Shayla Platt
2020.06.25
11:43:48
-04'00'

BK 2020.06.25
12:14:21
-04'00'

FLORIDA DEPARTMENT OF LAW ENFORCEMENT
ALCOHOL TESTING PROGRAM
BREATH ALCOHOL TEST AFFIDAVIT

Instrument Type: Intoxilyzer 8000
Instrument Registered To: MIAMI DADE P.D.
Instrument Serial Number: 80-006895 Software: 8100.27
Date of Test: 06/18/2020

Date of Last Agency Inspection: 05/28/2020

Observation Period Began: 08:30

Subject's Name: SAMPLE D LICENSE

DOB: 02/14/1965 Sex: F

The subject was observed for at least twenty-minutes prior to the administration of the breath test to ensure that the subject did not take anything orally and did not regurgitate.

Results:	Test	g/210L	Time
	Diagnostics Check	OK	09:28
	Air Blank	0.000	09:28
	Control Test	0.079	09:29
	Air Blank	0.000	09:29
	Subject Sample #1	0.000	09:29
	Air Blank	0.000	09:30
	Air Blank	0.000	09:32
	Subject Sample #2	0.000	09:32
	Air Blank	0.000	09:33
	Control Test	0.080	09:33
	Air Blank	0.000	09:33
	Diagnostics Check	OK	09:33

On data Entry for BT, instrument reported Error-Check File: Agency. Let
Reloaded Forms, Conducted this BT, No issues.

MX

Cylinder Lot: 06419080A2
Exp: 05/05/2021

State of Florida, County of _____,

Personally appeared before me the undersigned authority, who () is personally known to me or
() produced _____ as identification, and who after being placed under oath,
states:

I MICHAEL D HAUGHEY, hold a valid Breath Test Operator permit issued by the Florida
Department of Law Enforcement, I administered the above breath test to the subject named above in
accordance with Chapter 11D-8, Florida Administrative Code, and this form is a true and accurate
report of that breath test.

Breath Test Operator: _____ Date: _____
Signature

Sworn to (or affirmed) before me this _____ day of _____, _____

Signature of Notary Public-State of Florida _____ Printed Name of Notary Public-State of Florida _____

Note: Pursuant to section 117.10, Florida Statutes, law enforcement officers, correctional officers, traffic
accident investigation officers and traffic infraction enforcement officers are notaries public when engaged
in the performance of official duties. In accordance with section 316.1934(5), F.S., this completed form is
admissible without further authentication and is presumptive proof of the results herein. To be used in
accordance with Section 316.1934(5), F.S., and in administrative proceedings pursuant to 322.2615, F.S.

THIS IS THE MESSAGE THE
INTOX GAVE,

Error-Check

File: Agency.dat

SR Shayla Platt
2020.06.25
11:45:00
-04'00'

BK 2020.06.
25
12:16:22
-04'00'