



# INSTRUMENT PROCESSING SHEET

Agency Kennedy Space CenterS/N 80-006621

Florida Department of Law Enforcement

Date In 5/26/2021 DI Completion Date 6/2/2021 Ship  P/U  H/D  CMI  EE

| Intake  | Quality Checks   | Flow Calibration       |          |           |       |        |                       |       |        |                       |       |        |                       |           |     |                        |  |
|---|--|------------------------|----------|-----------|-------|--------|-----------------------|-------|--------|-----------------------|-------|--------|-----------------------|-----------|-----|------------------------|--|
| By <u>MH</u><br><input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input type="checkbox"/> Return from CMI / EE<br><br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight<br><br>Other Equipment/ Accessories:<br><input checked="" type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br><br>Notes: _____<br>_____<br>_____<br>_____<br>_____<br>_____ | By <u>MH</u> Date <u>06/02/2021</u><br><input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value <u>224</u><br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # <u>ATP 106</u><br>32 mm <u>0.160</u> (.139 - .169)<br>36 mm <u>0.175</u> (.156 - .190)<br>53 mm <u>0.250</u> (.228 - .278)<br>103 mm <u>0.507</u> (.447 - .547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # <u>28199</u><br><input checked="" type="checkbox"/> Stability Checks<br><table border="1" style="width:100%"> <tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr> <tr><td>0.050</td><td>MP4863</td><td>202010A<br/>10/05/2022</td></tr> <tr><td>0.080</td><td>MP4864</td><td>202010B<br/>10/05/2022</td></tr> <tr><td>0.200</td><td>MP5097</td><td>202010D<br/>10/06/2022</td></tr> <tr><td>0.080 DGS</td><td>N/A</td><td>AG026705<br/>09/23/2022</td></tr> </table> | Simulator              | Serial # | Lot #/Exp | 0.050 | MP4863 | 202010A<br>10/05/2022 | 0.080 | MP4864 | 202010B<br>10/05/2022 | 0.200 | MP5097 | 202010D<br>10/06/2022 | 0.080 DGS | N/A | AG026705<br>09/23/2022 | By _____ Date _____<br>Flow Column # _____<br><input type="checkbox"/> 5L/min - 17mm<br><input type="checkbox"/> 15L/min - 53mm<br><input type="checkbox"/> 30L/min - 103mm<br><input type="checkbox"/> R-Value _____<br><input type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column # _____<br>32 mm _____ (.139 - .169)<br>36 mm _____ (.156 - .190)<br>53 mm _____ (.228 - .278)<br>103 mm _____ (.447 - .547)<br><br><b>Maintenance</b> By _____<br><input type="checkbox"/> Battery Replacement<br><input type="checkbox"/> Dry Gas Regulator Replacement<br><input type="checkbox"/> Breath Tube Replacement<br><input type="checkbox"/> Other _____<br><br><b>DI Temp. Checks</b> By <u>MH</u><br><input checked="" type="checkbox"/> Lab Temp °C <u>22.64</u><br>External Digital Therm. ID#: <u>300503</u><br><input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>MP4863</u><br><input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>MP4864</u><br><input checked="" type="checkbox"/> 34°C +/- .2 Serial #: <u>MP5097</u> |
| Simulator   | Serial #   | Lot #/Exp              |          |           |       |        |                       |       |        |                       |       |        |                       |           |     |                        |  |
| 0.050   | MP4863   | 202010A<br>10/05/2022  |          |           |       |        |                       |       |        |                       |       |        |                       |           |     |                        |  |
| 0.080   | MP4864   | 202010B<br>10/05/2022  |          |           |       |        |                       |       |        |                       |       |        |                       |           |     |                        |  |
| 0.200   | MP5097   | 202010D<br>10/06/2022  |          |           |       |        |                       |       |        |                       |       |        |                       |           |     |                        |  |
| 0.080 DGS   | N/A  | AG026705<br>09/23/2022 |          |           |       |        |                       |       |        |                       |       |        |                       |           |     |                        |  |

| Calibration Adjustment  | Department Inspection |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
|---|-----------------------|----------|------------|------------|-------|--|-----|-----|-------|--|--|--|-------|--|--|--|-------|--|--|--|-------|--|--|--|-----------|-----|--|--|-----------|----------|-------|------------|-------|--|--|--|-------|--|--|--|-------|--|--|--|-----------|-----|--|--|---|-----------|---------------|-------|--------|-------------|--------|-------|--------|-------|--------|-------|--------|
| By _____ ID # _____<br><table border="1" style="width:100%"> <tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr> <tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr> <tr><td>0.040</td><td></td><td></td><td></td></tr> <tr><td>0.100</td><td></td><td></td><td></td></tr> <tr><td>0.200</td><td></td><td></td><td></td></tr> <tr><td>0.300</td><td></td><td></td><td></td></tr> <tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr> </table> <input type="checkbox"/> Post Calibration Adjustment Stability Checks<br><table border="1" style="width:100%"> <tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr> <tr><td>0.050</td><td></td><td></td><td></td></tr> <tr><td>0.080</td><td></td><td></td><td></td></tr> <tr><td>0.200</td><td></td><td></td><td></td></tr> <tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr> </table><br>Notes/Suggested Service:<br><u>Tech Review. Attached correct Cal Cert</u><br><u>MH 6/15/21</u> | Simulator             | Serial # | Lot #      | Expiration | 0.000 |  | N/A | N/A | 0.040 |  |  |  | 0.100 |  |  |  | 0.200 |  |  |  | 0.300 |  |  |  | 0.080 DGS | N/A |  |  | Simulator | Serial # | Lot # | Expiration | 0.050 |  |  |  | 0.080 |  |  |  | 0.200 |  |  |  | 0.080 DGS | N/A |  |  | By <u>MH</u><br>Barometric Pressure ID# <u>68639</u><br>Gauge <u>1016</u> Instrument <u>1016</u><br>Mouth Alcohol Solution Lot # <u>2021-A</u><br>Acetone Stock Solution Lot # <u>2020-A</u><br><table border="1" style="width:100%"> <tr><th>Simulator</th><th>Serial Number</th></tr> <tr><td>0.000</td><td>SD1014</td></tr> <tr><td>Interferent</td><td>SD1015</td></tr> <tr><td>0.050</td><td>MP4863</td></tr> <tr><td>0.080</td><td>MP4864</td></tr> <tr><td>0.200</td><td>MP5097</td></tr> </table><br><b>Attachments</b><br><input checked="" type="checkbox"/> Form 41<br><input checked="" type="checkbox"/> Stability Checks<br><input checked="" type="checkbox"/> Calibration Certificate<br><input type="checkbox"/> Calibration Adjustment<br><input type="checkbox"/> Post-Stability Checks<br><input type="checkbox"/> Flow Calibration<br><input checked="" type="checkbox"/> Form 40<br><input type="checkbox"/> Other _____<br><br><input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><input checked="" type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use<br><br>Israel Soto <small>Digitally signed by Israel Soto<br/>Date: 2021.06.15 08:28:21<br/>-0400</small><br>Tech Review / Date _____ Adm'n Review / Date <u>2021.06.1<br/>6 14:29:28<br/>-0400</u> | Simulator | Serial Number | 0.000 | SD1014 | Interferent | SD1015 | 0.050 | MP4863 | 0.080 | MP4864 | 0.200 | MP5097 |
| Simulator   | Serial #              | Lot #    | Expiration |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.000   |                       | N/A      | N/A        |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.040   |                       |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.100   |                       |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.200   |                       |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.300   |                       |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080 DGS   | N/A                   |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| Simulator   | Serial #              | Lot #    | Expiration |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.050   |                       |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080   |                       |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.200   |                       |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080 DGS   | N/A                   |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| Simulator   | Serial Number         |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.000   | SD1014                |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| Interferent   | SD1015                |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.050   | MP4863                |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080   | MP4864                |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.200   | MP5097                |          |            |            |       |  |     |     |       |  |  |  |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |   |           |               |       |        |             |        |       |        |       |        |       |        |

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: KENNEDY SPACE CENTER  
Time of Inspection: 11:29

Date of Inspection: 06/02/2021

Serial Number: 80-006621  
Software: 8100.27

| Check or Test                               | YES | NO | Check or Test                          | YES | NO |
|---|-----|----|--|-----|----|
| Diagnostic Check (Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted              |     | No |
| Minimum Sample Volume Check: OK             | Yes |    | Barometric Pressure Sensor Check: OK   | Yes |    |
| Alcohol Free Subject Test: 0.000            | Yes |    | Mouth Alcohol Test: Slope Not Met      | Yes |    |
| Interferent Detect Test: Interferent Detect | Yes |    | Diagnostic Check (Post-Inspection): OK | Yes |    |

| Alcohol Free Test (g/210L) | 0.05g/210L Test (g/210L)<br>Lot#:202010A<br>Exp: 10/05/2022 | 0.08g/210L Test (g/210L)<br>Lot#:202010B<br>Exp: 10/05/2022 | 0.20g/210L Test (g/210L)<br>Lot#:202010D<br>Exp: 10/06/2022 | 0.08 g/210L Dry Gas Std Test (g/210L)<br>Lot#:AG026705<br>Exp: 09/23/2022 |
|----------------------------|---|---|---|---|
| 0.000                      | 0.049   | 0.078   | 0.197   | 0.080   |
| 0.000                      | 0.049   | 0.079   | 0.197   | 0.080   |
| 0.000                      | 0.049   | 0.079   | 0.197   | 0.080   |
| 0.000                      | 0.049   | 0.079   | 0.197   | 0.079   |
| 0.000                      | 0.049   | 0.078   | 0.197   | 0.080   |
| 0.000                      | 0.049   | 0.079   | 0.197   | 0.080   |
| 0.000                      | 0.049   | 0.079   | 0.197   | 0.079   |
| 0.000                      | 0.049   | 0.078   | 0.197   | 0.080   |
| 0.000                      | 0.049   | 0.078   | 0.197   | 0.080   |
| 0.000                      | 0.049   | 0.079   | 0.197   | 0.079   |


|                     |        |        |        |        |
|---------------------|--------|--------|--------|--------|
| Standard Deviations | 0.0000 | 0.0005 | 0.0000 | 0.0004 |
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0002 Number of Simulators Used: 5

Remarks:

The above instrument complies (  ) does not comply (  ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



MICHAEL D HAUGHEY

Signature and Printed Name

06/02/2021  
Date

| TYPE OF TEST | SERIAL NUMBER | AGENCY               | DATE     | PERFORMED BY |
|--------------|---------------|----------------------|----------|--------------|
| Stabilities  | 80-006621     | Kennedy Space Center | 06/02/21 | MMK          |

|  |  |  |  |
|--|--|--|--|
| 0.05g/210L <input checked="" type="checkbox"/>     | 0.077 to 0.083 <input checked="" type="checkbox"/> | 0.20g/210L <input checked="" type="checkbox"/>     | DGS 0.08g/210L <input checked="" type="checkbox"/> |
| 0.047 to 0.053 <input checked="" type="checkbox"/> | 0.077 to 0.083 <input checked="" type="checkbox"/> | 0.194 to 0.206 <input checked="" type="checkbox"/> | 0.077 to 0.083 <input checked="" type="checkbox"/> |

KENNEDY SPACE CENTER  
 Intoxilizer - Alcotest Analyzer  
 Model 8000 SN 80-006621  
 06/02/2021  
 Software: 8100.27

Test g/210L Time

Air Blank 0.000 09:11  
 Control Test 0.049 09:12  
 Air Blank 0.000 09:12  
 Control Test 0.048 09:13  
 Air Blank 0.000 09:14  
 Control Test 0.049 09:15  
 Air Blank 0.000 09:15  
 Control Test 0.049 09:16  
 Control Test Stats  
 Average 0.0487  
 Std Dev 0.0006  
 Rel Std Dev(%) 1.1853

Operator's Signature *MMK*

KENNEDY SPACE CENTER  
 Intoxilizer - Alcotest Analyzer  
 Model 8000 SN 80-006621  
 06/02/2021  
 Software: 8100.27

Test g/210L Time

Air Blank 0.000 09:07  
 Control Test 0.078 09:07  
 Air Blank 0.000 09:08  
 Control Test 0.079 09:09  
 Air Blank 0.000 09:09  
 Control Test 0.078 09:10  
 Air Blank 0.000 09:10  
 Control Test Stats  
 Average 0.0783  
 Std Dev 0.0006  
 Rel Std Dev(%) 0.7370

Operator's Signature *MMK*

KENNEDY SPACE CENTER  
 Intoxilizer - Alcotest Analyzer  
 Model 8000 SN 80-006621  
 06/02/2021  
 Software: 8100.27

Test g/210L Time

Air Blank 0.000 09:12  
 Control Test 0.196 09:13  
 Air Blank 0.000 09:13  
 Control Test 0.197 09:14  
 Air Blank 0.000 09:15  
 Control Test 0.197 09:15  
 Air Blank 0.000 09:16  
 Control Test Stats  
 Average 0.1967  
 Std Dev 0.0006  
 Rel Std Dev(%) 0.2936

Operator's Signature *MMK*

KENNEDY SPACE CENTER  
 Intoxilizer - Alcotest Analyzer  
 Model 8000 SN 80-006621  
 06/02/2021  
 Software: 8100.27

Test g/210L Time

Air Blank 0.000 09:17  
 Control Test 0.080 09:18  
 Air Blank 0.000 09:18  
 Control Test 0.079 09:19  
 Air Blank 0.000 09:19  
 Control Test 0.079 09:20  
 Air Blank 0.000 09:20  
 Control Test Stats  
 Average 0.0793  
 Std Dev 0.0006  
 Rel Std Dev(%) 0.7277

Operator's Signature *MMK*



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
4700 Terminal Drive, Suite 1  
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006621, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                             |                                |       |
|-------------------|-----------------------------|--------------------------------|-------|
| Serial Number:    | <u>80-006621</u>            | UNCERTAINTY* ±                 |       |
| Owning Agency:    | <u>KENNEDY SPACE CENTER</u> | 0.050 g/ 210 L                 | 0.005 |
| Calibration Date: | <u>06/02/2021</u>           | 0.080 g/ 210 L                 | 0.004 |
| Calibration Time: | <u>11:29</u>                | 0.200 g/ 210 L                 | 0.007 |
|                   |                             | 0.080 g/ 210 L Dry Gas Control | 0.005 |


All results are reported in g/ 210 L.  
Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.  
\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).  
The instrument results before and after any adjustment are found in the associated pre and post stability checks.

### TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.  
This document shall not be reproduced except in full,  
without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Date 06/02/2021  
  
**MICHAEL D HAUGHEY,**  
Department Inspector

# Florida Department of Law Enforcement Alcohol Testing Program

## AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: KENNEDY SPACE CENTER  
Time of Inspection: 08:35

Date of Inspection: 06/02/2021

Serial Number: 80-006621  
Software: 8100.27

| Check or Test                               | YES | NO |
|---|-----|----|
| Date and/or Time Adjusted                   |     | No |
| Diagnostic Check (Pre-Inspection): OK       |     | No |
| Alcohol Free Subject Test: 0.000            |     | No |
| Mouth Alcohol Test: Slope Not Met           |     | No |
| Interferent Detect Test: Interferent Detect |     | No |
| Diagnostic Check (Post-Inspection): OK      |     | No |

| Alcohol Free Test (g/210L) | 0.05g/210L Test (g/210L)<br>Lot#: _____<br>Exp: _____ | 0.08g/210L Test (g/210L)<br>Lot#: _____<br>Exp: _____ | 0.20g/210L Test (g/210L)<br>Lot#: _____<br>Exp: _____ | 0.08 g/210L Dry Gas Std Test (g/210L)<br>Lot#: _____<br>Exp: _____ |
|----------------------------|---|---|---|--|
|                            |   |   |   |  |
|                            |   |   |   |  |
|                            |   |   |   |  |


Number of Simulators Used: \_\_\_\_\_

Remarks:

AI BYPASS.COMPLIANCE NOT DETERMINED.

The above instrument complies (  ) does not comply (  ) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



MICHAEL D HAUGHEY

Signature and Printed Name

06/02/2021  
Date