



## INSTRUMENT PROCESSING SHEET

Agency Okaloosa County Sheriff's OfficeS/N 80-000763Florida Department of  
Law EnforcementDate In 12-15-2022 DI Completion Date 12-15-2022☐ Ship ☒ P/U ☐ H/D ☐ CMI ☐ EE

| Intake                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | By IS         | Quality Checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | By IS      | Date <u>12-15-2022</u>                                                                                                                                                                                                                                                                                                                                                                          | Flow Calibration                                                                                                                                                                                                                                                                                                                                                                                                                    | By    | Date                             |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----------------------------------|-----------------------|------------|--------|-----------------------|---------|------------|-----------------------|-----------|---------|------------------------|-----------|--------|----------|--------------------|-------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------|--|--|--------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| <input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input type="checkbox"/> Return from CMI / EE<br><br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight<br><br>Other Equipment/ Accessories:<br><input checked="" type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br><br>Notes: <u>Agency Inspector</u><br><u>indicated instrument failed</u><br><u>Interferent Detect test during</u><br><u>Agency Inspection.</u> |               | <input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value <u>206</u><br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # <u>ATP-105</u><br>32 mm <u>0.167</u> (.139 - .169)<br>36 mm <u>0.183</u> (.156 - .190)<br>53 mm <u>0.261</u> (.228 - .278)<br>103 mm <u>0.531</u> (.447 - .547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # <u>28427</u><br><input checked="" type="checkbox"/> Stability Checks |            |                                                                                                                                                                                                                                                                                                                                                                                                 | <input type="checkbox"/> Flow Column # _____<br><input type="checkbox"/> 5L/min - 17mm<br><input type="checkbox"/> 15L/min - 53mm<br><input type="checkbox"/> 30L/min - 103mm<br><input type="checkbox"/> R-Value _____<br><input type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column # _____<br>32 mm _____ (.139 - .169)<br>36 mm _____ (.156 - .190)<br>53 mm _____ (.228 - .278)<br>103 mm _____ (.447 - .547) |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |               | <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6291</td><td>202201C<br/>01-11-2024</td></tr><tr><td>0.080</td><td>MP6292</td><td>202201D<br/>01-18-2024</td></tr><tr><td>0.200</td><td>MP6293</td><td>202201E<br/>01-18-2024</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG113403<br/>05-14-2023</td></tr></tbody></table>                                                                                                                                                                                                                                           | Simulator  | Serial #                                                                                                                                                                                                                                                                                                                                                                                        | Lot #/Exp                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.050 | MP6291                           | 202201C<br>01-11-2024 | 0.080      | MP6292 | 202201D<br>01-18-2024 | 0.200   | MP6293     | 202201E<br>01-18-2024 | 0.080 DGS | N/A     | AG113403<br>05-14-2023 |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Serial #      | Lot #/Exp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |            |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6291        | 202201C<br>01-11-2024                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |            |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6292        | 202201D<br>01-18-2024                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |            |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6293        | 202201E<br>01-18-2024                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |            |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | N/A           | AG113403<br>05-14-2023                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| <b>Calibration Adjustment</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               | <b>By IS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |            | <b>Department Inspection</b>                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       | <b>By IS</b>                     |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| Barometric Pressure Gauge <u>1009</u> ID # <u>30793</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            | Barometric Pressure ID# <u>28427</u>                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td>MP6294</td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td>MP6295</td><td>21410</td><td>09-30-2023</td></tr><tr><td>0.100</td><td>MP6296</td><td>22310</td><td>08-11-2024</td></tr><tr><td>0.200</td><td>MP6297</td><td>22050</td><td>02-07-2024</td></tr><tr><td>0.300</td><td>MP5085</td><td>22220</td><td>06-15-2024</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>08121080A1</td><td>05-05-2023</td></tr></tbody></table>                                                                                                                                                                                                                                                                                                                                   |               | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Serial #   | Lot #                                                                                                                                                                                                                                                                                                                                                                                           | Expiration                                                                                                                                                                                                                                                                                                                                                                                                                          | 0.000 | MP6294                           | N/A                   | N/A        | 0.040  | MP6295                | 21410   | 09-30-2023 | 0.100                 | MP6296    | 22310   | 08-11-2024             | 0.200     | MP6297 | 22050    | 02-07-2024         | 0.300 | MP5085 | 22220                                                                                                                                                                                                                            | 06-15-2024 | 0.080 DGS | N/A                                                                                                                                                                                | 08121080A1 | 05-05-2023 |  |  | Gauge <u>1008</u> Instrument <u>1010</u><br>Mouth Alcohol Solution Lot # <u>2022-A</u><br>Acetone Stock Solution Lot # <u>2022-B</u> |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Serial #      | Lot #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Expiration |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6294        | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | N/A        |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.040                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6295        | 21410                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 09-30-2023 |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6296        | 22310                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 08-11-2024 |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6297        | 22050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 02-07-2024 |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP5085        | 22220                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 06-15-2024 |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | N/A           | 08121080A1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 05-05-2023 |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| <input checked="" type="checkbox"/> Post Calibration Adjustment Stability Checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            | <table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6289</td></tr><tr><td>Interferent</td><td>MP6290</td></tr><tr><td>0.050</td><td>MP6291</td></tr><tr><td>0.080</td><td>MP6292</td></tr><tr><td>0.200</td><td>MP6293</td></tr></tbody></table>                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       | Simulator                        | Serial Number         | 0.000      | MP6289 | Interferent           | MP6290  | 0.050      | MP6291                | 0.080     | MP6292  | 0.200                  | MP6293    |        |          | <b>Attachments</b> |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Serial Number |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6289        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| Interferent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | MP6290        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6291        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6292        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6293        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td>MP6291</td><td>202201C</td><td>01-11-2024</td></tr><tr><td>0.080</td><td>MP6292</td><td>202201D</td><td>01-18-2024</td></tr><tr><td>0.200</td><td>MP6293</td><td>202201E</td><td>01-18-2024</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG113403</td><td>05-14-2023</td></tr></tbody></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |               | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Serial #   | Lot #                                                                                                                                                                                                                                                                                                                                                                                           | Expiration                                                                                                                                                                                                                                                                                                                                                                                                                          | 0.050 | MP6291                           | 202201C               | 01-11-2024 | 0.080  | MP6292                | 202201D | 01-18-2024 | 0.200                 | MP6293    | 202201E | 01-18-2024             | 0.080 DGS | N/A    | AG113403 | 05-14-2023         |       |        | <input checked="" type="checkbox"/> Form 41<br><input checked="" type="checkbox"/> Stability Checks<br><input checked="" type="checkbox"/> Calibration Certificate<br><input checked="" type="checkbox"/> Calibration Adjustment |            |           | <input checked="" type="checkbox"/> Post-Stability Checks<br><input type="checkbox"/> Flow Calibration<br><input type="checkbox"/> Form 40<br><input type="checkbox"/> Other _____ |            |            |  |  |                                                                                                                                      |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Serial #      | Lot #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Expiration |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6291        | 202201C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 01-11-2024 |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6292        | 202201D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 01-18-2024 |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MP6293        | 202201E                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 01-18-2024 |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | N/A           | AG113403                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 05-14-2023 |                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| Notes/Suggested Service: <u>Performed Optical Bench</u><br><u>Calibration Adjust due to failed Agency Inspection.</u><br><u>Calibration adjust was successful, all alcohol</u><br><u>measurements nominal, and instrument passed</u><br><u>Interferent Detect test during Department Inspection. IS</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            | <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><input checked="" type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| Tech Review: <u>Removed extra "2" from 0.080 Post Stability Check</u><br>Lot # <u>IS 12-15-2022</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            | David Eliezer<br>Reyes-Rivera<br>Digitally signed by David Eliezer<br>Reyes-Rivera<br>Date: 2022.12.15 14:36:41 -0500                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       | <u>15:39:26</u><br><u>05'00"</u> |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |
| Tech Review / Date                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            | Admin Review / Date                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                  |                       |            |        |                       |         |            |                       |           |         |                        |           |        |          |                    |       |        |                                                                                                                                                                                                                                  |            |           |                                                                                                                                                                                    |            |            |  |  |                                                                                                                                      |  |  |  |

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: OKALOOSA COUNTY SO  
Time of Inspection: 12:12

Date of Inspection: 12/15/2022

Serial Number: 80-000763  
Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:202201C<br>Exp: 01/11/2024 | 0.08g/210L Test<br>(g/210L)<br>Lot#:202201D<br>Exp: 01/18/2024 | 0.20g/210L Test<br>(g/210L)<br>Lot#:202201E<br>Exp: 01/18/2024 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:AG113403<br>Exp: 05/14/2023 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------|
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.200                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.200                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.200                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.200                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.200                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.200                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.200                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.201                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.200                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.200                                                          | 0.080                                                                           |

|                     |        |        |        |        |
|---------------------|--------|--------|--------|--------|
| Standard Deviations | 0.0000 | 0.0004 | 0.0003 | 0.0000 |
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0001 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

*Israel Soto*

ISRAEL SOTO

Signature and Printed Name

12/15/2022  
Date

# Stability Checks

OKALOOSA COUNTY SO

Intoxilyzer - Alcohol Analyzer

Model 8000

SN 80-000763

12/15/2022

Software: 8100.27

OKALOOSA COUNTY SO

Intoxilyzer - Alcohol Analyzer


Model 8000

SN 80-000763

12/15/2022


Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 08:55 |
| Control Test       | 0.049  | 08:56 |
| Air Blank          | 0.000  | 08:56 |
| Control Test       | 0.049  | 08:57 |
| Air Blank          | 0.000  | 08:57 |
| Control Test       | 0.049  | 08:58 |
| Air Blank          | 0.000  | 08:59 |
| Control Test Stats |        |       |
| Average            | 0.0490 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

  
Operator's Signature

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 08:59 |
| Control Test       | 0.079  | 09:00 |
| Air Blank          | 0.000  | 09:01 |
| Control Test       | 0.078  | 09:01 |
| Air Blank          | 0.000  | 09:02 |
| Control Test       | 0.079  | 09:03 |
| Air Blank          | 0.000  | 09:03 |
| Control Test Stats |        |       |
| Average            | 0.0787 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7339 |       |

wet

  
Operator's Signature

OKALOOSA COUNTY SO

Intoxilyzer - Alcohol Analyzer

Model 8000

SN 80-000763

12/15/2022

Software: 8100.27

OKALOOSA COUNTY SO

Intoxilyzer - Alcohol Analyzer


Model 8000

SN 80-000763

12/15/2022


Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 09:04 |
| Control Test       | 0.203  | 09:05 |
| Air Blank          | 0.000  | 09:05 |
| Control Test       | 0.202  | 09:06 |
| Air Blank          | 0.000  | 09:06 |
| Control Test       | 0.202  | 09:07 |
| Air Blank          | 0.000  | 09:08 |
| Control Test Stats |        |       |
| Average            | 0.2023 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.2853 |       |

  
Operator's Signature

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 09:09 |
| Control Test       | 0.080  | 09:09 |
| Air Blank          | 0.000  | 09:09 |
| Control Test       | 0.079  | 09:10 |
| Air Blank          | 0.000  | 09:10 |
| Control Test       | 0.080  | 09:11 |
| Air Blank          | 0.000  | 09:11 |
| Control Test Stats |        |       |
| Average            | 0.0797 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7247 |       |

Dry

  
Operator's Signature



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2331 Phillips Road.  
Suite B1032  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000763, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                           |                                      |
|-------------------|---------------------------|--------------------------------------|
| Serial Number:    | <u>80-000763</u>          | UNCERTAINTY* $\pm$                   |
| Owning Agency:    | <u>OKALOOSA COUNTY SO</u> | 0.050 g/ 210 L 0.004                 |
| Calibration Date: | <u>12/15/2022</u>         | 0.080 g/ 210 L 0.004                 |
| Calibration Time: | <u>12:12</u>              | 0.200 g/ 210 L 0.007                 |
|                   |                           | 0.080 g/ 210 L Dry Gas Control 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. Digitally signed by Israel Soto  
This document shall not be reproduced except in full, Date: 2022.12.15  
without written approval of the Florida Department of 13:30:28 -05'00'  
Law Enforcement Alcohol Testing Program.

Israel Soto

Date

ISRAEL SOTO,

Department Inspector

FDLE/ATP Form 69 March 2022

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1

OKALOOSA COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000763  
12/15/2022 09:15:03

Optical Bench  
Calibration Adjustment

✓

Auto Calibration

pg 1 of 2

<<<< 3um >>>> <<<< 9um >>>>

-----  
Solution = 0.000 g/210L or 0.0000 mg/l, Samples = 4, Discarded = 1  
Sample % Abs (% Abs Ref) % Abs (% Abs Ref)  
Sample #1 0.1080 (-0.0060) 0.1520 (-0.0300)  
Sample #2 0.0910 (0.0350) 0.1090 (0.0050)  
Sample #3 0.0970 (0.0690) 0.1460 (-0.0060)  
Sample #4 0.1090 (0.0720) 0.1410 (-0.0090)  
Avg % Abs 0.0990 (0.0587) 0.1320 (-0.0033)  
STD DEV 0.0092 (0.0206) 0.0201 (0.0074)  
REL STD DEV 9.258 (35.030) 15.208 (221.133)  
-----

-----  
Solution = 0.040 g/210L or 0.1905 mg/l, Samples = 4, Discarded = 1  
Sample % Abs (% Abs Ref) % Abs (% Abs Ref)  
Sample #1 0.7780 (-0.0100) 1.4770 (-0.0100)  
Sample #2 0.7590 (0.0250) 1.4530 (0.0010)  
Sample #3 0.7980 (0.0330) 1.4660 (0.0190)  
Sample #4 0.7920 (0.0330) 1.4820 (-0.0040)  
Avg % Abs 0.7830 (0.0303) 1.4670 (0.0053)  
STD DEV 0.0210 (0.0046) 0.0145 (0.0121)  
REL STD DEV 2.682 (15.227) 0.990 (226.816)  
-----

-----  
Solution = 0.100 g/210L or 0.4762 mg/l, Samples = 4, Discarded = 1  
Sample % Abs (% Abs Ref) % Abs (% Abs Ref)  
Sample #1 1.8530 (-0.0120) 3.4420 (-0.0120)  
Sample #2 1.8460 (0.0420) 3.4420 (0.0000)  
Sample #3 1.8600 (0.0540) 3.4450 (0.0000)  
Sample #4 1.8320 (0.0660) 3.4280 (0.0100)  
Avg % Abs 1.8460 (0.0540) 3.4383 (0.0033)  
STD DEV 0.0140 (0.0120) 0.0091 (0.0058)  
REL STD DEV 0.758 (22.222) 0.264 (173.205)  
-----

-----  
Solution = 0.200 g/210L or 0.9524 mg/l, Samples = 4, Discarded = 1  
Sample % Abs (% Abs Ref) % Abs (% Abs Ref)  
Sample #1 3.6130 (0.0000) 6.6620 (0.0000)  
Sample #2 3.5860 (0.0190) 6.6350 (0.0070)  
Sample #3 3.5860 (0.0510) 6.6470 (0.0230)  
Sample #4 3.5630 (0.0580) 6.6530 (0.0200)  
Avg % Abs 3.5783 (0.0427) 6.6450 (0.0167)  
STD DEV 0.0133 (0.0208) 0.0092 (0.0085)  
REL STD DEV 0.371 (48.733) 0.138 (51.029)  
-----

-----  
Solution = 0.300 g/210L or 1.4286 mg/l, Samples = 4, Discarded = 1  
Sample % Abs (% Abs Ref) % Abs (% Abs Ref)  
Sample #1 5.2620 (-0.0250) 9.6820 (-0.0140)  
Sample #2 5.2210 (0.0000) 9.6510 (0.0170)  
Sample #3 5.2260 (0.0270) 9.6180 (0.0420)  
Sample #4 5.2310 (0.0060) 9.6460 (0.0110)  
Avg % Abs 5.2260 (0.0110) 9.6383 (0.0233)  
STD DEV 0.0050 (0.0142) 0.0178 (0.0164)  
REL STD DEV 0.096 (128.886) 0.185 (70.465)  
-----

OKALOOSA COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000763  
12/15/2022 09:15:03

Optical Bench  
Calibration Adjustment  
✓

Auto Calibration

pg 2 of 2

<<<< 3um >>>>  
-----  
Zero Order Coef -228.50  
First Order Coef 2652.14  
Second Order Coef 23.40  
-----

| Act<br>(g/210L) | Fit<br>(g/210L) | Residual<br>(g/210L) |
|-----------------|-----------------|----------------------|
| 0.000           | 0.001           | -0.0007              |
| 0.040           | 0.039           | 0.0009               |
| 0.100           | 0.100           | 0.0003               |
| 0.200           | 0.201           | -0.0008              |
| 0.300           | 0.300           | 0.0003               |

<<<< 9um >>>>  
-----  
-166.34  
1386.01  
11.63  
-----

| Act<br>(g/210L) | Fit<br>(g/210L) | Residual<br>(g/210L) |
|-----------------|-----------------|----------------------|
| 0.000           | 0.000           | -0.0004              |
| 0.040           | 0.040           | 0.0003               |
| 0.100           | 0.099           | 0.0005               |
| 0.200           | 0.201           | -0.0007              |
| 0.300           | 0.300           | 0.0003               |

<<<< 3um >>>>  
-----

<<<< 9um >>>>  
-----

Solution = 0.080 g/210L or 0.3810 mg/l, Samples = 4, Discarded = 1  
Sample

|                       |           |           |
|-----------------------|-----------|-----------|
| Sample #1             | 3058.00   | 3298.00   |
| Sample #2             | 3029.00   | 3290.00   |
| Sample #3             | 3053.00   | 3289.00   |
| Sample #4             | 3007.00   | 3267.00   |
| Avg                   | 3029.6667 | 3282.0000 |
| STD DEV               | 23.0072   | 13.0000   |
| REL STD DEV           | 0.759     | 0.396     |
| H2O adjust (mg/l*10k) | 780       | 527       |

Barometric Pressure = 1010

\*\*\*\*\*CALIBRATION SUCCESSFUL\*\*\*\*\*

# Post Stability checks


OKALOOSA COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000763  
12/15/2022  
Software: 8100.27


OKALOOSA COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000763  
12/15/2022  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 10:22 |
| Control Test       | 0.049  | 10:22 |
| Air Blank          | 0.000  | 10:23 |
| Control Test       | 0.049  | 10:23 |
| Air Blank          | 0.000  | 10:24 |
| Control Test       | 0.049  | 10:25 |
| Air Blank          | 0.000  | 10:25 |
| Control Test Stats |        |       |
| Average            | 0.0490 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 10:26 |
| Control Test       | 0.078  | 10:27 |
| Air Blank          | 0.000  | 10:27 |
| Control Test       | 0.079  | 10:28 |
| Air Blank          | 0.000  | 10:29 |
| Control Test       | 0.079  | 10:29 |
| Air Blank          | 0.000  | 10:30 |
| Control Test Stats |        |       |
| Average            | 0.0787 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7339 |       |

wet

  
Operator's Signature

  
Operator's Signature


OKALOOSA COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000763  
12/15/2022  
Software: 8100.27


OKALOOSA COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000763  
12/15/2022  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 10:32 |
| Control Test       | 0.199  | 10:32 |
| Air Blank          | 0.000  | 10:33 |
| Control Test       | 0.200  | 10:34 |
| Air Blank          | 0.000  | 10:34 |
| Control Test       | 0.199  | 10:35 |
| Air Blank          | 0.000  | 10:35 |
| Control Test Stats |        |       |
| Average            | 0.1993 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.2896 |       |

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 10:36 |
| Control Test       | 0.080  | 10:36 |
| Air Blank          | 0.000  | 10:37 |
| Control Test       | 0.080  | 10:37 |
| Air Blank          | 0.000  | 10:38 |
| Control Test       | 0.080  | 10:38 |
| Air Blank          | 0.000  | 10:39 |
| Control Test Stats |        |       |
| Average            | 0.0800 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

Dry

  
Operator's Signature

  
Operator's Signature