



INSTRUMENT PROCESSING SHEET

Agency Ft. Myers Police DepartmentS/N 80-000914Florida Department of
Law EnforcementDate In 11/17/2022DI Completion Date 11/17/2022☐ Ship☒ P/U☐ H/D☐ CMI☐ EE

Intake	By DERR	Quality Checks	By DERR	Date	Flow Calibration	By	Date																																								
☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes: _____ _____ _____ _____ _____ _____ _____ _____ _____ _____		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>149</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP101</u> 32 mm <u>0.140</u> (.139 - .169) 36 mm <u>0.164</u> (.156 - .190) 53 mm <u>0.234</u> (.228 - .278) 103 mm <u>0.503</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>28199</u> ☒ Stability Checks		<u>11/17/2022</u>	Flow Column # _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																																										
		<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202201C 01/11/2024</td></tr><tr><td>0.080</td><td>MP6287</td><td>202201D 01/18/2024</td></tr><tr><td>0.200</td><td>MP6288</td><td>202201E 01/18/2024</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>00521080A2 02/05/2023</td></tr></tbody></table>			Simulator	Serial #	Lot #/Exp	0.050	MP6286	202201C 01/11/2024	0.080	MP6287	202201D 01/18/2024	0.200	MP6288	202201E 01/18/2024	0.080 DGS	N/A	00521080A2 02/05/2023	Maintenance By _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☐ Other _____ _____ _____ _____ _____ _____																											
Simulator	Serial #	Lot #/Exp																																													
0.050	MP6286	202201C 01/11/2024																																													
0.080	MP6287	202201D 01/18/2024																																													
0.200	MP6288	202201E 01/18/2024																																													
0.080 DGS	N/A	00521080A2 02/05/2023																																													
Calibration Adjustment By DERR		Department Inspection By DERR																																													
Barometric Pressure Gauge <u>1021</u> ID # <u>68639</u>		Barometric Pressure ID# <u>26932</u> Gauge <u>1020</u> Instrument <u>1019</u> Mouth Alcohol Solution Lot # <u>2021-D</u> Acetone Stock Solution Lot # <u>2021-C</u>																																													
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td>MP5099</td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td>MP5096</td><td>21070</td><td>03/01/2023</td></tr><tr><td>0.100</td><td>MP5098</td><td>21380</td><td>09/13/2023</td></tr><tr><td>0.200</td><td>MP5100</td><td>20510</td><td>12/03/2022</td></tr><tr><td>0.300</td><td>MP5101</td><td>21420</td><td>10/20/2023</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG115904</td><td>06/08/2023</td></tr></tbody></table>		Simulator	Serial #	Lot #	Expiration	0.000	MP5099	N/A	N/A	0.040	MP5096	21070	03/01/2023	0.100	MP5098	21380	09/13/2023	0.200	MP5100	20510	12/03/2022	0.300	MP5101	21420	10/20/2023	0.080 DGS	N/A	AG115904	06/08/2023	<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6284</td></tr><tr><td>Interferent</td><td>MP6285</td></tr><tr><td>0.050</td><td>MP6286</td></tr><tr><td>0.080</td><td>MP6287</td></tr><tr><td>0.200</td><td>MP6288</td></tr></tbody></table>						Simulator	Serial Number	0.000	MP6284	Interferent	MP6285	0.050	MP6286	0.080	MP6287	0.200	MP6288
Simulator	Serial #	Lot #	Expiration																																												
0.000	MP5099	N/A	N/A																																												
0.040	MP5096	21070	03/01/2023																																												
0.100	MP5098	21380	09/13/2023																																												
0.200	MP5100	20510	12/03/2022																																												
0.300	MP5101	21420	10/20/2023																																												
0.080 DGS	N/A	AG115904	06/08/2023																																												
Simulator	Serial Number																																														
0.000	MP6284																																														
Interferent	MP6285																																														
0.050	MP6286																																														
0.080	MP6287																																														
0.200	MP6288																																														
☒ Post Calibration Adjustment Stability Checks		Attachments ☒ Form 41 ☒ Post-Stability Checks ☒ Stability Checks ☐ Flow Calibration ☒ Calibration Certificate ☐ Form 40 ☒ Calibration Adjustment ☐ Other _____																																													
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202201C</td><td>01/11/2024</td></tr><tr><td>0.080</td><td>MP6287</td><td>202201D</td><td>01/18/2024</td></tr><tr><td>0.200</td><td>MP6288</td><td>202201E</td><td>01/18/2024</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>00521080A2</td><td>02/05/2023</td></tr></tbody></table>		Simulator	Serial #	Lot #	Expiration	0.050	MP6286	202201C	01/11/2024	0.080	MP6287	202201D	01/18/2024	0.200	MP6288	202201E	01/18/2024	0.080 DGS	N/A	00521080A2	02/05/2023	☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																									
Simulator	Serial #	Lot #	Expiration																																												
0.050	MP6286	202201C	01/11/2024																																												
0.080	MP6287	202201D	01/18/2024																																												
0.200	MP6288	202201E	01/18/2024																																												
0.080 DGS	N/A	00521080A2	02/05/2023																																												
Notes/Suggested Service: Instrument was calibrated to bring values closer to nominal. DERR _____ _____ _____ _____ _____ _____ _____ _____ _____		Taylor Gutschow Digitally signed by Taylor Gutschow Date: 2022.11.17 14:13:30 -05'00' Israel Soto Digitally signed by Israel Soto Date: 2022.11.17 14:20:52 -05'00' Tech Review / Date Admin Review / Date																																													



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000914, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000914</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>FORT MYERS PD</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>11/17/2022</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>13:55</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

11/17/2022

Date


DAVID E REYES-RIVERA,
Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FORT MYERS PD
Time of Inspection: 13:55

Date of Inspection: 11/17/2022

Serial Number: 80-000914
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:00521080A2 Exp: 02/05/2023
0.000	0.049	0.078	0.199	0.080
0.000	0.049	0.079	0.199	0.080
0.000	0.049	0.078	0.200	0.080
0.000	0.049	0.078	0.199	0.080
0.000	0.049	0.078	0.200	0.080
0.000	0.050	0.078	0.199	0.080
0.000	0.050	0.078	0.199	0.080
0.000	0.049	0.078	0.199	0.080
0.000	0.050	0.078	0.200	0.079
0.000	0.049	0.079	0.199	0.079

Standard Deviations	0.0004	0.0004	0.0004	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

David E Reyes-Rivera DAVID E REYES-RIVERA
Signature and Printed Name

11/17/2022
Date

Type of Test	Serial Number	Agency	Date	Performed By
Post Stabilities	80-000914	Ft. Myers Police Department	11/17/2022	DERR <i>[Signature]</i>

0.05g/210L 0.047 to 0.053 ☒	0.08g/210L 0.077 to 0.083 ☒	0.20g/210L 0.194 to 0.206 ☒	DGS 0.08g/210L 0.077 to 0.083 ☒																																																																																																																																																
FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000914 11/17/2022 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>11:56</td></tr><tr><td>Control Test</td><td>0.048</td><td>11:57</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:57</td></tr><tr><td>Control Test</td><td>0.048</td><td>11:58</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:58</td></tr><tr><td>Control Test</td><td>0.049</td><td>11:59</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:00</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.0483</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.1945</td><td></td></tr></tbody></table>  Operator's Signature	Test	g/210L	Time	Air Blank	0.000	11:56	Control Test	0.048	11:57	Air Blank	0.000	11:57	Control Test	0.048	11:58	Air Blank	0.000	11:58	Control Test	0.049	11:59	Air Blank	0.000	12:00	Control Test Stats			Average	0.0483		Std Dev	0.0006		Rel Std Dev(%)	1.1945		FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000914 11/17/2022 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>12:01</td></tr><tr><td>Control Test</td><td>0.078</td><td>12:01</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:02</td></tr><tr><td>Control Test</td><td>0.078</td><td>12:03</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:03</td></tr><tr><td>Control Test</td><td>0.079</td><td>12:04</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:05</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.0783</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7370</td><td></td></tr></tbody></table>  Operator's Signature	Test	g/210L	Time	Air Blank	0.000	12:01	Control Test	0.078	12:01	Air Blank	0.000	12:02	Control Test	0.078	12:03	Air Blank	0.000	12:03	Control Test	0.079	12:04	Air Blank	0.000	12:05	Control Test Stats			Average	0.0783		Std Dev	0.0006		Rel Std Dev(%)	0.7370		FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000914 11/17/2022 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>12:05</td></tr><tr><td>Control Test</td><td>0.200</td><td>12:06</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:07</td></tr><tr><td>Control Test</td><td>0.200</td><td>12:07</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:08</td></tr><tr><td>Control Test</td><td>0.199</td><td>12:09</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:09</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.1997</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.2892</td><td></td></tr></tbody></table>  Operator's Signature	Test	g/210L	Time	Air Blank	0.000	12:05	Control Test	0.200	12:06	Air Blank	0.000	12:07	Control Test	0.200	12:07	Air Blank	0.000	12:08	Control Test	0.199	12:09	Air Blank	0.000	12:09	Control Test Stats			Average	0.1997		Std Dev	0.0006		Rel Std Dev(%)	0.2892		FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000914 11/17/2022 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>12:10</td></tr><tr><td>Control Test</td><td>0.079</td><td>12:10</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:11</td></tr><tr><td>Control Test</td><td>0.080</td><td>12:11</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:12</td></tr><tr><td>Control Test</td><td>0.079</td><td>12:12</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:13</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.0793</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr></tbody></table>  Operator's Signature	Test	g/210L	Time	Air Blank	0.000	12:10	Control Test	0.079	12:10	Air Blank	0.000	12:11	Control Test	0.080	12:11	Air Blank	0.000	12:12	Control Test	0.079	12:12	Air Blank	0.000	12:13	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	11:56																																																																																																																																																	
Control Test	0.048	11:57																																																																																																																																																	
Air Blank	0.000	11:57																																																																																																																																																	
Control Test	0.048	11:58																																																																																																																																																	
Air Blank	0.000	11:58																																																																																																																																																	
Control Test	0.049	11:59																																																																																																																																																	
Air Blank	0.000	12:00																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0483																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1945																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:01																																																																																																																																																	
Control Test	0.078	12:01																																																																																																																																																	
Air Blank	0.000	12:02																																																																																																																																																	
Control Test	0.078	12:03																																																																																																																																																	
Air Blank	0.000	12:03																																																																																																																																																	
Control Test	0.079	12:04																																																																																																																																																	
Air Blank	0.000	12:05																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0783																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7370																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:05																																																																																																																																																	
Control Test	0.200	12:06																																																																																																																																																	
Air Blank	0.000	12:07																																																																																																																																																	
Control Test	0.200	12:07																																																																																																																																																	
Air Blank	0.000	12:08																																																																																																																																																	
Control Test	0.199	12:09																																																																																																																																																	
Air Blank	0.000	12:09																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1997																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2892																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:10																																																																																																																																																	
Control Test	0.079	12:10																																																																																																																																																	
Air Blank	0.000	12:11																																																																																																																																																	
Control Test	0.080	12:11																																																																																																																																																	
Air Blank	0.000	12:12																																																																																																																																																	
Control Test	0.079	12:12																																																																																																																																																	
Air Blank	0.000	12:13																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0793																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7277																																																																																																																																																		

Act	Fit	Residual
g/210L	g/210L	g/210L
0.000	0.000	-0.0002
0.040	0.040	0.0004
0.100	0.100	-0.0002
0.200	0.200	-0.0000
0.300	0.300	0.0000

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-000914	Ft Myers Police Department	11/17/2022	DERR <i>[Signature]</i>

0.05g/210L 0.047 to 0.053 ☒	0.08g/210L 0.077 to 0.083 ☒	0.20g/210L 0.194 to 0.206 ☒	DGS 0.08g/210L 0.077 to 0.083 ☒																																																																																																																																																
FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000914 11/17/2022 Software: 8100.27 <table><tr><th>Test</th><th>g/210L</th><th>Time</th></tr><tr><td>Air Blank</td><td>0.000</td><td>10:34</td></tr><tr><td>Control Test</td><td>0.049</td><td>10:35</td></tr><tr><td>Air Blank</td><td>0.000</td><td>10:36</td></tr><tr><td>Control Test</td><td>0.048</td><td>10:36</td></tr><tr><td>Air Blank</td><td>0.000</td><td>10:37</td></tr><tr><td>Control Test</td><td>0.048</td><td>10:38</td></tr><tr><td>Air Blank</td><td>0.000</td><td>10:38</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.0483</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.1945</td><td></td></tr></table>  Operator's Signature	Test	g/210L	Time	Air Blank	0.000	10:34	Control Test	0.049	10:35	Air Blank	0.000	10:36	Control Test	0.048	10:36	Air Blank	0.000	10:37	Control Test	0.048	10:38	Air Blank	0.000	10:38	Control Test Stats			Average	0.0483		Std Dev	0.0006		Rel Std Dev(%)	1.1945		FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000914 11/17/2022 Software: 8100.27 <table><tr><th>Test</th><th>g/210L</th><th>Time</th></tr><tr><td>Air Blank</td><td>0.000</td><td>10:39</td></tr><tr><td>Control Test</td><td>0.079</td><td>10:40</td></tr><tr><td>Air Blank</td><td>0.000</td><td>10:41</td></tr><tr><td>Control Test</td><td>0.077</td><td>10:41</td></tr><tr><td>Air Blank</td><td>0.000</td><td>10:42</td></tr><tr><td>Control Test</td><td>0.078</td><td>10:42</td></tr><tr><td>Air Blank</td><td>0.000</td><td>10:43</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.0780</td><td></td></tr><tr><td>Std Dev</td><td>0.0010</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.2821</td><td></td></tr></table>  Operator's Signature	Test	g/210L	Time	Air Blank	0.000	10:39	Control Test	0.079	10:40	Air Blank	0.000	10:41	Control Test	0.077	10:41	Air Blank	0.000	10:42	Control Test	0.078	10:42	Air Blank	0.000	10:43	Control Test Stats			Average	0.0780		Std Dev	0.0010		Rel Std Dev(%)	1.2821		FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000914 11/17/2022 Software: 8100.27 <table><tr><th>Test</th><th>g/210L</th><th>Time</th></tr><tr><td>Air Blank</td><td>0.000</td><td>10:44</td></tr><tr><td>Control Test</td><td>0.199</td><td>10:45</td></tr><tr><td>Air Blank</td><td>0.000</td><td>10:46</td></tr><tr><td>Control Test</td><td>0.198</td><td>10:46</td></tr><tr><td>Air Blank</td><td>0.000</td><td>10:47</td></tr><tr><td>Control Test</td><td>0.199</td><td>10:48</td></tr><tr><td>Air Blank</td><td>0.000</td><td>10:48</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.1987</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.2906</td><td></td></tr></table>  Operator's Signature	Test	g/210L	Time	Air Blank	0.000	10:44	Control Test	0.199	10:45	Air Blank	0.000	10:46	Control Test	0.198	10:46	Air Blank	0.000	10:47	Control Test	0.199	10:48	Air Blank	0.000	10:48	Control Test Stats			Average	0.1987		Std Dev	0.0006		Rel Std Dev(%)	0.2906		FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000914 11/17/2022 Software: 8100.27 <table><tr><th>Test</th><th>g/210L</th><th>Time</th></tr><tr><td>Air Blank</td><td>0.000</td><td>10:49</td></tr><tr><td>Control Test</td><td>0.076</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.000</td><td>10:50</td></tr><tr><td>Control Test</td><td>0.076</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.000</td><td>10:51</td></tr><tr><td>Control Test</td><td>0.077</td><td>10:51</td></tr><tr><td>Air Blank</td><td>0.000</td><td>10:52</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.0763</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7564</td><td></td></tr></table>  Operator's Signature	Test	g/210L	Time	Air Blank	0.000	10:49	Control Test	0.076	10:50	Air Blank	0.000	10:50	Control Test	0.076	10:50	Air Blank	0.000	10:51	Control Test	0.077	10:51	Air Blank	0.000	10:52	Control Test Stats			Average	0.0763		Std Dev	0.0006		Rel Std Dev(%)	0.7564	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:34																																																																																																																																																	
Control Test	0.049	10:35																																																																																																																																																	
Air Blank	0.000	10:36																																																																																																																																																	
Control Test	0.048	10:36																																																																																																																																																	
Air Blank	0.000	10:37																																																																																																																																																	
Control Test	0.048	10:38																																																																																																																																																	
Air Blank	0.000	10:38																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0483																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1945																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:39																																																																																																																																																	
Control Test	0.079	10:40																																																																																																																																																	
Air Blank	0.000	10:41																																																																																																																																																	
Control Test	0.077	10:41																																																																																																																																																	
Air Blank	0.000	10:42																																																																																																																																																	
Control Test	0.078	10:42																																																																																																																																																	
Air Blank	0.000	10:43																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0780																																																																																																																																																		
Std Dev	0.0010																																																																																																																																																		
Rel Std Dev(%)	1.2821																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:44																																																																																																																																																	
Control Test	0.199	10:45																																																																																																																																																	
Air Blank	0.000	10:46																																																																																																																																																	
Control Test	0.198	10:46																																																																																																																																																	
Air Blank	0.000	10:47																																																																																																																																																	
Control Test	0.199	10:48																																																																																																																																																	
Air Blank	0.000	10:48																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1987																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2906																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	10:49																																																																																																																																																	
Control Test	0.076	10:50																																																																																																																																																	
Air Blank	0.000	10:50																																																																																																																																																	
Control Test	0.076	10:50																																																																																																																																																	
Air Blank	0.000	10:51																																																																																																																																																	
Control Test	0.077	10:51																																																																																																																																																	
Air Blank	0.000	10:52																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0763																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7564																																																																																																																																																		