



## Agency OSCEOLA COUNTY SHERIFF'S OFFICE

S/N 80-000966

Date In 05/11/2022

DI Completion Date 05-13-2022

☐ Ship

☐ P/U

☐ H/D

| Intake                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | By       | AL                     | Quality Checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | By        | PN       | Date      | 5/13/2022 | Flow Calibration                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | By                    | IS    | Date   | 05-13-2022            |       |        |                       |           |     |                        |  |  |  |  |                                                                                                                                                                                                                                                                                |  |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------|-----------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------|--------|-----------------------|-------|--------|-----------------------|-----------|-----|------------------------|--|--|--|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| <input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input checked="" type="checkbox"/> Return from <b>CMI / EE</b><br><br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight<br><br>Other Equipment/ Accessories:<br><input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br><br>Notes: _____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____ |          |                        | <input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value <u>162</u><br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # <u>ATP103</u><br>32 mm <u>.152</u> ( .139 - .169 )<br>36 mm <u>.167</u> ( .156 - .190 )<br>53 mm <u>.226*</u> ( .228 - .278 )<br>103 mm <u>.476</u> ( .447 - .547 )<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # <u>28662</u><br><input checked="" type="checkbox"/> Stability Checks |           |          |           |           | Flow Column # <u>ATP-102</u><br><input checked="" type="checkbox"/> 5L/min – 17mm<br><input checked="" type="checkbox"/> 15L/min – 53mm<br><input checked="" type="checkbox"/> 30L/min – 103mm<br><input checked="" type="checkbox"/> R-Value <u>165</u><br><input checked="" type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column # <u>ATP-103</u><br>32 mm <u>0.148</u> ( .139 - .169 )<br>36 mm <u>0.164</u> ( .156 - .190 )<br>53 mm <u>0.230</u> ( .228 - .278 )<br>103 mm <u>0.503</u> ( .447 - .547 ) |                       |       |        |                       |       |        |                       |           |     |                        |  |  |  |  |                                                                                                                                                                                                                                                                                |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |                        | <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP5088</td> <td>202201C<br/>01/11/2024</td> </tr> <tr> <td>0.080</td> <td>MP5089</td> <td>202201D<br/>01/18/2024</td> </tr> <tr> <td>0.200</td> <td>MP5084</td> <td>202201E<br/>01/18/2024</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG121002<br/>07/29/2023</td> </tr> </tbody> </table>                                                                                                                                                                                                                 | Simulator | Serial # | Lot #/Exp | 0.050     | MP5088                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 202201C<br>01/11/2024 | 0.080 | MP5089 | 202201D<br>01/18/2024 | 0.200 | MP5084 | 202201E<br>01/18/2024 | 0.080 DGS | N/A | AG121002<br>07/29/2023 |  |  |  |  | <b>Maintenance</b> By _____<br><input type="checkbox"/> Battery Replacement<br><input type="checkbox"/> Dry Gas Regulator Replacement<br><input type="checkbox"/> Breath Tube Replacement<br><input type="checkbox"/> Other _____<br>_____<br>_____<br>_____<br>_____<br>_____ |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Serial # | Lot #/Exp              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           |          |           |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                       |       |        |                       |       |        |                       |           |     |                        |  |  |  |  |                                                                                                                                                                                                                                                                                |  |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | MP5088   | 202201C<br>01/11/2024  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           |          |           |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                       |       |        |                       |       |        |                       |           |     |                        |  |  |  |  |                                                                                                                                                                                                                                                                                |  |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | MP5089   | 202201D<br>01/18/2024  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           |          |           |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                       |       |        |                       |       |        |                       |           |     |                        |  |  |  |  |                                                                                                                                                                                                                                                                                |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | MP5084   | 202201E<br>01/18/2024  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           |          |           |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                       |       |        |                       |       |        |                       |           |     |                        |  |  |  |  |                                                                                                                                                                                                                                                                                |  |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | N/A      | AG121002<br>07/29/2023 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           |          |           |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                       |       |        |                       |       |        |                       |           |     |                        |  |  |  |  |                                                                                                                                                                                                                                                                                |  |  |  |

| Calibration Adjustment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |       |            | Department Inspection                      |                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|------------|--------------------------------------------|------------------------|
| By _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |       |            | By IS _____                                |                        |
| Barometric Pressure Gauge _____ ID # _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |          |       |            | Barometric Pressure ID# <u>26932</u>       |                        |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Serial # | Lot # | Expiration | Gauge <u>1012</u>                          | Instrument <u>1011</u> |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          | N/A   | N/A        | Mouth Alcohol Solution Lot # <u>2021-D</u> |                        |
| 0.040                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |       |            | Acetone Stock Solution Lot # <u>2021-C</u> |                        |
| 0.100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |       |            |                                            |                        |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |       |            |                                            |                        |
| 0.300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |       |            |                                            |                        |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | N/A      |       |            |                                            |                        |
| <input type="checkbox"/> Post Calibration Adjustment Stability Checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |       |            |                                            |                        |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Serial # | Lot # | Expiration |                                            |                        |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |       |            |                                            |                        |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |       |            |                                            |                        |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |       |            |                                            |                        |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | N/A      |       |            |                                            |                        |
| Notes/Suggested Service: _____<br><u>Modem port is still pushed into instrument case.</u><br><u>Returning instrument to CMI. IS</u><br>_____<br>_____<br>_____<br>_____<br>_____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |       |            |                                            |                        |
| <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <input checked="" type="checkbox"/> Form 41<br/> <input checked="" type="checkbox"/> Stability Checks<br/> <input checked="" type="checkbox"/> Calibration Certificate<br/> <input type="checkbox"/> Calibration Adjustment         </div> <div style="width: 45%;"> <input type="checkbox"/> Post-Stability Checks<br/> <input checked="" type="checkbox"/> Flow Calibration<br/> <input type="checkbox"/> Form 40<br/> <input checked="" type="checkbox"/> Other <u>Form 51</u> </div> </div>                                                                                                                                                                                                                                                                                                        |          |       |            |                                            |                        |
| <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br/> <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br/> <input type="checkbox"/> Return to/Place into Evidentiary Use<br/> <input checked="" type="checkbox"/> Remain Out of Evidentiary Use<br/> <input type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use         </div> <div style="width: 45%;"> <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;">             2022.05.16           </div> <div style="display: flex; justify-content: space-between;"> <div>             Taylor<br/>Gutschow           </div> <div> <small>Digitally signed by Taylor Gutschow<br/>Date: 2022.05.13 12:06:34 -04'00'</small> </div> </div> </div> </div> |          |       |            |                                            |                        |
| <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">             Tech Review / Date _____           </div> <div style="width: 45%;">             Admin Review / Date _____           </div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |       |            |                                            |                        |

# Florida Department of Law Enforcement

## Alcohol Testing Program

### DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: OSCEOLA COUNTY SO  
Time of Inspection: 11:15

Date of Inspection: 05/13/2022

Serial Number: 80-000966  
Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:202201C<br>Exp: 01/11/2024 | 0.08g/210L Test<br>(g/210L)<br>Lot#:202201D<br>Exp: 01/18/2024 | 0.20g/210L Test<br>(g/210L)<br>Lot#:202201E<br>Exp: 01/18/2024 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:AG113403<br>Exp: 05/14/2023 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------|
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.203                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.080                                                          | 0.204                                                          | 0.080                                                                           |
| 0.000                            | 0.050                                                          | 0.080                                                          | 0.203                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.080                                                          | 0.204                                                          | 0.081                                                                           |
| 0.000                            | 0.049                                                          | 0.081                                                          | 0.203                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.080                                                          | 0.201                                                          | 0.080                                                                           |
| 0.000                            | 0.048                                                          | 0.081                                                          | 0.201                                                          | 0.081                                                                           |
| 0.000                            | 0.047                                                          | 0.081                                                          | 0.200                                                          | 0.081                                                                           |
| 0.000                            | 0.046                                                          | 0.081                                                          | 0.201                                                          | 0.081                                                                           |
| 0.000                            | 0.047                                                          | 0.081                                                          | 0.201                                                          | 0.081                                                                           |

|                     |        |        |        |        |
|---------------------|--------|--------|--------|--------|
| Standard Deviations | 0.0012 | 0.0006 | 0.0014 | 0.0005 |
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0009 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

*Israel Soto*

ISRAEL SOTO

Signature and Printed Name

05/13/2022  
Date

| Type of Test | Serial Number | Agency                          | Date      | Performed By |
|--------------|---------------|---------------------------------|-----------|--------------|
| Stabilities  | 80-000966     | OSCEOLA COUNTY SHERIFF'S OFFICE | 5/13/2022 | PN           |

| 0.05g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0.08g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0.20g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | DGS 0.08g/210L                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0.047 to 0.053                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 0.077 to 0.083                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 0.194 to 0.206                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 0.077 to 0.083                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <p>OSCEOLA COUNTY SO<br/>Intoxilyzer - Alcotest Analyzer<br/>Model 8000<br/>05/13/2022<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 08:16</p> <p>Control Test 0.050 08:16</p> <p>Air Blank 0.000 08:17</p> <p>Control Test 0.049 08:18</p> <p>Air Blank 0.000 08:18</p> <p>Control Test 0.050 08:19</p> <p>Air Blank 0.000 08:20</p> <p>Control Test Stats</p> <p>Average 0.0497</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 1.1525</p> <p>Operator's Signature</p> | <p>OSCEOLA COUNTY SO<br/>Intoxilyzer - Alcotest Analyzer<br/>Model 8000<br/>05/13/2022<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 08:21</p> <p>Control Test 0.080 08:22</p> <p>Air Blank 0.000 08:22</p> <p>Control Test 0.079 08:23</p> <p>Air Blank 0.000 08:24</p> <p>Control Test 0.079 08:24</p> <p>Air Blank 0.000 08:25</p> <p>Control Test Stats</p> <p>Average 0.0793</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.7277</p> <p>Operator's Signature</p> | <p>OSCEOLA COUNTY SO<br/>Intoxilyzer - Alcotest Analyzer<br/>Model 8000<br/>05/13/2022<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 08:26</p> <p>Control Test 0.214 08:27</p> <p>Air Blank 0.000 08:28</p> <p>Control Test 0.202 08:28</p> <p>Air Blank 0.000 08:29</p> <p>Control Test 0.202 08:30</p> <p>Air Blank 0.000 08:30</p> <p>Control Test Stats</p> <p>Average 0.2027</p> <p>Std Dev 0.0012</p> <p>Rel Std Dev(%) 0.5698</p> <p>Operator's Signature</p> | <p>OSCEOLA COUNTY SO<br/>Intoxilyzer - Alcotest Analyzer<br/>Model 8000<br/>05/13/2022<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 08:32</p> <p>Control Test 0.080 08:33</p> <p>Air Blank 0.000 08:33</p> <p>Control Test 0.081 08:33</p> <p>Air Blank 0.000 08:34</p> <p>Control Test 0.080 08:34</p> <p>Air Blank 0.000 08:35</p> <p>Control Test Stats</p> <p>Average 0.0803</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.7187</p> <p>Operator's Signature</p> |

DGS

Comments:

N/A



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2331 Phillips Road.  
Suite B1032  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000966, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                          |                                |       |
|-------------------|--------------------------|--------------------------------|-------|
| Serial Number:    | <u>80-000966</u>         | UNCERTAINTY* $\pm$             |       |
| Owning Agency:    | <u>OSCEOLA COUNTY SO</u> | 0.050 g/ 210 L                 | 0.004 |
| Calibration Date: | <u>05/13/2022</u>        | 0.080 g/ 210 L                 | 0.004 |
| Calibration Time: | <u>11:15</u>             | 0.200 g/ 210 L                 | 0.007 |
|                   |                          | 0.080 g/ 210 L Dry Gas Control | 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

**Israel Soto**  
Soto  
Date: 2022.05.13  
11:54:51 -04'00'

**05/13/2022**

Date

ISRAEL SOTO,

Department Inspector

FDLE/ATP Form 69 March 2022

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

## Flow Cal. Adj.

SA

OSCEOLA COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000966  
05/13/2022  
Software: 8100.27

### Flow Rate Calibration\*\*\*\*\*

1: Rate (Liters/min) = 5

SQRT(Diff) = 6.781

2: Rate (Liters/min) = 15

SQRT(Diff) = 11.617

3: Rate (Liters/min) = 30

SQRT(Diff) = 20.902

Dependent Data Scale Factor = 10000 L/min

Independent Data Scale Factor = 256

Rounded Slope = 683

Rounded Intercept = -625472

Correlation = 0.99789

## Return Material Authorization

Ship to:

☒ CMI, Inc.

☐ Enforcement Electronics

Shipment to repair facility authorized by: Osceola Co. SO on 8/2/21

Items Returned:      Instrument ☒    Supplies ☐    Other ☐ Describe: \_\_\_\_\_

Instrument Model: Intoxilyzer 8000      Serial Number: 80-000966

Bill To Address:

Osceola County Sheriff's Office

Ship to Address:

FDLE Alcohol Testing Program

Tallahassee, Florida

Reason for Return:

Modem port displaced in instrument.

Please choose one of the following options:

☐ 1. I \_\_\_\_\_, authorize all repairs.

☐ 2. I \_\_\_\_\_, authorize repairs up to \$ \_\_\_\_\_.

☒ 3. I require an estimate **BEFORE** any repairs will be authorized and/ or conducted.

Please contact: Name: Owen Gayle

Phone #: 407-269-1884

Email: ogay@osceola.org

ATP Contact Name: Richard Williams      ATP Email: RichardWilliams@fdle.state.fl.us