

INSTRUMENT PROCESSING SHEET

Agency Davie Police Department

S/N 80-001056

Florida Department of Law Enforcement

Date In 6/30/2022 DI Completion Date 6/30/2022 DShip P/U DH/D DCMI DEE

Intake By DERR Quality Checks By DERR Date 6/30/2022 Flow Calibration By Date

Law Emore	ACTION AND THE PROPERTY OF THE	CARLON CONTROL OF THE PARTY	en ger			T			
Intake	Ву		ty Che		R Date 6/30/2022		bration By		
Annual			■ Breath Tube Screen				Flow Column #		
Registration			Replace External O-Rings				☐ 5L/min – 17mm		
Return from CMI / EE			■ Instrument Set Up Verified				☐ 15L/min – 53mm		
Visual Inspection:			/alue _			☐ 30L/min – 103mm			
Case	Handle	■ Flo	w Ver	ification (L/s)		☐ R-Valu	e		
Keyboard		helf Flow	Colum	n # <u>ATP101</u>		☐ Post Calibration Verification (L/s)		ion (L/s)	
Feet	Breath Tu		mm <u>0</u>	.152	(.139169)	Flow Colu	ımn #		
Ports	Screws Ti	20	mm <u>0</u>	.167	(.156190)	32 mm		(.139169)	
	1	53	mm <u>0</u>		(.228278)	36 mm		(.156190)	
	ment/ Accessorie		mm_0	.515	(.447547)				
	ord Printer Ca	able 📗 Ba	rometi	ric Pressure C	Check		-1		
☐ Static Ba	g 12V DC C	able Gaug	e ID #_2	28199					
Notes:		Sta	Stability Checks						
		Simu	lator	Serial #	Lot #/Exp Mainte		ince	Ву	
-		0.050	0.050 MP486		202201C	☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☐ Other			
-		Δ.			01/11/2024			ement	
-		0.080	0.080 MP		202201D			t	
-					01/18/2024				
		0.200)		202201E				
	And the second s			MP5097	01/18/2024				
		0.000	DGS	C N/A					
		0.080	נטט	N/A	AG115904	Will the same of t			
Calibration Adjustment				By DERR	06/08/2023	14 CREATURA (1900 D. 200 V. 200			
	Pressure Gauge 1	010 10 #	The same of the sa		Department Inspec		<u> </u>	By DERR	
Simulator	Serial #	THE PROPERTY OF THE PARTY OF TH	6863		Barometric Pressure				
0.000	2010-2010-2010-2010-2010-2010-2010-2010	Lot #	E	xpiration	Gauge <u>1019</u> Instrument <u>1019</u>				
0.040	MP5099 MP5096			N/A	Mouth Alcohol Solu	The second secon			
0.100		21070		3/01/2023	Acetone Stock Solut	ion Lot # _			
	MP5098	21080		3/08/2023	Simulator 0.000		Serial Number	4.4	
0.200	MP5100	20510		2/03/2022	Interferent		SD10 SD10		
	MP5101	21030	02	2/02/2023	0.050		MP48		
0.080 DGS	N/A	00521080A	2 02	2/05/2023	0.080		MP48		
Post Calib	ration Adjustmen	t Stability Check	S	J	0.200		MP50	97	
Simulator	Serial #	Lot#		piration	Attachments				
0.050	MP4863	202201C		1/11/2024	Form 41		Post-Stability	Checks	
0.080	MP4864	202201D		1/18/2024	Stability Checks		☐ Flow Calibrat		
0.200	MP5097	202201E		/18/2024	l management of the control of the c		☐ Form 40		
0.080 DGS	N/A	AG115904		5/08/2023	Calibration Adju	stment	Other		
Notes/Suggested Service: Optical calibration to bring values closer to nominal. DERR				 Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☐ Return to/Place into Evidentiary Use 					
				Remain Out of Evidentiary Use					
					Conduct an Agency Inspection Before Evidentiary Use Date: Date: Date:				
					2022.06.30 12:21:06-04'00' -04'00'			:1	
					Tech Review / Da	te	Admin Review	/ Date	



Calibration Certificate

Florida Department of Law Enforcement 4700 Terminal Drive, Suite 1 Alcohol Testing Program Ft. Myers, FL 33907

FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000. This is to certify the calibration of Intoxilyzer 8000 serial number 80-001056, manufactured by CMI, Inc. was calibrated in accordance with

All results are reported in a/210 I		Calibration Time:	Calibration Date:	Owning Agency:	Serial Number:
		10:54	06/30/2022	DAVIE PD	80-001056
	0.080 g/210 L Dry Gas Control	0.200 g/210 L	$0.080 \mathrm{g}/210 \mathrm{L}$	$0.050 \mathrm{g}/ 210 \mathrm{L}$	UNCERTAINTY* ±
	0.005	0.007	0.004	0.004	

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration. *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks

TRACEABILITY INFORMATION

with ISO 17034 and ISO/IEC 17025 Standards This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance

accordance with ISO/ IEC 17025 standards Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in

prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls This document shall not be reproduced except in full,

without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

06/30/2022

Department Inspector E REYES-RIVERA

Service • Integrity • Respect • Quality

Page 1 of 1

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: DAVIE PD

Serial Number: 80-001056

Time of Inspection: 10:54

Date of Inspection: 06/30/2022

Software: 8100.27

0.0003

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check			Date and/or Time Adjusted		
(Pre-Inspection): OK	Yes				No
Minimum Sample Volume			Barometric Pressure Sensor		
Check: OK	Yes		Check: OK	Yes	
Alcohol Free Subject			Mouth Alcohol Test:		
Test: 0.000	Yes		Slope Not Met	Yes	
Interferent Detect Test:			Diagnostic Check		
Interferent Detect	Yes		(Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG115904 Exp: 06/08/2023
0.000	0.049	0.079	0.202	0.079
0.000	0.049	0.079	0.203	0.079
0.000	0.049	0.079	0.203	0.079
0.000	0.049	0.079	0.202	0.078
0.000	0.049	0.079	0.202	0.079
0.000	0.049	0.080	0.202	0.079
0.000	0.049	0.079	0.202	0.079
0.000	0.050	0.080	0.203	0.079
0.000	0.049	0.079	0.202	0.079
0.000	0.049	0.079	0.202	0.079

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

0.0004

DAVID E REYES-RIVERA

0.0004

The above instrument complies (X) does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Signature and Printed Name

06/30/2022 Date

Standard Deviations 0.0003

Operator's Signature	Devie of intoxilyzer - Alcohol Analyzer Model 8000 SN 80-301036 86.30/2022 Software: 8100.27 Test 9/2101 Time	0.05g/210L 0.047 to 0.053	Type of TestSeriaPost Stabilities80-0
Operator's Signature	Davie ab Intoxilyzer - Alconol Aralyzer Model 8000 SN 80-601056 06/30/2022 Schware: 8103.27 Test 9/210L Time Air Blank 0.000 09:17 Control Test 0.079 09:18 Control Test 0.079 09:20 Control Test 0.078 09:20 Control Test 0.078 09:21 Control Test 0.000 09:21 Control Test 0.000 09:21 Control Test 0.000 Control Test 0.0000 Control Test 0.0000 Control Test 0.0000 Control Test 0.0000 Control Test	0.08g/Z10L 0.077 to 0.083	Serial Number Agency 80-001056 Davie Police Department
Operator's Signature	Javie Pr Intoxilyzer - Alcohol Analyzer Yodel 8000 Sn 80-001056 06/30/2022 Software: 8100.27 Test g/210L Time Air Blank J.00 Control Test 9.201 Sin Blank J.00 Control Test 0.201 Air Blank 0.00 Control Test 0.201 Air Blank 0.00 Control Test 5tats Average 0.203 Std Dev 0.3096 Rel Std Dev (%) 0.2082	0.20g/210L 0.194 to 0.206	Date 6/30
Operator's Signature	GRUIE PD Intoxilyzer - Alconol Analyzer Model 8000 SN 80-011056 05/39/2022 Software: 8101.27 Test g/210L Time Test 0.000 99:27 Control Test 0.079 99:27 Cir Blank 0.000 99:27 Cir Blank 0.000 99:27 Cir Blank 0.000 99:27 Control Test 0.079 99:27 Control Test 0.079 99:27 Control Test 0.179 99:28 Control Test 0.100 Control Test 50:08 Control Test 50:09 Cont	DGS 0.08g/210L 0.077 to 0.083	Date Performed By 6/30/2022 DERR

2)

intoxilyzer - Alconol Analyzer
Model 8000 SN 80-001056
06/30/2022 08:3::13
Auto Calibration

Soi Walue = 0.900 g/2101 *** Fit Walue = 0.000° mg/: %%% Samples Taken = 4, Discarded = 1 3um io = 12663, 9um io = 13498 Auto Range Res Ualue = 59

Max Power Res Ualue = 80

Sample #1 = 11529 (1.952)
Sample #2 = 3.1377 (0.352)
Sample #2 = 3.1377 (0.352)
Sample #3 = 0.1130 (0.352)
Sample #4 = 0.1440 (0.392)
Sample #4 = 0.1440 (0.392)
Sample #4 = 0.163 (0.392)

Sample (3.455 Revision Process)

Sample 41 = 3.1550 (-3.113)

Sample 42 = 3.1512 (0.1053)

Sample 43 = 9.1230 (0.324)

Sample 44 = 9.1533 (0.822)

Sample 45 = 9.1255 (0.9141)

Sample 45 = 9.1255 (0.9141)

Sol Waiwe = 0.040 g/210L ***
Fit walke = 0.1995 mg/1 %%%
Samples Taxen = 4, Discarded = 1
3wm lo = 12645, 9cm lo = 13494
.<<<< CHRNEL 1 >>>>

Sample % 495 (% Abs Ref)
Sample % 495 (% Abs Ref)
Sample #1 = 1.5490 (0.0040)
Sample #2 = 1.5200 (0.0350)
Sample #3 = 1.5150 (0.0410)
Sample #4 = 1.4880 (0.0830)
9ug % Abs = 1.5177 (0.0330)
STD DEU = 0.0772 (0.0330)
SED SEU = 1.142 (49.346)

Soi Value = 0.100 g/210 xxx
Fit value = 0.4762 mg/1 %%%
Samples Taken = 4, Discarded = 1
3um To = 12636, 9um To = 13487

xxxx
CHANVEL | >>>>

Sample #1 = 1.9467

CH.0080

Sample #1 = 1.9467

CH.0080

Sample #3 = 1.9370

Sample #3 = 1.9370

Sample #4 = 1.9380

Sample #4 = 1.9387

Sample #4 = 1.9387

Sample #4 = 1.9387

Sample #4 = 0.0165

REL STO DEU = 0.852

7.1889

Sample ** CHANNEL 2 >>>> Sample ** Abs (* Abs Ref. Semple #! = 3.5810 (* 0.059)
Sample #2 = 3.5270 (0.054)
Sample #2 = 3.5270 (0.054)
Sample #4 = 3.5270 (0.058)
Aug * Abs = 3.5273 (0.058)
STD DEU = 0.0021 (0.060)
REL STD DEU = 2.059 (6.897)

Sample #1 = 6.7890 (% Acs Ref)
Sample #1 = 6.7890 (-0.0090)
Sample #2 = 6.7070 (0.0750)
Sample #3 = 6.7070 (0.0950)
Sample #4 = 6.8840 (0.1050)
Aug % Abs = 6.8993 (0.10917)
STD DEU = 0.2133 (0.0153)
REL STD DEU = 3.198 (16.664)

Sample #1 = 5.4560 (-0.999) Sample #1 = 5.4560 (-0.999) Sample #2 = 5.4940 (0.954) Sample #3 = 5.3540 (0.959) Sample #4 = 5.3100 (0.124) Aug % Abs = 5.3560 (0.1877) STD GEU = 0.0471 (0.035) REL STD GEU = 0.878 (43.911)

 <</td>

 Sample
 % Abs
 % Abs Ref)

 Sample
 % Abs
 (% Abs Ref)

 Sample
 #1 = 9.8450
 (% 110)

 Sample
 #2 = 9.7430
 (% 110)

 Sample
 #3 = 9.7120
 (% 130)

 Sample
 #4 = 9.6790
 (% 1540)

 Sample
 #4 = 9.6790
 (% 1540)

 Sample
 #4 = 9.6790
 (% 1317)

 STO DEU = 0.0320
 (% 0.0215)

 REL STD DEU = 0.330
 (% 16.366)

% 記 :

3.5%

Optical Calibration

SN: 80-0089-001056

Agency: Davie PD

Date: 6/30/2022

Quadratic Fit: +/- 0.002g/210L

By: DERR

~% ADS = 0.847 Std Dev = 10.12 Rel Std Dev = 10.14 Sel Ual = 0.4762 mg/l or 0.100 g/2101 Sol Ual = 0.1985 mg/l or 0.040 g/211 Sol Ual = 0.000 mg/l or 0.020 g/21% % Abs = 0.149 Std Dev = 1.05 Rei Std Dev = Zero Order Coef = -329.63 First Order Coef = 2587.88 が設け Sol Val = 1.4286 mg/l or 0.300 g/210L Std Dev = 1.02 Rei Std Dev = 1.85 Sci Ual = 0.9524 mg/l or 0.200 g/2101 Std Dev = 1.01 Re! Std Dev = 1.30 Sci val = 0.4752 mg/l or 0.100 g/2/01 % Abs = 1.937 Sol Ual = 0.1905 mg/l or 0.040 g/211_ Sol Wal = 0.0000 mg/l or 0.000 g/21%1 % Abs = 3.668 Std Dev = 0.01 Rel Std Dev = 1.17 % abs = 0.131 Standard Deviation = 16.756664 Second Order Coef = 26.34 Std Dev = 0.02 Rel Std Dev = 12.38 ≥ 25 11 Std Dev = 0.02 Rel Std Dev = 15.13 <<<< C路配! >>>> <<< C室配 2 >>>> ..588

Std Dev = 0.00 Rel Std Dev = 0.66
Sci Uai = 0.9524 mg/l or 0.200 g/2101 % abs = 6.699
Std Dev = 0.01 Rel Std Dev = 0.20
Sci Uai = 1.4286 mg/l or 0.300 g/2101 % abs = 9.71i
Std Dev = 0.03 Rel Std Dev = 0.33
Zero Order Coef = -194.43
First Order Coef = 1361.18
Second Order Coef = 13.36
Standard Deviation = 10.275841

**** AUTO CAL PASS

> Dry Gas H20 Adjust Results ********
> Barometric Pressure = 1019
> 3 um H20 Adjust (mg/i*10,000) = 729
> 9 um H20 Adjust (mg/i*10,000) = 472 Average Result = 3337.6667 STD DEV = 29.77.14 REL STD DEV = 0.892 ***** CHAWEL 2 Sample #1 = 3312.00 Sample #2 = 3319.00 Sample #3 = 3322.10 Sample #4 = 3372.00 Sample #1 = 3148.00 Sample #2 = 3095.00 Sample #3 = 3053.00 STD DEU = 23,4387 REL STD DEU = 8,761 Average Result = 3080.0000 Samples Taken = 4, Discarded = 1 Sol Ualve = 0.080 g/210L *** Fit value = 0.3810 mg/l %%% **** ***** Sample #4 = 3092.00 ***** CHANNEL Solution Stats Quadratic Fit Char 2 1.1999 1.

Operator's Signature	COUIE PD Intoxilyzer - Aiconol Analyzer Model 8000 05/30/2022 Software: 8100/27 Test 9/210L Time	0.05g/210L 0.047 to 0.053	Type of Test Serial Number Stabilities 80-001056
Opendion's Signature	Scule RD Intoxilyzer - Alcohol Ghalyzer Yodel 8000 36/30/2022 Software: 8130.27 Test g/210L Time Air Blank 0.000 Control Test 0.076 Air Blank 0.000 Control Test 0.075 Air Blank 0.000 Control Test 5tats Average 0.0763 Std Dev 0.006 Rel Std Dev(%) 0.7564	0.08g/210L 0.077 to 0.083 X	Javie Police Department
Cerator's Signatore	DRVIE PD intoxilyzer - %iconol Analyzer Model 8300 66/30/2102 Software: 8190.27 Test 3/210L Time Air Blank 3.000 Control Test 0.190 Gontrol Test 0.190 Control Test 0.197 Air Blank 0.000 Control Test 0.197 Std Deu 0.0016 Rel Std Deu(1) 0.2921	0.20g/210L 0.194 to 0.206	Date 6/30
Operator's Signature	DAJIE PD Intoxi lyzer - Flconci Analyzer Model 8000 SN 83-001056 36/30/2022 Software: 8100.27 Test 9/210L Time Air Blank 0.000 Control Test 0.077 Air Blank 1.000 Control Test 0.078 Air Blank 0.000 Control Test 0.078 Air Blank 0.000 Control Test 0.078 Stalex 0.000 Control Test 0.077 Std Dev 0.0777 Std Dev 0.0777 Std Dev 0.0734	DGS 0.08g/210L 0.077 to 0.083	Date Performed By 6/30/2022 DERR