

Return Material Authorization

Ship to: ☐ CMI, Inc.

☒ Enforcement Electronics

Shipment to repair facility authorized by: Sergeant Deborah Hawkins on 06/04/2021

Items Returned: Instrument ☒ Supplies ☐ Other ☐ Describe: _____

Instrument Model: Intoxilyzer 8000 Serial Number: 80-001123

Bill To Address:

FHP

Ship to Address:

FDLE ATP

Attn: Michael Haughey

4700 Terminal Drive Suite 1

Fort Myers FL 33907

Reason for Return:

Instrument can not upload via the analog line. Anytime the instrument calls out to Cobra, "No Records Found" is reported. Records can be pulled via direct connect, and calling from Cobra.

Please choose one of the following options:

- ☐ 1. I _____, authorize all repairs.
- ☐ 2. I _____, authorize repairs up to \$_____.
- ☒ 3. I require an estimate **BEFORE** any repairs will be authorized and/ or conducted.

Please contact: Name: Sergeant Deborah Hawkins

Phone #: _____ Email: DeborahHawkins@flhsmv.gov

ATP Contact Name: Michael Haughey ATP Email: michaelhaughey@fdle.state.fl.us

INSTRUMENT PROCESSING SHEET

Agency FHP Orlando

S/N 80-001123

Florida Department of
Law Enforcement

Date In 5/21/2021

DI Completion Date 6/2/2021☒ Ship ☐ P/U ☐ H/D ☐ CMI

TDG
5/27/2022

Intake ☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☒ Power cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes: _____ _____ _____ _____ _____ _____ _____ _____ _____ _____	Quality Checks By MH Date 06/02/2021 ☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>213</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP 106</u> 32 mm <u>0.156</u> (.139 - .169) 36 mm <u>0.171</u> (.156 - .190) 53 mm <u>0.238</u> (.228 - .278) 103 mm <u>0.507</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>28199</u> ☒ Stability Checks <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td rowspan="2">0.050</td> <td rowspan="2">MP4863</td> <td>202010A</td> </tr> <tr> <td>10/05/2022</td> </tr> <tr> <td rowspan="2">0.080</td> <td rowspan="2">MP4864</td> <td>202010B</td> </tr> <tr> <td>10/05/2022</td> </tr> <tr> <td rowspan="2">0.200</td> <td rowspan="2">MP5097</td> <td>202010D</td> </tr> <tr> <td>10/06/2022</td> </tr> <tr> <td rowspan="2">0.080 DGS</td> <td rowspan="2">N/A</td> <td>AG026705</td> </tr> <tr> <td>09/23/2022</td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.050	MP4863	202010A	10/05/2022	0.080	MP4864	202010B	10/05/2022	0.200	MP5097	202010D	10/06/2022	0.080 DGS	N/A	AG026705	09/23/2022	Flow Calibration By _____ Date _____ Flow Column # _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) _____ Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547) Maintenance By _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☐ Other _____ DI Temp. Checks By MH ☒ Lab Temp °C <u>22.64</u> External Digital Therm. ID#: <u>300503</u> ☒ 34°C +/- .2 Serial #: <u>MP4863</u> ☒ 34°C +/- .2 Serial #: <u>MP4864</u> ☒ 34°C +/- .2 Serial #: <u>MP5097</u>																																									
Simulator	Serial #	Lot #/Exp																																																												
0.050	MP4863	202010A																																																												
		10/05/2022																																																												
0.080	MP4864	202010B																																																												
		10/05/2022																																																												
0.200	MP5097	202010D																																																												
		10/06/2022																																																												
0.080 DGS	N/A	AG026705																																																												
		09/23/2022																																																												
Calibration Adjustment By _____ Barometric Pressure Gauge _____ ID # _____ <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> ☐ Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Department Inspection By MH Barometric Pressure ID# <u>68639</u> Gauge <u>1016</u> Instrument <u>1017</u> Mouth Alcohol Solution Lot # <u>2021-A</u> Acetone Stock Solution Lot # <u>2020-A</u> <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>SD1014</td> </tr> <tr> <td>Interferent</td> <td>SD1015</td> </tr> <tr> <td>0.050</td> <td>MP4863</td> </tr> <tr> <td>0.080</td> <td>MP4864</td> </tr> <tr> <td>0.200</td> <td>MP5097</td> </tr> </tbody> </table>	Simulator	Serial Number	0.000	SD1014	Interferent	SD1015	0.050	MP4863	0.080	MP4864	0.200	MP5097
Simulator	Serial #	Lot #	Expiration																																																											
0.000		N/A	N/A																																																											
0.040																																																														
0.100																																																														
0.200																																																														
0.300																																																														
0.080 DGS	N/A																																																													
Simulator	Serial #	Lot #	Expiration																																																											
0.050																																																														
0.080																																																														
0.200																																																														
0.080 DGS	N/A																																																													
Simulator	Serial Number																																																													
0.000	SD1014																																																													
Interferent	SD1015																																																													
0.050	MP4863																																																													
0.080	MP4864																																																													
0.200	MP5097																																																													
Notes/Suggested Service: _____ <u>Instrument will not upload over analog line. Only uploads via direct or call outs. Recommend repair.</u> <u>On 5/27/2022, I indicated that the Form 40, Form 51, and Reprints were included as Attachments, and I also indicated the instrument was sent to EE. The original author is not currently employed by FDLE-ATP. (TDG 5/27/2022)</u>		Attachments ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Calibration Adjustment ☐ Post-Stability Checks ☐ Flow Calibration ☒ Form 40 TDG 5/27/2022 ☒ Other <u>Form 51 and Reprints</u>																																																												
		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☐ Return to/Place into Evidentiary Use ☒ Remain Out of Evidentiary Use ☐ Conduct an Agency Inspection Before Evidentiary Use Tech Review / Date _____ Admin Review / Date <u>5/27/2022</u>																																																												

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FHP TROOP D ORLANDO

Time of Inspection: 12:45

Date of Inspection: 06/02/2021

Serial Number: 80-001123

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202010A Exp: 10/05/2022	0.08g/210L Test (g/210L) Lot#:202010B Exp: 10/05/2022	0.20g/210L Test (g/210L) Lot#:202010D Exp: 10/06/2022	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG026705 Exp: 09/23/2022
0.000	0.050	0.079	0.197	0.079
0.000	0.049	0.079	0.197	0.079
0.000	0.050	0.079	0.196	0.079
0.000	0.050	0.079	0.197	0.079
0.000	0.049	0.079	0.197	0.079
0.000	0.050	0.079	0.197	0.078
0.000	0.050	0.079	0.196	0.079
0.000	0.050	0.079	0.197	0.078
0.000	0.049	0.079	0.196	0.079
0.000	0.049	0.079	0.196	0.078


Standard Deviations	0.0005	0.0000	0.0005	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.





MICHAEL D HAUGHEY

Signature and Printed Name

06/02/2021

Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001123, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001123</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>FHP TROOP D ORLANDO</u>	0.050 g/ 210 L 0.005
Calibration Date:	<u>06/02/2021</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>12:45</u>	0.200 g/ 210 L 0.007
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Thermometer temperatures are checked with NIST traceable Eutechnics 4400 digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the uses of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

06/02/2021

Date


MICHAEL D HAUGHEY,
Department Inspector

FDLE/ATP Form 69 January 2021
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: FHP TROOP D ORLANDO

Time of Inspection: 08:45

Date of Inspection: 06/02/2021

Serial Number: 80-001123

Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08g/210L Test (g/210L) Lot#:_____ Exp:_____	0.20g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:_____ Exp:_____

Number of Simulators Used: _____

Remarks:

AI BYPASS. COMPLIANCE NOT DETERMINED.

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

MICHAEL D HAUGHEY

Signature and Printed Name

06/02/2021
Date

FHP TROOP D ORLANDO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001123
06/02/2021
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	09:16
Control Test	0.050	09:17
Air Blank	0.000	09:17
Control Test	0.049	09:18
Air Blank	0.000	09:18
Control Test	0.050	09:19
Air Blank	0.000	09:20
Control Test Stats		
Average	0.0497	
Std Dev	0.0006	
Rel Std Dev(%)	1.1625	

MX

Operator's Signature

FHP TROOP D ORLANDO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001123
06/02/2021
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	09:21
Control Test	0.050	09:22
Air Blank	0.000	09:22
Control Test	0.079	09:23
Air Blank	0.000	09:23
Control Test	0.078	09:24
Air Blank	0.000	09:25
Control Test Stats		
Average	0.0790	
Std Dev	0.0010	
Rel Std Dev(%)	1.2658	

MX

Operator's Signature

FHP TROOP D ORLANDO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001123
06/02/2021
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	09:26
Control Test	0.050	09:27
Air Blank	0.000	09:27
Control Test	0.050	09:28
Air Blank	0.000	09:28
Control Test	0.050	09:29
Air Blank	0.000	09:30
Control Test Stats		
Average	0.0500	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

MX

Operator's Signature

DHS

FHP TROOP D ORLANDO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001123
06/02/2021
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	09:31
Control Test	0.079	09:32
Air Blank	0.000	09:32
Control Test	0.079	09:33
Air Blank	0.000	09:33
Control Test	0.079	09:33
Air Blank	0.000	09:34
Control Test Stats		
Average	0.0790	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

MX

Operator's Signature

Model: 8100
SN: 80-001123
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	09:21
Control Test	0.079	09:22
Air Blank	0.000	09:22
Control Test	0.079	09:23
Air Blank	0.000	09:23
Control Test	0.079	09:24
Air Blank	0.000	09:25
Control Test Stats		
Average	0.0790	
Std Dev	0.0010	
Rel Std Dev(%)	1.2658	

Reprint of internal paper in Master packet which
does not scan readable. DEER 5/25/2022

Test Name	Value	Time
1st Run	0.000	09:26
Control Test	0.007	09:27
2nd Run	0.000	09:27
Control Test	0.007	09:28
3rd Run	0.000	09:29
Control Test	0.007	09:29
4th Run	0.000	09:30
Control Test	0.007	09:30
Average	0.000	
Std Dev	0.000	
Repeatability	0.000	

Reprint of internal printer paper in master packet which does not scan readable. DERR 5/25/2022

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FHP TROOP D ORLANDO

Time of Inspection: 14:42

Date of Inspection: 07/25/2022

Serial Number: 80-001123

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG115904 Exp: 06/08/2023
0.000	0.047	0.077	0.197	0.079
0.000	0.047	0.078	0.197	0.080
0.000	0.047	0.078	0.197	0.079
0.000	0.047	0.078	0.197	0.079
0.000	0.047	0.078	0.198	0.079
0.000	0.048	0.078	0.197	0.078
0.000	0.047	0.078	0.197	0.078
0.000	0.048	0.077	0.197	0.079
0.000	0.048	0.078	0.197	0.079
0.000	0.048	0.078	0.197	0.078


Standard Deviations	0.0005	0.0004	0.0003	0.0006
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



Signature and Printed Name

DAVID E REYES-RIVERA

07/25/2022
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001123, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001123</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>FHP TROOP D ORLANDO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>07/25/2022</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>14:42</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.
This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

FDLE/ATP Form 69 December 2021
Issuing Authority: Alcohol Testing Program

07/25/2022

Date

DAVID E REYES-RIVERA,
Department Inspector

Service • Integrity • Respect • Quality

Type of Test	Serial Number	Agency	Date	Performed By
Post Stabilities	80-001123	Florida Highway Patrol Orlando	7/25/2022	DERR <i>[Signature]</i>

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																
0.047 to 0.053 ☒ FHP TROOP D ORLANDO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001123 07/25/2022 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:18</td></tr> <tr><td>Control Test</td><td>0.047</td><td>12:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:19</td></tr> <tr><td>Control Test</td><td>0.047</td><td>12:20</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:21</td></tr> <tr><td>Control Test</td><td>0.047</td><td>12:21</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:22</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0470</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <i>[Signature]</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	12:18	Control Test	0.047	12:19	Air Blank	0.000	12:19	Control Test	0.047	12:20	Air Blank	0.000	12:21	Control Test	0.047	12:21	Air Blank	0.000	12:22	Control Test Stats			Average	0.0470		Std Dev	0.0000		Rel Std Dev(%)	0.0000		0.077 to 0.083 ☒ FHP TROOP D ORLANDO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001123 07/25/2022 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:23</td></tr> <tr><td>Control Test</td><td>0.078</td><td>12:24</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:24</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:25</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:26</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:27</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0787</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7339</td><td></td></tr> </tbody> </table> <i>[Signature]</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	12:23	Control Test	0.078	12:24	Air Blank	0.000	12:24	Control Test	0.079	12:25	Air Blank	0.000	12:26	Control Test	0.079	12:26	Air Blank	0.000	12:27	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel Std Dev(%)	0.7339		0.194 to 0.206 ☒ FHP TROOP D ORLANDO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001123 07/25/2022 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.100</td><td>12:28</td></tr> <tr><td>Control Test</td><td>0.198</td><td>12:29</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:29</td></tr> <tr><td>Control Test</td><td>0.197</td><td>12:30</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:30</td></tr> <tr><td>Control Test</td><td>0.198</td><td>12:31</td></tr> <tr><td>Air Blank</td><td>1.000</td><td>12:32</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1977</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2921</td><td></td></tr> </tbody> </table> <i>[Signature]</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.100	12:28	Control Test	0.198	12:29	Air Blank	0.000	12:29	Control Test	0.197	12:30	Air Blank	0.000	12:30	Control Test	0.198	12:31	Air Blank	1.000	12:32	Control Test Stats			Average	0.1977		Std Dev	0.0006		Rel Std Dev(%)	0.2921		0.077 to 0.083 ☒ FHP TROOP D ORLANDO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001123 07/25/2022 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:33</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:33</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:34</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:34</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:34</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:35</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:35</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0790</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <i>[Signature]</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	12:33	Control Test	0.079	12:33	Air Blank	0.000	12:34	Control Test	0.079	12:34	Air Blank	0.000	12:34	Control Test	0.079	12:35	Air Blank	0.000	12:35	Control Test Stats			Average	0.0790		Std Dev	0.0000		Rel Std Dev(%)	0.0000	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:18																																																																																																																																																	
Control Test	0.047	12:19																																																																																																																																																	
Air Blank	0.000	12:19																																																																																																																																																	
Control Test	0.047	12:20																																																																																																																																																	
Air Blank	0.000	12:21																																																																																																																																																	
Control Test	0.047	12:21																																																																																																																																																	
Air Blank	0.000	12:22																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0470																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:23																																																																																																																																																	
Control Test	0.078	12:24																																																																																																																																																	
Air Blank	0.000	12:24																																																																																																																																																	
Control Test	0.079	12:25																																																																																																																																																	
Air Blank	0.000	12:26																																																																																																																																																	
Control Test	0.079	12:26																																																																																																																																																	
Air Blank	0.000	12:27																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.100	12:28																																																																																																																																																	
Control Test	0.198	12:29																																																																																																																																																	
Air Blank	0.000	12:29																																																																																																																																																	
Control Test	0.197	12:30																																																																																																																																																	
Air Blank	0.000	12:30																																																																																																																																																	
Control Test	0.198	12:31																																																																																																																																																	
Air Blank	1.000	12:32																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1977																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2921																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:33																																																																																																																																																	
Control Test	0.079	12:33																																																																																																																																																	
Air Blank	0.000	12:34																																																																																																																																																	
Control Test	0.079	12:34																																																																																																																																																	
Air Blank	0.000	12:34																																																																																																																																																	
Control Test	0.079	12:35																																																																																																																																																	
Air Blank	0.000	12:35																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0790																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		

Auto Range Res Value = 21

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Auto Calibration

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Auto Calibration

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Auto Calibration

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Auto Calibration

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Sol Value = 0.000 g/210L ***
Fit Value = 0.000 mg/l %
Samples Taken = 4, Discarded = 1
Sum Io = 12873, Sum Io = 13985

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-001123	Florida Highway Patrol Orlando	7/25/2022	DERR <i>[Signature]</i>

0.05g/210L	0.08g/210L	0.20g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																																										
0.047 to 0.053 FHP TROOP D ORLANDO Intoxilyzer - Alcohol Analyzer Model 8000 07/25/2022 Software: 8100.27 SN 80-001123 Test: 9/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>09:34</td></tr> <tr><td>Control Test</td><td>0.045</td><td>09:34</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:35</td></tr> <tr><td>Control Test</td><td>0.045</td><td>09:35</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:36</td></tr> <tr><td>Control Test</td><td>0.045</td><td>09:36</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:37</td></tr> <tr><td>Control Test</td><td>0.045</td><td>09:37</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:38</td></tr> <tr><td>Control Test</td><td>0.045</td><td>09:38</td></tr> <tr><td>Average</td><td>0.0450</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </table> Operator's Signature <i>[Signature]</i>	Air Blank	0.000	09:34	Control Test	0.045	09:34	Air Blank	0.000	09:35	Control Test	0.045	09:35	Air Blank	0.000	09:36	Control Test	0.045	09:36	Air Blank	0.000	09:37	Control Test	0.045	09:37	Air Blank	0.000	09:38	Control Test	0.045	09:38	Average	0.0450		Std Dev	0.0000		Rel Std Dev(%)	0.0000		0.077 to 0.083 FHP TROOP D ORLANDO Intoxilyzer - Alcohol Analyzer Model 8000 07/25/2022 Software: 8100.27 SN 80-001123 Test: 9/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>09:39</td></tr> <tr><td>Control Test</td><td>0.077</td><td>09:40</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:40</td></tr> <tr><td>Control Test</td><td>0.076</td><td>09:41</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:41</td></tr> <tr><td>Control Test</td><td>0.077</td><td>09:42</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:43</td></tr> <tr><td>Control Test</td><td>0.077</td><td>09:43</td></tr> <tr><td>Average</td><td>0.0767</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7531</td><td></td></tr> </table> Operator's Signature <i>[Signature]</i>	Air Blank	0.000	09:39	Control Test	0.077	09:40	Air Blank	0.000	09:40	Control Test	0.076	09:41	Air Blank	0.000	09:41	Control Test	0.077	09:42	Air Blank	0.000	09:43	Control Test	0.077	09:43	Average	0.0767		Std Dev	0.0006		Rel Std Dev(%)	0.7531		0.194 to 0.206 FHP TROOP D ORLANDO Intoxilyzer - Alcohol Analyzer Model 8000 07/25/2022 Software: 8100.27 SN 80-001123 Test: 9/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>09:44</td></tr> <tr><td>Control Test</td><td>0.194</td><td>09:45</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:46</td></tr> <tr><td>Control Test</td><td>0.183</td><td>09:46</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:47</td></tr> <tr><td>Control Test</td><td>0.181</td><td>09:47</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:48</td></tr> <tr><td>Control Test</td><td>0.000</td><td>09:48</td></tr> <tr><td>Average</td><td>0.1860</td><td></td></tr> <tr><td>Std Dev</td><td>0.0070</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>3.7634</td><td></td></tr> </table> Operator's Signature <i>[Signature]</i>	Air Blank	0.000	09:44	Control Test	0.194	09:45	Air Blank	0.000	09:46	Control Test	0.183	09:46	Air Blank	0.000	09:47	Control Test	0.181	09:47	Air Blank	0.000	09:48	Control Test	0.000	09:48	Average	0.1860		Std Dev	0.0070		Rel Std Dev(%)	3.7634		0.077 to 0.083 FHP TROOP D ORLANDO Intoxilyzer - Alcohol Analyzer Model 8000 07/25/2022 Software: 8100.27 SN 80-001123 Test: 9/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>09:56</td></tr> <tr><td>Control Test</td><td>0.077</td><td>09:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:56</td></tr> <tr><td>Control Test</td><td>0.078</td><td>09:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:57</td></tr> <tr><td>Control Test</td><td>0.077</td><td>09:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:58</td></tr> <tr><td>Control Test</td><td>0.000</td><td>09:58</td></tr> <tr><td>Average</td><td>0.0773</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7466</td><td></td></tr> </table> Operator's Signature <i>[Signature]</i>	Air Blank	0.000	09:56	Control Test	0.077	09:56	Air Blank	0.000	09:56	Control Test	0.078	09:57	Air Blank	0.000	09:57	Control Test	0.077	09:57	Air Blank	0.000	09:58	Control Test	0.000	09:58	Average	0.0773		Std Dev	0.0006		Rel Std Dev(%)	0.7466		0.077 to 0.083 FHP TROOP D ORLANDO Intoxilyzer - Alcohol Analyzer Model 8000 07/25/2022 Software: 8100.27 SN 80-001123 Test: 9/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>09:56</td></tr> <tr><td>Control Test</td><td>0.077</td><td>09:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:56</td></tr> <tr><td>Control Test</td><td>0.078</td><td>09:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:57</td></tr> <tr><td>Control Test</td><td>0.077</td><td>09:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>09:58</td></tr> <tr><td>Control Test</td><td>0.000</td><td>09:58</td></tr> <tr><td>Average</td><td>0.0773</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7466</td><td></td></tr> </table> Operator's Signature <i>[Signature]</i>	Air Blank	0.000	09:56	Control Test	0.077	09:56	Air Blank	0.000	09:56	Control Test	0.078	09:57	Air Blank	0.000	09:57	Control Test	0.077	09:57	Air Blank	0.000	09:58	Control Test	0.000	09:58	Average	0.0773		Std Dev	0.0006		Rel Std Dev(%)	0.7466	
Air Blank	0.000	09:34																																																																																																																																																																													
Control Test	0.045	09:34																																																																																																																																																																													
Air Blank	0.000	09:35																																																																																																																																																																													
Control Test	0.045	09:35																																																																																																																																																																													
Air Blank	0.000	09:36																																																																																																																																																																													
Control Test	0.045	09:36																																																																																																																																																																													
Air Blank	0.000	09:37																																																																																																																																																																													
Control Test	0.045	09:37																																																																																																																																																																													
Air Blank	0.000	09:38																																																																																																																																																																													
Control Test	0.045	09:38																																																																																																																																																																													
Average	0.0450																																																																																																																																																																														
Std Dev	0.0000																																																																																																																																																																														
Rel Std Dev(%)	0.0000																																																																																																																																																																														
Air Blank	0.000	09:39																																																																																																																																																																													
Control Test	0.077	09:40																																																																																																																																																																													
Air Blank	0.000	09:40																																																																																																																																																																													
Control Test	0.076	09:41																																																																																																																																																																													
Air Blank	0.000	09:41																																																																																																																																																																													
Control Test	0.077	09:42																																																																																																																																																																													
Air Blank	0.000	09:43																																																																																																																																																																													
Control Test	0.077	09:43																																																																																																																																																																													
Average	0.0767																																																																																																																																																																														
Std Dev	0.0006																																																																																																																																																																														
Rel Std Dev(%)	0.7531																																																																																																																																																																														
Air Blank	0.000	09:44																																																																																																																																																																													
Control Test	0.194	09:45																																																																																																																																																																													
Air Blank	0.000	09:46																																																																																																																																																																													
Control Test	0.183	09:46																																																																																																																																																																													
Air Blank	0.000	09:47																																																																																																																																																																													
Control Test	0.181	09:47																																																																																																																																																																													
Air Blank	0.000	09:48																																																																																																																																																																													
Control Test	0.000	09:48																																																																																																																																																																													
Average	0.1860																																																																																																																																																																														
Std Dev	0.0070																																																																																																																																																																														
Rel Std Dev(%)	3.7634																																																																																																																																																																														
Air Blank	0.000	09:56																																																																																																																																																																													
Control Test	0.077	09:56																																																																																																																																																																													
Air Blank	0.000	09:56																																																																																																																																																																													
Control Test	0.078	09:57																																																																																																																																																																													
Air Blank	0.000	09:57																																																																																																																																																																													
Control Test	0.077	09:57																																																																																																																																																																													
Air Blank	0.000	09:58																																																																																																																																																																													
Control Test	0.000	09:58																																																																																																																																																																													
Average	0.0773																																																																																																																																																																														
Std Dev	0.0006																																																																																																																																																																														
Rel Std Dev(%)	0.7466																																																																																																																																																																														
Air Blank	0.000	09:56																																																																																																																																																																													
Control Test	0.077	09:56																																																																																																																																																																													
Air Blank	0.000	09:56																																																																																																																																																																													
Control Test	0.078	09:57																																																																																																																																																																													
Air Blank	0.000	09:57																																																																																																																																																																													
Control Test	0.077	09:57																																																																																																																																																																													
Air Blank	0.000	09:58																																																																																																																																																																													
Control Test	0.000	09:58																																																																																																																																																																													
Average	0.0773																																																																																																																																																																														
Std Dev	0.0006																																																																																																																																																																														
Rel Std Dev(%)	0.7466																																																																																																																																																																														

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: FHP TROOP D ORLANDO

Time of Inspection: 09:05

Date of Inspection: 07/25/2022

Serial Number: 80-001123

Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp:


Number of Simulators Used: _____

Remarks:

COMPLIANCE NOT DETERMINED, AI NOT CONDUCTED.

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



 Signature and Printed Name

DAVID E REYES-RIVERA

07/25/2022
Date