



## INSTRUMENT PROCESSING SHEET

Agency Port Orange Police DepartmentS/N 80-001245Florida Department of  
Law EnforcementDate In 12/12/2022 DI Completion Date 12/13/2022 ☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake	By DERR	Quality Checks	By DERR	Date <u>12/13/2022</u>	Flow Calibration	By	Date																																										
<input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE  Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight  Other Equipment/ Accessories: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable  Notes: _____ _____ _____ _____ _____ _____ _____ _____ _____ _____		<input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>183</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP101</u> 32 mm <u>0.144</u> (.139 - .169) 36 mm <u>0.160</u> (.156 - .190) 53 mm <u>0.234</u> (.228 - .278) 103 mm <u>0.503</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>28199</u> <input checked="" type="checkbox"/> Stability Checks			Flow Column # _____ <input type="checkbox"/> 5L/min - 17mm <input type="checkbox"/> 15L/min - 53mm <input type="checkbox"/> 30L/min - 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																																												
		<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202201C 01/11/2024</td></tr><tr><td>0.080</td><td>MP6287</td><td>202201D 01/18/2024</td></tr><tr><td>0.200</td><td>MP6288</td><td>202201E 01/18/2024</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>00521080A2 02/05/2023</td></tr></tbody></table>			Simulator	Serial #	Lot #/Exp	0.050	MP6286	202201C 01/11/2024	0.080	MP6287	202201D 01/18/2024	0.200	MP6288	202201E 01/18/2024	0.080 DGS	N/A	00521080A2 02/05/2023	<table border="1"><thead><tr><th colspan="2">Maintenance</th><th>By</th></tr></thead><tbody><tr><td colspan="2"><input type="checkbox"/> Battery Replacement</td><td></td></tr><tr><td colspan="2"><input type="checkbox"/> Dry Gas Regulator Replacement</td><td></td></tr><tr><td colspan="2"><input type="checkbox"/> Breath Tube Replacement</td><td></td></tr><tr><td colspan="2"><input type="checkbox"/> Other _____</td><td></td></tr><tr><td colspan="2">_____</td><td></td></tr><tr><td colspan="2">_____</td><td></td></tr><tr><td colspan="2">_____</td><td></td></tr><tr><td colspan="2">_____</td><td></td></tr></tbody></table>			Maintenance		By	<input type="checkbox"/> Battery Replacement			<input type="checkbox"/> Dry Gas Regulator Replacement			<input type="checkbox"/> Breath Tube Replacement			<input type="checkbox"/> Other _____			_____			_____			_____			_____		
Simulator	Serial #	Lot #/Exp																																															
0.050	MP6286	202201C 01/11/2024																																															
0.080	MP6287	202201D 01/18/2024																																															
0.200	MP6288	202201E 01/18/2024																																															
0.080 DGS	N/A	00521080A2 02/05/2023																																															
Maintenance		By																																															
<input type="checkbox"/> Battery Replacement																																																	
<input type="checkbox"/> Dry Gas Regulator Replacement																																																	
<input type="checkbox"/> Breath Tube Replacement																																																	
<input type="checkbox"/> Other _____																																																	
_____																																																	
_____																																																	
_____																																																	
_____																																																	
<b>Calibration Adjustment</b>		By _____		<b>Department Inspection</b>			By DERR _____																																										
Barometric Pressure Gauge _____ ID # _____				Barometric Pressure ID# <u>28663</u>																																													
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>		Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A					Gauge <u>1017</u> Instrument <u>1017</u> Mouth Alcohol Solution Lot # <u>2021-D</u> Acetone Stock Solution Lot # <u>2021-C</u>																	
Simulator	Serial #	Lot #	Expiration																																														
0.000		N/A	N/A																																														
0.040																																																	
0.100																																																	
0.200																																																	
0.300																																																	
0.080 DGS	N/A																																																
<input type="checkbox"/> Post Calibration Adjustment Stability Checks				<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6284</td></tr><tr><td>Interferent</td><td>MP6285</td></tr><tr><td>0.050</td><td>MP6286</td></tr><tr><td>0.080</td><td>MP6287</td></tr><tr><td>0.200</td><td>MP6288</td></tr></tbody></table>			Simulator	Serial Number	0.000	MP6284	Interferent	MP6285	0.050	MP6286	0.080	MP6287	0.200	MP6288			<table border="1"><thead><tr><th colspan="2">Attachments</th></tr></thead><tbody><tr><td><input checked="" type="checkbox"/> Form 41</td><td><input type="checkbox"/> Post-Stability Checks</td></tr><tr><td><input checked="" type="checkbox"/> Stability Checks</td><td><input type="checkbox"/> Flow Calibration</td></tr><tr><td><input checked="" type="checkbox"/> Calibration Certificate</td><td><input checked="" type="checkbox"/> Form 40</td></tr><tr><td><input type="checkbox"/> Calibration Adjustment</td><td><input type="checkbox"/> Other _____</td></tr></tbody></table>			Attachments		<input checked="" type="checkbox"/> Form 41	<input type="checkbox"/> Post-Stability Checks	<input checked="" type="checkbox"/> Stability Checks	<input type="checkbox"/> Flow Calibration	<input checked="" type="checkbox"/> Calibration Certificate	<input checked="" type="checkbox"/> Form 40	<input type="checkbox"/> Calibration Adjustment	<input type="checkbox"/> Other _____																
Simulator	Serial Number																																																
0.000	MP6284																																																
Interferent	MP6285																																																
0.050	MP6286																																																
0.080	MP6287																																																
0.200	MP6288																																																
Attachments																																																	
<input checked="" type="checkbox"/> Form 41	<input type="checkbox"/> Post-Stability Checks																																																
<input checked="" type="checkbox"/> Stability Checks	<input type="checkbox"/> Flow Calibration																																																
<input checked="" type="checkbox"/> Calibration Certificate	<input checked="" type="checkbox"/> Form 40																																																
<input type="checkbox"/> Calibration Adjustment	<input type="checkbox"/> Other _____																																																
Notes/Suggested Service: _____ _____ _____ _____ _____ _____ _____ _____ _____ _____				<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use																																													
Phil Nicodemo <small>Digitally signed by Phil Nicodemo Date: 2022.12.15 08:28:25 +05'00'</small>		Israel Soto <small>Digitally signed by Israel Soto Date: 2022.12.15 14:47:00 -05'00'</small>		Tech Review / Date _____			Admin Review / Date _____																																										





## Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
4700 Terminal Drive, Suite 1  
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001245, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001245</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>PORT ORANGE P.D.</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>12/13/2022</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>08:37</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

### TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

12/13/2022

Date

  
DAVID E REYES-RIVERA,  
Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1

# Florida Department of Law Enforcement

## Alcohol Testing Program

### DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: PORT ORANGE P.D.  
Time of Inspection: 08:37

Date of Inspection: 12/13/2022

Serial Number: 80-001245  
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:00521080A2 Exp: 02/05/2023
0.000	0.049	0.080	0.199	0.080
0.000	0.050	0.080	0.200	0.080
0.000	0.049	0.080	0.200	0.080
0.000	0.049	0.079	0.200	0.080
0.000	0.049	0.079	0.200	0.080
0.000	0.050	0.079	0.200	0.079
0.000	0.050	0.079	0.200	0.079
0.000	0.049	0.079	0.200	0.079
0.000	0.049	0.079	0.200	0.079
0.000	0.050	0.079	0.200	0.079


Standard Deviations	0.0005	0.0004	0.0003	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:





The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

 DAVID E REYES-RIVERA  
Signature and Printed Name

12/13/2022  
Date

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-001245	Port Orange Police Department	12/13/2022	DERR 

0.05g/210L 0.047 to 0.053 <input checked="" type="checkbox"/>	0.08g/210L 0.077 to 0.083 <input checked="" type="checkbox"/>	0.20g/210L 0.194 to 0.206 <input checked="" type="checkbox"/>	DGS 0.08g/210L 0.077 to 0.083 <input checked="" type="checkbox"/>																																																																																																																																																
PORT ORANGE P.D. Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001245 12/13/2022 Software: 8101.27	PORT ORANGE P.D. Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001245 12/13/2022 Software: 8101.27	PORT ORANGE P.D. Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001245 12/13/2022 Software: 8101.27	PORT ORANGE P.D. Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001245 12/13/2022 Software: 8101.27																																																																																																																																																
<table><tr><th>Test</th><th>g/210L</th><th>Time</th></tr><tr><td>Air Blank</td><td>0.000</td><td>06:37</td></tr><tr><td>Control Test</td><td>0.052</td><td>06:37</td></tr><tr><td>Air Blank</td><td>0.000</td><td>06:38</td></tr><tr><td>Control Test</td><td>0.049</td><td>06:39</td></tr><tr><td>Air Blank</td><td>0.000</td><td>06:39</td></tr><tr><td>Control Test</td><td>0.050</td><td>06:40</td></tr><tr><td>Air Blank</td><td>0.000</td><td>06:40</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.0497</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.1625</td><td></td></tr></table>	Test	g/210L	Time	Air Blank	0.000	06:37	Control Test	0.052	06:37	Air Blank	0.000	06:38	Control Test	0.049	06:39	Air Blank	0.000	06:39	Control Test	0.050	06:40	Air Blank	0.000	06:40	Control Test Stats			Average	0.0497		Std Dev	0.0006		Rel Std Dev(%)	1.1625		<table><tr><th>Test</th><th>g/210L</th><th>Time</th></tr><tr><td>Air Blank</td><td>0.000</td><td>06:42</td></tr><tr><td>Control Test</td><td>0.079</td><td>06:42</td></tr><tr><td>Air Blank</td><td>0.000</td><td>06:43</td></tr><tr><td>Control Test</td><td>0.080</td><td>06:44</td></tr><tr><td>Air Blank</td><td>0.000</td><td>06:44</td></tr><tr><td>Control Test</td><td>0.079</td><td>06:45</td></tr><tr><td>Air Blank</td><td>0.000</td><td>06:45</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.0793</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr></table>	Test	g/210L	Time	Air Blank	0.000	06:42	Control Test	0.079	06:42	Air Blank	0.000	06:43	Control Test	0.080	06:44	Air Blank	0.000	06:44	Control Test	0.079	06:45	Air Blank	0.000	06:45	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277		<table><tr><th>Test</th><th>g/210L</th><th>Time</th></tr><tr><td>Air Blank</td><td>0.000</td><td>06:46</td></tr><tr><td>Control Test</td><td>0.200</td><td>06:47</td></tr><tr><td>Air Blank</td><td>0.000</td><td>06:48</td></tr><tr><td>Control Test</td><td>0.199</td><td>06:48</td></tr><tr><td>Air Blank</td><td>0.000</td><td>06:49</td></tr><tr><td>Control Test</td><td>0.198</td><td>06:50</td></tr><tr><td>Air Blank</td><td>0.000</td><td>06:50</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.1993</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.2855</td><td></td></tr></table>	Test	g/210L	Time	Air Blank	0.000	06:46	Control Test	0.200	06:47	Air Blank	0.000	06:48	Control Test	0.199	06:48	Air Blank	0.000	06:49	Control Test	0.198	06:50	Air Blank	0.000	06:50	Control Test Stats			Average	0.1993		Std Dev	0.0006		Rel Std Dev(%)	0.2855		<table><tr><th>Test</th><th>g/210L</th><th>Time</th></tr><tr><td>Air Blank</td><td>0.000</td><td>06:54</td></tr><tr><td>Control Test</td><td>0.080</td><td>06:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>06:55</td></tr><tr><td>Control Test</td><td>0.080</td><td>06:55</td></tr><tr><td>Air Blank</td><td>0.000</td><td>06:55</td></tr><tr><td>Control Test</td><td>0.079</td><td>06:56</td></tr><tr><td>Air Blank</td><td>0.000</td><td>06:56</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.0797</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7247</td><td></td></tr></table>	Test	g/210L	Time	Air Blank	0.000	06:54	Control Test	0.080	06:54	Air Blank	0.000	06:55	Control Test	0.080	06:55	Air Blank	0.000	06:55	Control Test	0.079	06:56	Air Blank	0.000	06:56	Control Test Stats			Average	0.0797		Std Dev	0.0006		Rel Std Dev(%)	0.7247	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	06:37																																																																																																																																																	
Control Test	0.052	06:37																																																																																																																																																	
Air Blank	0.000	06:38																																																																																																																																																	
Control Test	0.049	06:39																																																																																																																																																	
Air Blank	0.000	06:39																																																																																																																																																	
Control Test	0.050	06:40																																																																																																																																																	
Air Blank	0.000	06:40																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0497																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1625																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	06:42																																																																																																																																																	
Control Test	0.079	06:42																																																																																																																																																	
Air Blank	0.000	06:43																																																																																																																																																	
Control Test	0.080	06:44																																																																																																																																																	
Air Blank	0.000	06:44																																																																																																																																																	
Control Test	0.079	06:45																																																																																																																																																	
Air Blank	0.000	06:45																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0793																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7277																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	06:46																																																																																																																																																	
Control Test	0.200	06:47																																																																																																																																																	
Air Blank	0.000	06:48																																																																																																																																																	
Control Test	0.199	06:48																																																																																																																																																	
Air Blank	0.000	06:49																																																																																																																																																	
Control Test	0.198	06:50																																																																																																																																																	
Air Blank	0.000	06:50																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1993																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2855																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	06:54																																																																																																																																																	
Control Test	0.080	06:54																																																																																																																																																	
Air Blank	0.000	06:55																																																																																																																																																	
Control Test	0.080	06:55																																																																																																																																																	
Air Blank	0.000	06:55																																																																																																																																																	
Control Test	0.079	06:56																																																																																																																																																	
Air Blank	0.000	06:56																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0797																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7247																																																																																																																																																		
<div> Operator's Signature</div>	<div> Operator's Signature</div>	<div> Operator's Signature</div>	<div> Operator's Signature</div>																																																																																																																																																

# Florida Department of Law Enforcement Alcohol Testing Program

## AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: PORT ORANGE P.D.  
Time of Inspection: 06:17

Date of Inspection: 12/13/2022

Serial Number: 80-001245  
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08g/210L Test (g/210L) Lot#:_____ Exp:_____	0.20g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:_____ Exp:_____


Number of Simulators Used: \_\_\_\_\_

**Remarks:**

COMPLIANCE NOT DETERMINED, AI NOT CONDUCTED.

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

 \_\_\_\_\_  
Signature and Printed Name

DAVID E REYES-RIVERA

12/13/2022  
Date